

# Index

- acceleration sensors 48
- admittance method 227
- Affix 41
- Agee–Turner factorisation 7, 107, 110, 207
- analog-to-digital converter 16
- angular mechanical susceptibility 226
- approach vector 33
- armature current 48
- artificial constraints 227
- axis of rotation 23
  
- base
  - frame 225
  - parameter, 48, 64
- batch
  - least squares 7, 119, 141, 146
  - processing, 104
- bendy pointer 25, 38, 39
  
- CAD modelling 112, 180
- calibration procedure 26
- canonical model 49, 62, 78, 114
- Cartesian
  - programming 14, 26
  - space, 34, 45, 230
- categorisation 48
- centre of mass 4
- centrifugal
  - coefficient matrix 54
  - torques, 53
- completely unidentifiable parameters 69
- compliance 231
  - matrix, 238
  - of the forces, 221
  - of the torques, 222
- condition
  - number 106
- confidence interval 208, 209
- Coriolis
  - coefficient matrix 54
  - term, 53
  - torques, 53
- correlation technique 11
- Coulomb friction
  - coefficient 47
  - torque, 53
- covariance method 7, 103, 116, 118, 119
- cubic polynomial 33
  
- d’Alembert principle 5
- damped least squares 104, 106
- degree
  - of excitation 106
  - of freedom, 19
- deterministic case 107, 110
- differential
  - filtered model 74
  - model, 5, 48, 53
- direct drive robot 1, 2, 4
- direction cosine matrix 222
- dynamic
  - measurement 190, 207
  - model, 5
  
- EDDA robot 76, 180
- end effector 40
- energy
  - difference equation 64, 67
  - difference model, 5
  - model, 5, 8
  - theorem, 48, 56
- engineering drawings 39
- equivalent
  - angle 22, 23, 35
  - axis, 22, 35
- essential parameter space 67
- Euler
  - angles 21, 223, 226
  - theorem, 25

- Experimental Direct Drive
  - Arm (EDDA) 49
- explicit
  - differential model 191
  - dynamic model, 5, 190
- Fast Fourier Transform 7, 103, 113, 114
- filtered integral model 6
- force controller 227, 239
- force/torque loop 221
- Fourier transformation 103
- frame 21, 22
- frequency domain 116
- Frobenius condition number 116
- gaussian noise 137
- gear
  - mechanism 1
  - ratio, 48
  - transmission, 11
- geared robot 1, 47
- general purpose programming language 14
- global
  - compliance 219, 228, 236–238
  - stiffness, 3, 9, 228, 236
- gradient conjugate 136
- harmonic gear 4
- homogeneous
  - matrix 22
  - transformation, 72
- host computer level software 19
- hybrid
  - control 3, 9, 217
  - controller, 221, 224, 236
  - frame, 225–227
- hypoid gear 4
- identifiable parameter 67
- identification 101
- implicit
  - differential model 73, 191, 196
  - dynamic model, 5, 190
- industrial programming panel 18
- inertia tensor 4
- infinite gain filter 73
- infinitely stiff environment 228
- input correlation matrix 2, 7, 106, 140, 200
- instrumental variable method 119
- integral model 5, 48, 56
- interactive teaching system 25, 38
- interrupt controller 43
- Jacobian 219, 228, 229
- joint space trajectories 27
- kinematically simple manipulators 64
- Lagrange
  - equations 5, 48
  - multipliers, 144, 148
- Lagrangian 52
- least
  - mean squares 120, 140
  - squares, 7, 10, 104, 105, 114, 190
- line by line estimation 122
- linear interpolation 35
- load identification 189
- local stiffness 3, 9, 218, 228, 236, 237
- long integral 59, 112, 167
- manipulator inertia matrix 53
- mean value 205
- measurement level software 19
- minimum
  - number of parameters 48
  - set of dynamic parameters, 62
- modelling error 111
- modified
  - Denavit-Hartenberg notation 4, 47, 50, 198
  - exponentially-weighted recursive
  - least squares algorithm (EW-RLS), 123
- motion clause 26
- Newton-Euler equations 48
- non-potential
  - forces 53
  - generalised force, 56
- NonRigidly 41
- normal vector 33
- object level programming 14
- objects 21
- observation error 110
- off
  - line 37, 102
  - identification 122, 215
- on
  - line 37, 102, 122
  - identification 7, 103, 215
- optimal trajectory 2
- optimisation 140
- orientation

- error 220, 223
- vector, 33
  
- parabolic polynomial 33
- parallelogram structure 9, 48, 55, 81, 83, 160, 163
- persistently exciting 110
  - condition, 106, 121, 123, 131, 142
  - matrix, 121
- planetary gear 4
- position
  - controller 227, 239
  - error, 221
  - loop, 221
  - sensors, 48
- positive definite 106
- prismatic joint 50
- programming
  - panel 38
  - system, 1, 13, 33, 41
- pulse width 43
  
- regression matrix 73, 200
- reluctance motors 76
- revolute joint 50
- ridge regression 11, 104, 106
- Rigidly 41
- robot
  - computer level software 19
  - programming, 3
  - language 3, 10
- roll pitch yaw 21
  
- selection matrix 221
- sensor ball 18, 37, 223
- sensor integration 14
- sequential
  - identification 119, 132, 163
  - least squares, 7, 141
- short integral 59, 112, 128, 167
- single board computer 16, 43
- singular value decomposition 69
- spectral analysis 113
- spring 218, 221, 228, 238
- standard deviation 205, 206, 209
- static measurement 189, 201
- Steiner theorem 126, 192
- stick slip phenomenon 114
- stiction friction torque 157
- stiffness 226, 227, 229, 231–233
- stochastic case 108
- straight line 34, 239
- strain
  - gauge 16
  - bridge 16
  - sensor 194
- structured equations of motion 71
- symmetric tool 223
  
- teaching
  - by doing 22
  - padent, 28
- three pointing 26
- time domain 103, 116
- tool frame 225
- total
  - kinetic energy 51
  - potential energy, 52
- trajectory 110
- transmission mechanism 48
- two sweeps algorithm 146
  
- Unfix 41
- unmodelled dynamics 107
  
- velocity sensors 48
- virtual programming panel 15
- viscous friction
  - coefficient 47, 51
  - torque, 53
  
- watch dog unit 43
- white noise 107, 110
- world modelling 14, 26, 41
- worm gear 4

## References

1. An Ch. H., Atkeson Ch. G., Hollerbach J. M. (1988): *Model-based control of a robot manipulator*. The MIT Press, Cambridge
2. Angeles J. (1997): *Fundamentals of robotic mechanical systems theory, methods and algorithms*. Springer-Verlag, New York
3. Armstrong B., Khatib O., Burdick J. (1986): The explicit dynamic model and inertial parameters of the PUMA 560 Arm. *Proceedings of the IEEE International Conference on Robotics and Automation*, 510–518
4. Armstrong B. (1988): Dynamics for robot control, friction modelling and ensuring excitation during parameter identification. Ph. D. Thesis, Stanford University, Dept. of Electrical Engineering
5. Armstrong B. (1989): On finding exciting trajectories for identification experiments involving systems with nonlinear dynamics. *The International Journal of Robotics Research* **8**, 28–48
6. Armstrong-Hélouvry B. (1991): *Control of machines with friction*. Kluwer Academic Publishers, Boston
7. Arnold V.I. (1978): *Mathematical methods of classical mechanics*. Springer-Verlag, New York
8. Asada H., Slotine J. J. (1986): *Robot analysis and control*. J.Wiley, New York
9. Asada H., Youcef-Toumi K. (1987): *Direct drive robots theory and practice*. The MIT Press, Cambridge
10. Atkeson Ch. G., An Ch. H., Hollerbach J. M. (1985): Rigid body load identification for manipulators. *Proceedings of the 24th Conference on Decision and Control*. Ft. Lauderdale, 996–1002
11. Atkeson Ch. G., An Ch. H., Hollerbach J. M. (1986): Estimation of inertial parameters of manipulator loads and links. *The International Journal of Robotics Research*. **5**, 101–119
12. A. Bartosiewicz (1993): Adaptive control of robot manipulators using their simplified dynamical models. Ph.D. Thesis, Lodz University of Technology (in Polish)
13. Bejczy A.K. (1974): Robot arm dynamics and control. Technical Memorandum, 33-669, Jet Propulsion Laboratory
14. Biennis F., Khalil W. (1990): Minimum inertial parameters of robots with parallelogram closed-loops. *Proceedings of the 1990 International Conference on Robotics and Automation*. Cincinnati, 1026–1031
15. Bierman G. J. (1977): *Factorization methods for discrete sequential estimation*. Academic Press, New York
16. Blume C., Jakob W. (1986): *PASRO. Pascal for Robots*. Springer-Verlag, Berlin
17. Brady M., Hollerbach J.M., Johnson T.L., Lozano-Perez T., Mason M.T. (1983): *Robot motion: planning and control*. The MIT Press, Cambridge

18. Bridges M.M., Dawson D.M., Martindale S.C. (1993): An experimental study of flexible joint robots with harmonic drive gearing. *Proceedings of the 2-nd Conference on Control Applications*, Vancouver, 499-504
19. Bryson A. E. and Ho Y. (1975): *Applied optimal control*. Hemisphere Publishing Co., New York
20. Burdick J.W. (1986): An algorithm for generation of efficient manipulator dynamic equations. *Proceedings of the 1986 IEEE International Conference on Robotics and Automation*, San Francisco, 212-218
21. Caccavale F., Chiacchio P. (1994): Energy based identification of dynamic parameters for a conventional industrial manipulator. *Preprints of the Fourth IFAC Symposium on Robot Control*. Capri, 619-624
22. Caccavale F., Chiacchio P. (1994): Identification of dynamic parameters for a conventional industrial manipulator. *Proceedings of the 10th IFAC Symposium on System Identification*. Copenhagen, 583-588
23. Canudas de Wit C., Aström R. J., Braun K. (1987): Adaptive friction compensation in DC-motor drives. *IEEE Journal of Robotics and Automation*. RA-3, 681-685
24. Canudas de Wit C., Carrillo J. (1990): A modified EN-RLS algorithm for systems with bounded disturbances. *Automatica*, Vol **26**, No. **3**, 599-606
25. Canudas de Wit C., Noël P., Aubin A., Brogliato B. (1991): Adaptive friction compensation in robot manipulators: low velocities. *The International Journal of Robotics Research*. **10**, 189-199
26. Canudas de Wit C., Aubin A. (1991): Robot parameter identification via sequential hybrid algorithm. *Proceedings of the IEEE International Conference on Robotics and Automation*. Sacramento, 952-957
27. Canudas de Wit C., Olsson H., Åström K.J., Lischinsky A. (1995): A new method for control of systems with friction. *IEEE Transactions on Automatic Control*, **40**, 419-425
28. Canudas de Wit C., Siciliano B., Bastin G. (1996): *Theory of robots*. Springer-Verlag London Limited, Berlin, Heidelberg, New York
29. Chedmail P., Gautier M., Khalil W. (1986): Automatic dynamic modelling of robot including parameters of links and actuators. *Proc. of the IFAC/IFIP/IMACS International Symposium on Theory of Robots*. Vienna, 195-199
30. Craig J. J. (1988): *Adaptive control of mechanical manipulators*. Addison-Wesley Publishing Company, Reading, Massachusetts
31. Craig J. J. (1989): *Introduction to Robotics. Mechanics and control*. Addison-Wesley Publishing Company, Reading, Massachusetts
32. Czajka A. (1994): Hybrid control of the IRp-6 robot. M.S. Thesis, Poznań University of Technology (in Polish)
33. Dégoulange E., Dauchez P., Pierrot F. (1993): Force control of an industrial Puma 560 robot under environmental constraints: Implementation issues and experimental results. *Proceedings of the IEEE International Conference on Robotics and Automation*, Atlanta, 213-218
34. Dutkiewicz P., Kozłowski K., Królikowski A., Wróblewski W. (1992): Programming system of the IRp-6 ASEA robot, its model and force and torque sensor feedback. Technical report, No. 1096/55/92/02 for the State Committee for Scientific Research, Warsaw (in Polish)
35. Dutkiewicz P., Kozłowski K., Wróblewski W. (1992): Repetitive control of the IRp-6 robot. Technical report, Poznań University of Technology (in Polish)
36. Dutkiewicz P., Kozłowski K., Wróblewski W. (1993): Experimental identification of robot and load dynamic parameters. *Proceedings of the 2-nd IEEE Conference on Control Applications*, Vancouver, 767-776

37. Dutkiewicz P., Kozłowski K., Wróblewski W. (1993): Experimental identification of dynamic parameters of the IRp-6 robot. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Fourth National Conference on Robotics*, **93**: 77–84 (in Polish)
38. Dutkiewicz P., Kozłowski K., Wróblewski W. (1993): Experimental identification of load dynamics. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Fourth National Conference on Robotics*, **93**: 246–253 (in Polish)
39. Dutkiewicz P., Kozłowski K., Wróblewski W. (1993): Robot programming system for research purposes. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Fourth National Conference on Robotics*, **94**, 335–342 (in Polish)
40. Dutkiewicz P., Kozłowski K., Wróblewski W. (1993): Robot programming for research purposes. *Proceedings of the COMPEURO'93*. Paris, 94–101
41. Dutkiewicz P., Kozłowski K., Wróblewski W. (1993): Experimental identification of load parameters. *Proceedings of the IEEE International Symposium on Industrial Electronics*, Budapest, 361–366.
42. Dutkiewicz P., Kozłowski K. (1994): A force controller for manipulators with closed positioning control system. *Proceedings of the First International Symposium on Mathematical Models in Automation and Robotics*, Międzyzdroje, Poland, 398–403
43. Dutkiewicz P., Kozłowski K. (1994): Identification of robot dynamics with optimal exciting trajectories. *Proceedings of the First International Symposium on Mathematical Models in Automation and Robotics*, Międzyzdroje, Poland, 368–372
44. Dutkiewicz P., Kozłowski K., Wróblewski W. (1994): Experimental results of robot and load dynamic parameters identification. *Automation and Informatics Studies*, **19**, 5–26
45. Dutkiewicz P. (1994): Friction: Experimental determination based on an integral model of the IRp-6 robot. *Proceedings of the First International Symposium on Mathematical Models in Automation and Robotics*, Międzyzdroje, Poland, 416–421
46. Dutkiewicz P., Kozłowski K., Królikowski A., Wróblewski W. (1994): Programming system of the IRp-6 ASEA robot, its model and force and torque sensor feedback. *Bulletin of the Industrial Research Institute for Automation and Measurements*, Warsaw, 51–63 (in Polish)
47. Dutkiewicz P., Kozłowski K., Wróblewski W. (1994): Programming system for the IRp-6 robot. *Archives of Control Sciences*. **3**, 1/2, 51–68
48. Dutkiewicz P., Kozłowski K. (1995): Exciting trajectories for the identification of robot dynamics. *Proceedings of Fourth International Symposium on Measurement and Control*, Smolenice, Slovakia, 371–376
49. Dutkiewicz P., Kozłowski K. (1995): A hybrid controller for the IRp-6 robot. *Proceedings of the IXth Conference of the Electrical Engineering Faculty of the Poznań University of Technology*, Poznań, 201–204 (in Polish)
50. Dutkiewicz P. (1995): Robot and load dynamics identification of the IRp-6 robot with hybrid control and programming elements. Ph.D. Thesis, Poznań University of Technology (in Polish)
51. Dutkiewicz P., Kozłowski K. (1996): Optimal exciting trajectories for robot dynamics identification. *Zeitschrift für Angewandte Mathematik und Mechanik*, **76**: 415–416
52. Dutkiewicz T. (1992): Learning control scheme for the IRp-6 robot. M.S. Thesis, Poznań University of Technology (in Polish)

53. Egeland O. (1986): Adaptive control of a manipulator when the mass of the load is unknown. *Proceedings of the IFAC/IFIP/IMACS International Symposium on Theory of Robots*, Vienna, 251–255
54. Elsefari K., Khalil W. (1991): Energy based indirect adaptive control of robots. *Proceedings of the IEEE International Conference on Robotics and Automation*, Sacramento, 2142–2147
55. Featherstone R. (1987): *Robot dynamics algorithms*. Kluwer Academic Publishers
56. Ferreti G., Maffezzoni C., Magnani G., and Rocco P. (1994): Joint stiffness estimation based on force sensor measurement in industrial manipulators. *Journal of Dynamic Systems, Measurement and Control*, **116**, 163–167
57. Ferreti G., Magnani G., and Rocco P. (1994): Estimation of resonant transfer functions in the joints of an industrial robot. *Proceedings of the 10-th IFAC Symposium on System Identification*, Copenhagen, 583–588
58. Fu K. S., Gonzalez R. C., Lee C. S. G. (1987): *Robotics control, vision and intelligence*. McGraw-Hill Book Company, Industrial Engineering Series, New York
59. Gautier M. (1986): Identification of robot dynamics. *Proceedings of the IFAC/IFIP/IMACS International Symposium on Theory of Robots*, Vienna, 351–356
60. Gautier M., Khalil W. (1988): On the identification of the inertial parameters of robots. *Proceedings of the 27th Conference on Decision and Control*, Austin, 2264–2269
61. Gautier M., Khalil W. (1988): A direct determination of minimum inertial parameters of robots. *Proceedings of the IEEE International Conference on Robotics and Automation*, Philadelphia, 1682–1686
62. Gautier M., Khalil W. (1989): Identification of the minimum inertial parameters of robots. *Proceedings of the IEEE International Conference on Robotics and Automation*, Scottsdale, 1529–1534
63. Gautier M. (1990): Numerical calculation of the base inertial parameters of robots. *Proceeding of the 1990 IEEE International Conference on Robotics and Automation*, Cincinnati, 1020–1025
64. Gautier M., Presse C. (1991): Sequential identification of base parameters of robots. *Proceedings of the Fifth International Conference on Advanced Robotics*, Pisa, 1105–1110
65. Gautier M., Khalil W. (1992): Exciting trajectories for the identification of base inertial parameters of robots. *The International Journal of Robotics Research*, **11**, 362–375
66. Gautier M (1992): Optimal motion planning for robots inertial parameters identification. *Proceedings of the 31st IEEE Conference on Decision and Control*, Tucson, 70–73
67. Gautier M., Khalil W., Presse C., Restrepo P.P. (1994): Experimental identification of dynamic parameters of robot. *Preprints of the Fourth IFAC Symposium on Robot Control*, Capri, 625–630
68. Gautier M., Khalil W., Restrepo P.P. (1995): Identification of the dynamic parameters of a closed loop robot. *Proceedings of the 1995 IEEE International Conference on Robotics and Automation*, Nagoya, 3045–3050
69. Gautier M. (1996): A comparison of filtered models for dynamic identification of robots. *Proceedings of the 35th Conference on Decision and Control*, Kobe, 875–880
70. Goldenberg A.A., Xiaogeng He., Ananthanarayanan S.P. (1992): Identification of inertial parameters of a manipulator with closed kinematic chains. *IEEE Transactions on SMC*, **22**, 799–805

71. Goldenberg A., Song P. (1997): Principles for design of position and force controllers for robot manipulators. To appear in *Robotics and Automation Systems*
72. Golub G. H. and Van Loan C. F. (1989): *Matrix computation*. John Hopkins University Press, Baltimore and London
73. Gosiewski A., Kurman K., Masłowski P., Wieczorek W., Olbrot A. (1984): Investigation over dynamics of the IRp-6 and IRp-50 robots and design of tracking control systems. Research Report of the Institute of Automatic Control of Warsaw University of Technology, Project 06.6, PR-01.03.04, Part I (in Polish)
74. Gosiewski A. (1986): Dynamic intersections in 3-main-axes robot and their influence on CP control. *Proceedings of the IFAC/IFIP/IMACS International Symposium on Theory of Robots*, Vienna, 385-390
75. Graham J. H. (1989): Special computer architectures for robotics: tutorial and survey. *IEEE Transactions on Robotics and Automation*, **5**, 543-554
76. Griff Kräfte und Momente in die Erfassen und Steuern Zukunft (1988). Mess- und Regeltechnik GmbH (technical documentation, in German)
77. Grodecki A., and Gosiewski A. (1993): Hybrid controller for the IRp-6 robot. Part I: Kinematical Description. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Fourth National Conference on Robotics*, **93**, 126-133 (in Polish)
78. Grodecki A. (1993): Hybrid controller for the IRp-6 robot. Part II: Structure of controller and experimental results. *Scientific papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Fourth National Conference on Robotics*, **93**, 134-141 (in Polish)
79. Grossman D.D., Taylor R.H. (1978): Interactive Generation of object models with a manipulator, *IEEE Transactions on SMC*, **8**, 667-679
80. Gruver W. A., Soroka B. I., Craig J. J., Turner T. L. (1984): Industrial robot programming languages: A comparative evaluation. *IEEE Transactions on SMC*, **14**, 560-565
81. Gutowski R. (1971): *Analytical mechanics*. Polish Scientific Publishers, Warsaw (in Polish)
82. Ha I., Ko M., Kwon S. K. (1989): An efficient estimation algorithm for the model parameters of robotic manipulators. *IEEE Transactions on Robotics and Automation*, **5**, **3**, 386-394
83. Hayward V., Paul R. P. (1986): Robot manipulator control under unix RCCL: A robot "C" library. *The International Journal of Robotics Research*, **5**, 94-111
84. Hirzinger G. (1989): Issues on low-dimensional sensing and feedback. *IEEE Transactions on SMC*, **19**, **4**, 832-839
85. Hirzinger G., Dietrich J. (1986): Multisensory robots and sensor-based path generation. *Proceedings of the IEEE International Conference on Robotics and Automation*, San Francisco, 1992-2001
86. Hollerbach J.M., Lokhorst D.M. (1995): Closed-loop kinematic calibration of the RSI-6DOF hand controller. *IEEE Transactions on Robotics and Automation*, Vol **11**, No. **6**, 352-359
87. Hsu P., Bodsén M., Sastry S., Paden B. (1987): Adaptive identification and control of manipulators without using joint accelerations. *Proceedings of the 1987 IEEE International Conference on Robotics and Automation*, 1210-1215
88. Ignasiak S. (1997): Verification of the new adaptive control algorithms for a one degree of freedom geared manipulator with joint elasticity. *Automation and Informatics Studies*, **22**, 7-28 (in Polish)
89. Industrial robots IRp-6/60 (1988). Technical documentation. Ostrów Wlkp, Poland (in Polish)
90. ISRA RCT B Benutzerhandbuch (1988): Technical documentation, (in German)



91. Jain A., Rodriguez G. (1992): Recursive dynamics for manipulators with joint flexibility. Unpublished document
92. Jezierski E. (1993): Experiments with algorithms estimation the parameters of a robot drive system. *Proceedings of the Conference on Modern Control for Power Electronics and Electrical Drives*, Vol.1, Dobieszkow, 200–213 (in Polish)
93. JR3 Universal Force-Torque Sensor System (1991): Technical documentation
94. Juang J-N. (1994): *Applied system identification*. PTR Prentice Hall Englewood Cliffs, New Jersey
95. Kallenbach R. (1987): *Kovariantzmethoden zur Parameteridentifikation Zeitkontinuierlicher Systeme*. VDI Verlag, Stuttgart
96. Karaśkiewicz E. (1976): *Theory of vectors and tensors*. Polish Scientific Publishers, Warsaw (in Polish).
97. Kasiński A., Kozłowski K., Wróblewski W. (1988): Optimisation methods for nonlinear robot control. Scientific report for Polish Academy of Sciences, Institute of Fundamental Problems of Technology. Part III, 46–72 (in Polish)
98. Kasiński A., Kozłowski K., Pińczak M. (1989): Optimisation methods for nonlinear robot control. Scientific report for Polish Academy of Sciences. Institute of Fundamental Problems of Technology, Part IV, 21–94 (in Polish)
99. Khalil W, Kleinfinger J. F., Gautier M. (1986): Reducing the computational burden of the dynamic model of robots. *Proceedings of the 1986 IEEE International Conference on Robotics and Automation*, San Francisco, 525–531
100. Khalil W., Kleinfinger J.F. (1986): A new geometric notation for open and closed-loop robots. *Proceedings of the IEEE International Conference on Robotics and Automation*, San Francisco, 1174–1179
101. Khalil W., Gautier M. (1986): Identification of geometric parameters of robots. *Proceedings of the IFAC/IFIP/IMACS International Symposium on Theory of Robots*, Vienna, 191–194
102. Khalil W., Gautier M., Kleinfinger J.F. (1986): Automatic generation of identification models of robots. *International Journal of Robotics and Automation*, **1**, 2–6
103. Khalil W., Kleinfinger J. F. (1987): Minimum operations and minimum parameters of the dynamic models of tree structure robots. *IEEE Journal of Robotics and Automation*, RA-3, 517–526
104. Khalil W., Bennis F., Chevallereau C. and Kleinfinger J. F. (1989): SYMORO: A software package for the symbolic modelling of robots. *Proceedings of the 20th ISIR*, Tokyo
105. Khalil W., Bennis F., Gautier M. (1990): The use of the generalised links to determine the minimum inertial parameters of robots. *Journal of Robotic Systems*, **7**, **2**, 225–242
106. Khalil W. (1994): A system for generating the symbolic models of robots. *Preprints of the Fourth IFAC Symposium on Robot Control*, Capri, 527–634
107. Khatib O. (1987): A unified approach for motion and force control of robot manipulators, the operational space formulation. *IEEE Journal of Robotics and Automation*, RA-3, 43–52
108. Khosla P. K. (1986): Real-time control and identification of direct-drive manipulators. Ph.D. Thesis, Cornegie Mellon University, Department of Electrical and Computer Engineering, The Robotics Institute
109. Khosla P.K. (1989): Categorization of parameters in the dynamic robot model. *IEEE Transactions on Robotics and Automation*, **5**, 261–268
110. Klema V. C., Laub A. J. (1980): The singular value decomposition: its computation and some applications. *IEEE Transactions on Automatic Control*, **25**, 164–176

111. Kominek J. (1993): Model-based control of the IRp-6 robot. M.S. Thesis, Poznań University of Technology (in Polish)
112. Kozłowski K., Kasiński A., Wróblewski W. (1987): Optimisation methods for nonlinear robot control. Scientific report for Polish Academy of Sciences, Institute of Fundamental Problems of Technology, Part II (in Polish)
113. Kozłowski K. (1988): Identification problems in robotics. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Second National Conference on Robotics*, **76**, **2**, 151–158 (in Polish)
114. Kozłowski K. (1988): A Pascal-based robot programming language. *Proceedings of the X International Symposium, Computer at the University*, Dubrownik, 3.18.1–3.18.7
115. Kozłowski K. (1988): A Pascal-based robot programming language. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław*, **76**, 159–166 (in Polish)
116. Kozłowski K., Romanowski K., Warczyński J. (1989): Industrial robots. Scientific report for the Industrial Research Institute for Automation and Measurements (in Polish)
117. Kozłowski K. (1989): Dynamics of robot manipulators. *Automation and Informatics Studies*, **15**, 47–79 (in Polish)
118. Kozłowski K. (1989): POLROB - A manipulator level programming language. *IFAC Proceedings of the Symposium on Robot Control (SYROCO'88)*, Karlsruhe, 453–458
119. Kozłowski K., Wróblewski W. (1990): Optimisation method for nonlinear robot control. Scientific report for the Polish Academy of Sciences, Institute of Fundamental Problems of Technology, Part V (in Polish)
120. Kozłowski K. (1991): POLROB - A manipulator level programming language based on Pascal. *Journal of Microcomputer Applications*, **14**, 49–60
121. Kozłowski K. (1991): POLROB - A programming system for robot manipulators. *Automation and Informatics Studies*, **16–17**, 31–47 (in Polish)
122. Kozłowski K. (1992): Mathematical dynamic robot models and identification of their parameters. Poznań University of Technology Press, Habilitation Thesis, Poznań (in Polish)
123. Kozłowski K. (1992): Identification of model parameters of robotic manipulators. *Systems Science*, **18**, **2**, 165–187
124. Kozłowski K., Prüfer M. (1992): Parameter identification of an experimental 2-link direct drive arm. *Proceedings of the IASTED International Conference, Control and Robotics*, Vancouver, 313–316
125. Kozłowski K. (1993): Computational requirements for a discrete Kalman filter in robot dynamics. *Robotica*, **11**, 27–36
126. Kozłowski K., Wróblewski W., Dutkiewicz P. (1994): Development and experimental validation of real-time inverse and forward dynamics algorithms for an industrial robot. Reports on research and developments assisted in fiscal year 1991, Oshinomura, Foundation for Promotion of Advanced Automation Technology, Japan, 29–32
127. Kozłowski K. et al. (1994): Implementation of a force sensor in hybrid controller of the IRp-6 industrial robot. Scientific report No.94/45–025 (in Polish)
128. Kozłowski K., Dutkiewicz P. (1995): An experimental study on a one link geared robot. *Proceedings of the Second International Symposium on Methods and Models in Automation and Robotics*, Międzyzdroje, Poland, 585–590
129. Kozłowski K. (1995): Modelling of the geared robot dynamics. *Proceedings of the First National Conference of MATLAB Users*, Krakow, 68–75 (in Polish)

130. Kozłowski K., Dutkiewicz P., Dawidowska J., Mularczyk A., Kamoś P., Woźniak K. (1995): Optimal trajectory design for the robot dynamics identification. *Proceedings of the IXth Conference on Electrical Engineering Faculty of the Poznań University of Technology*, Poznań, 197–200 (in Polish)
131. Kozłowski K., Dutkiewicz P. (1995): Identification of friction and robot dynamics for a class of geared robots. *Proceedings of the Fourth International Symposium on Measurement and Control in Robotics*, Smolenice, Slovakia, 301–306
132. Kozłowski K., Dutkiewicz P. (1995): Optimal trajectory design for the identification of robot and load dynamics. *Applied Mathematics and Computer Science*, **5**, **4**, 101–117
133. Kozłowski K., Królikowski A., Wróblewski W., Dutkiewicz P. (1996): Acquisition, knowledge processing and parallel computations of the optimal trajectory for robots. Scientific report for the State Committee for Scientific Research, Warsaw (in Polish)
134. Kozłowski K., Dutkiewicz P. (1996): Experimental identification of robot and load dynamics. *13-th IFAC World Congress, San Francisco*, Vol. A, 397–402
135. Kozłowski K., Dutkiewicz P. (1996): Adaptive control of a one link geared robot. *Proceedings of the IEEE International Symposium on Industrial Electronics*, Warsaw, 990–995
136. Kozłowski K., Dutkiewicz P. (1996): Experimental identification of dynamic parameters for a class of geared robots. *Robotica*, **14**, 561–574
137. Kozłowski K., Dutkiewicz P. (1996): Robust control of a one link geared robot. *Third International Symposium on Methods and Models in Automation and Robotics*, Międzyzdroje, Poland, 947–954
138. Kozłowski K., Dutkiewicz P. (1996): Robot trajectory planning with force and torque sensor measurements. *Proceedings of the IEEE-SMC, CESA '96 IMACS Multiconference*, Lille, 676–681 (invited paper)
139. Kozłowski K., Dutkiewicz P. (1996): *Modelling and identification in robotics*. Poznań University of Technology Press, Poznań (in Polish)
140. Kozłowski K. (1996): Optimal trajectory design for identification purposes in robotics. *Proceedings of the Third International Symposium on Methods and Models in Automation and Robotics*, Międzyzdroje, Poland, 871–877 (invited paper)
141. Kozłowski K. (1997): Adaptive control of robots with gears. *Proceedings of the 30th International Symposium on Automotive Technology and Automation*, Florence, 403–410 (invited paper)
142. Kozłowski K. (1997): Experimental verification of control algorithms for a one link geared robot. *Proceedings of the 1997 IEEE International Conference on Robotics and Automation*, Albuquerque, 2240–2245
143. Krglewska U., Kruszyński H., Szynekiewicz W. (1988): An experimental set-up for the IRb-6 robot. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Second National Conference on Robotics*, **35**, 189–192 (in Polish)
144. Krglewska U. (1990): Direct access interface between IBM AT and the IRp-6 robot. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Third National Conference on Robotics*, **37**, 90–95 (in Polish)
145. Kuncewicz M., Foremniak P. (1995): Design and investigations of a one link geared robot. M.S. Thesis, Poznań University of Technology (in Polish)
146. Lee C. S. G. (1982): Robot arm kinematics, dynamics and control. *Computer*, **15**, 62–80
147. Lee C. S. G., Gonzalez R. C. (1986): *Tutorial on robotics*. IEEE Computer Society

148. Lee C. S. G., Lee H.B. (1987): Development of generalized d'Alembert equations of motion for robot manipulators. *IEEE Transactions on SMC*, **17**, 311–325
149. Leyko J. (1978): *Mechanics*. Polish Scientific Publishers, Warsaw (in Polish)
150. Lin S. K. (1994): Identification of a class of nonlinear deterministic systems with application to manipulators. *IEEE Transactions on Automatic Control*, **39**, 1886–1893
151. Lin S. K. (1992): An identification method for estimating the inertia parameters of a manipulator. *Journal of Robotic Systems*, **4**, 505–528
152. Ljung L., Söderström (1983): *Theory and practice of recursive identification*. The MIT Press, Cambridge, Massachusetts
153. Lozano-Perez T. (1983): Robot programming. *Proceedings of the IEEE*, **71**, 821–841
154. Lu Z., Shimoga K. B., Goldenberg A. A. (1993): Experimental determination of dynamic parameters of robotic arms. *Journal of Robotic Systems*, **10**, 1009–1029
155. Małecki J. (1987): On some practical aspects of numerical generation of equations of the dynamics of the manufacturing robots, *Proceedings of the Robcon*, Sofia, **4**, 227–235
156. Mareels I. M. Y., Bitmaed R. R., Gevers M. et al. (1987): How exciting can a signal really be. *System and Control Letters*, **8**, 197–204
157. Mason M.T. (1981): Compliance and force control for computer controlled manipulators. *IEEE Transactions of SMC*, **11**, **6**, 418–432
158. Mayeda H., Osuka K., Kangawa A. (1984): A new identification method for serial manipulator arms. *Preprints of the IFAC 9th World Congress*, Budapest, **4**, 74–79
159. Mayeda H., Yoshida K., Osuka K. (1990): Base parameters of manipulator dynamic models. *IEEE Transactions on Robotics and Automation*, **6**, 312–321
160. McInnis B. C., Chen-Kang F. L. (1986): Kinematics and dynamics in robotics: A tutorial based upon classical concepts of vectorial mechanics. *IEEE Journal of Robotics and Automation*, RA-2, **4**, 181–187
161. Middleton R.H., Goodwin G.C. (1988): Adaptive computed torque control for rigid link manipulators. *Systems and Control Letters*, **10**, 9–16
162. Moder K. (1993): Compiler output of the IRL Language in terms of the VRS-1 instructions. M.S. Thesis, Poznań University of Technology (in Polish)
163. Morecki A. (1987): Fundamental problems of technology. *Vol XXV, Robotics*, Polish Scientific Publishers, Warsaw (in Polish)
164. Mujtaba M. S., Goldman R., Bindford T. (1982): The AL robot programming language. *Computers in engineering*, G. D. Gupta (ed), 77–86
165. Murphy S.H., Wen J.T., Saridis G.N. (1990): Recursive calculation of geared robot manipulator dynamics. Department of Electrical, Computer and Systems Engineering, CIRSSE Document #49
166. Murphy S. H., Wen J. T., Saridis G. N. (1990): Simulation and analysis of flexible joined manipulators. Center for Intelligent Robotic System for Space Exploration Document #56, Rensselaer Polytechnic Institute
167. Murphy S.H., Wen J.T., Saridis G.N. (1990): Recursive calculation of geared robot manipulator dynamics. *Proceedings of the 1990 IEEE International Conference on Robotics and Automation*, Cincinnati, 839–844
168. Müller L. (1972): *Gear transmissions: strength calculations*. Scientific Technical Publishers, Warsaw (in Polish)
169. Narasimhan S., Siegel D. M., Hollerbach J. M. (1989): CONDOR: An architecture for controlling the Utah-MIT dexterous hand. *IEEE Transactions on Robotics and Automation*, **5**, 616–627

170. Standard ISO/DP 10562-1-ICR-Intermediate Code for Robots (1990)
171. *Standard DIN 66 312 Industrieroboter Programmiersprachen Industrial Robot Language (IRL)* (1992). Berlin, Verlag GmbH
172. Nowicki K. (1989): Identification of robot dynamic parameters. M.S. Thesis, Poznań University of Technology (in Polish)
173. Olsen H. B., Bekey G. A. (1986): Identification of robot dynamics. *Proceedings of the 1986 IEEE International Conference on Robotics and Automation*, San Francisco, 1004-1010
174. Otter M., Türk S. (1988): The DFVLR models 1 and 2 of the r3 robot. *Technischer Bericht 88-13, DFVLR, Oberpfaffenhofen*, Institut für Dynamic der Flugsysteme
175. Papoulis A. (1965): *Probability, random variables, and stochastic processes*. Mc Graw-Hill, Inc.
176. Paul R. P. (1981): *Robot Manipulators: mathematics, programming and control*, The MIT Press, Cambridge
177. Pfeiffer F., Hölz J. (1995): Parameter identification for industrial robots. *Proceedings of the 1995 IEEE International Conference on Robotics and Automation*, Nagoya, 1469-1476
178. Piotrowski L. (1988): Interactive programming system for robots. M.S. Thesis, Poznań University of Technology (in Polish)
179. Presse C., Gautier M. (1993): New criteria of exciting trajectories for robot identification. *Proceedings of the IEEE International Conference on Robotics and Automation*, Atlanta, 907-912
180. Presse C., Gautier M. (1991): Identification of robot parameters via sequential energy method. *Proceedings of the Third IFAC Symposium on Robot Control*, Vienna, 117-122
181. Prüfer M., Kozłowski K. (1992): Identification of inertial and friction parameters of an experimental 2-link direct drive arm. Technischer Bericht 2-92-1, Institut für Robotik und Prozessinformatik, Technische Universität Braunschweig
182. Prüfer M., Wahl F. (1993): Analyse und Vorkompensation von Reibungseffekten bei Industrierobotern mit Getrieben, *VDI Berichte*, **1094**, 597-605
183. Prüfer M., Schmidt C., Wahl F. (1994): Identification of robot dynamics with differential and integral models: A comparison. *Proceedings of the IEEE International Conference on Robotics and Automation*, San Diego, 340-345
184. Prüfer M., Wahl F. (1994): Friction analysis and modelling for geared robots. *Preprints of the Fourth IFAC Symposium on Robot Control*, Capri, 551-556
185. Prüfer M. (1995): Reibungsanalyse und Identifikation von Dynamikparametern von direktangetriebenen und getriebebehafteten Robotern. Ph.D. Thesis, Verlag Shaker, Aachen
186. Qu Z., Dawson D.M. (1996): *Robust tracking of robot manipulators*. IEEE Press, New York
187. Raibert H. M., Craig J. J. (1981): Hybrid position force control of manipulators. *Journal of Dynamic Systems, Measurement, and Control*, **102**, 126-133
188. Ranky P. G., Ho C. Y. (1985): *Robot modelling, control and applications with software*. Springer-Verlag, Berlin
189. Rembold U., Dillmann R. (1986): *Computer-aided design and manufacturing*, Springer-Verlag, Berlin
190. Rodriguez G. (1987): Kalman filtering, smoothing and recursive robot arm forward and inverse dynamics. *IEEE Journal of Robotics and Automation*, **RA-3**, 624-639
191. Schaeffers J., Xu S. J., Darouach M. (1994): On parameter estimation of industrial robots without using acceleration signal, *Proceedings of the 10th IFAC Symposium on System Identification*, Kopenhagen, 589-593

192. Schiehlen W. O., Kallenbach R. G. (1986): Identification of robot system parameters. *IFAC/IFIP/IMACS Symposium on Theory of Robots*, Vienna, 339–444
193. Schmidt C., Prüfer M. (1997): Parameter identification in robot control. *Applied Mathematics and Computer Science*, **7**, 377–399
194. Sciavicco L., Siciliano B., Villani L. (1994): On dynamic modelling of gear-driven rigid body manipulators. *Preprints of the Fourth IFAC Symposium on Robot Control*, Capri, 543–549
195. Sciavicco L., Siciliano B. (1996): *Modeling and control of robot manipulators*. The McGraw-Hill Companies, Inc. New York
196. Seeger G., Leonhard W. (1989): Estimation of rigid body models for a six-axis manipulator with geared electric drives. *Proceedings of the IEEE International Conference on Robotics and Automation*, Scottsdale, 1690–1695
197. Seeger S. (1991): Self-tuning control of a commercial manipulator based on an inverse dynamic model. *Proceedings of the Symposium on Robot Control SYROCO'91*, Vienna, 453–458
198. Selig J.M. (1996): *Geometrical methods in robotics*. Springer-Verlag, New York
199. Seyfferth W., Maghzal A.J., Angelas J. (1995): Nonlinear modelling and parameter identification of harmonic drive robotic transmissions. *Proceedings of the 1995 IEEE International Conference on Robotic and Automation*, Nagoya, 3027–3032
200. Shapiro R. (1978): Direct Linear Transformation Method for Three-Dimensional Cinematography. *The Research Quarterly*, Vol 49, No. 2, 197–205
201. Shaumma J.S., Whitney D.E. (1987): A method for inverse robot calibration. *ASME Journal of Dynamic Systems, Measurement, and Control*, Vol **109**, 36–43
202. Shih-Ying Sheu., Walker M.M. (1989): Estimating the essential parameter space of the robot manipulator dynamics. *Proceedings of the 28th Conference on Decision and Control*, Tampa, Florida, 2135–2140
203. Shih-Ying Shue, Walker M. W. (1989): Basic sets for manipulator inertial parameters. *Proceedings of the IEEE International Conference on Robotics and Automation*, Scottsdale, 1517–1522
204. Shih-Ying Sheu, Walker M.W. (1990): Dynamic modeling and analysis of a geared robot manipulator. *Proceedings of the 29th Conference on Decision and Control*
205. Shih-Ying Sheu, Walker M. W. (1993): Identifying the independent inertial parameter space of robot manipulators. *The International Journal of Robotics Research*, **10**, **6**, 668–683
206. Silver W. M. (1982): On the equivalence of Lagrangian and Newton-Euler dynamics for manipulators. *The International Journal of Robotics Research*, **1**, **2**, 60–70
207. Slotine J-J. E., Li W. (1991): *Applied nonlinear control*. Prentice Hall, Englewood Cliffs, New Jersey
208. Specht R., Isermann R. (1989): On-line identification of inertia, friction and gravitational forces applied to an industrial robot. *IFAC Proceedings Series SYROCO'88*, Pergamon Press, Oxford, 219–224
209. Spong M. W. (1987): Modelling and control of elastic joint robots. *Journal of Dynamic Systems, Measurement, and Control*, **109**, 310–319
210. Spong M. W., Vidyasagar M. (1989): *Robot dynamics and control*. John Wiley and Sons, New York
211. Swevers J., Ganseman C., Bilgin Tükel D., De Schutter J., Van Brussel H.: Optimal robot excitation and identification. *IEEE Transactions on robotics and Automation*, Vol. 13, No. 5, 1997, 730 – 740

212. Symon K.R. (1971): *Mechanics*. Addison-Wesley Publishing Company, Reading, Massachusetts
213. Szkodny T. (1990): *Mathematical models of robot manipulators*. Silesian Technical University Press, Gliwice (in Polish)
214. Türk S. (1988): Dynamische Robotermodelle am Beispiel des Manutec r3. Technischer Bericht 88-16, DFVLR
215. Türk S. (1990): Zur Modellierung der Dynamik von Robotern mit rotatorischen Gelenken. *Fortschritt-Berichte VDI*, Reihe 8, Band 211, VDI Verlag
216. Szykiewicz W., Gosiewski A., Janecki D. (1990): Experimental verification of dynamics model of the IRp-6 robot. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Third National Conference on Robotics*, **37**, 255–260 (in Polish)
217. Takase T., Paul R. P., Berg E. J. (1981): A structured approach to robot programming and teaching. *IEEE Transactions on SMC*, **11**, 514–529
218. Tarn T. J., Bejczy A. K., Shuotiao Han, Xiaoping Yun (1995): Inertial parameters of PUMA 560 robot arm. Department of Systems Science and Mathematics, Washington University, Robotics Laboratory Report, SSM-RL-85-01
219. Tuttle T. D. (1992): Understanding and modeling the behaviour of a harmonic drive gear transmissions. M.S. Thesis MIT Artificial Intelligence Laboratory
220. Uhl T., Lisowski W., Bojko T., Ród J. (1995): Identification of robotic joints using model adjustment technics. *Proceedings of the Second International Symposium on Method and Models in Automation and Robotics*, Międzyzdroje, Poland, 659–664
221. Van Der Linden G. W., Van Der Weiden A. J. J. (1994): Practical rigid body parameter estimation. *Preprints of the Fourth IFAC Symposium on Robot Control*, Capri, 631–636
222. Vandanjon P. O., Gautier M., Desbats P. (1995): Identification of robot inertial parameters by means of spectrum analysis. *Proceedings of the 1995 IEEE International Conference on Robotics and Automation*, Nagoya, 3033–3038
223. Volpe R., Khosla P. (1993): Theoretical and experimental investigation of explicit force control strategies for manipulators. *IEEE Transactions on Automatic Control*, **38**, **11**, 1634–1650
224. Vukobratovic M., Tuneski A. (1994): Contact control concepts in manipulation robotics-an overview. *IEEE Transactions on Industrial Electronics*, **41**, 12–23
225. Vukobratovic M., Potkonjak V. (1982): *Dynamics of manipulation robots*. Springer Verlag, Berlin
226. Voltz R. A. (1988): Report of the programming language working group: NATO workshop on robot programming languages. *IEEE Journal of Robotics and Automation*, **4**, 86–90
227. Wampler C.W., Hollerbach J.M., Arai T. (1995): An implicit loop method for kinematics calibration and its application to closed-chain mechanisms. *IEEE Transactions on Robotics and Automation*, Vol **11**, No. **5**, 710–724
228. Wang L.T., Ravani B. (1985): Recursive computations of kinematic and dynamic equations for mechanical manipulators. *IEEE Journal of Robotics and Automation*, **RA-1**, 124–131
229. Wittenburg J. (1977): *Dynamics of systems of rigid bodies*. B. G. Teuber, Stuttgart
230. Wolfram S. (1992): *Mathematica, a system for doing mathematics*. Addison-Wesley Publishing Company, Reading, Massachusetts
231. Wolski G. (1991): Identification of dynamic parameters of the IRp-6 integral model. M.S. Thesis Poznań University of Technology (in Polish)

232. Woźniak E. (1985): Robot programming languages. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, First National Conference on Robotics*, 251–263 (in Polish)
233. Wróblewski W. (1992): Robot dynamics models for the purpose of control. Ph.D. Thesis, Poznań University of Technology (in Polish)
234. Yang D.C.H., Tzeng S.W. (1996): Simplification and linearization of manipulator dynamics by the design of inertia distribution. *The International Journal of Robotics Research*, **5**, 120–128
235. Yoshikawa T. (1990): *Fundamentals of robotics. Analysis and control*. The MIT Press, Cambridge
236. Zieliński C., Grodecki A., Kreglewska U., Śluzek A., Zielińska T. (1990): The concept of robot controllers designed for control purposes. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, Third National Conference on Robotics*, **37**, 336–341 (in Polish)
237. Zieliński C., Śluzek A. (1985): Kinematical aspects of control of robots with 5 degrees of freedom. *Scientific Papers of the Institute of Technical Cybernetics of the Technical University of Wrocław, First National Conference on Robotics*, **66**, 121–129 (in Polish)
238. Zieliński C. (1990): Description of semantics of robot programming instructions. *Archives of Control Engineering and Telemechanics*. **35**, 15–45
239. Zieliński C. (1995): *Robot programming methods*. Warsaw University of Technology Press, Warsaw
240. Zimmermann U., Wunderlich H., Rake H. and Bruns M. (1989): Identification of time varying parameters of the robot dynamics. *IFAC Proceedings Series 1989, SYROCO'88*, Pergamon Press, Oxford, 225–229