

References

- J. Barwise (ed.). *Handbook of Mathematical Logic*. North-Holland, Amsterdam, 1977
- G. Boolos. *The Logic of Provability*. Cambridge University Press, Cambridge, 1993
- E. Börger. *Computability, Complexity, Logic*. North-Holland, Amsterdam, 1989
- C.C. Chang, J.J. Keisler. *Model Theory*. North-Holland, Amsterdam, 1990
- D. van Dalen, *Intuitionistic Logic*. In Gabbay, D. and F. Guentner (eds.) *Handbook of Philosophical Logic*, vol. 5 (2nd edn.). Kluwer Academic, Dordrecht, pp. 1–114 (2002)
- M. Davis. *Computability and Unsolvability*. McGraw Hill, New York, 1958
- M. Dummett. *Elements of Intuitionism*. Oxford University Press, Oxford, 1977 (2nd edition 2000)
- J.Y. Girard. *Proof Theory and Logical Complexity*. I. Bibliopolis, Napoli, 1987
- J.Y. Girard, Y. Lafont, P. Taylor. *Proofs and Types*. Cambridge University Press, Cambridge, 1989
- J.Y. Girard. *Le point aveugle, cours de logique, tome 1 : vers la perfection*. Hermann, Paris, 2006
- J.Y. Girard. *Le point aveugle, cours de logique, tome 2 : vers l'imperfection*. Hermann, Paris, 2006
- P. Hinman. *Recursion-Theoretic Hierarchies*. Springer, Berlin, 1978
- S.C. Kleene. *Introduction to Meta-mathematics*. North-Holland, Amsterdam, 1952
- G. Mints. *A Short Introduction to Intuitionistic Logic*. Kluwer Academic, Dordrecht 2000
- S. Negri, J. von Plato. *Structural Proof Theory*. Cambridge University Press, Cambridge, 2001
- P. Odifreddi. *Classical Recursion Theory*. North-Holland, Amsterdam, 1989
- D. Prawitz. *Natural Deduction. A Proof Theoretical Study*. Almqvist & Wiksell, Stockholm, 1965
- A. Robinson. *Non-standard Analysis*. North-Holland, Amsterdam, 1965
- H. Schwichtenberg, S.S. Wainer. *Proofs and Computations. Perspectives in Logic*. Association for Symbolic Logic and Cambridge University Press, Cambridge, 2012,
- J.R. Shoenfield. *Mathematical Logic*. Addison-Wesley, Reading, MA, 1967
- J.R. Shoenfield. *Recursion Theory. Lecture Notes in Logic*, vol. 1. Springer, Berlin, 1993
- C. Smoryński. *Self-reference and Modal Logic*. Springer, Berlin, 1985
- C. Smoryński. *Logical Number Theory I*. Springer, Berlin, 1991 (volume 2 is forthcoming)
- M.H. Sørensen, P. Urzyczyn. *Lectures on the Curry–Howard Isomorphism*. Elsevier, Amsterdam, 2006
- K.D. Stroyan, W.A.J. Luxemburg. *Introduction to the Theory of Infinitesimals*. Academic Press, New York, 1976
- A.S. Troelstra, D. van Dalen. *Constructivism in Mathematics I, II*. North-Holland, Amsterdam, 1988
- A.S. Troelstra, H. Schwichtenberg. *Basic Proof Theory*. Cambridge University Press, Cambridge, 1996

Index

A

Abelian group, 80, 142
Absolute value, 212
Abstract machine, 218
Absurdum, 7
Algebraic closure, 143
Algebraically closed fields, 109, 118
Algorithm, 209, 218
Apartness relation, 176
Arbitrary object, 86
Associativity, 21
Atom, 57
Axiom
 of extensionality, 152
 schema, 77
Axiomatizability, 107
Axiomatizable, 141
Axioms, 98

B

BHK-interpretation, 156
Bi-implication, 7
Binary relation, 55
Bisimulation, 178
Boolean
 -valued logic, 57
 algebra, 21, 143
Bound variable, 60
Bounded
 minimization, 213
 quantification, 213
Brouwer, 155, 156, 175
Brouwer–Heyting–Kolmogorov
 -interpretation, 156
BV, 60

C

Canonical model, 102
Cantor space, 28
Cantor's coding, 215, 217
Cartesian product, 136
Cauchy sequence, 181
Change of bound variables, 71
Characteristic function, 131, 212
Church–Rosser property, 207
Closed formula, 60
Commutativity, 21
Compactness theorem, 45, 104, 140
Complete, 43, 45, 51
Complete theory, 117
Completeness theorem, 43, 51, 97, 149, 172
Composition, 209
Comprehension schema, 147, 149
Computation, 228
Concatenation, 215
Conclusion, 29, 34, 188
Conjunction, 7, 15
Conjunctive normal form, 25
Connective, 7
Conservative, 51, 178, 197
 extension, 98, 127, 128, 130–133, 178
Conservative extension, 129
Consistency, 40
Consistent, 40, 197
Constants, 54
Contraposition, 27
Converge, 116, 220
Conversion, 189, 191, 198
 permutation, 200
Course of value recursion, 216
Craig, 46
Cut, 188
 formula, 188

Cut (*cont.*)

- rank, 193, 202
- segment, 201

Cut-off subtraction, 211

D

- De Morgan's laws, 21, 68
- Decidability, 44, 119, 182
- Decidable, 182, 185
- Decidable theory, 103
- Dedekind, 110, 209
 - cut, 153
 - finite, 150
- Definable Skolem functions, 185
- Definable subsets, 115
- Definition by cases, 213, 221
- Definition by recursion, 59
- Δ_0 -formula, 241
- Dense order, 118, 121
- Densely ordered, 79
- Derivability, 34, 38
- Derivation, 31, 34
- Diagonalization, 217, 218
- Diagram, 113
- Directed graph, 84
- Discriminator, 219
- Disjunction, 7, 15
 - property, 174, 204, 206, 255
- Disjunctive normal form, 25
- Distributivity, 21
- Diverge, 220
- Divisible torsion-free abelian groups, 118
- Division ring, 82
- DNS, 168
- Double negation law, 21
- Double negation shift, 168
- Double negation translation, 181
- Downward Skolem–Löwenheim theorem, 105, 117
- Dual plane, 86
- Dual Skolem form, 133
- Duality mapping, 26
- Duality principle, 81, 96
- Dummett, 182
- Dummy variables, 210

E

- Edge, 84
- Elementarily embeddable, 113
- Elementarily equivalent, 112
- Elementary embedding, 140
- Elementary extension, 112
- Elementary logic, 54
- Elementary substructure, 112

- Elimination rule, 29
- Equality relation, 55, 172
- Equivalence, 7, 17
- Existence predicate, 218
- Existence property, 174, 205, 206
- Existential quantifier, 56
- Existential sentence, 124
- Expansion, 105
- Explicit definition, 130
- Extended language, 63
- Extension, 98
 - by definition, 130

F

- Factorial function, 211
- Falsum, 7, 17
- Fan, 120
- Fibonacci sequence, 216
- Field, 82, 180
- Filter, 134
- Filtration, 182
- Finite, 116
 - axiomatizability, 107
 - intersection property, 135
 - models, 106
- Finitely axiomatizable, 141
- Fip, 135
- First-order logic, 54
- Fixed point theorem, 250
- Forcing, 166
- FORM, 57, 102
- Formation sequence, 9
- Formula, 57, 146
- Free filter, 134
- Free for, 62
- Full model, 146
- Functional completeness, 27
- Functionally complete, 25
- Functions, 54
- FV*, 59

G

- Gentzen, 29, 187
- Glivenko's theorem, 164, 183
- Gödel translation, 161
- Gödel's coding, 215
- Graph, 84
- Group, 80, 180

H

- Henkin extension, 98
- Henkin theory, 98
- Herbrand model, 102
- Herbrand universe, 102
- Herbrand's theorem, 133

- Heyting, 156, 175
 - valued logic, 57
 - arithmetic, 181
- Homomorphism, 111
- Hypothesis, 30

- I**
- I_1, \dots, I_4 , 77
- Idempotency, 21
- Identification of variables, 210
- Identity, 77, 93, 172
 - axioms, 77
 - relation, 55
 - rules, 93
- Implication, 7, 16
- Incompleteness theorem, 251, 253
- Inconsistent, 40
- Independence of premise principle, 167
- Independent, 45
- Index, 218, 219
- Induction
 - principle, 8, 13
- Induction axiom, 152
- Induction schema, 83
- Infinite, 116
- Infinitesimals, 116
- Initial functions, 209
- Interpolant, 46
- Interpolation theorem, 46
- Interpretation, 65
- Introduction rule, 29
- Irreducible, 191
- Isomorphism, 111

- K**
- κ -categorical, 117
- Kleene, 218
 - brackets, 220
- Kleene, S.C., 222
- Kolmogorov, 156
- König's lemma, 120
- Kripke, 164
 - model, 164, 182, 185
 - semantics, 164
- Kronecker, 156

- L**
- $L(\mathfrak{A})$, 64
- Language
 - extended, 63
 - of a similarity type, 56
 - of arithmetic, 82
 - of graphs, 83
 - of groups, 80
 - of identity, 78
 - of partial order, 78
 - of plane projective geometry, 80
 - of rings with unity, 81
- Least number principle, 238
- Lefschetz' principle, 118
- Leibniz-identity, 151
- Length, 215
- Lindenbaum, 99
- Linear Kripke models, 182
- Linear order, 176
- Linearly ordered set, 79
- LNP, 238
- Los, 138
- Los–Tarski, 126

- M**
- Major premise, 188
- Material implication, 6
- Maximal
 - cut formula, 193
 - cut segment, 201
- Maximally consistent, 41
- Maximally consistent theory, 99, 100
- Meta-language, 8
- Meta-variable, 8
- Minimization, 223
 - operator, 213
- Minimum, 79
- Minor premise, 188
- Mod*, 104
- Model, 67
 - complete, 123
 - existence lemma, 97
 - of second-order logic, 149
- Model existence lemma, 171
- Modified Kripke model, 173
- Monadic predicate calculus, 86
- Monus, 211
- Multigraph, 85

- N**
- Natural deduction, 29, 86, 147
- Negation, 7, 16
- Negative
 - formula, 163
 - subformula, 75
- Non-archimedean order, 114
- Non-standard
 - model, 106
 - model of arithmetic, 114
 - numbers, 142
 - real numbers, 116

- Normal
 derivation, 191
 form, 191
 form theorem, 226
 Normalization, 33, 192
 0-ary, 55
- O**
 Occurrence, 12, 59
 ω -consistent, 251
 ω -complete, 251
 Open formula, 60
 Order of a track, 196
 Ordered group, 142
 Ordering sets, 109
 Overspill lemma, 115
- P**
 Parameters, 112, 191
 Partial recursive function, 218
 Partially ordered set, 79
 Path, 120, 195
 Peano structures, 82
 Peirce's law, 27
 Permutation
 conversion, 200
 of variables, 211
 Poset, 79
 Positive
 diagram, 113
 subformula, 75
 Prawitz, 188
 Predecessor, 224
 function, 211
 Premise, 29
 Prenex formula, 185
 Prenex (normal) form, 73
 Preservation under substructures, 126
 Prime, 214
 model, 124
 theory, 169
 Primitive recursion, 209, 224
 Primitive recursive
 function, 209, 210, 225
 relation, 212
 Principal model, 149
 Principal ultrafilter, 134
 Principle
 of induction, 34
 of mathematical induction, 83
 of the excluded third, 29
 Projective plane, 81
 Proof by contradiction, 30
 Proof-interpretation, 156
 PROP, 7
 Proper variable, 189, 190
 Proposition, 7
 symbol, 7
 Provability predicate, 250
- Q**
 Quantifier, 53
 elimination, 121
- R**
 RAA, 30
 Rank, 12
 Rank-induction principle, 13
 Recursion, 10
 theorem, 222
 Recursive
 function, 220
 relation, 220
 Reduces to, 191
 Reduct, 105
 Reductio ad absurdum rule, 30
 Reduction sequence, 191
 Relations, 54
 Relativization, 74
 Relativized quantifiers, 74
 Representability, 242
 RI_1, \dots, RI_4 , 93
 Rieger–Nishimura lattice, 185
 Rigid designators, 165
 Ring, 82, 179
 Rosser's predicate, 252
- S**
 S_n^m theorem, 221
 Satisfaction relation, 66
 Satisfiable, 67, 133
 Scope, 57
 Second-order structure, 146
 Semantics, 64
 Semi-representable, 245
 $SENT$, 60
 Sheffer stroke, 23, 27
 Σ_1 -formula, 241
 Σ_1^0 -sound, 252
 \simeq , 218
 Similarity type, 55, 56
 Simultaneous substitution, 61
 Size, 38
 Skolem
 axiom, 127
 constant, 128
 expansion, 128

- Skolem (*cont.*)
 - form, 131
 - function, 127
 - hull, 132
- Smoryński, 176, 217, 225, 253, 255
- Soundness, 38, 89
 - theorem, 168
- $st(a)$, 116
- Standard
 - model, 83
 - model of arithmetic, 114
 - numbers, 83
- Statman, 178
- Strictly positive subformula, 204
- Strong normalization, 207
- Strong normalization property, 192
- Structure, 54
- Subformula property, 197, 203
- Submodel, 112
- Substitution, 18, 60, 209
 - operator, 38, 60
 - theorem, 19, 38, 72, 160
- Substitution instance, 63
- Substructure, 112

- T**
- Tarski, 124
- Tautology, 18
- TERM, 56, 102
- Term, 56
- Term model, 102
- $TERM_c$, 60
- Th , 105
- Theory, 45, 98
- Theory of
 - algebraically closed fields, 118, 120, 123
 - apartness, 176
 - densely ordered sets, 118, 120, 123, 124, 126
 - divisible torsion-free abelian groups, 118, 120
 - fields, 124
 - infinite sets, 118, 120, 134
 - linear order, 176
- Torsion-free abelian groups, 109
- Total function, 220
- Totally ordered set, 79
- Track, 195, 203

- T, 37
- Tree, 11
- Tree Kripke model, 182
- Truth, 38
 - table, 15
 - value, 15
- Turing, 219
 - machine, 219
- Turnstile, 34
- Two-valued logic, 5
- Type, 55

- U**
- Ultrafilter, 134
- Ultrapower, 139
- Ultraproduct, 138
- Unary relation, 55
- Unbounded search, 223
- Undecidability of **PA**, 253, 254
- Undecidability of predicate logic, 255
- Uniformity, 222
- Unique normal form, 207
- Universal
 - closure, 66
 - machine, 219
 - quantifier, 56
 - sentence, 124
- Universe, 55
- Upward Skolem–Löwenheim theorem, 106, 117

- V**
- Valid, 146
- Valuation, 17
- Van Dalen, 178
- Variable binding operations, 58
- Variables, 53
- Vaught's theorem, 118
- Vertex, 84
- Verum, 17

- W**
- Weak normalization, 192, 203
- Well-ordering, 110

- Z**
- Zorn's lemma, 42, 99, 136