

# Index

## A

Acquired cystic kidney disease, 31–32

Adenomyosis, 201–203

Adrenal adenoma

benign non-enhancing lesions, 3

image findings, 1

malignant lesions, 3

prevalence, 1

surgical evaluation, 3

Adrenal gland

abnormal curvilinear region, 105

adrenal adenoma, 1, 3

adrenal cysts, 7, 9

adrenal hemorrhage, 11–12

adrenal myelolipoma, 16–17

adrenocortical carcinoma

age risk factor, 5

local recurrence and metastatic disease, 6

open surgical resection, 6

pitfalls, 6

prevalence, 4

echogenic right suprarenal mass, 15

extravasated contrast material, 9, 10

fat containing mass, 14, 15

fat saturation, 16, 17, 19

hemorrhagic adrenal metastases, 12, 14

heterogeneous right suprarenal mass, 4–5

high density fluid, 9, 10

hypodense nodule, 1, 2

hypoechoic left adrenal mass, 7, 8

internal fluid level, 17, 19

left adrenal mass, 7, 8

peripheral punctate calcification, 6, 7

pheochromocytoma

clinical presentation, 19

imaging findings, 20

incidence and occurrence, 19

laboratory evaluation, 19

pitfalls, 20

surgical resection, 20

right adrenal nodule, 1, 2

soft tissue mass, 11, 12, 13

T2 hyperintense left adrenal mass, 7, 8

T2 hyperintense right suprarenal mass,  
17, 18

Adrenal hemorrhage, 11–12

Adrenal myelolipoma, 16–17

Adrenocortical carcinoma (ACC)

age risk factor, 5

local recurrence and metastatic disease, 6

open surgical resection, 6

pitfalls, 6

prevalence, 4

Amyloidosis

CT and MR, 89

diagnosis, 88

incidence, 88

localized amyloidosis, 89

morbidity and mortality, 88

pitfalls, 90

Angiomyolipomas, 63, 65

Arterial hypertension, 57

Autosomal dominant polycystic kidney  
disease (ADPKD), 36–37

## B

Bicornuate uterus, 191–192

Bladder and urethra

Bladder and urethra (*cont.*)

- abnormal curvilinear region, 104, 105
- bilobed hypoechoic mass, 99, 100
- bladder pheochromocytoma, 114–115
- bladder schistosomiasis, 107–108
- congenital abnormalities, 103
- conventional cystography, 111
- curvilinear calcifications, 106, 107
- emphysematous cystitis, 105–106
- extraperitoneal bladder rupture, 111
- focal bladder defect, 109
- hypoechoic midline mass, 99, 101
- I-123 MIBG whole body scans, 113, 114
- multiple lucency, pelvis, 104
- pelvic fracture, 116
- polypoid masses, 112
- sinus tract, 99, 100
- transitional cell carcinoma bladder, 112
- urethral carcinoma, 121–123
- urethral diverticulum, 119–120
- urethral injury
  - antegrade and retrograde urethrography, 118
  - anterior and posterior parts, 116–117
  - classification system, 117–118
  - complications, 116
  - imaging modality, 117
  - pitfalls, 118
- Bladder pheochromocytoma, 114–115
- Bladder schistosomiasis, 107–108

**C**

## Cervical cancer

- cancer screening, 211–212
- CT and MRI, 213
- HPV vaccines, 211
- MRI, 213
- pitfalls, 213
- symptoms, 210

## Computed tomography (CT)

- adrenal gland
  - abnormal lucency's, 105, 106
  - curvilinear calcifications, 107
  - fat containing mass, 14, 15
  - heterogeneous right suprarenal mass, 5
  - heterogeneous right suprarenal mass, adrenal gland, 4–5
  - high density fluid, 10
  - hypodense nodule, 1, 2
  - left adrenal hematoma, 10
  - low attenuating left adrenal mass, 6, 7
  - low density right suprarenal mass, 17, 19

- peripheral punctate calcification, 6, 7
- right adrenal nodule, 1, 2
- bladder and urethra
  - anterior bladder wall, 113, 114
  - bladder and urethra, 119
  - curvilinear calcifications, 106, 107
  - low density lesion, bladder and urethra, 119
  - sinus tract, bladder and urethra, 99, 100
- kidney, 30, 31, 72
  - asymmetric enlargement, 61, 62
  - bilateral fat containing masses, 63, 64
  - bilateral renal cysts, 35
  - calcified left renal pelvic stone, 46
  - calcified lymph nodes, 51, 52
  - complex cystic mass, 65, 66
  - cortical calcification, 37
  - cortical mass, 69, 70
  - corticomedullary and nephrographic phase, 67, 68
  - exophytic cystic mass, 33
  - fluid density, perinephric region, 58
  - intraaortic balloon pump, 58, 59
  - mid-line fusion, 25
  - multiple dystrophic calcifications, 51, 52
  - non-obstructing stone, 25, 26
  - parapelvic cyst, 29, 30
  - perinephric hematoma, 56
  - renal stone, 40, 41
  - striated nephrogram, 42, 43
- male pelvis, 240
- ovaries, 152, 153
- retroperitoneum, 127, 128, 132, 144, 145
  - inferior vena cava, 125, 127
  - intra and extra-abdominal air, 142, 143
- seminal vesicle and vas deferens
  - central hypodensity and inguinal lymph nodes, 247
  - off-midline oval fluid-attenuation mass, 241
- testis, 278, 279
- ureters
  - soft tissue lesion, 92, 93, 95
  - ureteral wall thickening, 86, 87
- uterus, 210, 211
- Congenital megacalycosis, 27–29
- Contrast-enhanced computed tomography (CECT)
  - corticomedullary and nephrographic phase, 67, 68
  - renal cyst, 29, 30
  - renal mass and lymph nodes, 69, 70
  - renal vein thrombosis, 62

right ovarian cyst, 154, 156  
 striated nephrogram, 43  
 suprarenal mass, 17, 18  
 Conventional cystography, 111  
 Conventional radiography  
   multiple small filling defects, 83–85  
 Cortical nephrocalcinosis, 38  
 Cryptorchidism, 250–251  
 CT cystogram, 109, 110  
 CT urogram, 81, 82  
 Cystic nephroma, 66–67

**D**

Digital subtraction angiogram, 64  
 Doppler ultrasound  
   avascular crescentic lesion, kidney, 54, 55  
   hypochoic midline mass, 99, 101  
   ovaries, 154, 155, 169  
   retroperitoneal mass, CT, 278, 279  
   testis  
     anechoic cyst, 269–270  
     avascular and hypochoic lesion, 261  
     blood flow, 264, 265  
     inguinal canal, 249, 250

**E**

Emphysematous cystitis, 105–106  
 Emphysematous pyelonephritis, 44, 45  
 Endometrial carcinoma, 214–216  
 Endometrial hyperplasia  
   hysterosonography, 205  
   pitfalls, 205  
   postmenopausal women, 204  
   premenopausal women, 203, 204  
   transabdominal ultrasound, 204  
 Endometriosis, 164–165  
 Endoscopic retrograde  
   cholangiopancreatography (ERCP),  
   143, 144  
 Epidermoid cyst, 272–273  
 Epididymal abscess, 253–255  
 Epididymal cysts, 268, 269  
 Epididymo-orchitis, 251–253  
 Extraperitoneal bladder rupture, 111

**F**

Female pelvis  
 ovaries  
   axial T1 with fat saturation image, 163  
   bilateral enlarged multicystic  
   ovaries, 157

corpus lutein cyst, 154–155  
 endometriosis, 164–165  
 fibromas, 172–173  
 follicular cyst, 152–153  
 granulosa cell tumor, 183–185  
 hemorrhagic ovarian cysts, 164–165  
 lower third of vagina, 187  
 malignant ovarian tumor, 169–170  
 mature cystic ovarian teratoma,  
   169–170  
 ovarian follicles, 151–152  
 ovarian mucinous cystadenoma,  
   174–175  
 ovarian torsion, 166–168  
 paraovarian cyst, 161, 163  
 polycystic ovaries, 160–161  
 serous cystadenoma, 178–179  
 sertoli-Leydig cell tumor (*see*  
   Sertoli-Leydig cell tumor)  
 theca-lutein cysts, 157–158  
 T2 hyperintense nonenhancing lesion,  
   170, 171  
 unilocular well-defined anechoic cyst,  
   152, 153

**uterus**

adenomyosis, 201–203  
 bicornuate uterus, 191–192  
 cervical cancer (*see* Cervical cancer)  
 DES-related anomaly, 199  
 endometrial carcinoma, 214–216  
 endometrial hyperplasia (*see*  
   Endometrial hyperplasia)  
 gestational trophoblastic tumor (*see*  
   Gestational trophoblastic tumor)  
 intrauterine devices, 199–200  
 Mayer Rokitansky Kuster Hauser  
   Syndrome (*see* Mayer Rokitansky  
   Kuster Hauser Syndrome)  
 Müllerian duct anomalies, 196–197  
 tamoxifen, 206–207  
 unicornuate uterus, 194–195  
 uterine horns, 189, 190  
 uterine leiomyoma, 208–210  
 uterine leiomyosarcoma, 218–219  
 uterus didelphys, 190–191

Fibromas, 172–173

Follicular cyst, 152–153

**G**

Gestational trophoblastic tumor, 220–222  
 characteristics, 220  
 CT and MRI, 222  
 FIGO, 222

Gestational trophoblastic tumor (*cont.*)

- incidence, 221
- MRI s, 222
- pitfalls, 222
- ultrasound, 222

## Gonadal germ cell tumor (GCT), 279–280

## Granulomatous prostatitis, 231–232

## Granulosa cell tumor, 183–185

**H**

## Hemorrhagic adrenal metastases, 12, 14

## Hemorrhagic ovarian cysts, 164–165

## Hydrocele, 267–268

## Hysterosalpingography, 198

**I**

## Inferior vena cava (IVC), 125–126

## Inguinal canal, 249, 250

## Inguinal lymph nodes, 247

## Intrauterine devices (IUD), 199–200

**K**

## Kidneys

- acquired cystic kidney disease, 31–32
- acute pyelonephritis
  - CT, 42
  - hematogenous spread, 42
  - indications and MRI, 42
  - pitfalls, 43
  - ultrasound, 42
- ADPKD, 36–37
- aneurysms, 63, 64
- angiomyolipomas, 63, 65
- atrophic kidneys and ascites, 30, 31
- avascular crescentic lesion, 54, 55
- bilateral calcifications, 39
- bilateral cysts, 30, 31
- bilateral renal stones, 39
- calcified lymph nodes, 51, 52
- congenital megacalycosis, 27–29
- cortical echogenicity, 47, 48
- cortical nephrocalcinosis, 38
- corticomedullary and nephrographic phase, 67, 68
- crossed fused ectopia, 24–25
- cystic mass, 65, 66
- cystic nephroma, 66–67
- cystic renal cell carcinoma, 33–34
- digital subtraction angiogram, 63, 64
- echogenic contents, 44, 45
- emphysematous pyelonephritis, 44, 45

## enlarged calyces, 27, 28

## fluid density, 58

## HIV nephropathy, 48–49

## horseshoe kidney

## complications, 27

## CT examination and diagnostic

## feature, 26

## incidence, 25

## non-obstructing stone, 25, 26

## physical examination, 26

## pitfalls, 27

## radiography, 26

## hypoechoic lesion, 48, 49

## hypoechoic perinephric masses, 73, 74

## intraaortic balloon pump, 59, 60

## locules of gas, 44, 45

## medullary nephrocalcinosis, 40

## multiple dystrophic calcifications, 51, 52

## mural calcifications, 34, 35

## Page kidney, 57

## parapelvic cyst, 29, 30

## parenchymal enhancement, 47, 48

## perinephric hematomas, 54, 56

## perinephric soft tissue, 73, 74

## perinephric urinoma, 58–59

## primary renal lymphoma, 73–75

## renal abscess, 49, 51

## renal artery infarction, 59–61

## renal cell carcinoma, 70–71

## renal oncocytoma, 68–69

## renal vein thrombosis, 61–63

## soft tissue nodule, 33

## staghorn calculus, 41–42

## striated nephrogram, 42, 43

## transitional cell carcinoma, 72–73

## tuberculosis, 52–53

## xanthogranulomatous pyelonephritis,

## 46–47

**L**

## Lymphangioma, 7, 9

**M**

## Magnetic resonance imaging (MRI)

## adrenal gland

## left adrenal mass, 7, 8

## macroscopic fat, 16

## bladder and urethra, 122

## kidney, 37

## enlarged calyces, 27, 28

## left seminal vesicles, 244–245

## ovaries, 169, 170

- cyst, high signal intensity, 152, 154
  - cystic and solid adnexal lesion, 166, 167
  - extraovarian cystic lesion, 161, 162
  - female pelvis, 158, 160
  - heterogeneous left adnexal mass, 182, 183
  - heterogenous multiloculated lesion, 180
  - hyperintense lesion, 170, 171
  - lower third of vagina, 187
  - normal left ovary, 187, 188
  - normal right ovary, 187, 188
  - right ovarian cyst, 154, 156
  - T2 hyperintense cystic lesion, 173, 174
  - “T2 shading” sign, 163, 164
  - prostate
    - hypointense lesion, 236, 237
    - hypointense nodule, 234, 235
  - retroperitoneum
    - multiseptated cystic mass, 138, 139
    - retroperitoneum, 129–131
  - uterus
    - hemorrhagic areas, 217
    - heterogeneous enhancement, uterine mass, 217–218
    - intramural fibroids, 208
    - myometrium, 214
    - uterine horns, 193
  - Male pelvis
    - avascular and hypoechoic lesion, 261
    - central hypodensity and inguinal lymph nodes, 247
    - cryptorchidism, 250–251
    - epidermoid cyst, 272–273
    - epididymal cysts, 268, 269
    - epididymo-orchitis, 251–253
    - gonadal germ cell tumor, 279–280
    - heterogeneous hypervascular mass, 276
    - hydrocele, 256, 267–268
    - hypoechoic mass, 272, 273
    - inguinal canal, 249, 250
    - metastatic disease, 281–282
    - orchiectomy, 264
    - penis (*see* Penis)
    - prostate
      - extracapsular extension, 237–239
      - granulomatous prostatitis, 231–232
      - prostatic cancer, 234, 236
      - prostatic tubercular abscess, 233–234
    - scrotum, 280, 281
    - seminal vesicle and vas deferens
      - seminal vesicle agenesis, 240–241
      - seminal vesicle amyloidosis, 245–246
      - seminal vesicle cyst, 242–243
      - seminal vesicle neoplasms, 247–248
      - vas deferens calcifications, 244
    - seminomatous germ cell tumor, 276–277
    - testis (*see* Testis)
    - tunica albuginea cysts, 271
    - varicocele, 265, 266
  - Malignant fibrous histiocytoma, 130–131
  - Malignant ovarian tumor, 169–170
  - Malignant peripheral nerve sheath tumor, 138–139
  - Mayer Rokitansky Kuster Hauser Syndrome
    - cardiac and anorectal anomalies, 188
    - characteristics, 188
    - CT and MRI, 189
    - imaging pitfalls, 189
    - ultrasound, 189
  - Medullary nephrocalcinosis, 40
  - Metastatic disease
    - adrenocortical carcinoma, 6
    - retroperitoneum, 133–134
    - testis, 281–282
  - Müllerian duct anomalies, 196–198
- O**
- Orthotopic ureterocele, 91–92
  - Ovarian follicles, 151–152
  - Ovarian mucinous cystadenoma, 174–175
  - Ovarian torsion, 166–168
- P**
- Paranglioma, 136–137
  - Penis
    - pelvic lymph nodes, 290
    - penile cancer, 288
    - penile erection, 283
    - Peyronie’s disease, 285–286
    - priapism (*see* Priapism)
    - prophylactic inguinal lymphadenectomy, 289
  - Perinephric hematomas, 54, 56
  - Perinephric urinoma, 58–59
  - Peyronie’s disease
    - etiology, 285
    - imaging finding, 287
    - pitfalls, 287
    - sonographic evaluation, 286
    - treatment, 287
  - Pheochromocytoma
    - clinical presentation, 19
    - imaging findings, 20
    - incidence and occurrence, 19
    - laboratory evaluation, 19
    - pitfalls, 20
    - surgical resection, 20

- Plain radiograph  
 adrenal gland, 104, 105  
 kidney  
   bilateral calcifications, 39  
   multiple bilateral peripherally calcified masses, 34, 35  
   multiple lucency, pelvis, 104  
   retroperitoneum, 132, 133
- Polycystic ovarian syndrome (PCOS), 160–161
- Priapism  
 classification, 283  
 definition, 283  
 ischemic priapism, 284  
 MRI, 284  
 penile Doppler study, 284  
 pitfalls, 285  
 therapeutic goal, 285
- Primary retroperitoneal liposarcoma, 128–129
- Prostatic cancer, 234, 236
- Prostatic tubercular abscess, 233–234
- R**
- Radiograph  
 pelvic fracture, 116  
 seminal vesicle and vas deferens, 243
- Renal abscess  
 CT, 49, 50  
 MRI, 50  
 pitfalls, 50  
 staphylococcus aureus, 49  
 ultrasonography, 49
- Renal artery infarction  
 cortical rim sign, 61  
 CT angiograms, 60  
 etiologies, 60  
 pitfalls, 61  
 revascularization, 61
- Renal cell carcinoma, 70–71
- Renal lymphoma  
 clinical features, 74  
 CT and MRI, 74  
 incidence, 73  
 MDCT, 75  
 pitfalls, 75
- Renal vein thrombosis  
 anticoagulation therapy, 62  
 clinical manifestations, 62  
 contrast-enhanced CT/MRI, 62  
 etiologies, 63  
 pitfalls, 63  
 ultrasonography, 62
- Retroperitoneal fibrosis (RPF), 145, 146
- Retroperitoneal hematoma (RPH), 148
- Retroperitoneum  
 confluent retroperitoneal lymphadenopathy, 132  
 ERCP, 143, 144  
 inferior vena cava and aorta, 144, 145  
 IVC primary leiomyosarcoma, 125–126  
 malignant fibrous histiocytoma, 130–131  
 malignant peripheral nerve sheath tumor, 138–139  
 metastatic disease, 133–134  
 paraganglioma, 136–137  
 primary retroperitoneal liposarcoma, 128–129  
 retroperitoneal fibrosis, 145, 146  
 retroperitoneal hematoma, 148  
 solitary fibrous tumors, 140, 141
- S**
- Scout radiograph, 40, 41
- Segmental testicular infarct, 260, 262
- Seminal vesicle agenesis, 240–241
- Seminal vesicle amyloidosis, 245–246
- Seminomatous germ cell tumor, 276–277
- Serous cystadenoma, 178–179  
 CT, 176  
 pitfalls, 177–178  
 ultrasonography, 176
- Sertoli-Leydig cell tumor  
 pitfalls, 182  
 solid and cystic SLCT, 181  
 types, 180–181
- Solitary fibrous tumors (SFT), 140, 141
- Staghorn calculus, 41–42
- Supine radiograph, 138, 139
- T**
- Tamoxifen  
 postmenopausal woman, 206  
 transvaginal ultrasound, 206–207
- Testicular/epididymal abscess, 253–255
- Testicular fracture, 255–257
- Testicular microlithiasis (TM), 274–275
- Testis  
 color Doppler  
   anechoic cyst, 269–270  
   avascular and hypoechoic lesion, 261  
   blood flow, 264, 265  
   inguinal canal, 249, 250  
 left testicular parenchyma, 258  
 left testicular torsion, 259–260  
 metastatic disease, 281–282  
 segmental testicular infarct, 260, 262  
 testicular cysts, 271  
 testicular/epididymal abscess, 253–255

- testicular fracture, 255–257
  - testicular microlithiasis, 274–275
  - testicular necrosis/infarction, 263
  - testicular parenchyma, 251, 252
  - testicular torsion, 264
  - ultrasound
    - anechoic mass, 277
    - heterogeneous right testicle, 263
    - linear hyperechoic lesion, 279
    - minimal peripheral vascularity, 277
    - scrotum, 280, 281
    - serpiginous hypoechoic tubular structures, 264, 265
  - Theca-lutein cysts, 157–158
  - Transitional cell carcinoma (TCC)
    - kidneys, 72–73
    - ureters, 92, 94
  - Transitional cell carcinoma bladder, 112
  - Tuberculosis, 52–53
- U**
- Ultrasound (US)
- abdominal aorta, retroperitoneum, 144, 145
  - anechoic intraluminal bladder mass, ureters, 90
  - bladder and urethra
    - abnormal curvilinear region, 104, 105
    - bilobed hypoechoic mass, 99, 100
  - kidney
    - avascular crescentic lesion, 54, 55
    - cortical echogenicity, 47, 48
    - horseshoe kidney, 25, 26
    - hyperechoic mass, 63, 64
    - hypoechoic lesion, 49, 50
    - hypoechoic perinephric masses, 73, 74
    - transplant kidney, 44, 45
  - ovaries
    - bilateral enlarged multicystic ovaries, 157
    - follicles, 151, 152
    - thick-walled ovary cyst, 154, 155
    - unilocular well-defined anechoic cyst, 152, 153
  - penis, 285, 286
  - prostate
    - hypoechoic collection, 232, 233, 253, 254
    - isoechoic lesion, 231, 232
  - testis
    - anechoic mass, 277
    - heterogeneous right testicle, 263
    - linear hyperechoic lesion, 279
    - minimal peripheral vascularity, 277
    - scrotum, 280, 281
    - serpiginous hypoechoic tubular structures, 264, 265
  - uterus
    - endometrial cavities, 195, 196
    - hyperechoic endometrium, 205, 206
    - IUD, 199–200
    - unicornuate uterus, 193, 194
    - uterine horns, 189, 190
  - Unicornuate uterus, 194–195
  - Ureteral metastasis, 95–96
  - Ureteral pseudodiverticulosis (UP), 86–87
  - Ureteritis cystica
    - chronic urinary tract inflammation, 83
    - conventional/CT urographic examinations, 83
    - imaging findings, 84
    - pitfalls, 85
  - Ureters
    - amyloidosis
      - CT and MR, 89
      - diagnosis, 88
      - incidence, 88
      - localized amyloidosis, 89
      - morbidity and mortality, 88
      - pitfalls, 90
    - anechoic intraluminal bladder mass, 90
    - inferior vena cava, 81, 82
    - left renal pelvis, 92, 93
    - multiple small filling defects, 83–85
    - orthotopic ureterocele, 91–92
    - retrocaval ureter, 81, 83
    - soft tissue lesion, 92, 93, 95
    - T2 hypointense filling, 92, 93
    - transitional cell carcinoma, 92, 94
    - ureteral metastasis, 95–96
    - ureteral pseudodiverticulosis, 86–87
    - ureteral wall thickening, 88–89
    - ureteritis cystica, 83–85
  - Urethral carcinoma, 121–123
  - Urethral diverticulum, 119–120
  - Uterine leiomyoma, 208–210
  - Uterine leiomyosarcoma, 218–219
  - Uterus didelphys, 190–191
- V**
- Vas deferens calcifications, 244
- X**
- Xanthogranulomatous pyelonephritis (XGP), 46–47