

Index

A

- Abnormal liver function tests (LFT), 32
- Accelerated atheroma, 22–23
- Addison's disease, 67
- AIHA. *See* Autoimmune haemolytic anaemia (AIHA)
- Alzheimer's syndrome, 11–13
- Angina and syndrome X, 15
- Anticardiolipin antibodies, 59–61
- Antiphospholipid syndrome (APS)
 - Addison's disease, 67
 - Alzheimer's syndrome, 11–13
 - anticardiolipin antibodies, 59–60
 - artery, 21–23
 - autoimmunity, 71
 - blood, 55–57
 - CAPS, 67–69
 - classification criteria, 76–77
 - Crohn's disease, 66
 - definition, 61
 - depression, 14
 - diagnosis, 75
 - ENT, 37–38
 - environmental factors, 72–73
 - fetal death, 51–52
 - genetics, 71–72
 - heart and blood vessels, 15–20
 - Hughes syndrome and air travel, 73–74
 - infections, 74
 - IUGR, 52
 - kidney, 25–29
 - liver and gastrointestinal tract, 31–36
 - lungs, 39–40
 - lupus, 60–61, 63–64
 - musculoskeletal system, 41–45
 - nervous system (*see* Nervous system)
 - OCD, 14
 - seronegative, 77–78
 - Sjogren's syndrome, 64–65
 - skin, 47–49
 - thyroid, 65–66
 - treatment, 79–87
 - veins, 23
 - visual symptoms, 14
- Arrhythmias, 16–18
- Arterial thrombosis, 21
- Artery
 - accelerated atheroma, 22–23
 - focal narrow, 22
 - thrombosis, 21
- Arthralgia, 42
- Aspirin treatment, 79–80
- Autism, 14
- Autoimmune diseases, 22–23, 71
- Autoimmune haemolytic anaemia (AIHA), 56
- Autonomic nervous system, 9
- Avascular necrosis (AVN), 41–42

B

- β2-Glycoprotein 1
(β2GP1), 61, 89
- Biologic treatment, 84–85
- Blood
 - anaemia, 56
 - DIC, 56–57
 - platelet count
 - ranges, 55
- Bone fracture, 43
- Bowel ischaemia, 36
- Budd–Chiari syndrome, 31

C

- Cardiomyopathy.
 - See* Myocarditis
- Catastrophic antiphospholipid
syndrome (CAPS), 67–69
- Chorea, 7
- Cirrhosis, 32
- Coeliac axis stenosis, 33–35
- Crohn's disease, 66
- Cutaneous gangrene, 48–49

D

- Deep vein thrombosis
(DVT), 23
- Depression, 14
- Devic's disease, 8
- Diet, 72–73
- Disseminated intravascular
coagulation (DIC), 56–57

E

- Ear, nose and throat (ENT)
 - balance problems, 37
 - tinnitus, 38
- Evans syndrome, 56

F

- Fetal death, 51–52
- Focal arterial narrow, 22

H

- Heart
 - angina and syndrome X, 15
 - arrhythmias, 16–18
 - intracardiac thrombosis, 20
 - myocardial infarction, 16
 - myocarditis, 20
 - valve lesions, 18–20
- Heparin treatment, 80–81
- Hydroxychloroquine, 86–87

I

- Immunosuppressive treatment, 84
- Infertility, 53
- Intracardiac thrombosis, 20
- Intracranial hypertension, 9–10
- Intrauterine growth restriction
(IUGR), 52
- Intravenous immunoglobulin
treatment, 83

K

- Kidney
 - microvascular thrombosis, 27–28
 - renal artery stenosis, 25–27
 - renal infarction, 25
 - renal vein thrombosis, 29

L

- Livedo reticularis, 47–48
- Liver and gastrointestinal tract
 - abnormal tests, 32
 - bowel ischaemia, 36
 - Budd–Chiari syndrome, 31
 - cirrhosis, 32
 - coeliac axis stenosis, 33–35
 - vein thrombosis, 31

Lungs

- pulmonary embolism, 39
- pulmonary hypertension, 40
- Lupus. *See also* Sjogren's syndrome
 - anticoagulant, 60
 - vs.* hughes syndrome, 63–64

M

- Memory loss, 2
- Microvascular
 - thrombosis, 27–28
- Migraine, 1–2
- Miscarriage, 51
- Multiple sclerosis, 6–7
- Musculoskeletal system
 - arthralgia and myalgia, 42
 - avascular necrosis, 41–42
 - bone fracture, 43
 - reflex sympathetic
 - dystrophy, 44–45
 - spinal stenosis, 44
- Myalgia, 42
- Myelopathy, 5–6
- Myocardial infarction, 16
- Myocarditis, 20

N

- Nervous system
 - autonomic nervous, 9
 - Devic's disease, 8
 - intracranial
 - hypertension, 9–10
 - memory loss, 2
 - migraine, 1–2
 - multiple sclerosis, 6–7
 - myelopathy, 5–6
 - seizures, 4
 - stroke, 3–4
 - temporal lobe
 - epilepsy, 5
 - tics and movements, 7
- Neuropsychiatric syndrome
 - Alzheimer's
 - syndrome, 11–13
 - autism, 14
 - depression, 14
 - OCD, 14
 - psychosis, 13
 - sleep disturbance, 11
 - visual loss, 14
- Newer anticoagulants treatment, 82–83

O

- Obsessive compulsive disorder (OCD), 14
- Optic neuritis, 8

P

- Plasma exchange
 - treatment, 85–86
- Platelet count ranges, 55
- Pre-eclampsia, 52
- Pregnancy
 - fetal death, 51–52
 - infertility, 53
 - IUGR and pre-eclampsia, 52
 - miscarriage, 51
- Pseudothrombocytopenia, 55
- Psychosis, 13
- Pulmonary embolism, 39
- Pulmonary hypertension, 40

R

- Reflex sympathetic dystrophy, 44–45
- Renal artery stenosis, 25–27
- Renal infarction, 25
- Renal vein thrombosis, 29

S

- Schirmer's tear test, 65
- Seizures, 4
- Seronegative antiphospholipid syndrome, 77–78
- Sheehan's syndrome, 67
- Sjogren's syndrome, 64–65
- Skin
 - cutaneous
 - gangrene, 48–49
 - livedo reticularis, 47–48
 - splinter haemorrhages, 49
 - ulcers, 48
- Sleep disturbance, 11
- Spinal cord inflammation, 8
- Spinal stenosis, 44

Splinter haemorrhages, 49

Stroke

diagnosis, 75

occurrence, 3–4

T

Temporal lobe epilepsy, 5

Thrombocytopenia, 55

Thyroid antibodies, 62

Tinnitus, 38

Transient ischaemic attacks

(TIA), 3–4

V

Veins, 23

Visual loss, 14

W

Warfarin, 81–82