

Index

A

- Abscess formation
 - modified radical mastectomy
 - female, 21
 - male, 33
 - pelvic retroperitoneal lymph node dissection, 170
 - radical inguino-pelvic lymph node dissection, 166
 - retroperitoneal surgery, 213
- Accessory XI nerve injury, in cervical lymph node biopsy, 126
- Addisonian crisis, 108, 111–112
- Adrenalectomy. *See* Adrenal gland surgery
- Adrenal gland surgery
 - laparoscopic adrenalectomy
 - anatomical points, 105–106
 - complications, 108–109
 - description, 105
 - medical considerations, 106–108
 - perspective, 106
 - open adrenalectomy
 - anatomical points, 109–110
 - complications, 110–112
 - description, 109
 - medical considerations, 106–108
 - perspective, 110
- Adrenal surgery, 1
- Adverse capsular contracture (ACC), 40, 44
- Amputation
 - HILP, 211
 - ILP, 205
- Anaphylactic reaction, sentinel lymph node biopsy, 120
- Angiosarcoma, of upper extremity, 22, 34

- Arm lymphedema, modified radical mastectomy
 - female, 33
 - male, 22
- Axillary lymphadenectomy
 - for breast cancer, 147
 - complete radical axillary dissection, 154–157
 - level I axillary dissection
 - anatomic variance, 149
 - complications, 150
 - description, 148
 - and level II dissection, 150–153
 - perspective, 149–150
 - for melanoma, 147
- Axillary lymph node biopsy
 - anatomical considerations, 128–129
 - complications, 130
 - description, 128
 - perspective, 129–130
- Axillary lymph node dissection procedures, 4, 131, 150–153, 156
- Axillary vein thrombosis, modified radical mastectomy, 22, 34
- Axillary vessel injury
 - axillary lymph node dissection, 150, 153, 156
 - male breast surgery, 33

B

- Biopsy
 - Cervical lymph node (*see* Cervical lymph node biopsy)
 - excisional breast biopsy, 5–7
 - incisional, 5

- Biopsy (*cont.*)
- inguinal lymph node (*see* Inguinal lymph node biopsy)
 - mammographically detected lesions, localization
 - anatomical points, 9
 - complications, 9–10
 - description, 8–9
 - perspective, 9
 - nipple (*see* Nipple)
 - sentinel node, 11
 - SLN biopsy, 116–117
 - anatomical variation, 118
 - complications, 120
 - description, 118
 - perspective, 119–120
- Bleeding
- cervical lymph node biopsy, 126
 - chemotherapy ILP, 205
 - functional cervical lymphadenectomy, 143
 - HILP, 212
 - inguinal lymph node dissection, 161
 - isolated limb perfusion, 202
 - laparoscopic splenectomy, 194
 - minimally invasive parathyroidectomy, 92
 - open adrenalectomy, 110
 - open splenectomy, 199
 - para-aortic retroperitoneal lymph node dissection, 172
 - pelvic and retroperitoneal lymph node biopsy, 137
 - pelvic retroperitoneal lymph node dissection, 170
 - radical cervical lymphadenectomy, 146
 - radical inguino-pelvic lymph node dissection, 166
 - retroperitoneal surgery, 213
 - sentinel lymph node biopsy, 120
- Blistering, chemotherapy ILP, 205
- Blue dye staining
- axillary lymph node biopsy, 130
 - cervical lymph node biopsy, 122, 127
 - scalene node biopsy, 125
 - sentinel lymph node biopsy, 120
 - in skin, 178
 - in WLE scar, 177
- Bone pain, chemotherapy ILP, 205
- Bowel injury, retroperitoneal surgery, 213
- Bowel perforation, adrenalectomy, 108, 111
- Brachial plexus injury
- axillary lymph node dissection, 150, 153, 156
 - modified radical mastectomy, 22, 34
- Breast abscess drainage
- anatomical points, 26
 - complications, 27–28
 - description, 26
 - perspective, 26
- Breast cancer
- axillary lymphadenectomy, 147
 - axillary sentinel lymph node biopsy
 - anatomic variance, 131
 - description, 131
 - perspective, 131–133
- Breast implants
- anatomical points, 37
 - complications, 38–40
 - description, 37
 - displacement, 38
 - perspective, 38
- Breast surgery, 1
- deep venous thrombosis and nerve palsies, 4
 - female
 - breast abscess drainage, 26–28
 - duct and nipple surgery, 23–25
 - excisional breast biopsy, 5–7
 - mammographically detected lesions, localization biopsy, 8–10
 - modified radical mastectomy, 17–22
 - nipple biopsy, 28–30
 - partial mastectomy, 14–17
 - subcutaneous mastectomy, 12–14
 - male
 - gynecomastia, 34–37
 - modified radical mastectomy, 30–34
 - patient positioning, 4
 - postoperative care, 4
 - preoperative assessment, 4
- C**
- Capsule formation, breast implants, 38, 43, 44
- Carbon-track localization. *See* Biopsy
- Cellulitis
- inguinal lymph node biopsy, 135
 - inguinal lymph node dissection, 161
 - para-aortic retroperitoneal lymph node dissection, 174
 - pelvic retroperitoneal lymph node dissection, 170
 - radical inguino-pelvic lymph node dissection, 166
- Central duct excision. *See* Duct and nipple surgery
- Cervical lymph node biopsy
- anterior triangle, 121–122
 - posterior triangle
 - anatomical points, 126
 - complications, 126–127
 - description, 125–126
 - perspective, 126, 127

- Chemotherapy, isolated limb perfusion
 - anatomical points, 204
 - complications, 205–208
 - general anesthesia, 203–204
 - hyperthermic isolated limb perfusion
 - surgery (*see* Hyperthermic isolated limb perfusion (HILP))
 - perspective, 204
 - Compartment syndrome
 - HILP, 211
 - isolated limb perfusion, 202
 - Core biopsy
 - breast hematoma, 11
 - of lymph nodes, 115
 - Cosmetic deformity
 - functional cervical
 - lymphadenectomy, 143
 - radical cervical lymphadenectomy, 146
- D**
- Death
 - adrenalectomy, 108, 112
 - breast surgery, 4
 - isolated limb perfusion, 202
 - laparoscopic splenectomy, 196
 - open splenectomy, 199
 - sentinel lymph node biopsy, 120
 - Deep venous thrombosis
 - adrenal gland surgery, 104
 - breast surgery, 4
 - HILP, 212
 - splenic surgery, 192
 - Desquamation, chemotherapy ILP, 205
 - Discomfort
 - axillary lymph node biopsy, 129–130
 - cervical lymph node biopsy, 126
 - scalene node biopsy, 124
 - sentinel lymph node biopsy, 119–120
 - Duct and nipple surgery
 - anatomic points, 23–24
 - complications, 25
 - description, 22–23
 - perspective, 23–25
 - Dysthesia, axillary lymph node dissection, 150, 153, 157
- E**
- Edema
 - flap, 180
 - HILP, 211–212
 - Excisional breast biopsy
 - anatomical points, 6
 - complications, 6–7
 - description, 5–6
 - perspective, 6
 - Extremity damage, HILP, 211
 - Extrusion, breast implants, 38
- F**
- Facial nerve injury
 - functional cervical
 - lymphadenectomy, 143
 - radical cervical
 - lymphadenectomy, 146
 - False-negative sentinel node
 - axillary SLN biopsy,
 - breast cancer, 133
 - sentinel lymph node biopsy, 120
 - Fasciotomy, HILP, 211
 - Female breast surgery
 - breast abscess drainage, 26–28
 - duct and nipple surgery, 23–25
 - excisional breast biopsy, 5–7
 - mammographically detected lesions,
 - localization biopsy, 8–10
 - modified radical mastectomy, 17–22
 - nipple biopsy, 28–30
 - partial mastectomy, 14–17
 - subcutaneous mastectomy, 12–14
 - Fine-needle aspiration biopsy,
 - of lymph nodes, 115
 - Fistula
 - breast abscess drainage, 26
 - cervical lymphadenectomy, 143
 - retroperitoneal surgery, 213
 - Free transverse rectus abdominis
 - myocutaneous flap reconstruction
 - anatomical points, 50–52
 - complications, 53–55
 - description, 50
 - perspective, 53
 - Frozen shoulder, axillary lymph node
 - dissection, 157
 - Functional cervical lymphadenectomy
 - anatomical considerations, 141
 - complications, 143
 - description, 140–141
 - perspective, 141–143
- G**
- Gas embolism, adrenalectomy, 108
 - Gynecomastia
 - anatomical points, 35
 - complications, 35–37
 - description, 34–35
 - perspective, 35

H

- Hadfields procedure. *See* Duct and nipple surgery
- Hematoma
- abdominal wall, 55
 - after left radical axillary dissection, 181
 - axillary lymph node biopsy, 130
 - cervical lymph node biopsy, 127
 - chemotherapy ILP, 205
 - core biopsy breast, 11
 - functional cervical
 - lymphadenectomy, 143
 - gynecomastia, 35
 - inguinal lymph node biopsy, 135
 - inguinal lymph node dissection, 161
 - minimally invasive
 - parathyroidectomy, 92
 - modified radical mastectomy
 - female, 21
 - male, 33
 - para-aortic retroperitoneal lymph node dissection, 174
 - partial mastectomy, 11
 - pelvic and retroperitoneal lymph node biopsy, 137
 - pelvic retroperitoneal lymph node dissection, 170
 - radical cervical lymphadenectomy, 146
 - radical inguino-pelvic lymph node dissection, 166
 - scalene node biopsy, 124
 - segmentectomy, 17
 - subcutaneous mastectomy, 14
- Hemithyroidectomy. *See* Partial thyroidectomy
- Hemorrhage
- breast implants, 38
 - cervical lymph node biopsy, 126
 - male breast surgery, 33
 - modified radical mastectomy, 21
 - scalene node biopsy, 124
- HILP. *See* Hyperthermic isolated limb perfusion (HILP)
- Hookwire/Carbon-track localization. *See* Biopsy
- Hypercalcemia, minimally invasive
 - parathyroidectomy, 92
- Hyperparathyroidism, minimally invasive
 - parathyroidectomy, 92
- Hyperthermic isolated limb perfusion (HILP)
- anatomical points, 209
 - complications, 211–212
 - description, 208–209
 - general anesthesia, 208
 - perspective, 209–211

I

- Idiopathic thrombocytopenic purpura (ITP)
- laparoscopic splenectomy, 194–195
 - open splenectomy, 199
- ILP. *See* Isolated limb perfusion (ILP)
- Incisional hernia, pelvic and retroperitoneal lymph node biopsy, 137
- Incomplete carcinoma excision, 17
- Infection
- axillary lymph node biopsy, 130
 - breast implants, 38
 - cervical lymph node biopsy, 127
 - gynecomastia, 36
 - HILP, 212
 - isolated limb perfusion, 202
 - modified radical mastectomy
 - female, 21
 - male, 33
 - pelvic and retroperitoneal lymph node biopsy, 137
 - radical cervical lymphadenectomy, 146
 - retroperitoneal surgery, 213
 - scalene node biopsy, 124–125
 - sentinel lymph node biopsy, 120
 - systemic, breast abscess, 27
- Inguinal lymph node biopsy
- anatomical points, 134
 - complications, 135–136
 - description, 134
 - perspective, 134–135
- Inguinal lymph node dissection, 157
- anatomical points, 159
 - complications, 161
 - description, 158–159
 - perspective, 159–161
- Intercostobrachial nerve injury, axillary lymph node dissection, 150, 153, 157
- Isolated limb perfusion (ILP)
- chemotherapy
 - anatomical points, 204
 - complications, 205–208
 - general anesthesia, 203–204
 - hyperthermic isolated limb perfusion surgery (*see* Hyperthermic isolated limb perfusion (HILP))
 - perspective, 204
 - complication frequency, 202
 - high-dose regional chemotherapy, 201
 - hyperthermic (*see* Hyperthermic isolated limb perfusion (HILP))
 - late complete response after, 207
 - patient positioning, 202
 - post-ILI cellulitis, 207
 - postoperative care, 203
 - preoperative assessment, 203

L

- Laparoscopic adrenalectomy
 - anatomical points, 105–106
 - complications, 108–109
 - description, 105
 - left, 108
 - medical considerations, 106–108
 - perspective, 106
 - right, 108
- Laparoscopic splenectomy
 - anatomical points, 193–194
 - complications, 194–196
 - description, 193
 - perspective, 194, 195
- Latissimus dorsi (LD) flap breast reconstruction
 - anatomical points, 41
 - complications, 44–46
 - description, 40–41
 - perspective, 41–45
- Limb ischemia, isolated limb perfusion, 202
- Limb swelling, HILP, 212
- Lumpectomy. *See* Excisional breast biopsy
- Lymphatic ascites/collection, retroperitoneal surgery, 213
- Lymphatic leaks
 - cervical lymph node biopsy, 127
 - functional cervical lymphadenectomy, 143
 - inguinal lymph node biopsy, 135
 - inguinal lymph node dissection, 161
 - para-aortic retroperitoneal lymph node dissection, 174
 - pelvic retroperitoneal lymph node dissection, 170
 - radical cervical lymphadenectomy, 146
 - radical inguino-pelvic lymph node dissection, 166
 - retroperitoneal surgery, 213
 - scalene node biopsy, 124
- Lymphatic surgery, 1
 - arm edema, after axillary surgery, 175
 - axillary bands, 176–177
 - axillary lymphadenectomy (*see* Axillary lymphadenectomy)
 - axillary lymph node biopsy, 128–130
 - axillary SLN biopsy, 131–133
 - cervical lymph node biopsy, 121–122, 125–127
 - chylous fluid collection, 179
 - flap edema, 180
 - fluid collection, after axillary SNG, 175
 - functional cervical lymphadenectomy, 140–143
 - high-quality postoperative care, 117
 - infected seroma left axilla, 182
 - inguinal lymph node biopsy, 134–136
 - dissection, 158–161
 - inguinal-pelvic dissection infection, 183
 - inguinal-pelvic dissections, 180
 - leg edema post groin SNB surgery, 184
 - multidisciplinary input, 117
 - neck lymph node dissections, 139, 140
 - para-aortic retroperitoneal lymph node dissection, 171–174
 - pelvic and retroperitoneal lymph node biopsy, 136–138
 - pelvic retroperitoneal lymph node dissection, 167–170
 - preoperative assessment, 117
 - radical cervical lymphadenectomy, 144–146
 - radical inguino-pelvic lymph node dissection, 162–166
 - scalene node biopsy, 123–125
 - sentinel lymph node biopsy, 116–117
 - anatomical variation, 118
 - complications, 120
 - description, 118
 - perspective, 119–120
 - specialized units, use of, 117
 - vacuum dressing inguinal breakdown, 184
- Lymphedema
 - axillary lymph node biopsy, 130
 - axillary lymph node dissection, 150, 152–153, 156
 - axillary SLN biopsy, breast cancer, 133
 - inguinal lymph node dissection, 161
 - para-aortic retroperitoneal lymph node dissection, 174
 - pelvic retroperitoneal lymph node dissection, 170
 - radical inguino-pelvic lymph node dissection, 166
 - sentinel lymph node biopsy, 120
- Lymphoceles
 - cervical lymph node biopsy, 127
 - inguinal lymph node biopsy, 135
 - inguinal lymph node dissection, 161
 - para-aortic retroperitoneal lymph node dissection, 174
 - radical inguino-pelvic lymph node dissection, 166
 - scalene node biopsy, 124

M

- Male breast surgery
 - gynecomastia, 34–37
 - modified radical mastectomy, 30–34
- Mastectomy
 - complete (*see* Subcutaneous mastectomy)
 - modified radical
 - female, 17–22
 - male, 30–34
 - partial
 - anatomical points, 15
 - complications/consequences, 17
 - description, 14–15
 - perspective, 15–16
 - subcutaneous
 - anatomical points, 12
 - complications, 14
 - description, 12
 - perspective, 12–14
- Melanoma
 - axillary lymphadenectomy, 147
 - inguinal lymphadenectomy, 158
 - neck lymph node dissections, 139
 - SLN biopsy, 118
- Microdochoectomy. *See* Duct and nipple surgery
- Minimally invasive parathyroidectomy
 - anatomical points, 91
 - complications, 92–93
 - description, 90–91
 - perspective, 91–92
- Modified radical mastectomy
 - female
 - anatomical points, 18–19
 - complications/consequences, 21–22
 - description, 17–18
 - perspective, 19–21
 - male, 30–34
 - anatomical points, 31
 - complications, 33–34
 - description, 30–31
 - perspective, 31–33
- Modified radical neck dissection. *See* Functional cervical lymphadenectomy
- Mortality
 - ILP, 205
 - retroperitoneal surgery, 213
- Multisystem failure
 - breast surgery, 4
 - isolated limb perfusion, 202
- Multisystem organ failure
 - adrenalectomy, 108, 112
 - ILP, 205
 - laparoscopic splenectomy, 196
 - open splenectomy, 199

- retroperitoneal surgery, 213
- sentinel lymph node biopsy, 120
- Muscle damage, HILP, 211
- Muscle necrosis, chemotherapy ILP, 205

N

- Neck stiffness
 - functional cervical lymphadenectomy, 143
 - radical cervical lymphadenectomy, 146
- Necrosis
 - HILP, 211–212
 - nipple, post-implant, 25
 - segmentectomy, skin, 17
 - skin, chemotherapy ILP, 205
 - skin flap, modified radical mastectomy, 21, 33
- Nerve injury
 - axillary lymph node biopsy, 130
 - axillary lymph node dissection, 150, 153, 156
 - pelvic and retroperitoneal lymph node biopsy, 137
 - sentinel lymph node biopsy, 120
- Nerve toxicity, chemotherapy ILP, 205
- Nipple
 - biopsy
 - anatomical points, 29
 - complications, 30
 - description, 28
 - perspective, 29–30
 - deformity, 29–30
 - post-implant necrosis, 25
 - surgery (*see* Duct and nipple surgery)
- Numbness
 - axillary lymph node dissection, 157
 - functional cervical lymphadenectomy, 143
 - radical cervical lymphadenectomy, 146

O

- Open adrenalectomy
 - anatomical points, 109–110
 - complications, 110–112
 - description, 109
 - left, 111–112
 - medical considerations, 106–108
 - perspective, 110
 - right, 110–111
- Open splenectomy
 - anatomical points, 197
 - complications, 199
 - description, 196–197
 - perspective, 197–198
- Open surgical lymph node biopsy, 115–116

- Oro-cutaneous fistula
 functional cervical lymphadenectomy, 143
 radical cervical lymphadenectomy, 146
- P**
- Paget's disease. *See* Nipple, biopsy
- Palsy, ulnar and common peroneal
 nerve, 202
- Pancreatic leak, retroperitoneal surgery, 213
- Para-aortic retroperitoneal lymph node
 dissection
 anatomical points, 172
 complications, 172, 174
 description, 171
 perspective, 172, 173
- Parathyroidectomy. *See* Parathyroid surgery
- Parathyroid exploration and
 parathyroidectomy
 anatomical points, 87–88
 complications, 89–90
 description, 86–87
 perspective, 88–89
- Parathyroid surgery, 1
 minimally invasive parathyroidectomy
 anatomical points, 91
 complications, 92–93
 description, 90–91
 perspective, 91–92
 parathyroid exploration and
 parathyroidectomy
 anatomical points, 87–88
 complications, 89–90
 description, 86–87
 perspective, 88–89
 risk reduction and management
 strategies, 85
- Paresthesias
 axillary lymph node biopsy, 130
 axillary SLN biopsy, breast cancer, 133
- Partial mastectomy (PM)
 anatomical points, 15
 complications/consequences, 17
 description, 14–15
 perspective, 15–16
- Partial thyroidectomy
 anatomical points, 71
 complications, 73–74
 description, 70–71
 perspective, 72–73
- Pedicled transverse rectus abdominus
 myocutaneous flap reconstruction
 anatomical points, 46
 complications, 48–50
 description, 45–46
 perspective, 46–48
- Pelvic and retroperitoneal lymph node biopsy
 anatomical considerations, 137
 complications, 137
 description, 136–137
 perspective, 137, 138
- Pelvic retroperitoneal lymph node dissection
 anatomical points, 167–168
 complications, 170
 description, 167
 perspective, 168–170
- Peritonitis, retroperitoneal surgery, 213
- Phrenic nerve injury,
 scalene node biopsy, 124
- Pneumothorax
 functional cervical lymphadenectomy, 143
 modified radical mastectomy, 22, 34
 radical cervical lymphadenectomy, 146
- Prosthesis rupture, of breast implants, 40
- R**
- Radical cervical lymphadenectomy
 anatomical points, 144
 complications, 146
 description, 144
 perspective, 144–146
- Radical inguino-pelvic lymph node dissection
 anatomical points, 163–164
 complications, 166
 description, 162–163
 perspective, 164–166
- Radical neck dissection. *See* Radical cervical
 lymphadenectomy
- Reconstructive breast surgery
 breast implants
 anatomical points, 37
 complications, 38–40
 description, 37
 perspective, 38
 free transverse rectus abdominis
 myocutaneous flap reconstruction
 anatomical points, 50–52
 complications, 53–56
 description, 50
 perspective, 53
 latissimus dorsi flap breast reconstruction
 anatomical points, 41
 complications, 44–45
 description, 40–41
 perspective, 41–44
 pedicled transverse rectus abdominis
 myocutaneous flap reconstruction
 anatomical points, 46
 complications, 48–49
 description, 45–46
 perspective, 46–48

- Renal/ureteric injury, retroperitoneal surgery, 213
- Respiratory infection
 laparoscopic splenectomy, 194
 open splenectomy, 199
- Retroperitoneal nodal dissection, 158
- Retroperitoneal surgery
 anatomical points, 213
 complications, 213–215
 description, 212–213
 perspective, 213
- S**
- Saline-/silicone-filled prosthesis insertion.
See Breast implants
- Scalene node biopsy
 anatomical points, 123
 complications, 124–125
 description, 123
 perspective, 123–124
- Segmental breast resection. *See* Partial mastectomy (PM)
- Segmentectomy. *See* Partial mastectomy (PM)
- Selective lymph node biopsy. *See* Sentinel lymph node (SLN) biopsy
- Sentinel lymph node (SLN) biopsy, 116–117.
See also Scalene node biopsy
 allergic reactions, 122, 125, 127, 130, 137
 anaphylactic reaction, 120
 anaphylaxis, 122, 125, 127, 130, 133
 anatomical variation, 118
 complications, 120
 description, 118
 perspective, 119–120
 radiation risk, 122, 125, 127, 130, 136, 137
 risk to pregnancy, 122, 125, 127, 130, 137
- Sepsis
 HILP, 212
 ILP, 205
 isolated limb perfusion, 202
 retroperitoneal surgery, 213
- Seroma
 axillary lymph node biopsy, 130
 axillary SLN biopsy, breast cancer, 133
 breast implants, 38
 cervical lymph node biopsy, 127
 pelvic retroperitoneal lymph node dissection, 170
 scalene node biopsy, 124
- Shoulder stiffness, axillary lymph node dissection, 150, 153, 157
- Skin edge necrosis
 para-aortic retroperitoneal lymph node dissection, 174
 pelvic retroperitoneal lymph node dissection, 170
- Skin erythema
 chemotherapy ILP, 205
 HILP, 211
- Skin flap necrosis
 inguinal lymph node dissection, 161
 radical inguino-pelvic lymph node dissection, 166
- Skin reactions, HILP, 211
- SLN biopsy. *See* Sentinel lymph node (SLN) biopsy
- Splenic surgery, 191
 high-quality postoperative care, 192
 laparoscopic splenectomy, 193–196
 multidisciplinary input, 192
 open splenectomy, 196–199
 operating table positioning, 192
 preoperative assessment, 192
 specialized units, use of, 192
- Stewart-Treves syndrome. *See* Angiosarcoma, of upper extremity
- Stoma formation, retroperitoneal surgery, 213
- Stroke, adrenalectomy, 112
- Subcutaneous mastectomy
 anatomical points, 12
 complications, 14
 description, 12
 perspective, 12–14
- Subinguinal groin dissection. *See* Inguinal lymph node dissection
- Subtotal thyroidectomy
 anatomical points, 75
 complications, 77–78
 description, 74–75
 perspective, 75–77
- Systemic sepsis
 breast surgery, 4
 cervical lymph node biopsy, 127
 retroperitoneal surgery, 213
 scalene node biopsy, 125
 sentinel lymph node biopsy, 120

T

- Thoracic duct injury, retroperitoneal surgery, 213
- Thoracic nerve injury
 - axillary lymph node dissection, 156
 - modified radical mastectomy, 22, 34
- Thoracodorsal nerve injury, axillary lymph node dissection, 153, 156
- Thyroid lobectomy. *See* Partial thyroidectomy
- Thyroid surgery, 1
 - partial thyroidectomy
 - anatomical points, 71
 - complications, 73–74
 - description, 70–71
 - perspective, 72–73
 - risk reduction and management strategies
 - acute respiratory distress, 68–69
 - external laryngeal nerve injury, 69–70
 - post-thyroidectomy hemorrhage, 69
 - subtotal thyroidectomy
 - anatomical points, 75
 - complications, 77–78
 - description, 74–75
 - perspective, 75–77
 - total thyroidectomy
 - anatomical points, 80–81
 - complications, 83–84
 - description, 78–80
 - perspective, 81–83
- Tissue necrosis, breast implants, 38
- Total thyroidectomy
 - anatomical points, 80–81
 - complications, 83–84

- description, 78–80

- perspective, 81–83

- TRAM flap. *See* Free transverse rectus abdominis myocutaneous flap reconstruction; Pedicled transverse rectus abdominis myocutaneous flap reconstruction
- Tumor recurrence, retroperitoneal surgery, 213

U

- Ulnar nerve injury, axillary lymph node dissection, 150
- Ulnar nerve paresis, breast surgery, 49, 55

V

- Vocal cord paralysis, 92

W

- Wound dehiscence
 - axillary lymphadenectomy, 153, 156
 - breast surgery, 49, 55
 - cervical lymphadenectomy, 143, 146
 - inguinal lymph node biopsy, 135
 - sentinel lymph node biopsy, 120
- Wound infection
 - inguinal lymph node dissection, 161
 - para-aortic retroperitoneal lymph node dissection, 174
 - radical inguino-pelvic lymph node dissection, 166