

# Index

## A

### Abdominal aortic aneurysm (AAA)

- bifurcated stent graft, 151
- conical aortic neck, 141
- and FEVAR, 131
- Gore bifurcated device, 123

### Abscess

- biliary sepsis/ischemia, 196
- formation, 194–195
- hepatic artery
  - embolization, 194
- inflammatory
  - markers, 193
  - residual collection, 193

### Angioplasty balloon

- application, 18, 23
- balloon-assisted technique, 218
- cephalad and caudal approaches, 208
- inflation, 85, 86, 125
- nominal pressure, 246
- recommended pressures, 60
- re-inflation, 88
- right femoral approach, 85
- stent graft, 86

Terumo guide wire and Cobra 2 catheter, 86

venogram postprimary cutting, 238, 239

Anticoagulation, 223, 230

### Aortic neck

- dilatation, 118
- and endograft, 120
- fabric markers, 115, 116
- open repair and surgical banding, 118
- Palmaz stent, 118
- thrombus-lined, 118

### Arterial dissection

- balloon-expanded stent, 72, 73
- blood flow, 73
- CIA and EIA stenoses, 71
- common iliac artery, 71–72
- contralateral groin, 73
- flow-limiting dissections/
  - elastic recoil, 72
- 4 Fr sheath, 72
- MRA, 71
- self-expanding stent, 72
- stenting, 72

Arterial stenting. *See* Iatrogenic iliac artery rupture

Arteriography, 31, 32  
 Arteriportal fistula and liver  
   hemorrhage  
   angiography, 201–202  
   femoral artery  
     approach, 201  
   NASH, 201  
   TACE, 202–203  
   tract ablation, 203–204  
   tumor, right liver lobe, 204  
 Arteriovenous fistulae (AVF),  
   14, 15, 17

**B**

Balloon angioplasty, 223–224  
 Balloon-assisted technique,  
   218, 230  
 Balloon-expandable stent, 91,  
   92, 93, 143, 144, 145  
 Balloon rupture and retained  
   fragments  
   angiography, 245–246  
   brachial artery, 248  
   brachiocephalic fistula, 245  
   collateral veins, 247  
   endovascular techniques, 246  
   proximal balloon fragment  
     and delivery system,  
     245  
   and rtPA, 245  
 Bowel perforation  
   biochemical markers, renal  
     function, 178  
   complications, 179  
   distal ureteric stricture, 177  
   exploratory laparotomy, 178  
   interpolar calyx, transplant  
     kidney, 177  
   lower pole calyx, 180  
   and PCN, 180  
   peritonitis/bowel  
     obstruction, 181

post-nephrostomy insertion  
   nephrostogram, 177  
   renal function and  
     hydronephrosis, 177  
   small bowel injury, 179  
   visceral injury, 178

**C**

“Catheter-snare technique”,  
   230, 231  
 Central venous catheter (CVC)  
   angioplasty balloons, 26  
   arteriography, 31  
   arteriovenous, 23  
   brachiocephalic vein and  
     SVC, 31–32  
   Dialock port, 24  
   endovascular techniques,  
     25–26  
   12F sheath, 23  
   gooseneck snare, 23  
   hemodialysis, 31  
   hemothorax, 33  
   right atrium, 23  
   thorax, 32  
   venogram, 34–35  
   venous access ports, 25  
   venous injury, 32  
 CEUS. *See* Contrast-enhanced  
   ultrasound (CEUS)  
 CFA. *See* Common femoral  
   artery (CFA)  
 CFV. *See* Common femoral  
   vein (CFV)  
 CIV. *See* Common iliac  
   vein (CIV)  
 CL. *See* Contralateral limb (CL)  
 Cobra catheter, 71, 79, 245  
 Coil displacement, 124, 125  
 Coil retrieval, 4  
 Color Doppler ultrasound,  
   40, 42

- Common femoral artery (CFA), 65, 73
- Common femoral vein (CFV), 9, 10
- Common hepatic artery
  - active hemorrhage, 102
  - angiography, 99, 100
  - angioplasty balloon, 103
  - coaxial microcatheter, 99
  - Cobra and Berenstein catheters, 99
  - coil embolization/occlusion, 102
  - and CTA, 102
  - deployment, 101
  - endovascular treatment, 100
  - extravasation and pseudoaneurysm, 100
  - and GDA, 99
  - malposition, 101
  - microcatheter wire and catheter, 101
  - portal vein, 102
  - right HA, 99
  - stent grafts, 102–103
- Common iliac vein (CIV), 109
- Complications
  - bowel perforation, transplant nephrostomy, 179
  - brachiocephalic vein, 111
  - catastrophic, 87
  - common iliac artery, 128
  - hepatic artery, 80–81
  - iliac angioplasty and stenting, 86
  - life-threatening, 87
  - pigtail aortogram, 78
  - proximal type 1 endoleaks, 119
  - stent detachment, 93
- Contralateral limb (CL)
  - aortic endograft, 155
  - brachial artery, 154
  - maldeployment, 155
  - pre-procedural imaging, 154
- Contrast-enhanced ultrasound (CEUS), 123
- Contrast-related nephropathy, 186
- CT angiography (CTA), 102
  
- D**
- Deep vein thrombus (DVT), 229
- DIC. *See* Disseminated intravascular coagulopathy (DIC)
- Displaced coil, 4
- Dissection
  - and SMA
    - patent lumen, 79
    - pigtail catheter, 78
    - post-stent deployment, 80
    - Sos Omni catheter, 78
    - Terumo wire, 79
  - spasm and minor dissection, hepatic artery, 80–81
  - and TACE, 81
- Disseminated intravascular coagulopathy (DIC), 254, 256
- Distal embolization
  - angiography, 65
  - catheters, 67
  - and CFA, 65
  - clot aspiration, 67
  - limb, 67
  - post-angioplasty, 65
  - and SFA, 65
  - thromboaspiration, 66
  - thrombus, PT, 66

Doppler ultrasound  
aneurysm and endoleak, 123  
left iliac limb and posterior  
wall, 123

DVT. *See* Deep vein thrombus  
(DVT)

## E

EIA. *See* External iliac  
artery (EIA)

Embolization

chemoembolization,  
80–81

coil protruding, 3, 4  
and CXR, 194

displaced coil, 4  
“dropped”, 4

hepatic artery, 194

interventional radiology, 3

microcatheter, 82

NET metastases, 195

and PES (*see* Post-  
embolization  
syndrome (PES))

right renal, 169

sheath, 4

and TACE (*see* Transarterial  
chemoembolization  
(TACE))

transarterial and  
translumbar, 135

transcatheter, 170

tumor necrosis, 196

Endovascular aortic aneurysm  
repair (EVAR)

aortic neck, 143

and aorto-uniiliac (AUI), 154

button-mushroom, 153, 154

catheter, 152

and CL, 155

embolization coils, 152

endovascular solution,  
153, 154

fenestrated cuff, 118

internal and external iliac  
artery, 151, 152

maldeployment (*see*  
Maldeployed limb)

open aortic surgery, 161

Palmaz stent, 152, 153

post-deployment  
angiography, 152

proximal type 1 endoleaks,  
117, 119, 127

radio-opaque markers, 155

stent-graft design and  
aneurysm  
morphology, 153

type 4 thoracoabdominal  
aneurysm, 159

Zenith bifurcated device,  
141

Endovascular techniques,  
25–26, 246

EVAR. *See* Endovascular  
aortic aneurysm  
repair (EVAR)

External iliac artery (EIA)  
angiography, 71

digital subtraction  
angiogram, 92

occlusion, 91, 92

patient's symptoms, 91

## F

Femoral artery

pseudoaneurysm

balloon inflation, 42

chest pain, 39

descending artery, 39

Doppler ultrasound, 40

hallux, 40

- iatrogenic
  - pseudoaneurysms, 41
  - peripheral pulses, 40
  - ST-elevation myocardial infarction, 39
  - thrombin injection, 41
  - treatment options, 41
- Fenestrated cuff, 118, 120
- Fenestrated endovascular aortic aneurysm repair (FEVAR), 131
- Fistula rupture
  - post-fistuloplasty arterial anastomosis, 237
  - cutting balloons, 239
  - dialysis fistulas, 237–238
  - fistulogram, 237
  - stenosis, 237
  - stenting, 239
  - thrombosis and vessel rupture, 240
- Foreign body retrieval catheter, 9
  - and CFV, 9, 10
  - coaxial snare technique, 11
  - interventional radiology, 9
  - and IVC, 11
  - loop snares/goose neck snares, 10
  - novel techniques, 9
  - snares, 11
  - vascular sheath, 9, 10
- G**
- Gastroduodenal artery (GDA)
  - coeliac/hepatic arteries, 99, 101
  - coil embolization, 99
- GDA. *See* Gastroduodenal artery (GDA)
- H**
- HA. *See* Hepatic artery (HA)
- HCC. *See* Hepatocellular carcinoma (HCC)
- Hemorrhage. *See also* Nephrostomy
  - angiograms, 169
  - angiography, 171
  - blood hemoglobin level, 171
  - Brödel's line, 171
  - catheter, 171
  - CT images, 172
  - hydronephrosis and hydroureter, 169
  - minor hematuria, 170
  - nephrostomy insertion, 170
  - renal artery (*see* Renal arterial hemorrhage)
  - vascular injury, 170
- Hepatic artery
  - isolation, 77
  - replacement, 77
  - and RHA, 77
  - spasm and minor dissections, 80–81
- Hepatic artery (HA), 99, 100, 101
- Hepatocellular carcinoma (HCC), 77, 201, 202
- I**
- Iatrogenic iliac artery rupture
  - Amplatz guide wire, 86
  - angioplasty balloon, 85, 86
  - balloon expandable/self-expanding stent graft, 87
  - emergency bypass surgery, 88
  - external iliac artery, 87
  - left external iliac artery, 85

- Iatrogenic iliac artery  
 rupture (*cont.*)  
 life-threatening  
 complication, 86, 87  
 management, 87  
 recanalization, 88  
 reinflation, 88  
 retrograde ipsilateral  
 stenting, 88  
 right femoral approach, 85  
 Terumo guide wire, 86  
 vascular interventional  
 radiologists, 88
- Iliac angioplasty, 88, 91, 94
- Iliac artery  
 angiography, 71  
 angioplasty, 73  
 chronic, 72  
 common, 71–72  
 and EIA, 71
- Inferior mesenteric artery  
 (IMA)  
 aneurysm, 131, 132  
 left colic, sigmoid and  
 superior rectal  
 branches, 133  
 microcatheter, 132  
 type 2 endoleak, 136  
 visualization, 136  
 Vortex coils, 133
- Inferior vena cava (IVC) filter  
 anticoagulation, 230  
 balloon-assisted technique,  
 218  
 balloon dilatation, 210  
 “branch technique”, 230  
 catheter removal, 216  
 “catheter-snare technique”,  
 230  
 cavogram, 216  
 conventional techniques,  
 218  
 DVT, 229  
 femoral and jugular  
 approaches, 217, 229  
 loop-snare technique, 217,  
 218  
 maneuvers, 208, 209  
 optional filters, 210  
 portal venous phase, 207  
 procedure, 208  
 pulmonary emboli, 229  
 renal vein, 231  
 retrieval (*see* Retrieval, IVC  
 filter)  
 thrombosis and pulmonary  
 embolism, 215, 229  
 tilting, 208–209  
 twist technique, 218  
 vena cava tributaries, 232  
 venogram, 216
- IVC filter. *See* Inferior vena  
 cava (IVC) filter
- L**
- Laser-assisted sheath  
 technique, 225
- Loop-snare technique, 216, 217,  
 218
- M**
- Magnetic resonance  
 angiography (MRA),  
 65, 71, 91
- Maldeployed limb, 151, 153,  
 155
- Migrated stent graft  
 angioplasty balloon, 107  
 arterial/venous system,  
 109–110  
 balloon inflation, 107, 109  
 bare-metal stents, 110  
 “catching”, 110

and CIV, 109  
 guide wire, 109  
 hand-crimped balloon-expandable stents, 111  
 right brachiocephalic vein, 107, 108  
 “salvaging”, 110  
 snare, 110  
 and SVC, 107, 108  
 and TIPS, 107, 108  
 venography, 107  
 Modular disconnection  
 anatomical changes, 161  
 bridging endograft, 165  
 type 3 endoleak, 161  
 Vanguard stent graft, 163  
 MRA. *See* Magnetic resonance angiography (MRA)

**N**

NASH. *See* Nonalcoholic steatohepatitis (NASH)  
 n-Butyl cyanoacrylate (n-BCA), 119  
 Nephrostomy  
 arterial phase CT, 169  
 balloon dilation catheter, 170  
 hemorrhagic complications, 170  
 perirenal and retroperitoneal hemorrhage, 170  
 posterior-facing calyx, 170  
 Neuroendocrine tumor (NET)  
 embolization, 193  
 metastases, 195  
 neoplasm, 195  
 Nonalcoholic steatohepatitis (NASH), 201

**P**

Percutaneous nephrostomy tube (PCN), 177, 180  
 Post-angioplasty, 72  
 Post-embolization syndrome (PES), 196, 197  
 Pressure inflation device, 60  
 Proximal cuff  
 impinging, 117  
 implantation and molds, 115, 116  
 insertion, 118  
 Pyrexia, tumor embolization abscess (*see* Abscess) angiography demonstration, 193  
 blood parameters, 196  
 CT scan, 193  
 CXR, 193, 194  
 embolic particles, 195  
 5 Fr vascular sheath, 193  
 hepatic artery embolization, 195  
 intercostal approach, 193  
 metastasis, 194  
 NET liver metastases, 195  
 pogenic abscess, 194  
 prophylactic antibiotics, 197  
 and PVA, 195  
 residual collection, 194  
 tumor necrosis and drains, 195

**R**

Recombinant tissue plasminogen activator (rtPA), 47–48, 50, 51, 245

- Renal arterial hemorrhage
  - bilateral femoral punctures, 185
  - elective left renal artery stenting, 185
  - hemodynamic instability, 187
  - immediate repeat angiography, 185
  - left stenosis, 189
  - normal perfusion pressure theory, 186
  - pathophysiological mechanisms, 186
  - renal bleeding, 188
  - risk factors, 187
- Renal artery occlusion
  - and AAA, 141
  - anchor stent, 142
  - balloon-expandable stent, 143, 144
  - bare suprarenal stent struts, 144, 146
  - catheterization and manipulation, 147
  - caudal traction, 144
  - contralateral groin, 145
  - coronal CT reformatted image and angiogram, 141
  - and EVAR, 141
  - intra operative aortogram, 144–145
  - ostia, 143
  - projectional errors, 146
  - reversed curve catheter, 141, 142
  - sheath, 142, 143
  - stent graft, 144
  - stent struts and left renal artery, 142–143
  - surgical extra-anatomical revascularization, 146
- Renal artery thrombosis, 186
- Retrieval, IVC filter
  - anticoagulation, 223
  - balloon angioplasty, 223–224
  - cavogram, 223
  - factors, filter incorporation, 224
  - laser-assisted sheath technique, 225
  - neovascularization, 225–226
  - stenosis and clot formation, 225
- Right hepatic artery (RHA)
  - chemoembolization, 80
  - embolization, 254
  - microcatheter wire and catheter, 101
  - Sidewinder catheter, 77
  - Sos Omni catheter, 77
  - stent graft, 101
- rtPA. *See* Recombinant tissue plasminogen activator (rtPA)
- Rupture
  - arterial, 86, 87
  - iliac artery (*see* Iatrogenic iliac artery rupture)
  - left external iliac artery, 85
- S**
- Sidewinder catheter, 77
- SMA. *See* Superior mesenteric artery (SMA)
- Snare
  - femoral vein, 108
  - guidewire, 9
  - intravascular objects retrieval, 10
  - size and location, 11
  - stent, proximal end, 110



- Sos Omni catheter, 77, 78, 81
- Stent
- atrium, 159
  - hemostasis post
    - deployment, 238
  - renal artery branch, 160
  - venous rupture, 239
- Stent detachment
- balloon-mounted stent
    - detaches, 93, 94
  - bilateral iliac angioplasty, 91
  - common iliac stenoses, 91
  - detached balloon-mounted stent, 91, 92
  - digital subtraction
    - angiogram, 91, 92
  - disastrous complication, 93
  - 6-Fr retrograde right CFA
    - puncture, 91
  - guide catheter and sheath, 93
  - ipsilateral access, 94
    - management, 93
  - patient's symptoms, 91
  - right CIA/EIA, 91, 92
  - snare, 93
- Stent graft
- angioplasty balloon, 103
  - balloon-expandable, 86, 99
  - balloon-mounted, 102–103
  - deployment, 101, 102
  - maldeployment, 103
  - management, 87
  - right and left HA, 99, 101
  - self-expanding, 87
- Stenting
- adjacent/buttrressing, 102
  - balloon-expanded, 72, 73
  - and CIA, 71
  - flow-limiting dissection, 72
  - iliac angioplasty, 94
  - primary, 72
  - secondary, 72
  - self-expanding, 72, 92
- Stent malposition, 101, 103
- Stiff guide wire, 80
- Superficial femoral artery (SFA)
- angioplasty
    - balloon reinflation, 57–58
    - extravasation, 59
    - pressure inflation
      - device, 60
    - prosthetic aortic valve, 57
    - recanalization, 57
    - thorax/abdomen, 58
    - vessel rupture, 59
  - thrombosis post-angioplasty
    - distal embolization, 51
    - luminal wire position, 48
    - and rtPA, 47
    - stenting, 51
    - thromboaspiration, 49, 51, 66
- Superior mesenteric artery (SMA)
- dissection (*see* Dissection) and RHA, 77, 80, 81
  - type 2 endoleak, 132
- Superior vena cava (SVC)
- Amplatz Gooseneck snare, 16
  - and AVF, 14
  - balloon inflated within stent graft, 109
  - cardiac chambers and pulmonary arterial, 18–19
  - indications, 17–18
  - migrated stent graft, 107, 108
  - migration, 19
  - restenosis and thrombosis, 18
  - retrieval technique, 18

- Superior vena cava (SVC)  
 (cont.)  
 stenosis, 14–15  
 subclavian vein, 15  
 symptoms, 17  
 venoplast, 17  
 SVC. *See* Superior vena  
 cava (SVC)
- T**
- TACE. *See* Transarterial  
 chemoembolization  
 (TACE)
- Terumo hydrophilic guide wire,  
 77, 79
- Thromboaspiration, 51
- TIPS. *See* Transjugular  
 intrahepatic  
 portosystemic shunt  
 (TIPS)
- TJLB. *See* Transjugular liver  
 biopsy (TJLB)
- Transarterial  
 chemoembolization  
 (TACE)  
 acute dissection, 82  
 Amplatz wire, 80  
 antispasmodics, 80–81  
 arterial dissection, 81–82  
 arterioportal fistula, 203  
 bare-metal stent, 82  
 brachial artery access, 81  
 Cobra catheter, 79  
 complication, 78  
 fetoprotein, 77  
 fine caliber wires, 81  
 HCC treatment, 77  
 hepatitis C, 77  
 hepatocellular carcinoma, 77  
 modern small vessel  
 catheters, 81  
 patient, 80  
 and RHA, 77  
 semi-selective  
 angiography, 81  
 Sidewinder catheter, 77  
 and SMA, 77  
 soft-tipped guide wire, 77  
 Sos Omni catheter, 77–78  
 Terumo wire, 79
- Transjugular intrahepatic  
 portosystemic shunt  
 (TIPS)  
 primary intervention, 110  
 right portal vein and hepatic  
 vein, 107
- Transjugular liver biopsy  
 (TJLB)  
 coagulopathy, 255–256  
 complication rates, 255  
 description, 253  
 and DIC, 254  
 femoral arterial puncture,  
 254  
 hepatic venography, 256  
 post biopsy injection,  
 256, 257  
 vascular sheath,  
 253–254
- Transplant nephrostomy, 179.  
*See also* Bowel  
 perforation
- Twist technique, 218
- Type 1a endoleak  
 aneurysm, 115  
 aortic neck, 115, 118  
 aortography, 115  
 completion  
 angiography, 117  
 CT scan, 115  
 deployment, 118  
 embolic and  
 thrombus-inducing  
 agents, 119  
 etiology, 119

- and EVAR (*see*
  - Endovascular aortic aneurysm repair (EVAR))
- fabric markers, 115
- fenestrated cuffs, 120
- fluoroscopic images, 115
- follow-up catheter
  - aortogram, 115, 116
- left renal artery ostium, 115
- MIP image, 115, 116
- n-BCA, 119
- open aneurysm surgery, 118
- Palmaz stent, 118
- patients, 120
- proximal cuff, 115, 117
- secondary complication, 117
- sizing problem, 118
- stent-graft anchoring barb, 115
- and type 2 endoleak, 119
- Type 1b endoleak
  - buttock claudication
    - post-embolization, 127
  - and CEUS, 123
  - common iliac artery, 126–127
  - completion angiography, 125, 126
  - distal type 1 endoleak, 124
  - embolization coils, 124, 125
  - endurant iliac limb
    - extension, 124
  - EUROSTAR registry, 125–126
  - and EVAR (*see*
    - Endovascular aortic aneurysm repair (EVAR))
  - follow-up arterial phase, 123
  - Gore bifurcated device, 123
  - internal iliac arteries, 128
  - open aortic repair, 127
  - Palmaz stent, 127
  - patients, 125
  - stent-graft limbs, 124–125, 127
  - ultrasound-guided
    - puncture, 123
- Type 1 endoleak, 123–124, 125, 126
- Type 2 endoleak
  - angiogram, 134
  - catheter-based embolization
    - techniques, 136
  - CT scan, 131
  - and EVAR (*see*
    - Endovascular aortic aneurysm repair (EVAR))
  - and FEVAR, 131
  - identification, 115
  - and IMA, 131
  - inferior and superior mesenteric artery, 136
  - intrasac pressure
    - measurements, 135
  - microcatheter, 132
  - preoperative imaging, 136
  - pressurization, 119
  - and proximal type 1, 115
  - SMA angiogram, 132
  - transarterial and translumbar
    - embolization, 135
  - Vortex coils, 132–134
- Type 3 endoleak
  - abdominal radiographs, 162, 163
  - AneuRx device, 161, 164
  - branched endografts, 159, 161, 165

Type 3 endoleak (*cont.*)

- completion angiography, 160
- and EVAR (*see* Endovascular aortic aneurysm repair (EVAR))
- left iliac limb, 161, 162
- left renal stent and artery, 159
- modular disconnection, 161
- preliminary angiography, 160
- stent graft, 164

**V**

Venogram

- extravasation, 253, 256, 257
- IVC filter, 216

postprimary cutting balloon

- angioplasty, 238
- right brachiocephalic vein, 23, 24
- TIPS, 107

Vessel rupture

- acute extravasation, 237
- angioplasty, 57–58
- peripheral circulation, 58
- standard balloon angioplasty, 239
- thrombosis, 240

**Z**

- Zenith bifurcated device, 141