

# References

## **M.A. Armstrong**

[1979] *Basic Topology*. McGraw-Hill.

## **E. Artin**

[1924] Ein mechanisches System mit quasi-ergodischen Bahnen. *Abh. Math. Sem. Hamburg Uni.* **3**, 170–175.

## **B. Artmann**

[1988] *The Concept of Number*. Ellis Horwood Ltd.

## **A. Beardon**

[1983] *The Geometry of Discrete Groups*. Springer-Verlag.

## **E. Beltrami**

[1865] Risoluzione del problema: “Riportare i punti di una superficie sopra un piano in modo che le linee geodetiche vengano rappresentate da linee rette”. *Ann. Mat. pura appl.*, ser. 1, **7**, 185–204.

[1868] Saggio di interpretazione della geometria non-euclidea. *Giorn. Mat.* **6**, 284–312.

[1868'] Teoria fondamentale degli spazii di curvatura costante. *Ann. Mat. pura appl.*, ser. 2, **2**, 232–255.

## **M. Berger**

[1987] *Geometry I*. Springer-Verlag.

## **W. Burnside**

[1911] *The Theory of Groups of Finite Order*. Dover (1955 reprint).

## **W.K. Clifford**

[1873] Preliminary sketch of biquaternions. *Proc. Lond. Math. Soc.* **IV**, 381–395.

## **D.E. Cohen**

[1989] *Combinatorial Group Theory*. Cambridge University Press.

## **H. Cohn**

[1967] *Conformal Mapping on Riemann Surfaces*. Dover.

## **R. Dedekind**

[1872] *Stetigkeit und die Irrationalzahlen*. English translation (1901) in: *Essays on the Theory of Numbers*. Open Court.

[1877] Schreiben an Herrn Borchardt über die Theorie der elliptischen Modulfunktionen. *J. Reine Angew. Math.* **83**, 265–292.

**M. Dehn**

[1912] Transformation der Kurven auf zweiseitigen Flächen. *Math. Ann.* **72**, 413–421.

**R. Descartes**

[1637] *La Géométrie*. English translation (1954): *The Geometry*. Dover.

**W. Dyck**

[1882] Gruppentheoretische Studien. *Math. Ann.* **20**, 1–44.

**G. Eisenstein**

[1847] Beiträge zur Theorie der elliptischen Funktionen. *J. Reine Angew. Math.* **35**, 137–274.

**L. Euler**

[1748] *Introductio in Analysin Infinitorum I*. English translation (1988): *Introduction to the Analysis of the Infinite: Book I*. Springer-Verlag.

**R.D. Feuer**

[1971] Torsion free subgroups of triangle groups. *Proc. Amer. Math. Soc.* **30**, 235–240.

**L.R. Ford**

[1929] *Automorphic Functions*. Chelsea Publishing Co. (1972 reprint).

**C.F. Gauss**

[1811] Letter to Bessel, 18 December 1811. *Briefwechsel mit F.W. Bessel*. Georg Olms Verlag.

[c. 1819] Die Kugel. *Werke* **8**, 351–356.

**J. Gray**

[1982] From the history of a simple group. *Math. Intelligencer* **4**, 59–67.

[1986] *Linear Differential Equations and Group Theory from Riemann to Poincaré*. Birkhäuser.

**T. Harriot**

[1603] Unpublished manuscript, see J.A. Lohne, Essays on Thomas Harriot, *Arch. Hist. Ex. Sci.* **20**, 189–312.

**C. Hermite**

[1858] Sur la résolution de l'équation du cinquième degré. *Comp. Rend.* **46**, 508–515.

**D. Hilbert**

[1899] *Grundlagen der Geometrie*. Teubner. English translation (1971): *Foundations of Geometry*. Open Court.

[1901] Über Flächen von konstanter Gaußscher Krümmung. *Trans. Amer. Math. Soc.* **1**, 87–99.

**H. Hopf**

[1925] Zum Clifford–Kleinschen Raumformproblem. *Math. Ann.* **95**, 313–339.

**G.A. Jones and D. Singerman**

[1987] *Complex Functions*. Cambridge University Press.

**L.H. Kauffman**

[1987] *On Knots*. Princeton University Press.

**F. Klein**

[1872] Vergleichende Betrachtungen über neuere geometrische Forschungen (Erlanger Programm). *Ges. Math. Abhandl.* **1**, 460–497.

[1876] Über binäre Formen mit linearer Transformation in sich selbst. *Math. Ann.* **9**, 183–208.

[1879] Über die Transformation siebenter Ordnung der elliptischen Funktionen. *Math. Ann.* **14**, 428–471.

[1882] Neue Beiträge zur Riemannschen Funktionentheorie. *Math. Ann.* **21**, 141–218.

**P. Koebe**

[1907] Über die Uniformisierung beliebiger analytischer Kurven. *Göttinger Nachrichten*, 191–210.

**A.I. Kostrikin and Yu.I. Manin**

[1989] *Linear Algebra and Geometry*. Gordon & Breach.

**J.L. Lagrange**

[1773] Recherches d'Arithmétique. *Nouv. Mém. Acad. Berlin*, Oeuvres III, 695–795.

**R.C. Lyndon**

[1985] *Groups and Geometry*. Cambridge University Press.

**W. Magnus**

[1974] *Noneuclidean Tessellations and their Groups*. Academic Press.

**W.S. Massey**

[1967] *Algebraic Topology: an Introduction*. Harcourt, Brace & World, Inc.

**E. Moise**

[1977] *Geometric Topology in Dimensions 2 and 3*. Springer-Verlag.

**J.M. Montesinos**

[1987] *Classical Tessellations and Three-Manifolds*. Springer-Verlag.

**J. Nielsen**

[1925] Om geodaetiske Linier i lukkede Mangfoldigheder med konstant negativ Krümming. *Mat. Tidsskrift B*, 37–44.

**V.V. Nikulin and I.R. Shafarevich**

[1987] *Geometries and Groups*. Springer-Verlag.

**H. Poincaré**

[1880] Extrait d'un mémoire inédit de Henri Poincaré sur les fonctions Fuchsiennes. *Acta Math.* **39** (1923), 58–93.

[1882] Théorie des groupes Fuchsien. *Acta Math.* **1**, 1–62.

[1883] Mémoire sur les groupes Kleinéens. *Acta Math.* **3**, 49–92.

[1887] Les fonctions Fuchsiennes et l'Arithmétique. *J. Math. ser. 4*, **3**, 405–464.

[1892] Sur l'Analysis situs. *Comp. Rend.* **115**, 633–636.

[1895] Analysis situs. *J. École Polytec. (2)* **1**, 1–123.

[1904] Cinquième complément à l'analysis situs. *Rend. Circ. Mat. Palermo* **18**, 45–110.

[1907] Sur l'uniformisation des fonctions analytiques. *Acta Math.* **31**, 1–63.

[1985] *Papers on Fuchsian Functions*. Springer-Verlag.

### **H. Rademacher**

[1983] *Higher Mathematics from an Elementary Point of View*. Birkhäuser.

### **T. Radó**

[1924] Über den Begriff der Riemannsche Fläche. *Acta Univ. Szeged* **2**, 101–121.

### **K. Reidemeister**

[1928] Fundamentalgruppe und Überlagerungsräume. *Göttinger Nachrichten*, 69–76.

[1932] *Einführung in die kombinatorische Topologie*. Teubner.

### **G.F.B. Riemann**

[1851] Grundlagen für eine allgemeine Theorie der Funktionen einer veränderlichen complexen Grösse. *Werke*, 2nd ed., 3–48. Dover 1953.

[1854] Über die Hypothesen, welche der Geometrie zu Grunde liegen. *Werke*, 2nd ed., 272–287. Dover 1953.

### **H.A. Schwarz**

[1879] Ueber diejenigen algebraischen Gleichungen zwischen zwei veränderlichen Grössen, welche eine Schaar rationaler eindeutig umkehrbarer Transformationen in sich selbst zulassen. *J. Reine Angew. Math.* **87**, 139–145.

### **C. Series**

[1982] Non-euclidean geometry, continued fractions and ergodic theory. *Math. Intelligencer* **4**, 24–31.

### **J.C. Stillwell**

[1989] *Mathematics and Its History*. Springer-Verlag.

### **H. Weyl**

[1913] *Die Idee der Riemannschen Fläche*. Teubner. English translation [1955]: *The Concept of a Riemann Surface*. Addison-Wesley.

### **H. Zieschang, E. Vogt, and H-D. Coldewey**

[1980] *Surfaces and Planar Discontinuous Groups*. Springer-Verlag.

# Index

- Abel, 43
- Angle
  - cone, 185
  - on  $\mathbb{H}^2$ , 78–79
  - on  $\mathbb{S}^2$ , 65
  - sum of triangle
    - euclidean, 16–18
    - hyperbolic, 16–18, 99–100
    - spherical, 16–18, 65–67
- Antipodal
  - map, 60–61
  - point, 60–61, 64, 70
  - triangle, 67
- Area, 17–18
  - additivity, 17, 65, 100
  - and angular excess, 17, 65
  - euclidean, 17
  - hyperbolic, 17
  - of hyperbolic polygon, 128
  - of pseudosphere, 113
  - spherical, 17
  - of triangle
    - hyperbolic, 99–100
    - spherical, 65–67
- Artin, 134
- Asymptotic
  - lines, 92
  - triangle, 99
    - billiard table, 122
- Automorphic functions, 134
- Axiom, 1, 19
- Axis
  - of glide reflection, 12, 14
  - of hyperbolic translation, 94, 158
- Beltrami, 101, 108, 182
- Bernoulli, Jean, 107
- Bessel, 160
- Bolyai, 108
- Branched covering, 43, 187–188, 201
- Cantor, 19
- Catenary, 75–76
- Cayley graph
  - of fundamental group, 149, 158
  - of symmetry group, 166, 181
- Central projection, 62–63
- Circle at infinity, 92, 105
- Classification
  - of closed geodesic paths, 155–159
  - of closed lines, 142
  - of euclidean isometries, 13, 30, 170
  - of geometric surfaces, 138–139
  - of hyperbolic isometries, 96–98, 170
  - of topological surfaces, 135–138
- Clifford, 72
- Closed set, 37
- Collineation, 62
- Coloring of tessellations, 164–165, 168–169
- Combinatorial group theory, 162, 182
- Compactness
  - of closed line segments, 37–38
  - of paths, 143
  - of polygons, 131, 171
  - of sphere, 69
- Completeness, 35–36
  - of compact geometric surface, 129–130, 149, 180
  - and Poincaré’s theorem, 181
  - of  $\mathbb{R}$ , 38
  - of surface, 35, 125

- Complex functions, 8, 13, 19, 44, 51
  - on  $\mathbb{C}$ , 20
  - on  $\mathbb{C} \cup \{\infty\}$ , 72
  - on the cylinder, 42
  - representing  $\mathbb{D}^2$ -isometries, 90
  - representing  $\mathbb{H}^2$ -isometries, 89
  - representing  $\mathbb{R}^2$ -isometries, 8–9, 12, 14
  - representing  $\mathbb{S}^2$ -isometries, 56–59
  - on the torus, 43
- Cone, 185
  - angle, 185
  - desingularization, 185, 190–191
  - index, 194–197
  - ordinary, 185
  - point, 185
  - singularity, 185
- Conformal disc, 80
  - angle, 83
  - circles, 84–85
  - distance, 81–82
  - and genus 2 surface, 148–150, 152
  - isometries, 81–82
  - lines, 83
  - model, 83–84
  - rotations, 82
- Conformal mappings, 19, 83
  - of  $\mathbb{C}$ , 20
  - of  $\mathbb{C} \cup \{\infty\}$ , 51, 72
  - of  $\mathbb{H}^2$ , 108
  - of the torus, 108
- Congruence, 11
- Conjugacy problem, 162
- Conjugate, 5
  - groups, 189
- Conjugation, 5, 189, 198
- Connectedness, 35–36
- Covering
  - of cylinder by  $\mathbb{R}^2$ , 23, 42
  - isometry, 40
  - isometry group, 39–41
  - of Klein bottle, 39, 140
  - local isometry property, 36
  - of nonorientable surface, 139
  - and subgroups, 162
  - topological, 41–42
  - of twisted cylinder, 39
  - universal, *see* Universal covering
- Cube, 36, 67–68
- Curvature, 2
  - constant, 41
  - Gaussian, 75
  - negative, 2, 75
  - positive, 2
  - radius of, 75–77
  - zero, 2, 75
- Cylinder, 22–25
  - as  $\mathbb{C} - \{0\}$ , 36
  - curvature, 75
  - distance on, 23
  - fundamental region, 22
  - geometry, 23–25
  - lines on, 23–24, 113
  - as quotient of  $\mathbb{R}^2$ , 22
  - twisted, *see* Twisted cylinder
- $\mathbb{D}^2$ , *see* Conformal disc
- Dedekind, 18, 132
- Defining relations, 150–152, 166–167, 178, 181
- Deformation, 70, 140–141, 156
- Dehn, 152, 162
  - algorithm, 152
- Descartes, 1, 18
- Desingularization
  - assuming  $(p, q, r)$ -hypothesis, 197–198
  - as branched covering, 190–194
  - of cone, 185, 190–191
  - group theoretic aspects, 188–189
  - methods, 194–196
  - of modular orbifold, 193
  - of noncompact orbifold, 193–194
  - of orbifold, 185–186
  - of  $S(p, q, r)$ , 198
  - of tetrahedron, 191–192
- Det, *see* Determinant
- Determinant, 58–59, 89–91, 199–200
- Dihedral group, 69
- Dihedron, 69
- Dilatation, 16, 20
  - and hyperbolic plane, 80
  - and projective plane, 63
- Dirichlet region, 130, 132, 138
- Disc
  - euclidean, 35
  - of geometric surface, 143

- Discontinuous group
  - of euclidean isometries, 29–32
  - fundamental region, 168
  - of spherical isometries, 60
- Distance, 2
  - on cylinder, 23
  - $\mathbb{D}^2$ -, 81, 91
  - euclidean, 2
  - $\mathbb{H}^2$ -, 76–78
  - in identification space, 123
  - non-euclidean, 76
  - between orbits, 23, 25, 29, 34
  - Pythagorean, 3, 45
  - spherical, 46, 91
- Dodecahedron, 67–68
- Dyck, 182
  
- Edge, 122
  - crossing sequence, 118–121
  - pairing, 123, 127, 131
- Eisenstein, 43
- Elliptic
  - function, 43–44, 108, 201
  - integral, 43, 201
  - modular functions, 132
  - plane, 61
- End
  - of hyperbolic line, 92, 96, 98
  - of projective line, 62
- $\epsilon$ -neighborhood, 35, 124
- Equidistant
  - curve
    - hyperbolic, 15, 94–95, 158
    - spherical, 15
  - line
    - euclidean, 5, 9–10
    - hyperbolic, 87, 131
    - spherically, 46
- Escher, 83–84
- Euclid, 1, 19
- Euclidean
  - disc, 35
  - distance, 2
  - geometry, 1
    - on horosphere, 106
  - isometry
    - group, 4
    - plane, 1–3
    - surface, 21, 41
- Euler, 42–43
  - characteristic, 139
- Exponential function, 36, 42
  
- $F_2$ , *see* Free group
- Finite fields, 198
- Fermat, 107
- Fixed point, 14
  - on circle at infinity, 94, 96–97
  - free, 29, 60, 117, 188
  - set, 11, 14, 50, 89
- Free group, 117, 118, 122, 134, 177, 193
- Free homotopy, 156–159
  - class, 158
- Fundamental group, 3, 146, 160
  - abelianization, 153
  - Cayley graph of, 148–152
  - of compact orientable surface, 150–153
  - of complete geometric surface, 146
  - generators and relations, 147–152
  - and genus, 153
  - of projective plane, 147
  - of quotient surface, 146
  - of sphere, 147
  - and subgroups, 162
  - topological invariant, 147
  - of torus, 147
  - and universal cover, 147, 161
- Fundamental region, 22
  - for branched covering, 193
  - for compact hyperbolic surface, 130
  - for cylinder, 22
  - for Klein bottle, 27
  - for orientation-preserving subgroup, 168–169
  - Poincaré's theorem on, 178–181
  - for pseudosphere, 112
  - for punctured sphere, 115
  - for subgroup, 168–169, 186, 189
  - and tessellation, 164
  - for torus, 26
  - for twisted cylinder, 25
  
- $\Gamma^\circ$ , *see* Orbit map
- Gauss, 42, 57, 108, 160
- Generator, 150

- Genus, 136, 147
  - and the fundamental group, 153
- Geodesic
  - monogon, 154–157
  - path, 154
    - on genus  $n$  surface, 158–160
    - on genus 2 surface, 159
    - on genus 3 surface, 159–160
    - on Klein bottle, 160
    - on torus, 155–156
  - representative, 142
- Geometry
  - analytic, 2
  - of cylinder, 23
  - euclidean, 1, 14–18
  - hyperbolic, 14–18, 80–84
  - non-euclidean, 45, 75, 108
  - projective, 62
    - fundamental theorem, 103
  - spherical, 14–18
  - synthetic, 1
- Glide reflection
  - euclidean, 12–13, 32
  - hyperbolic, 93–94, 96, 98
  - and Klein bottle, 27–28
  - of sphere, 63
  - and twisted cylinder, 25
- Group
  - covering isometry, 39–41, 131
  - cyclic, 68, 198
  - dihedral, 69
  - discontinuous, 29, 168
  - euclidean isometry, 4
  - finitely generated, 131
  - fixed point free, 29
  - fundamental, *see* Fundamental group
  - hyperbolic isometry, 88
  - infinite cyclic, 34
  - inverse, 3–4
  - of isometries, 4, 10, 47, 88
  - modular, 108, 132
  - nondiscontinuous, 33–34
  - polyhedral, 68
  - $\text{PSL}(2, s)$ , 198, 202
  - of rotations of  $\mathbb{S}^2$ , 49
  - structure on spheres, 64
  - symmetry, *see* Symmetry group
  - theory, 3, 182
- $\mathbb{H}^2$ , *see* Half-plane
- $\mathbb{H}^3$ , *see* Hyperbolic space
- Half-plane
  - angle, 78–79
  - circles, 85
  - distance, 76, 82
  - homeomorphic to  $\mathbb{R}^2$ , 79
  - isometries, 80–82
  - line, 82
    - uniqueness, 82, 100, 102
  - model, 80–83
  - reflection, 82
  - rotation, 82
    - as space of parallelogram shapes, 108
- Hamilton, 64
- Handle, 136–138
- Harriot, 65
- Heine–Borel theorem, 37
- Hemisphere model, 101, 105
- Hermite, 132
- Hexagon
  - tessellation, 16–17, 163–164
  - and torus, 128
- Hilbert, 1, 19, 78
- Homology, 153
- Homotopy, 141
  - class, 142, 144, 148
    - of closed path, 145
    - geodesic representative of, 142, 155–156
    - product, 146
  - free, 156–159, 162
    - and integration, 160–161
    - lifting, 143–144, 151
    - on  $\mathbb{S}^2$ ,  $\mathbb{R}^2$ ,  $\mathbb{H}^2$ , 142–143
    - and universal cover, 145
- Horocycle, 94–95, 105, 118
- Horosphere, 105
  - euclidean geometry, 106
- Huygens, 113
- Hyperbolic plane, 44, 75–79
- Hyperbolic space, 105
  - distance, 105
  - length, 105
  - line, 105
  - plane, 105
  - pseudosphere in, 113
  - punctured sphere in, 121
  - sphere, 106



- Hyperbolic surface, 111  
   compact, 130–131  
   distance, 111  
   Euler characteristic, 139  
   genus, 138–139  
   geometric classification, 138–139  
   as identification space, 122–123  
   isometries, 134  
   as orbit space, 125  
   quasi-random lines, 134
- Icosahedron, 67–68
- Identification  
   of antipodal points, 61  
   of edges, 123  
   space, 123, 126–127, 135, 179
- Index  
   of a cone point, 194  
   of a subgroup, 169, 188–190
- Infinity, 51  
   circle at, 92, 105  
   and complex functions, 72  
   and inversion, 54  
   points at, 62  
   points beyond, 102  
   sphere at, 105, 107
- Intermediate value theorem  
   to find common perpendicular, 97  
   to find equidistant points, 86–87  
   to find  $n$ -gon with given angle, 128
- Inverse  
   cancellation of, 151  
   of euclidean isometry, 3–4  
   under multiplication mod  $2pqr$ , 200  
   path, 143, 146  
   of a point, 52
- Inversion, 52  
   geometric properties, 55, 81  
   and hyperbolic geometry, 81–82  
   and  $\mathbb{P}^2$ , 103  
   in a sphere, 105, 107
- Involute, 75
- Iso, *see* Isometry group
- Isometries, 2  
   classification of, 13, 96–98  
   as complex functions, 8–9, 57–58, 89–90  
   of cylinder, 36  
   of  $\mathbb{D}^2$ , 81, 90  
   euclidean, 3  
   of  $\mathbb{H}^2$ , 80, 89  
   hyperbolic, 4, 92–98  
   of hyperbolic surface, 134  
   local, 23  
   orientation-preserving, 11  
   orientation-reversing, 11–13  
   of  $\mathbb{P}^2$ , 101  
   of  $\mathbb{P}_2(\mathbb{R})$ , 65  
   of  $\mathbb{R}^2$ , 3, 9–10, 31–32  
   of  $\mathbb{S}^2$ , 49–50, 57–58  
   spherical, 4, 47, 49–50  
   of torus, 28, 134  
   of twisted cylinder, 26
- Isometry group  
   euclidean, 4, 10–11  
   orientation-preserving, 11  
   hyperbolic, 88  
   orientation-preserving, 88  
   spherical, 47, 49–50  
   orientation-preserving, 49
- Jacobi, 43
- Jordan curve theorem, 168–169
- Killing–Hopf theorem  
   and classification of surfaces, 135  
   and completeness, 129–130  
   euclidean, 41  
   and fundamental group, 146  
   hyperbolic, 111, 115, 125  
   and Poincaré’s theorem, 180  
   spherical, 60  
   and tessellations, 174, 177–178  
   and uniformization theorem, 73
- Klein, 2, 69, 80, 134, 181–182, 202
- Klein bottle, 27, 61  
   fundamental region, 27–28  
   geodesic monogons on, 156  
   group, 28  
   as identification space, 127, 130
- Koebe, 73
- Lagrange, 108
- Lattice, 31–32

P'Hopital, 107

Lifting

- homotopy, 143–144, 151
- path, 143–144, 146, 148, 156–159

Limit rotation, 91–92, 94

- arbitrarily small movement, 95
- and cusps, 111
- and pseudosphere, 95, 113

Linear fractional transformations, 45, 50, 59, 106–107

- of finite field, 198–200
- general, 108
- real, 108

Lines

- asymptotic, 92
- closed, 26
- on cylinder, 23–24
- euclidean, 5, 9–10, 15, 45
- hyperbolic, 15
  - on  $\mathbb{D}^2$ , 83
  - on  $\mathbb{H}^2$ , 82
  - on  $\mathbb{H}^3$ , 105
  - on  $\mathbb{P}^2$ , 101–103
- invariant, 14, 94, 96
- on modular orbifold, 134
- parallel, 15
- on pseudosphere, 112–113
- on punctured sphere, 118–122
- on punctured torus, 122
- spherical, 15, 47
- on torus, 28, 33–34
- on twisted cylinder, 25–26
- ultraparallel, 92

Line segment, 35

- hyperbolic, 85

Lobachevsky, 108

Locally euclidean, 34–35

Locally isometric, 29, 76, 78

- property of covering, 36–38

**Manifold**, 21

- euclidean, 21
- fundamental group of, 160
- $n$ -dimensional, 21
- topological, 21
- two-dimensional, 21, 185

Matrix, 3, 58, 64, 90–91, 117–118, 198–200

Méray, 19

Metric, 2; *see also* Distance

Möbius band, 61

- in Klein bottle, 29
- topological, in elliptic plane, 63
- in twisted cylinder, 25

Modular group, 108–109, 132–134, 202

- presentation, 178

Modular orbifold, 109, 134, 193

Moduli space, 109

Modulus, 109

$n$ -gon

- euclidean, 16
  - angle sum, 18
- hyperbolic, 100
  - area, 100

Nielsen, 134

Nonorientable surface

- area, 140
- Euler characteristic, 140
- normal form, 137–138

Normal form surfaces

- nonorientable, 137–138
- orientable, 135–137, 181

Normal subgroup

- and symmetry, 186–189

**Octagon**

- and genus 2 surface, 128, 147, 149–150

Octahedron, 67–68

Olbers paradox, 34

Open set, 37

Orbifold, 185

- desingularization, 185–186
- euclidean, 191
- modular, 109, 193
- as quotient, 109

Orbit, 22, 146

- coset, 186
- distance between, 23, 25, 29, 34
- map, 23, 28, 149, 154, 185, 189
- of permutation, 196
- space, 22

Order

- of a group element, 198–199
- of a permutation, 196
- of a substitution, 199

- Orientation-preserving isometry,
  - 11
  - euclidean, 20
    - group, 11
  - hyperbolic, 88–90
  - spherical, 49
  - subgroup, 132
  - of tessellation, 164–165
- Origin, 136, 140, 143, 146
- Orthogonality in  $\mathbb{P}^2$ , 103
  
- $\mathbb{P}^2$ , *see* Projective disc
- $P_2(\mathbb{R})$ , *see* Projective plane
- $P_3(\mathbb{R})$ , *see* Projective space
- Parallels, 15
- Pasting, 111, 122, 137
- Paths, 140
  - constant, 141, 145
  - deformation of, 140
  - geodesic, 154–160
    - on  $S_n$ , 158–160
    - on torus, 155–156
  - homotopic, 141
  - inverse, 143
  - lifting, 143–144
  - origin, 140
  - polygonal, 123
  - terminus, 140
- Pencil, 37, 104
  - map, 37–38, 60
- Periodicity, 43
  - on  $\mathbb{H}^2$ , 132
- Permutation, 69
  - cycle decomposition, 196
  - groups, 167, 198
  - orbits, 196
  - order, 196
- Plane
  - elliptic, 61
  - euclidean, 2–3
  - hyperbolic, 44, 75–79
  - projective, 62
- Plate trick, 71–72
- Poincaré, 73, 89, 102, 108, 134, 160, 162, 181–182
  - lemma, 189–190
  - theorem, 178–181, 185
- Point, 19
  - with tail, 145, 161
  
- Pole, 102–104
- Polygon, 18, 111
  - angular excess, 18, 67
  - boundary path, 151
  - convex, 18, 102, 116, 119–120
  - edges, 122
  - fundamental, 170, 178
    - as fundamental region, 165, 167–170, 178–181
  - homeomorphism of, 136
  - hyperbolic, 122–123, 127
  - pasting edges of, 122
  - sides, 167–168
  - spherical, 67
  - vertices, 122
- $(p, q, r)$ -hypothesis, 196
- Product
  - of homotopy classes, 146
  - of isometries, 146
  - of paths, 146
  - of reflections, 5, 10, 48–49, 87–88
  - of rotations and translations, 5–7
  - of rotations of  $\mathbb{S}^2$ , 49
- Projective
  - disc, 101–104
  - plane, 62, 70, 126, 130, 139, 147
  - space, 64–65
- Pseudosphere
  - classical, 75, 78
    - area, 113
  - constant curvature of, 76–77
  - cuspidal, 118
  - fundamental region, 112
  - geodesic monogon on, 154–155
  - in  $\mathbb{H}^3$ , 113
  - homeomorphic to cylinder, 75, 112
  - lines, 78, 112
    - and  $\mathbb{P}^2$ , 108
  - as quotient, 112
  - rotation, 113
  - tessellation of  $\mathbb{H}^2$ , 112
  - tractrix sections, 78, 112
- $\text{PSL}(2, s)$ , 198, 200, 202
- Punctured sphere
  - dense lines, 118–122
  - euclidean, 113–114
  - hyperbolic, 114, 125
    - and modular tessellation, 132

- Punctured sphere (*cont.*)  
 triply, 114  
 cusp, 118  
 fundamental region, 115  
 universal covering, 132
- Quasi-random, 120, 134
- Quaternions, 64–65
- Quintic equation, 132
- Quotient surface  
 euclidean, 29, 32, 41  
 hyperbolic, 111, 130  
 spherical, 60, 71  
 topological, 147
- $\mathbb{R}^2$ , *see* Euclidean plane
- $\mathbb{R}^3$   
 lines, 45  
 planes, 45  
 Pythagorean distance, 45
- Rado, 126
- Reduced  
 edge crossing sequence, 118  
 word, 116–117
- Reflection, 14  
 euclidean, 4  
 and inversion, 52  
 glide, 12; *see also* Glide reflection  
 hyperbolic, 80  
 in plane, 47  
 spherical, 46, 50  
 tessellation generated by, 176–177,  
 182–183
- Regular polyhedra, 16, 67–68  
 symmetry groups, 166–167
- Reidemeister, 162
- Riemann, 1, 201  
 surface, 43, 73, 190
- Rotation  
 euclidean, 4–7, 80  
 group of  $\mathbb{S}^2$ , 49  
 hyperbolic, 80, 93  
 limit, *see* Limit rotation  
 spherical, 15, 46–49, 57
- $\mathbb{S}^2$ , *see* Sphere
- $S_n$ , *see* Surface of genus  $n$
- $S_{II}$ , *see* Identification space
- $\tilde{S}$ ,  $\tilde{S}_{II}$ , *see* Universal covering
- Schwarz, 134
- Sheets, 190, 192, 194–197
- Side, 167–168  
 and angle conditions, 170–171  
 pairing, 170, 178, 180, 191–193
- Similarities, 16, 18; *see also* Dilatations  
 in the limit, 19  
 of torus, 108
- Simple  
 closed path, 151  
 connectivity, 69
- SO(3), 71
- SO( $n+1$ ), 63
- Space-filling curves, 142
- Sphere  
 with cone points, 196  
 distance in, 46  
 as identification space, 126  
 at infinity, 105, 107  
 isometries, 45–47, 57–59  
 group, 47  
 $n$ -dimensional, 63  
 non-euclidean geometry, 45  
 punctured, *see* Punctured sphere  
 in  $\mathbb{R}^3$ , 45–49  
 reflection, 46  
 rotation, 46, 48–50  
 three-dimensional, 63–65, 71–72  
 unit, 45
- Spherical surface, 60
- Stereographic projection, 50, 80,  
 101  
 and hemisphere model, 101  
 and infinity, 54  
 and inversion, 52–54  
 maps circles to circles, 55  
 preserves angles, 51, 55  
 and  $\mathbb{S}^2$ -distance, 91
- Substitution, 3, 146, 198
- Surface  
 compact, 126  
 complete, 35, 125, 129–130  
 connected, 35  
 euclidean, 34–36  
 of genus  $n$ , 136, 139, 147, 153, 156  
 geometric, 126–128  
 hyperbolic, 111  
 nonorientable, 137–138, 140

- normal form, 135–138
- quotient, 29, 32
- spherical, 60
- Symmetry group, 68, 163
  - of euclidean tessellations, 166, 188
  - of modular tessellation, 178
  - of regular polyhedron, 166
  - of square, 164
  - of tessellated surface, 189
- Terminus, 136, 140, 143, 146
- Tessellations
  - via desingularization, 189
  - by equilateral triangles, 16–17, 163–164, 170
  - and the fundamental group, 151–152
  - of  $\mathbb{H}^2$ , 174–177
  - by hexagons, 16–17, 163–164
  - modular, 132–133, 177
  - and Poincaré’s theorem, 180
  - with prescribed symmetry, 189
  - of  $\mathbb{R}^2$ , 16, 24, 163, 173
  - of  $\mathbb{S}^2$ , 16, 68, 163–166, 173
  - symmetric, 163, 174–177
  - symmetry group of, *see* Symmetry group
  - by (2, 3, 7) triangles, 176–178
  - by (2, 3,  $\infty$ ) triangles, 177
  - by (4, 4, 4) triangles, 174–175
  - by ( $p, q, r$ ) triangles, 16, 104, 172
- Tetrahedron, 67–68
  - covering by torus, 191–193, 201
- Theorem
  - Heine–Borel, 37
  - intermediate value, *see* Intermediate value theorem
  - Killing–Hopf, *see* Killing–Hopf theorem
  - Poincaré’s, 180–181
  - three reflections, 9–10, 85–88
  - uniformization, 73
- Three reflections theorem
  - euclidean, 9–10
  - hyperbolic, 85–89
- Tiles, 163
  - as fundamental regions, 165, 187
  - and subtiles, 164
- Torsion-free subgroup, 188
- Torus, 26–29, 128–129
  - closed lines on, 28
  - with cone point, 196
  - conformal mappings, 108
  - dense lines on, 33–34
  - desingularizes tetrahedron, 191–193, 201
  - flat, 72
  - fundamental region, 26–27
  - geodesic paths, 155–156
  - as identification space, 127, 130
  - isometries, 28, 134
  - open lines, 28, 33–34
  - punctured, 122
  - shape, 108
  - similarities, 108
  - square, 108
- Tractrix, 75–79
  - arc length, 77
  - section of pseudosphere, 78–79
  - tangent property, 79
- Translation
  - euclidean, 3, 15, 24, 80
  - hyperbolic, 15, 92, 94, 102
    - movement on equidistant curves, 95
  - and orientable surfaces, 147, 158–159
- Triangle
  - (2, 3, 7), 100, 104, 176–178
  - (2, 3, 8), 178
  - (2, 3,  $\infty$ ), 177–178
  - (2, 4, 4), 188
  - (2, 4, 5), 104
  - (4, 4, 4), 174–175
  - (6, 6, 6), 193
  - angle sum
    - euclidean, 16
    - hyperbolic, 99–100
    - spherical, 65–67
  - area
    - hyperbolic, 99–100
    - spherical, 65–67
  - asymptotic, 99–100
  - ( $p, q, r$ ), 16, 100
- Triangle inequality
  - euclidean, 8
  - hyperbolic, 85
- Twisted cylinder, 25–26, 61
  - lines, 25–26

- Uniformization, 73
  - theorem, 73
- Universal covering, 41, 69, 132, 145, 147
  - of  $\mathbb{C} - \{0\}$ , 160
  - and fundamental group, 147
  - and integration, 160
  - of punctured sphere, 132
  - as space of homotopy classes, 145
- Vertex cycle, 123, 125, 127, 135
  - angle sum, 171
- Weierstrass, 19
- Word problem, 162