

Index

- Agent Orange, 2, 12
- Air quality, feedlot management, 139
- Aminomethylphosphonic acid, chronic toxicity birds, 81
- Aminomethylphosphonic acid, glyphosate major metabolite, 36, 51, 54
- Aminomethylphosphonic acid, toxicity aquatic invertebrates, 69
- Aminomethylphosphonic acid, toxicity fish, 71
- Aminomethylphosphonic acid, toxicity terrestrial mammals, 82
- Animal cancer studies, 2,4-D, 13
- Animal manure management, 121 ff.
- Application drift, glyphosate, 47
- Aquatic species, toxicity classification (table), 41

- Bacteria, cancer studies 2,4-D, 19**
- Best management practices (BMPs), feedlots, 123
- BMPs (Best management practices), feedlots, 123
- Breast cancer, 2,4-D, 7

- CAFOs (Concentrated Animal Feeding Operations), 123
- Cancer risk, 2,4-D, 1 ff.
- Cancer risk, phenoxy herbicides, 4
- Cancers, lymphatic and immune systems 2,4-D, 5
- Cancers, soft tissue sarcoma & cervical, 2,4-D, 6
- Carcinogenicity Peer Review Committee (CPRC), 3
- Cattle feedlot manure and wastewater management, 121 ff.
- Cattle feedlot animal populations, 121
- Cattle manure and wastewater management, 121 ff.
- Cattle spacing, feedlot odor management, 142
- Cervical cancer, 2,4-D, 6
- Chemical characteristics, feedlot runoff, 124, 125

- Clay liners, feedlot runoff holding ponds, 127
- Concentrated Animal feeding Operations (CAFOs), feedlots, 123
- CPRC. See Carcinogenicity Peer Review Committee, 3
- Crop yields, feedlot manure application, 136

- 2,4-D, cancer studies Washington, 10, 11
- 2,4-D, Agent Orange, 2, 12
- 2,4-D, agricultural use volume, 3
- 2,4-D, animal cancer studies, 13
- 2,4-D, breast cancer, 7
- 2,4-D, cancer epidemiological evidence, 4
- 2,4-D, cancer risk, 1 ff.
- 2,4-D, cancer studies California, 6
- 2,4-D, cancer studies Canada, 5
- 2,4-D, cancer studies Denmark, 6
- 2,4-D, cancer studies dogs, 15
- 2,4-D, cancer studies Finland, 6
- 2,4-D, cancer studies Florida, 7, 9
- 2,4-D, cancer studies insects, 19
- 2,4-D, cancer studies Italy, 10, 11
- 2,4-D, cancer studies Kansas, 11
- 2,4-D, cancer studies Nebraska, 9
- 2,4-D, cancer studies New Zealand, 11
- 2,4-D, cancer studies sheep, 16
- 2,4-D, cancer studies Sweden, 6, 9, 11
- 2,4-D, chemical structure, 2
- 2,4-D, CPRC Group D, 3
- 2,4-D, dioxin contamination, 10
- 2,4-D, drinking water maximum contaminant level, 4
- 2,4-D, effects hepatic microsomal hydroxylases, 20
- 2,4-D, endocrine disruption, 22
- 2,4-D, environmental fate, 23
- 2,4-D, general population exposure, 24
- 2,4-D, genotoxicity evidence, 17
- 2,4-D, human absorption/excretion, 24
- 2,4-D, immunological effects, 21
- 2,4-D, intercellular communication, 20
- 2,4-D, lung cancer, 8

- 2,4-D, lymphatic & immune system cancers, 5
- 2,4-D, mutagenicity evidence, 17
- 2,4-D, non-Hodgkin's lymphoma, 3, 9
- 2,4-D, occupational exposure, 1 ff.
- 2,4-D, occupational exposure cancers, 5
- 2,4-D, oncogene activation, 17
- 2,4-D, OSHA TWA, 4
- 2,4-D, prostate cancer, 8
- 2,4-D, reproductive effects, 23
- 2,4-D, soft tissue sarcoma, 11
- 2,4-D, soft tissue sarcoma & cervical cancer, 6
- 2,4-D, testicular cancer, 8
- 2,4-D, tumor promotion evidence, 19
- 2,4-D, use patterns, 2
- 2,4-D, Vietnam veterans cancer risk, 11
- Degradation pathway, glyphosate soil, 50
- Dioxins, Agent Orange contamination, 2
- Drift, glyphosate application, 47
- Drinking water maximum contaminant level, 2,4-D, 4
- EC₅₀s, glyphosate aquatic macrophytes, 68
- EC₅₀s, glyphosate aquatic microorganisms, 66
- Ecotoxicological risk assessment, glyphosate herbicide, 35 ff.
- Ecotoxicological risk assessment, Roundup® Herbicide, 35 ff.
- Endocrine disruption, 2,4-D, 22
- Environmental fate, 2,4-D, 23
- Estrogenicity, 2,4-D effects, 22
- Estrous cycle, 2,4-D effects, 22
- European Toxicity Classification (aquatic), 41
- Feedlot cattle populations, 121
- Feedlot cattle spacing, odor reduction, 142
- Feedlot dust, 139
- Feedlot effluent guidelines, 122
- Feedlot management, air quality, 139
- Feedlot odor reduction, methods, 140
- Feedlot odor, related to manure moisture content, 141
- Feedlot runoff, crop utilization, 131
- Feedlot runoff, from precipitation, 122
- Feedlot runoff, land application, 130
- Feedlot runoff, nitrate-N concentrations, 138
- Feedlot runoff, total dissolved solids, 131
- Genotoxicity evidence, 2,4-D, 17
- Glyphosate herbicide formulation characteristics, 42
- Glyphosate, acute/chronic hazard characterization aquatic use, 92
- Glyphosate, acute hazard characterization field use, 88
- Glyphosate, acute hazard characterization aquatic organisms, 89
- Glyphosate, animal tissue residues, 57
- Glyphosate, application drift, 47
- Glyphosate, application techniques, 45
- Glyphosate, aquatic use residues (table), 62
- Glyphosate, aquatic use sediment residues, 62
- Glyphosate, chronic hazard characterization field use, 90
- Glyphosate, chronic toxicity aquatic invertebrates, 70
- Glyphosate, chronic toxicity birds, 81
- Glyphosate, degradation pathway soil (illus.), 50
- Glyphosate, environmental chemistry, 43
- Glyphosate, environmental concentrations soil, 54
- Glyphosate, environmental fate & transport, 47
- Glyphosate, groundwater contamination, 49
- Glyphosate herbicide, ecotoxicological risk assessment, 35 ff.
- Glyphosate herbicide, exposure assessment, 40
- Glyphosate herbicide, potentially exposed organisms (table), 39
- Glyphosate herbicide, risk assessment methodology, 36
- Glyphosate herbicide, toxicity assessment, 40
- Glyphosate, ingestion rates for birds/mammals, 63
- Glyphosate, leaching & runoff, 48
- Glyphosate major metabolite, 36

- Glyphosate, measured field dissipation times, 52
- Glyphosate, mechanism of action, 45
- Glyphosate metabolism, 43
- Glyphosate, microbial soil degradation, 51
- Glyphosate, nontarget toxicity assessment, 65
- Glyphosate, physical/chemical properties, 44
- Glyphosate, plant tissue residues, 57
- Glyphosate, plant uptake, 44
- Glyphosate, predicted exposure birds/mammals, 64
- Glyphosate, predicted levels from aquatic use, 63
- Glyphosate, predicted residues after application, 56
- Glyphosate, risk characterization birds/mammals, 96
- Glyphosate, risk characterization soil organisms, 93
- Glyphosate, soil desorption, 49
- Glyphosate, soil dissipation, 50
- Glyphosate, soil dissipation times (illus.), 53
- Glyphosate, soil residues (table), 55
- Glyphosate, surface water residues, 57
- Glyphosate surfactant, polyethoxylated tallowamine, 50, 52, 54, 61
- Glyphosate, toxicity amphibians, 75, 76
- Glyphosate, toxicity aquatic invertebrates, 69
- Glyphosate, toxicity aquatic macrophytes, 68
- Glyphosate, toxicity aquatic microorganisms, 65
- Glyphosate, toxicity fish, 71, 74
- Glyphosate, toxicity reference values aquatic/terrestrial wildlife, 86
- Glyphosate, toxicity soil organisms, 75
- Glyphosate, toxicity terrestrial & soil invertebrates, 80
- Glyphosate, toxicity terrestrial mammals, 82
- Glyphosate, toxicity terrestrial microorganisms, 78
- Glyphosate, uncertainty analysis, 101
- Glyphosate, use rates, 45
- Glyphosate, water dissipation, 53
- Glyphosate, weed control use patterns, 36
- Glyphosate, wildlife food residues (table), 58
- Groundwater contamination, glyphosate, 49
- Groundwater, feedlot runoff effects, 127
- Groundwater protection, feedlot runoff, 141
- Growth factors, 2,4-D effects, 22
- Hepatic microsomal hydroxylase, 2,4-D effects, 20
- Hodgkin's disease, 2,4-D, 5
- Holding ponds, feedlot runoff, 127
- Holding ponds, managing settled solids, 128
- Immunological effects, 2,4-D, 21
- Industry Task Force (ITF), 2,4-D, 4
- Insects, cancer studies 2,4-D, 19
- ITF (Industry Task Force), 2,4-D, 4
- LD₅₀s, glyphosate amphibians, 76
- LC₅₀s, glyphosate aquatic invertebrates, 69
- LC₅₀s, glyphosate fish, 71
- Leaching, glyphosate soil, 49
- Leydig cells, 2,4-D effects, 22
- Lung cancer, 2,4-D, 8
- Mammalian cells, cancer studies 2,4-D, 17
- Manure and wastewater management, cattle feedlots, 121
- Manure, application based on nitrogen content, 137
- Manure, composting, 134
- Manure, crop yield increases, 134
- Manure, dollar value, 132
- Manure excretion per beef animal, 121
- Manure, feedlot collection, 132
- Manure, groundwater protection, 141
- Manure, interfacial layer management, 141
- Manure, land application, 134
- Manure, nitrogen/phosphorus content, 139
- Manure, odor reduction methods, 140
- Manure, soil nitrate levels, 135

- Manure, spontaneous combustion, 133
 Manure, stockpiling, 133
 Manure, storage & processing, 133
 Manure, value in grain sorghum production, 126
 Maximum tolerated dose (MTD), 2,4-D, 13
 Mechanism of action, glyphosate (Roundup®), 45, 46
 Monsanto Company, Roundup® (glyphosate) manufacturer, 36
 MTD (maximum tolerated dose), 2,4-D, 13
 Mutagenicity evidence, 2,4-D, 27

 Nebraska Lymphoma Study Group, 2,4-D, 9
 Non-Hodgkin's lymphoma, 2,4-D, 3, 9

 Odor reduction, manure management, 140
 Oncogene activation, 2,4-D, 17
 Organic solvents, phenoxy herbicides, joint exposure risk, 11
 OSHA TWA, 2,4-D, 4

 Peroxisome proliferators, 2,4-D, 20
 Phenoxy herbicides, cancer risk, 4
 Phenoxy herbicides, organic solvents, joint exposure risk, 11
 Physicochemical properties, glyphosate, 44
 Polyethoxylated tallowamine, surfactant for glyphosate, 50, 52, 54, 61
 Polyethoxylated tallowamine, toxicity aquatic invertebrates, 69
 Polyethoxylated tallowamine, toxicity fish, 71
 Potentially exposed organisms, Roundup® Herbicide (table), 39
 Prostate cancer, 2,4-D, 8

 Recall bias, proxy interviews, 11
 Rectal cancer, 2,4-D, 6
 Reproductive effects, 2,4-D, 23
 Risk assessment, ecotoxicological, glyphosate herbicide, 35 ff.
 Risk assessment, ecotoxicological, Roundup® Herbicide, 35 ff.
 Rodeo® Herbicide, glyphosate *sans* surfactant, 42
 Roundup® Herbicide, ecotoxicological risk assessment, 35 ff.
 Roundup® Herbicide, exposure assessment, 40
 Roundup® Herbicide formulation characteristics, 42
 Roundup® Herbicide, mechanism of action, 45, 46
 Roundup® Herbicide, organismal risk characterization, 42
 Roundup® Herbicide, potentially exposed organisms (table), 39
 Roundup® Herbicide, risk assessment methodology, 36
 Roundup® Herbicide, toxicity assessment, 40
 Roundup®, weed control use patterns, 36
 Runoff chemical characteristics, feedlots, 124, 125
 Runoff collection, feedlots, 124
 Runoff from cattle feedlots, 124
 Runoff holding ponds, feedlot, 127
 Runoff seepage control, feedlot, 127

 Soft tissue sarcoma, 2,4-D, 6, 11
 Soil residues, glyphosate after application, 56

 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD), Agent Orange, 2, 7
 2,4,5-T, Agent Orange, 2, 12
 2,4,5-T, use patterns, cancellation, 2
 TCDD (dioxins), Agent Orange contamination, 2, 7
 Testicular cancer, 2,4-D, 8
 Tier I, worst-case assumptions, glyphosate risk assessment, 37
 Toxicity classification, aquatic & avian species (table), 41
 Toxicity reference value (TRV), 41
 TRV (toxicity reference value), 41
 Tumor promotion evidence, 2,4-D, 19

 Vietnam veterans, 2,4-D cancer risk, 11

 Wastewater management, cattle feedlots, 121 ff.
 Water residues, glyphosate after application, 56