

Index

A

- Aesthetics
 - and bone graft substitutes, 6
 - and goals of treatment planning, 3–23
 - and mandibular prognathism, 9–11
 - perceptions of patient and surgeon, 43–44
- Alar base resection, 276
- Alar cinch closure, 67–70, 84, 211, 217, 275–276
- Alloplastic augmentation, 247, 248
- Anterior facial divergence
 - definition, 79–80
 - excessive, 25–31, 150
- Anterior maxillary setback, 148
- Anterior vertical mandibular excess, 80

B

- Bilateral sagittal split ramus osteotomy, 5
- Bone grafting
 - and maxillary vertical lengthening, 219
 - substitutes for, 5–6. *See also* Hydroxyapatite.
- Buccal fat resection, 274

C

- Cephalometric analyses, 3, 4, 250, 252
- Chin surgery. *See* Osseous genioplasty.
- Class I deformities
 - anterior open-bite deformity and soft tissue response, 17–19, 20

- and vertical facial deficiency correction, 213
- Class II deformities
 - and chin surgery, 248
 - and Division I anterior deep-bite malocclusion and mandibular advancement surgery, 34–36
 - double-jaw surgery for, 216
 - facial convexity and posterior divergence, 129–148
 - and orthodontic correction, 50–51
- Class III deformities
 - and aesthetic surgery, 6–8
 - case studies, 85–124
 - and excessive anterior facial divergence, 26, 27
 - and facial asymmetry, 29–30
 - morphologic features of, 81–84
 - and orthodontic correction, 51
 - and quantitative vertical facial excess, 28–29
 - and skeletal support of the soft tissues, 14–21
 - surgical options for, 80–81
 - and vertical facial deficiency correction, 213
- Communications. *See* Surgeon-patient communication.
- Complications
 - and surgeon-patient communication, 45
 - with maxillary advancement surgery, 80
 - with sagittal split ramus osteotomy, 80
- Computer imaging, as a communications aid, 46
- Counterclockwise rotation
 - of distal mandibular segment, 182–185
 - of occlusal plane, 33–39

D

- Dental compensations
 - and axial inclination of the maxillary incisors, 57–59, 60
 - elimination of, 56–57
 - presurgical leveling, 57–59
 - and tooth extraction, 59
- Double-jaw surgery
 - to achieve best aesthetic result, 36, 39–42
 - to achieve occlusal plane alteration, 36, 40, 41
 - for the Class II abnormality, 216
 - for the Class III abnormality, 81
 - and model surgery, 42
 - for vertical facial deficiency, 213
 - for vertical facial excess, 170

E

- Elastics, Class II, 185
- Expectations
 - and chin enlargement, 248
 - and perceptions of patient and surgeon, 43–44
- Extended split, 185

F

- Facial asymmetries, and the visual assessment, 11. *See also* Vertical facial excess.
- Facial concavity
 - and anterior divergence, 79–125
 - definition of, 12
- Facial convexity
 - definition of, 12
 - and posterior divergence, 129–148
- Facial divergence, attractiveness of, 25–31, 26, 154
- Facial mask, assessment of, 13–14
- Family members, reaction to surgery, 48
- Free-way space encroachment, 219

H

- Hunsuck modification of sagittal split ramus osteotomy, 185
- Hydroxyapatite, 5, 70–71, 82, 219

I

- Implants, chin, 247
- Intermaxillary fixation, 4

L

- Labiomental fold
 - in evaluation for genioplasty, 50–51, 248–249
 - in long face, 28, 30, 213–216
 - in short face, 29–30, 208
- Lag screws, 74, 245
- LeFort surgery. *See* Maxillary surgery.
- Leveling, pre- and postsurgical, 57–59, 217
- Liposuction, 273–274

M

- Mandibular advancement surgery, 34
 - with mandibular autorotation, 171
 - predictability of, 5
 - for vertical facial deficiency, 213
 - for vertical facial excess, 170–181
- Mandibular autorotation, 171
- Mandibular prognathism, 9–11, 80
- Mandibular setback surgery
 - for the Class III abnormality, 81
 - percutaneous vs. intraoral screw placement, 71–72
 - proximal segment position, 71
 - and soft tissue response, 16–17, 19
- Maxillary advancement surgery
 - for the Class III abnormality, 79–81
 - and extent of sagittal discrepancy, 83
 - and lower face asymmetry, 83
 - and parasagittal aesthetics of the midface, 82
 - and sagittal aesthetics of the midface, 81–82
 - and soft tissue support of the midface and lower face and neck, 82–83
 - and vertical maxillary dysplasia, 83–84
- Maxillary surgery
 - and the alar cinch suture, 67–70
 - anterior vertical maxillary position, 63–64
 - maxillary segmentation, 67

and rigid fixation, 5
vertical level of, 64–67
Model surgery, 39, 42

N

Nasal surgery, 274–275
Nasal widening, 67–70
Normalcy
and skeletal diagnoses, 8–9
versus beauty, 3

O

Orthodontics
aesthetics and, 56–59
and camouflage of skeletally based malocclusions, 49–50
and Class II malocclusions, 50–51, 52, 53, 54, 161, 217
and Class III malocclusions, 51, 55–56
Orthognathic profile, 12
Osseous genioplasty, 79, 80
advantage of, 249
and alloplastic augmentation, 247
appropriate candidates for, 247–249
case studies, 256–271
limitations of, 249
technical considerations and, 252–255
treatment planning for, 250–252

P

Panorex radiograph, 252
Parasagittal profile, 12
Patients
communications with the surgeon, 43–47
response to surgery, 47–48
Photographs, as a communications aid, 46
Physical examination, importance of the visual assessment, 9, 11
Plates and screws, 255
Posterior facial divergence, 129–148
Posterior repositioning of the maxilla, 148
Predictability, and rigid fixation, 5
Prediction tracings
as a communications aid, 45–46
and double-jaw surgery, 36–39

and isolated mandibular surgery, 34–36
and isolated maxillary surgery, 36
and vertical facial deficiency correction, 213
Presurgical leveling, 57–59
Psychologic adjustments, 47–48

R

Rhinoplasty, 274–275, 276
Rigid fixation
and counterclockwise rotational vectors of the distal mandibular segment, 182–199
autogeneous bone grafting, 219
and chin surgery, 255
hardware for, 73
plates and screws, 219
short-term advantages of, 4–5
Risk/benefit ratio, 44–45
Risks, and vertical facial deficiency, 216

S

Sagittal split ramus osteotomy
and the Class II malocclusion, 134
and extended osteotomy, 73
and fixation hardware, 73
Hunsuck modification, 185
and percutaneous screw placement, 71–72
and screw placement, 74
suprahyoid myotomies, 74
third molar removal and, 74
Scars, cheek, 71
Secondary nasal surgery, 276
Single-jaw surgery
aesthetic limitations of, 130–134
ethnic differences and, 148
mandibular advancement surgery, 135–148
and prediction tracings, 36, 37
for vertical facial deficiency, 213
Skeletal relapse, 5, 219–220
Soft tissue cephalometric analyses, 3, 4, 9
Soft tissue response, and the success/failure of surgical procedures, 13–22
Stability, vs. aesthetics, 3. *See also* Rigid fixation.
Suprahyoid myotomies, 74, 185

Surgeon-patient communications
 and computer imaging, 47
 and contrasting aesthetic perceptions, 44
 and the global treatment plan, 43
 and patient photographs, 46
 and patient response to surgery, 47–48
 and prediction tracings, 45–46
 and risk assessment, 44–45

Surgical corrections. *See also* Double-jaw surgery; Mandibular advancement surgery; Mandibular setback surgery; Maxillary advancement surgery; Model surgery; Single-jaw surgery.
 adjunctive soft tissue surgery, 273–276
 for facial concavity and anterior divergence, 79–128
 for facial convexity and posterior divergence, 129–150
 long-face, Class I, anterior open-bite correction, 154–160
 long-face, Class I, surgical correction without open bite, 161–170
 long-face, Class II, surgical correction, 170–199
 long-face, Class III, skeletal correction, 199–211
 using counterclockwise rotation of the distal mandible, 182–185
 utilizing mandibular autorotation and mandibular advancement, 171–177
 for vertical facial deficiency, 213–243

T

Tooth extraction, 59, 74

Treatment plan
 aesthetic goals of, 3–23
 errors in, 279
 and facial disproportion, 25–32
 failure to execute, 277–278
 global, 43
 and model surgery, 39–42
 role of prediction tracings in, 33–39

V

Vertical facial deficiency
 case studies, 220–242
 and deformity of the soft tissues, 213–216
 stability of maxillary vertical lengthening, 219–220
 treatment planning for, 216–218
 vertical maxillary deficiency, 213
 vertical microgenia, 213

Vertical facial excess, 28–29
 causes of, 151
 long-face, Class I, anterior open-bite correction, 154–160
 long-face, Class I, surgical correction without open bite, 161–170
 long-face, Class II, surgical correction, 170–199
 long-face, Class III, skeletal correction, 200–210
 treatment planning principles for, 151–154

Vertical maxillary dysplasia, 83–84, 127–128

Vertical maxillary impaction surgery, 152–153

W

Weir excisions, 276
 Wires, use in chin surgery, 255