

Index

A

Absorbed photosynthetically active radiation (APAR), 67–68, 149, 150, 182
Abundance, of vegetation, 11
Acid rain, 5
Advanced Very High Resolution Radiometer (AVHRR), 2, 33, 35, 54, 110, 194, 205, 207, 211, 253, 263, 265, 297
 estimates of terrestrial NPP using, 66–71
Aerial photography, 8, 10, 223, 232
Aerodynamic roughness, 16
Africa, Sahel, 17
Air Force Geophysics Laboratory, 35
Airborne Imaging Spectrometer (AIS), 92, 93, 94
Aircraft-based remote sensing, of trace gas fluxes, 162–164
Albedo, 16
Amazon Boundary Layer Experiment (ABLE), 159–160, 162, 254
Amazon River Basin, remote sensing, 249–266
Ammonia, 157
Animal distribution models, 238
Antecedent Precipitation Index (API), 57
Antecedent precipitation method, 115

Arboretum, *see* University of Wisconsin Arboretum
Atmosphere models, 20
Atmospheric-geometric correction, 175
Atmospheric water vapor divergence method, 117–118
Australia, 227, 231, 232, 234, 236, 240, 298
Australian Department of Industry, Technology and Commerce, 2

B

Background (soil) exposure fraction, 68
Backscattering coefficient, 55
Beer-Lambert's law, 142
Biosphere-atmosphere interactions modeling, 170–174
 role of remote sensing, 174–176
Biosphere-Atmosphere Scheme (BATS), 16, 124, 261, 262
Biosphere Reserves, 306
Blackhawk Island, 91–92, 94, 95
Blue shift, 138
Brazil, 253
Brightness temperature, 47

- Bucket model, 113, 115
Budyko, 112
- C**
- Calibration, 175
Canopies, 14, 17, 21
 biochemistry, evaluation, 135–151
 interception and evaporation, 75, 77
 radiometric characteristics, 17
 water flux, vegetation index measurements and, 119
Carbon in the Amazon River Experiment (CAMREX), 254, 255, 264, 266
Carbon dioxide, 170
 global atmospheric, 65
Carbon monoxide, 157
Carbon storage, 16
Cellulose, lignin and, 90
Centro de Energia Nuclear na Agricultura (CENA), 253, 254
Century model, 160–161
Chlorophyll, 136, 138, 150, 271, 272
Classification, of vegetation structure, 11–12
Classification image processing models, 20
Climate
 change in, 9, 14, 16
 decay rates of fresh litter and, 88
Coastal Zone Color Scanner (CZCS), 271, 272
Community composition and structure (CCS), 172
Computer-automated time compositing, 66
Context modeling, 10
Continuous model, 18
Continuous scene model, 18, 20
Cover, as variable in characterizing vegetation structure, 14
Cover class mapping, 297–303
Crop canopy geometry, 21
CSIRO, Division of Mathematics and Statistics, 298
- D**
- Data analysis, 291–303
 cover class mapping, 297–303
 database storage, 295
 existing data, 296–297
 high-dimensional data, 292–293
 information content and, 291–292
 information value of data, 296
 qualitative or quantitative, 294–295
 role of, 293–294
 scale, 295–296
Decay, of fresh litter, 88; *see also* Decomposition
Decomposition, 75
 remote sensing of, 87–98
 fresh litter, 88–89
 nitrogen mineralization, 91–98
 soil organic matter, 90–91
Deforestation, 5, 14, 206, 211
 tropical river basins, 249
Departamento Nacional de Aguas e Energia Eletrica (DNAEE), 253
Derivative spectrometry, 143–145
Desertification, 14
Dielectric constant, 41–42
 of water, 55
Directional changes, in vegetation, 205–206
Discrete model, 18
Dissolved inorganic carbon (DIC), 283
Disturbance, 8, 10
 regimes, 8
Drought, 115
Drought-dominated regions (DDRs), 231, 232
- E**
- Earth Observing System (EOS), 2, 60–61, 150, 164, 197, 198, 291
Earth System Sciences Committee, 203, 214
Ecosystem modeling, to estimate NPP, 71–78
Ecosystems, vegetation component, 7–10
Eddy correlation systems, 164
El Niño, 5
Emissivity, of soil, 44, 46
ERS-1, 224
European Center for Medium Range Weather Forecast (ECMWF), 259
Evapotranspiration, 73, 106, 112, 121, 260
 using rainfall to estimate, 113–116
 see also Water and energy exchange
- F**
- First ISLSCP Field Experiment (FIFE), 58, 178–198, 249, 295, 296, 306
 analysis of data, 195–196
 coordinating measurement program, 187–189
 experiment design, 184–187
 experiment execution, 189–195
 implications for future, 196–198
 theoretical background, 178–184

- Flood-dominated regions (FDRs), 231, 232
 Foliar litter, decomposition of, 88
 FOREST-BGC model, 75–77, 81–83
 comparison with NDVI, 78–81
 Forest ecosystems, remote sensing of decomposition in, 87–98
 Forest fires, 211
 Four-dimensional data assimilation, 126
 France, 33
 French National Space Program, *see* SPOT
 Fresh litter, decomposition of, 88–89
 Fresnel equations, 44
- G**
 General Circulation Models (GCMs), 33, 106, 109, 170, 172, 174, 253
 Geographic Information System (GIS), 10, 263–264, 265
 Geomorphic unit hydrograph (GUH) theory, 260
 Geophysical Fluid Dynamics Laboratory (GFDL), 109
 Geostationary Operational Environmental Satellites (GOES), 253
 Global Biosphere Models (GBMs), 16
 Global Circulation Models (GCMs), 16, 65–66, 163, 305
 Global habitability, 6, 14
 Global Troposphere Experiment (GTE), 162, 164
 Global vegetation index (GVI), 67
 Goddard Space Flight Center, 66, 189
 GOES thermal channel, 108, 194, 197
 Grasslands, 13, 14
 Grazing, 238
 Greenhouse effect, 5, 14, 170
- H**
 Habitability, global, 6, 14
 HAPEX-MOBILHY experiment, 33
 High Resolution Imaging Spectrometer (HIRIS), 150–151, 263, 292
 High-resolution imaging spectrometry, 71, 91
 H-resolution model, 18, 20
 Humus, decay of, 90, 91
 Hydrologic Atmospheric Pilot Experiment, 33, 249
- I**
 Ice, dielectric constant, 42
 Illumination geometry, 18
- Image processing models, 18–22
 Imaging spectrometry, current and potential uses, 149–151
 Institute of Hydrology (U.K.), 254
 Instituto de Pesquisas Espaciais (INPE), 253, 254
 Instituto Nacional de Pesquisas da Amazonia (INPA), 253, 254
 Interannual variability, in vegetation, 205
 International Atomic Energy Agency (IAEA), 266
 Amazonia I project, 254
 International Biological Program, 73
 International Geosphere-Biosphere Program (IGBP), 1, 82, 306
 International Satellite Land Surface Climatology Project (ISLSCP), 178–198, 209, 249
- J**
 Jet Propulsion Laboratory, 92
- L**
 Landsat Multi-Spectral Scanner (MSS), 207, 209, 210, 223, 232–233, 234, 239, 240, 253, 263, 264, 265, 292, 296, 300, 302
 Landsat series, 2, 17, 24, 25, 65, 68, 212, 213, 223, 233, 253, 292
 Landsat Thematic Mapper (TM), 159, 207, 209, 223, 224, 233, 234, 239, 253, 263, 265, 266, 294, 296
 Landscape processes, 221–244
 landscape change, 228–234
 landscape properties, 223–226
 process domains, 226–228
 using models, 235–244
 Layered atmospheric absorption models, 20
 Leaching, 75
 Leaf area index (LAI), 22, 23, 24, 67–68, 211
 integrating into ecosystem models, 75–78
 satellite estimation of, 73–75
 Leaf orientation, 16
 Leaf stomatal closure, 71
 Lettau, 113
 Lignin, 88, 92
 cellulose and, 90
 in whole canopies, 93–98, 101–103
 Ligno-cellulose index (LCI), 90
 Litter, decomposition of, 87, 88–89

- Litterfall, 75, 77
 Lockheed Electra, 162
 Long-Term Ecological Research (LTER), 82
 Long-Term Ecological Research Sites, 306
 L-resolution model, 18, 20
 Lysimeters, 78
- M**
- Manabe bucket model, 115
Manual of Remote Sensing (Colwell), 55
 Marine photosynthesis, 269–286
 effects of climate change on, 283–284
 pigment concentration and, 273–283
 remote sensing, 271–273
 Metal contamination, 269, 281
 Methane, 157, 159
 Microwave, 17, 224
 radiometry, 47–48
 sensing, of soil moisture, 41–61
 Middle infrared (MIR), 223, 224
 Mineralization, 75
 Mixture model, 20
 Moderate resolution Imaging Spectrometer (MODIS), 151, 263
 Moisture availability, 108
 Multispectral scanners, 223
 Munday, 264
- N**
- NAS (National Academy of Science), 66
 NASA (National Aeronautics and Space Administration), 17, 33, 66, 91, 92
 AVIRIS, 263
 C-130, 33, 34, 189
 Global Troposphere Experiment (GTE), 162
 Goddard Space Flight Center, 66, 189
 H-1 helicopter, 191
 NASA-Ames Research Center, 99
 National Center for Atmospheric Research (NCAR), 33, 109, 124
 King Air, 189, 191
 National Oceanic and Atmospheric Administration (NOAA), *see* NOAA
 National Research Council of Canada (NRC), 191
 National Science Foundation, 266
 Near-infrared (IR) surface reflectances, 176, 208, 223, 224
 Near-IR spectroscopy (NIRS), 139
 Net primary productivity (NPP), 17, 65, 87
 estimating, 65–83
 ecosystem modeling, 71–78
 NDVI and forest BGC compared, 78–81
 using AVHRR/NDVI, 66–71
 validating regional estimates, 81–82
 nitrogen mineralization and, 97, 98
 Nimbus 5, 57
 Nimbus 6, 57
 Nimbus 7, 57, 120, 271
 Nitrogen
 fresh litter decomposition and, 88, 90
 in whole canopies, 101–103
 Nitrogen mineralization, prediction by remote sensing, 91–98
 Nitrous oxide, 157, 159, 160
 NOAA, 2, 33
 –7 polar orbiter, 110
 Advanced Very High Resolution Radiometer (AVHRR), 110, 194, 205, 207
 global vegetation index (GVI), 67, 78
 satellites, 17, 54
 Nonmethane hydrocarbons, 157
 Normalized difference vegetation index (NDVI), 17, 22, 54, 66–71, 118, 119, 120, 149, 150, 209, 211, 294, 297
- O**
- Oceans, 269
 remote sensing of, 271–273
 see also Marine photosynthesis
 Optical wavelengths, 17
 Organic mixtures, spectral analysis of, 142–149
 Ormsby, J., 199
 Ozone, 164
 tropospheric, 158
- P**
- Palmer Drought Severity Index (PDSI), 115
 Parameter-to-biophysical-quantity calculation, 175–176
 Perpendicular vegetation index (PVI), 54
 Phaeopigment, 272
 Photosynthesis, 75, 77, 78
 marine, 259–286; *see also* Marine photosynthesis
 Phytoplankton, 270, 271, 275–276, 279
 Planck/Blackbody equation, 31–32
 Planetary boundary layer (PBL), 162
 Plant canopies, 13, 14, 17
 biochemistry, 135–151
 Pollution, vegetation changes and, 206

- Potometers, 78
 Process domains, 226–228
 Prognostic variables, 126
 Projected foliage cover (PFC), 7, 11
- Q**
 Qualitative analysis, vs. quantitative, 294–295
 Quantitative analysis, vs. qualitative, 294–295
- R**
 Radambrasil, 253
 Radarsat satellites, 224
 Radiance-to-parameter calculation, 175
 Radiation
 interaction with plants, 13–14
 scene models and, 18
 Radioactive isotope transport methods, 78
 Radiosonde station data approach, 118
 Rainfall approach, to water and energy exchange, 113–116
 Reflectance, of radiation, 2
 Reflectivity, of soil, 44, 46
 Remote sensing
 Amazon River Basin, 249–266
 of canopy biochemistry, 135–151
 data analysis, 291–303
 landscape processes, 221–244
 of litter and soil organic matter decomposition, 87–98
 marine photosynthesis, 269–286
 present methods and limitations, 17–26
 problems in data collection and interpretation, 16–17
 of spatial and temporal dynamics of vegetation, 203–214
 of terrestrial primary productivity, 65–83
 trace gas fluxes and, 158–165
 water and energy exchange, 105–129
 Resistance analogue concept, 261
 Resolution, of discrete scene models, 18
 Resource depletion, 6
 Restrahlens bands, 40
 Retranslocation, 88
 Rothampstead grassland plots, 205
 Runoff, 121, 264
- S**
 Sahel, Africa, 17
 Satellite-based remote sensing
 field experiments and, 169–198
 of trace gas flux, 164–165
 Savannahs, 8, 14
 Scanning Multichannel Microwave Radiometer (SMMR), 54
 Scattering behavior, of terrain, 55–56
 Scene inference, 18
 Scene models, 18, 20, 25
 Scour-transport-fill (STF) sequence, 239–241
 Sea surface temperature, estimation, 32–33
 Seasat, 57
 Seasonal variations, in vegetation, 204
 Sea-surface temperature (SST) field, 172
 Sediment, availability, 236–238
 Senescence, 88
 Sensor look angle, 68
 Sensor models, 20–22
 Shadows, variations in, 25
 Simple Biosphere Model (SiB), 16, 122, 261, 262
 SIR A, 57
 SIR B, 57
 Skin-temperature method, 106–112
 Skylab, 57
 Snow melt, 75, 77
 Soil
 dielectric constant, 41, 42
 dielectric properties, 43–44
 emissivity and reflectivity, 44, 46
 landform behavior and, 221
 Soil erosion, 5, 14, 17
 Soil moisture
 direct measurements of, 120–121
 see also Surface soil moisture and temperature measurement
 Soil organic matter, decomposition of, 87, 90–91
 Soil temperature, *see* Surface soil moisture and temperature measurement
 Soil texture, nitrogen mineralization and, 97, 98
 Soil water content and outflow, 75
 Solar insolation, 31
 Solar zenith angle, 68
 Southern oscillation index (SOI), 284
 Spatial patchiness, 25
 Spatial resolution, 20, 21
 Spectral analysis, of organic mixtures, 142–149
 Spectral resolution, 20, 21
 Spectral variations, of land surface emissivity, 39–41
 Spectral-spatial scene models, 25

- Spectrometry
 derivative, 143–145
 imaging, current and potential uses, 149–151
- Spectrophotometry, 142
- Split-window technique, 33, 41, 71
- SPOT, 2, 197, 207, 223, 226, 233
- Stomata, 16
- Subtropics, 6, 7
- Successional recovery, 8
- Surface albedo, 31
- Surface resistance factor, 70–71
- Surface roughness, 49–52
- Surface soil moisture and temperature
 measurement, 31–61
 microwave sensing, 41–61
 thermal infrared, 32–41
see also Soil moisture
- Synoptic scales, 250
- Synthetic aperture radar (SAR), 55, 224, 225
- T**
- Tasseled cap scene models, 25
- Taxonomy, of vegetation, 8–9, 10
- Temperature, global, 65–66
- Terrestrial primary productivity, remote sensing of, 65–83
- Thematic Mapper (TM), 159, 207, 209, 223, 224, 233, 239, 253, 263, 265, 266, 294, 296
- Thematic Mapper Simulator data, 73
- Thermal inertia method, 106, 108–109
- Thermal Infrared Multispectral Scanner (TIMS), 33–41
- Thermal infrared sensing, of surface temperature, 32–41
- TIROS meteorological satellites, 66
- Total ozone mapping system (TOMS), 164
- Trace gas fluxes, 157–165
 aircraft-based remote sensing, 162–164
 classification-based estimates, 158–160
 ground-based approaches, 161
 remote sensing for driving variables of models, 160–161
 satellite-based flux measurements, 164
- Transpiration, 75, 77, 78
- Tropical Rainfall Mission (TRM), 116, 259
- Tropical river basins, 249
- Tropics, 6, 7
- Tropospheric ozone, 158
- T_s*, 71
- T_s*/NDVI, 70
- Twin Otter, 191
- U**
- U.S. National Academy of Science (NAS), 66
- U.S. National Aeronautics and Space Administration, *see* NASA
- U.S. National Science Foundation, 2
- Universal Soil Loss Equation (USLE), 237
- University of Washington, Seattle, 254
- University of Wisconsin, College of Agriculture and Life Sciences, 99
- University of Wisconsin Arboretum, 91, 94, 97
- University of Wyoming King Air, 189, 191
- V**
- Vegetation
 community composition and structure (CCS), 172
 detecting change in, 211–214
 detecting differences in, 206–211
 dynamics, 8
 effects on microwave emission, 53–55
 patterns of change, 204–206
 physiognomy, 7–8
 spectral properties of, 136–142
 structure, 8, 11–16
 taxonomic composition, 8–9
- Vegetation functional types (VFTs), 13
- Vegetation index approach, to water and energy exchange, 118–120
- Vegetation indices, 22
- Vegetative cover, estimation of, 22–25
- Venezuela, 260
- Vertical distribution of biomass, 11
- W**
- Water, dielectric constant, 41–42, 55
- Water and energy exchange, 105–129
 atmospheric water vapor divergence method, 117–118
 combined method, 121–129
 direct measurements of soil moisture, 120–121
 rainfall approach, 113–116
 skin-temperature method, 106–112
 use of soil and terrain formation, 121
 use of spatial variability, 121
 vegetation index approach, 118–120
- Water site availability, LAI and, 73
- Water vapor continuum, 32
- Wetness factor, 108