

Index

- Acoustic input to
 - medial/intralaminar thalamus, 122
- Acoustic neurons in
 - “association” cortex, 116, 117
 - binaural properties of, 120, 121
 - thresholds of, 118, 120
 - tuning curves of, 118
- Acoustic space, 144
- Acoustic stimuli, 168
 - CF (constant frequency tones), 168
 - FM (frequency-modulated sounds), 168, 201
 - NB (noise bursts), 168
- Amplitude detector hypothesis, 211, 214
- Amplitude (amplitopic)
 - representation, 159, 160, 169, 176–178, 180, 205, 207, 208, 213
- Amplitude sensitivity curves, 181
- Amplitude spectrum hypothesis, 159, 160, 181, 208, 211, 214
- Analysis of acoustic signals in auditory system, 158
- Anterior commissure, 97
- Aotus trivirgatus*, 62, 66, 68, 249, 250
- Approach phase, 165, 192
 - early, 192
 - terminal, 192
- Association cortex, 111–144
 - acoustical properties of, 116, 117
 - projections from pulvinar-posterior complex to, 133
- Auditory cortex, 1, 4, 6, 59–62, 231, 250, 251
 - corticocortical connections in, 1, 3
 - thalamocortical input to, 1
- Auditory “lemniscal adjunct” system, 132
- Auditory representation in midbrain of owl, 219
 - significance of, 219
- Auditory responses in insular cortex, 236, 240
- Auditory space
 - neural map in bat, 220, 225, 226
 - perception of, 220
 - receptive field for, 221, 224
 - effect of sound stimulation on, 225
 - effect of sound type on, 225
 - representation in MLD, 227
 - theory of, 219
- Autoradiography, 10, 12–14, 17, 18, 23, 76, 78–80
 - of projections from R to MGB, 80
 - of projections to A I from ventral division of pars principalis of MGB, 81
 - of projections to PV from posterodorsal division of MGB, 81

- Band width of behavioral filter, 206
- Band width of neural filter, 208
- Barn owl, 205–271
- Bat, 157–213
- Best amplitude, 176
- Best delay (best range), 183, 192, 213
- Binaural columns, 44
- Binaural disparities, 221
- Binaural organization of A I:
 - 19–22, 25, 29, 30, 38
 - binaural interaction in, 22, 35, 38
 - columnar organization of, 21
 - contralateral dominant suppression in, 21–26, 28, 30, 31, 33–36, 38
 - ipsilateral dominant suppression in, 2, 5, 34–36
 - monaural contralateral neurons in, 34–36
 - summation in, 21–26, 31, 33, 35
 - suppression in, 21, 22, 25, 28, 31, 33, 35
- Biosonar signals (orientation sounds), 16
 - approach phase, 164, 165
 - long constant-frequency component (CF), 163
 - properties of, 163, 207
 - search phase, 164, 165
 - short frequency-modulated component (FM), 163
 - harmonics of CF and FM (H_1 – H_4), 163
 - total of eight components (CF_{1-4} , FM_{1-4}), 163–165
 - terminal phase, 164, 165
- Brain-stem reticular formation (RF), 113, 114
- Callosal connections in A I: 23–26, 28, 35, 38
- CF/CF facilitation neurons, 183, 194, 196, 199, 201
- CF-specialized neurons, 201
- Chimpanzee auditory cortex, 249
- Chloralose anesthesia and functional interpretation of data, 139–143
 - unit responses under, 143
- Click stimulation, 232, 249
- Click map of monkey auditory cortex, 233, 235, 236, 238, 239
 - to binaural stimulation, 235
 - to contralateral stimulation, 235, 239
 - to ipsilateral stimulation, 236, 238
- CM/Pf (center median/parafascicular complex), 122, 123
 - acoustic input to, 130
 - binaural properties of neurons in, 126, 128, 129
 - identity of response properties with neurons in association cortex, 129
 - latencies in, 126
 - polysensory convergence in, 122, 124
- Cochlear microphonics (CM), 166
- Cochleotopic “line” system, 143, 144
- Columnar organization of auditory cortical neurons, 20, 21
 - binaural columns, 22, 28
- Complex-sound processing area, 194, 214
- Conspecifics, 199, 200
- Contralateral (commissural) cortical projections, 93–102
- Coronal-pericruciate cortex, 142
 - responses to click stimuli, 142
- Cortical association areas, 111–114, 117
 - acoustic input, 122
 - identity of response properties with neurons of CM/Pf, 117
 - nonspecific projections from RF and M/IL to, 143

- polysensory input to, 122
 possible input from auditory cortex, 138
- Cortical auditory fields in bat:
 CF/CF, 157, 163, 168, 170, 171, 173, 174, 183, 190, 194, 195, 208, 210, 212–214
 CF/FM, 193
 DSCF, 157, 161, 168, 170–174, 177–182, 190, 194, 208, 210, 212–214
 FM-FM, 157, 163, 168, 170, 171, 173, 182–184, 186, 187, 189–192, 201, 204, 207, 208, 212–214
 functional organization, 157–159, 173
- Cortical auditory fields in cat
 A (anterior field), 3, 5, 8–15, 26, 32–38, 45
 connections from MGB, 53, 54, 139, 249–251
 A I: 3, 5, 8–15, 17–28, 30, 31, 36–39, 44–46, 48, 50–54, 61, 81, 101, 112, 119, 121, 132, 133, 139, 249–252
 descending connections to MGB, 53
 A II: 4, 5, 9, 10, 17, 112, 251
 connections with thalamic nuclei, 53
 A III: 112
 ALA (anterolateral), 112, 121, 132, 251
 AMSA (anterior middle suprasylvian), 112, 115, 120
 Assoc (association), 111, 112–144
 acoustical properties, 116, 117
 projections from pulvinar-posterior, 133
 DP (dorsal posterior), 4, 5, 9, 13, 139
 EP (posterior ectosylvian), 8, 9, 101, 252
 INS (insular), 112, 251
- MSA (middle suprasylvian), 120, 121, 132, 137, 140, 141
 P (posterior), 5–15, 17, 19, 36, 37, 45, 249, 252
 PCA (pericruciate), 112, 121, 139, 140
 PMSA (posterior middle suprasylvian), 112
 SF (SSF, suprasylvian fringe), 139, 249, 252
 T (temporal), 4, 9
 TC (von Economo), 60
 V (ventral), 4–7, 9, 16, 249–251
 VP (ventroposterior), 4–15, 17, 19, 45, 101, 249–251
 VV (ventroventral), 250–252
- Cortical auditory fields in *Galago crassicaudatus*
 CM (caudomedial), 64
 A I: 64
 PL (posterolateral), 64
 R (rostral), 64
- Cortical auditory areas in monkeys (*Aotus trivirgatus*, *Macaca mulatta*):
 A I: 60, 64, 66–68, 71–73, 75, 77, 81, 83, 85–102, 232–241, 249–252
 A II: 61, 249–252
 AL (anterolateral), 72, 81, 87–89, 91, 93, 94, 96–100, 249–252
 AM (anteromedial), 250, 251
 CM (centromedian), 64, 68, 72, 81, 85, 86, 88–100, 102, 249
 L (lateral), 68
 RL (rosterolateral), 64, 68, 72, 81, 85, 86, 88–97, 100, 102, 249, 251
 R (rostral), 64, 68, 71–73, 77, 81, 83–86, 89–102, 249, 250
 RL (retrolateral), 66, 81, 250–252
 RM (retromedial), 72, 81, 86–100, 102, 249, 251
 VP (ventroposterior), 101

- Corticocortical connections, 9, 13, 23, 38, 43
 related to best frequencies, 9
 related to binaural maps, 23
- Corticocortical projections, 85–102
 ipsilateral, 85–93
 contralateral, 93–102
- Delay-tuning curves, 185, 192
- Detector hypothesis, 160
- Diffuse “adjunct” system, 143
- Disinhibition, 201
- Doppler-shift, 185, 197, 199, 207, 212, 213
 compensation, 164, 165, 172
- Doppler-shifted processing area (DSCF), 170, 174, 175, 191
- Echo delay (target range), 192, 193, 207, 213, 228
- Echoes, 105, 207
- Echolocation, 162, 189, 200, 207
- E-E neurons, 181, 182
 nondirectionally sensitive, 181, 213
- E/E (monaural response to either ear), 121
- E/C (monaural response to contralateral ear), 121
- Electrical stimulation of cochlear nerve, 232
- Eptesicus fuscus*, 191–193
- Excitatory-excitatory response properties, 45, 54
- Excitatory-frequency tuning curves, 195, 198
- Excitatory-inhibitory response properties, 45, 54
- Facilitation-frequency tuning curves, 195, 198
- First somatic sensory area (S I) of monkeys, 245, 253
- FM₁-FM₂ facilitation neurons, 184, 188
- FM₁-FM₃ facilitation neurons, 163, 186
- FM₁-FM₄ facilitation neurons, 183
- FM₁-FM_n facilitation neurons, 183, 199, 200
- FM-specialized neurons, 201
- Frequency vs amplitude coordinates, 176
- Functional organization of auditory cortex of the bat, 157–214
- Functional subdivisions in auditory midbrain of the bat, 226
- Galago crassicaudatus*, 62, 64, 67, 249
- Harmonic-sensitive neurons, 207
- H₁-FM₂ facilitation neurons, 201, 202
- Homologies of auditory areas in cat and monkey, 250
- Horseshoe bat, 165
- HRP, 26, 27, 29–32, 35, 38, 48, 49, 51, 100, 129
 projection of medial-intralaminar thalamus to cortex, 129
- IBP filter hypothesis, 160–162, 181, 204, 205, 208–211, 214
- IBP filter, specialized neurons, 208
- I-E directionally sensitive neurons, 181, 213
- Impulse count functions, 195, 197
- Inferior colliculus (IC, ICC), 46, 72, 82, 101
 projections to, 82, 83
 projections of A I to, 78
 structure of, 78, 82
- Information-bearing elements, 200
- Ipsilateral corticocortical projections, 85–87
- Isofrequency contours in auditory cortex, 5, 7, 22, 23

- Isoimpulse-count contour map, 185, 188
- Lateral inhibition, 174, 178, 181
- Lemniscal "adjunct" system, 132
 association cortex neurons resemble, 133, 137, 143
- Lemniscal line system, 132
- "Level-tolerant" band widths, 181
- Macaca mulatta*, 62, 63, 66, 68, 231–241, 249–251
 auditory cortex of, 231–243, 246–248, 250, 251
- Magnocellular nucleus, 100
- MD (dorsomedial nucleus of thalamus), 122
 complex responses in, 123–127
 long latency responses in, 124–127
- Medial geniculate body (MGB), 46, 47, 133, 135
 anterior division (anterodorsal division) (MGDA) of, 73, 74, 77
 anterolateral margin (ALM) of, 75, 77
 connections from A I: 53
 connections with other cortical fields, 53
 cytoarchitecture of, 73, 74
 dorsal division (MGD) of, 51, 73, 74
 magnocellular division (MGM) of, 77, 79, 101, 102
 projections to all auditory fields from, 81
 parvocellular division (MGP) of, 77
 posterior division (posterodorsal, MGDP) of, 75, 77
 principal nucleus (MGP) of, 101, 102
 projections from MGB to A I: 47–51, 53, 54
 projections from MGB to all auditory fields, 81
 projections to MGB from A I: 75–79
 projections to MGB from R, 75, 80
 ventral division (MGP) of, 75
- Medial-intralaminar thalamus (M/IL), 113, 114
 acoustic input to, 122
 acoustic properties of, 122
- Mesencephalic reticular formation, 130
 acoustic input and connections, 130
 input to CM/Pf, 130
- Microelectrode mapping, 8, 62
 combined with [³H]-proline, 23, 24
- Midbrain auditory nucleus in owl (MLD), 223
 homolog of inferior colliculus, 223
 space-mapped area of, 226, 227
 tonotopic area of, 226
- M/IL thalamus, 122
 acoustic input to, 122
 cortical projections from, 129
 detailed acoustic properties of, 122
 HRP evidence of projection to cortex, 129
- Monausal neurons, 23, 26
- Multiplicity of tonotopic representation, 38
- Mustached bat, 159, 163, 182, 205
- Myotis lucifugus* (little brown bat), 189, 191, 193, 200
- NB-specialized neurons, 201
- Nonmonotonic impulse count function, 181
 lateral inhibition of, 181
- Nonspecific projection system, 122
 to association cortex, 122, 129
- Odotopic representation, 192, 205, 207, 213

- O/E, monaural response to ipsilateral ear, 121
- O/O(E), no response to monaural stimulation of either ear, but strong to simultaneous binaural stimulation, 121
- Optic tectum of owl, 277
- Organization of auditory connections, 71
- Organization of auditory cortical fields, 44
- Orientation sounds, 163–165
- Overtone structure, 194
- Owl monkey, 71–102
- “Parallel-hierarchical” processing, 206–208
- Patterns of ipsilateral corticocortical terminations in A I: 85–87
- Periodic frequency modulation, 172
- Phyllostomus hastatus*, 191
- Plecotus phyllotis*, 199
- PO (posterior group), 133–139
- POi (inferior posterior group), 137, 138
- POl (lateral posterior group), 137, 138
- Polysensory areas, 111–113, 116, 117
- acoustic input to, 111, 116, 117
- frequency tuning in, 118
- in suprasylvian gyrus, 111
- Posterior thalamus (PO), 75
- Primate auditory cortex, 59–67, 231–253
- Proline [^3H], 23, 24, 26, 28, 36, 37
- PST histogram, 180
- Pteronotus parnellii rubiginosus*, 158, 159, 168, 200, 212
- Pteronotus suapurensis*, 191
- Pulvinar-posterior complex (Pul-Po), 133, 134
- acoustic input to and connections of, 133–138
- Pulvinar projections to auditory cortex, 81
- Rana catesbeiana*, 204
- Range axis, 192
- Range-tuned neurons, 185, 192, 193, 213
- Representation beyond tonotopy in cortex of bat, 157
- Response area, 159
- excitatory, 159, 175, 178, 179
- inhibitory, 159, 175, 178, 179
- Rhesus monkey (*M. mulatta*), 97, 231–253
- Rhinolophus ferrumequinum* (horseshoe bat), 165, 191
- Saimiri*, 249, 250, 252
- Search phase, 165, 192
- Second somatic sensory area (S II), 241–247, 252, 253
- ipsilateral responses of, 242
- relation to auditory cortex, 252
- Significance of cortical and thalamic connections in auditory system, 54
- Sound localization mechanism, 220, 224
- Space representation, 223, 227
- Spatiotemporal pattern hypothesis, 177
- Spatiotemporal pattern of activity in peripheral neurons, 158
- “Specialized neurons” as IBP filters, 208
- Subtended target angle, 176, 208
- Suprageniculate-limits complex (SG), 79
- Suprageniculate nucleus, 81
- connections from cortex, 81, 82
- Synchronization hypothesis, 160, 162, 163, 211, 214
- Target direction representation, 181

- Target range, 182, 213
- Target velocity representation, 172, 178, 208
- Threshold representation, 159
- Tonal stimulation, 64, 66–68, 232, 247
- Tonotopic maps of *Galago crassicaudatus*, 64
- Tonotopic representation, 169, 172, 173, 177, 178
- Topical projections of nerve fibers to cerebral cortex, 236–239, 242
- Topographical projection to CNS, 219
 - anatomical, 220
 - physiological, 220
- Topography of auditory projections, 15
- Tracking neurons, 129, 185
- Tritiated amino acids, 23, 24, 26, 28, 36, 37, 85, 100
- Tuning curves for association neurons, 118, 119
- Tyto albus* (barn owl), 182, 220
- Unit mapping studies, 44, 64–65
- Unspecialized neurons, 205
- Ventral nucleus, 100