

CONTRIBUTORS INDEX

- Abella, C. A., 269
 Amesz, J., 69, 97, 119
 Bergstein-Ben Dan, T., 295
 Blankenship, R. E., 57, 145
 Brune, D. C., 57
 Castenholz, R. W., 243
 Cox, R. P., 15
 Cusanovich, M. A., 133
 Davidson, M. W., 133
 De Wachter, R., 21
 Eckert, W., 305
 Eichler, B., 233
 Embley, M., 201
 Fetisova, Z. G., 81
 Fischer, U., 127
 Foster, J. M., 145
 Freeman, J. M., 57
 Freiberg, A. M., 81
 Fuller, R. C., 145
 Ganago, A. O., 109
 Garcia-Gil, J., 269
 Gerola, P. D., 43
 Gillbro, T., 91
 Gogotov, I. N., 165
 Golecki, J. R., 35
 Gorlenko, V. M., 257
 Grace, D., 149
 Gubanov, V. S., 109
 Heda, G. D., 175
 Hoff, A. J., 119
 Højrup, P., 43
 Holo, H., 149
 Imhoff, J. F., 223
 Jensen, M. T., 15
 Kelly, D. J., 157
 Khinvasara, N. J., 311
 King, G. H., 57
 Klemme, J.-H., 173
 Klevanik, A. V., 109
 Knaff, D. B., 133, 145
 Knudsen, J., 43
 Laakmann-Ditges, G., 173
 Lorenz, C., 189
 Lous, E. J., 119
 Lutz, M., 23
 Mack, E. E., 237
 Madigan, M. T., 175
 McManus, J. D., 57
 Melkozernov, A. N., 109
 Mertschuweit, J., 173
 Meyer, T. E., 133
 Miller, M., 15
 Nozawa, T., 57
 Delze, J., 35
 Olson, J. M., 1, 43, 91
 Ormerod, J. G., 315
 Pedersen, J. P., 15
 Pfennig, N., 233
 Pierson, B. K., 237
 Redlinger, T. E., 145
 Roepstorff, P., 43
 Sandström, A., 91
 Schedel, M., 189
 Shaw, R. W., 145
 Shkuropatov, A. Ya., 109
 Shuvalov, V. A., 109
 Smit, H. W. J., 97
 Stackebrandt, E., 201
 Steinmetz, M., 189
 Sundström, V., 91
 Timpmann, J. E., 81
 Trost, T., 57
 Trüper, H. G., 189
 van Brakel, G., 23
 van Bruggen, E. F. J., 3
 Van de Peer, Y., 21
 Van den Eynde, H., 21
 van Dorssen, R. J., 69
 van Gemerden, H., 287
 Vasmel, H., 119
 Venturoli, G., 135
 Visscher, P. T., 287
 Vos, M., 69
 Weckesser, J., 201
 Wittmershaus, B. P., 57
 Wullink, W., 3
 Wynn, R. M., 145
 Zannoni, D., 135
 Zuber, H., 53

SUBJECT INDEX

- Acinetobacter calcoaceticus, 130
Ancalochloris, 257-261
Ancalochloris perfilievii, 260, 261, 275
 Auracyanin
 Chloroflexus aurantiacus, 65
- Baseplate terminology, 1-3
 BChl a-protein, 3, 43
 energy transfer, 91
 BChl c, d and/or e, 23, 43, 57, 62, 233, 257, 259, 269, 275
 BChl c, 45, 93, 105, 235
 CCL₄, 31
 chemical structure, 63
 chlorosomes and model systems, 23-34, 77
 coordination states, 28
 environment, 27
 excited states, 92, 93
 fluorescence lifetime, 63
 ground-state interactions, 23-34
 homologs, 24
 liganding of Mg and keto carbonyl, 28, 30
 monomers and oligomers, 60-62, 66
 resonance Raman spectra, 23-31
 BChl c-binding proteins
 α -helix and β -sheet potentials, 47, 48
 amino acid composition and sequence, 46
Chlorobium limicola, 43-45, 54
Cf. aurantiacus and Peliodyctyon luteolum, 35, 43, 54
 hydropathy profiles and secondary structures, 46-49, 51
- γ -Carotene, 233
 Chlorobiaceae, 57, 97, 106, 225, 243, 250-252, 257
- Chlorobiaceae (continued)
 BChl a, 259
 carotenoids, 260
 chlorobactene, 235, 269, 275
 colonies, 264
c-type cytochromes and other soluble electron-transport proteins, 127-129, 133
 ecological niches, 243, 258, 261, 262
 electron transport and reaction center, 97-108
 enrichment of different species, 277
 fatty acids, 227
 Fe-S proteins, 128
 freshwater pond, 233-235
 gas vesicles, 259
 isorenieratene, 269, 275
 lipids, 225
 microcolony formation, 280
 photosynthetic apparatus, 258
 planktonic and benthic forms, 263
 reaction center, 58, 97, 101
 rubredoxins, 130
 syntrophic associations and symbiotic consortia, 262, 263, 284
 tolerance for sulfide, 261
- Chlorobium "phaeovibrioforme", 275
Chlorobium chlorovibrioides, 260, 262, 263, 275
Chlorobium limicola, 127-130, 195, 196, 228, 259, 260, 265, 275, 279, 282, 295
 absorption and fluorescence spectra, 82
 aminolipid, 226
 baseplate, 1, 3
 BChl c and BChl a
 fluorescences, 83-86
 BChl c, 23, 31

Chlorobium limicola (continued)

BChl c (continued)

- resonance Raman spectra, 26-29
- c-type cytochromes, 133, 166, 167, 170, 195, 197
- electron donor utilization, 292
- energy transfer, 81, 88-91, 94
- excited state lifetimes, 91
- ferredoxin and rubredoxin, 166, 167, 170
- genetic transformation, 315-319
- hydrogenase, 165-168
- lipids, 225, 227
- membranes, 102
- nitrogen metabolism, 175-187
- photosynthetic unit, 86, 87
- quinones, 229
- reaction center, 1, 86, 106
- resonance Raman spectroscopy, 23, 24
- sulfide and sulfur, 190-195, 287, 290, 291
- thiosulfate, 189-200

Chlorobium phaeobacteroides, 128,

- 129, 195, 260-263, 275, 279, 295, 305-310

fatty acids, 227

Chlorobium phaeovibrioides,

- 260-263, 275

fatty acids, 227

Chlorobium vibrioforme, 127-130,

- 195, 209, 226, 227, 230, 260, 262, 263, 275

fatty acids, phospholipids, and quinones, 227-229

thiosulfate metabolism, 189-200

Chloroflexaceae, 57, 97, 203,

- 225, 237-240, 243-255, 257, 264

BChl c or d, 265

chlorosomes, 265, 266

energy transfer, 58

hot springs, 243

quinones, 229

reaction centers, 265

Chloroflexus aurantiacus, 61,

- 150, 158, 204, 226, 230, 233, 240, 245, 247, 249, 257, 260, 264, 265

absorption spectrum at 4 K, 71

acetyl-CoA synthesis, 154

amino acid metabolism, 173

ammonia assimilation, 173

antenna complexes and polypeptides, 53-55, 69, 72

auracyanin, 65

b/c₁ complex, 138, 141, 142

baseplate, 1, 35, 38-41

BChl a and BChl c, 35-38

Chloroflexus aurantiacus

(continued)

BChl c, resonance Raman spectra, 28

c-type cytochromes, 58, 63-65, 135-140, 145, 146

citrate synthase, 157-164

CO-binding component, 146

CO₂ fixation, 149-155

cyclic electron flow, 138

Cyt aa₃, 146

cytoplasmic membrane and chlorosome, 35-42

electron transport and energy transduction, 57-68, 135-147

energy trapping and energy transfer, 57-79

fatty acids, 227, 228

fluorescence excitation and emission spectra, 74-77

glucose formation, 149-154

glutamine synthetase, 173

glyoxylate cycle, 152

growth on NH₄, 178

hydrogenase, 170

iron-sulfur centers, 146

L-threonine dehydratases, 173

lipids, 227

malate dehydrogenase activity, 159, 161

membranes

ATP synthesis, 140, 141

cytochromes c oxidation, 137-139

nitrogen metabolism, 175-187

pyruvate metabolism, 153-155

reaction center, 1, 41, 58, 97, 109-114, 135

triplet, 120-123

resonance Raman spectroscopy, 23, 24

reversed Embden-Meyerhof pathway, 150, 153

Rieske iron-sulfur center, 138, 146

time-resolved fluorescence, 64

Chlorogloeopsis, 246, 248-250

Chloroherpeton limnophilum,

- 233-235

Chloroherpeton thalassium, 233-

- 238, 257, 263, 269, 277

Chloronema giganteum, 233, 260,

- 265

Chloronema spiroideum, 233

Chloroplana vacuolata, 261

Chlorosome, 5-8, 10, 23, 45, 48, 57, 62, 66, 257

BChl a, 61, 62, 72, 93

BChl c, 23-24, 27-32, 61, 62, 77, 91-93

- Chlorosome (continued)
 circular dichroism, 61
Cb. limicola, 24, 44, 61, 76
Cf. aurantiacus, 24, 35-42, 58, 70
 chlorobiaceae, 259
 electron microscopy, 36
 energy transfer, 91
 envelope fluidity, 19, 20
 fluorescence, 64, 70
 FTIR spectra, 61
 orientation, 72, 73
 polypeptide composition, 11-13
Prosthecochloris aestuarii, 3-14
 protein and carotenoids, 62
 resonance Raman spectra, 24, 26
 rod-shaped elements, 9
 spin label studies, 15-21
 structure, 4, 60
- Chromatiaceae
 quinones, 228
- Chromatium purpuratum, 258
Chromatium vinosum, 168, 169, 195, 229
 flavocytochrome c_{552} , 133
 polar lipids, 224
 sulfur content, 287
- Citrate synthase
Cf. aurantiacus, 157-164
- Clathrochloris sulfurica, 275
 absorption spectrum, 297
 ATP content, 296-299
 light intensity, 299
 photosynthetic activity, 296
 reduced sulfur utilization, 298, 302
 sulfide tolerance, 295-303
- Clostridium thermoaceticum, 130
 CO_2 fixation
Cf. aurantiacus, 149-155
- Consortia, 263, 264
- Cyanidium caldarium, 251
- Desulfovibrio gigas, 130
- Diel migration
Pelodictyon enrichment, 269-285
- Ecological niches, 257-267
- Ectothiorhodospira halochloris, 226, 229
- Ectothiorhodospira halophila, 229
- Ectothiorhodospira mobilis, 195, 226
- Ectothiorhodospiraceae
 polar lipids, 224
- Electron transport, 57-59, 106, 109-117
Cf. aurantiacus, 57, 58, 135, 145-147
- Electron transport (continued)
 Chlorobiaceae and
Heliobacterium chlorum, 97-108
- Energy transfer
Cb. limicola, 43, 81, 88-96
Cf. aurantiacus, 57-79
Erythrobacter longus, 205
Escherichia coli, 318
 Evolution, 201, 207
- Filamentous gliding green bacteria (see Chloroflexaceae)
- Genetic transformation
Cb. limicola, 315-319
- Green bacteria
 ecomorphology, 260
- Green gliding bacteria (see Chloroflexaceae)
- Green sulfur bacteria (see Chlorobiaceae)
- Heliobacillus mobilis, 206
 Heliobacteria, 98, 106
Heliobacterium chlorum, 203, 206, 226, 228
 BChl g and Cyt c_{553} , 98, 99
 electron transport and reaction center, 58, 97-99, 103-106
 fatty acids, 228
 iron-sulfur center, 103, 105, 106
 membranes, 98, 104, 105
 nitrogenase activity, 179
 phospholipids, 227
 quinones, 229
 triplet formation, 98, 100, 106
- Heliospirillum gestii
 nitrogenase activity, 179
- Heliothrix, 243, 253
Heliothrix oregonensis, 252, 258
Herpetosyphon, 257
- Hydrogenase
Cb. limicola 165-172
Cf. aurantiacus, 170
 purification and properties, 166-169
 purple and green bacteria, 169
 stability and regulation, 168, 171
- Hypolimnetic redox-systems, 305
- Isosphaera pallida, 252
- Lamprocystis roseopersicina, 233
- Malate dehydrogenase, 162

- Methylomonas extorquens, 205
- Nitrobacter winogradskyi
lipopolysaccharide, 210
- Nitrogen metabolism, 175-187
- Nitrogenase, 184, 185
- Oscillochloris chrysea, 260, 265
- Oscillochloris trichoides, 260, 265
- Peliodyctyon, 257-260, 269-285
- Peliodyctyon aggregatum, 261, 263
- Peliodyctyon clathratiforme, 260, 261, 270-275, 282
- Peliodyctyon luteolum, 128-130, 226, 227, 230, 260-263, 275
- BChl *c*-binding protein, 54
- fatty acids, 228
- nitrogen metabolism, 175-187
- quinones, 229
- Peliodyctyon phaeum, 260, 262, 263, 275
- Peliodyctyon "phaeoglomerans", 270-275
- Pelochromatium roseoviride, 261, 264
- Pelochromatium roseum, 261, 264
- Phenyllobacterium immobile, 211
- Phototrophic prokaryotes
- polar lipids, 225, 226
- Phylogeny, 201, 202
- 5S ribosomal RNA sequences, 217-221
- analysis of Cyt *c* and 16S rRNA catalogs, 202
- lipids, fatty acids, and quinones, 223
- major lineages (divisions) of the eubacterial kingdom, 203
- origins of the microbial world, 258
- position of H. chlorum, 208
- relationship of cyanobacteria and chloroplasts, 204
- relationships of purple and green bacteria, 54, 205-207
- Prosthecochloris, 257, 259
- Prosthecochloris aestuarii, 128, 129, 195, 260-263, 275
- baseplate, 3
- BChl *a*-protein, 91, 97
- BChl *c*, 97, 98, 101
- c*-type cytochromes, 101, 102, 105, 106
- carotenoid triplet, 103-106
- chlorosomes, 3-14
- Prosthecochloris aestuarii
(continued)
- electron transport, 98, 101
- freeze-fracture replicas, 7
- iron-sulfur center, 98
- membranes, 98-102, 106
- pigment-protein complexes, 121
- reaction center, 101-106, 124
- thin sections, 6
- triplet state, 101, 106, 119-122
- Prosthecochloris phaeoasteroidea, 260-263, 275
- Pseudomonas diminuta, 211
- Pseudomonas oleovorans, 130
- Purple bacteria, 204
- fatty acids, 229
- Purple nonsulfur bacteria (see Rhodospirillaceae)
- Reaction centers, 1, 57, 58, 97-110, 115
- Rhodobacter adriaticus, 229
- Rhodobacter capsulatus, 31, 69, 168-171, 211, 318
- nitrogenases, 185
- Rhodobacter sphaeroides, 211
- B800-850 complex, 69
- nitrogenases, 185
- reaction center, 109-114
- Rhodocyclus gelatinosus, 211, 212, 229
- Rhodocyclus purpureus, lipopolysaccharide, 211, 212
- Rhodocyclus tenuis, 211, 212, 229
- Rhodomicrobium vannielii, 211
- Rhodopseudomonas blastica, 229
- Rhodopseudomonas marina, 226, 229
- Rhodopseudomonas palustris
lipopolysaccharide, 210
- Rhodopseudomonas rutila, 226
- Rhodopseudomonas sulfoviridis, 226
- Rhodopseudomonas viridis, 121, 211
- lipopolysaccharide, 210
- reaction center, 110, 115
- Rhodospirillaceae
- polar lipids, 225
- quinones, 228
- Rhodospirillum molischianum, 226, 229
- Rhodospirillum photometricum, 226
- Rhodospirillum rubrum, 168, 169, 229
- antenna complexes, 86
- nitrogenase, 184
- Rhodospirillum salexigens, 226
- RNA, 55, dendrogram, 219, 220

Spirulina, 247
Synechococcus, 244-247

Taxonomy, 201, 209
cell wall composition, 209
Chlorobium strains, 318
lipids, fatty acids, and
quinones, 223
lipopolysaccharides, 209, 223
purple bacteria, α -subdivision,
210
Thermal springs
green bacteria, 243-255
mats, 248, 250, 253, 254
sulfur, 311-313

Thermomicrobium roseum, 204
Thermothrix, 249
Thermotoga maritima, 162-163
16S rRNA sequences, 203
Thermus, 162
Thiobacillus ferrooxidans, 211
Thiobacillus thiooxidans, 211
Thiocapsa roseopersicina, 168,
229
Thiosulfate metabolism
Cb. limicola and Cb.
vibrioforme, 189-200