

Index

α -Syn toxicity, 283
 β -Galactosidase, 7
 β -Catenin, 190, 191
 phosphorylation, 192
 γ -Secretase complex, 284
 γ -Synuclein (α -Syn)
 in PD, 274
 α -Catenin, 188
EGFR^{tsla}, 172
5-Bromo-2-deoxyuridine (BrdU), 83

A

Achaete Scute Complex (ASC)
 bHLH genes, 176
Actin, 193
 cytoskeleton, 195
 engagement of, 195
Actin–microtubule linker
 Drosophila retina morphogenesis, 156
Actomyosin
 assembly, 193
 cable in larval eye, 193
Adapter protein Kibra, 244
Adherens junction (AJ)
 in fly eye, 187
Adhesive junctions (AJs)
 in pupal eye, moonlighting as signaling
 centers, 199, 200
Adult eye, 165, 275
 BO photoreceptor subtypes and homologs
 in, 336
 chp, 342
 head patterning, 348, 349
 R7 cell reduction, 349
Alagille's syndrome, 64
Alzheimer's disease (AD), 274
Amino acids, 255
Amyloid precursor protein (APP), 278

Amyloid proteins, 279
Amyloid- β (A β) peptide, 278
 in AD, 274
Androgen receptor (AR), 277
Apoptosis, 12, 103, 187, 194, 233, 236, 237,
 239, 245, 275, 285
Apoptosis-stimulating protein of p53 (ASPP),
 251
Ataxia telangiectasia mutated (ATM)
 disruption of, 281
Ato expression, 108, 172, 175, 340
 aspects of, 106
 Dpp, role, 168
 for sensory organs, activation, 168
 high levels of, 109
 in eye disc, 168
 in sensory organs of, 168
 inhibition of, 172
 initial low level, 107, 109
 initial stripe pattern, 168
 negative regulation, 108
 normal progression of, 109
 proneural enhancement, 110
 regulation of, 111
 TRAPs in, 174
Ato protein
 expression of, 167
Atx1–82Q, 286
 neurotoxicity in eye, 285
Atypical protein kinase C (aPKC), 146–149
Autophagy, 151, 206, 255, 278, 288
 defective, 282
Autoregulation, 109
Auxilin and Hsc70, 218
Axial patterning, 38
 DV patterning, 42
 role of genes, 38
 sequence of events, 42

B

- Bantam miRNA, 240
- Bar
 - and Ato expression, 174
 - anti-proneural function, 172, 174–176
 - expression in basal cells, 173
 - expression of, 173, 175
- Barry Dickson's group, 234
- Baz from Par-6/aPKC
 - molecular separation mechanism of, 149, 150
- Big-head, 236
- Biochemical studies, 241
- Bolwig nerve (BN), 335
- Bolwig's organ (BO) photoreceptors, 335
- Bolwig's organs (BO)
 - adult eye development, 347
 - gene regulatory synapomorphies of, 347
 - head patterning, 348, 349
 - R7 cell reduction, 349
- Bolwig's organs (BO) photoreceptors, 337, 340, 343
 - differentiation of, 342
 - lineage and morphogenesis, 338
 - otd, 344
 - postembryonic development, 345
 - Rh6 positive, shorter projection, 337
- BTB-Zn finger protein, 122
- Bumpy, 236

C

- Cadherin phosphorylation, 189
- Cadherin trafficking, 189
- Cadherins, 188
 - adhesion segregates, 199
 - Dachsous (Ds), 188
 - fat, 188
 - Flamingo (Fmi), 188
 - Friend of Echinoid (Fred), 188
 - in fly eye, expression, 188
 - Nectins Echinoid (Ed), 188
 - patterns cone cells, 199
- Caenorhabditis elegans, 37, 274
- Canonical Notch signaling, 213
- Catenins, 188
- Cell polarity, 149
 - Caenorhabditis elegans embryo, 146
 - establishment and maintenance of, 141
 - genes, 244
 - Par-3/Par-6/aPKC complex, 146
 - partioning-defective (par) mutants, 146
 - studies, 141
- Cell proliferation, 236

- Cell-lethal, 234
 - mutation, 234
 - Centrosomin (Cnn), 154
 - role in Drosophila retina morphogenesis, 154
 - Chaoborus crystallinus, 352
 - Chordotonal organs
 - Ato expression in, 168
 - Cis-inhibition, 170, 171
 - Clathrin adaptor protein complex-1 (AP-1)
 - loss of, 169
 - role of, 169
 - Compound eye
 - comparison of, 301
 - complete depletion of, 317
 - development of, 322
 - early molecular development of, 320
 - large ommatidia, 322
 - of Drosophila, 141
 - postembryonic phase of, 301
 - Cone cells, 101, 125, 275
 - ablation of, 126
 - development of, 126, 127
 - Egfr and Notch signaling, 121
 - non-neuronal, 103, 123
 - Crb and aPKC
 - Baz from Par-6/aPKC, separation, 149, 150
 - Crb's mammalian homolog
 - in Drosophila retina, 145
 - Creb-binding protein, 285
 - Crumbs (Crb), 142, 145
 - Cyclorrhaphan larvae
 - acephalic condition of, 332
- D**
- Dacshund (dac), 10
 - mutants, 10
 - overexpression of, 10
 - Daughterless (Da), 176
 - functions, 177
 - in Ato regulation, dual function, 176–178
 - Dco3
 - hypomorphic allele, 242
 - Decapentaplegic (Dpp), 175, 233
 - signaling pathway, 240
 - Deltex (Dx), 220
 - ability of, 221
 - Dentatorubral-pallidolusian atrophy (DRPLA), 278, 284
 - Dephosphorylating Hpo, 245
 - Desensitization of EGFR
 - in Drosophila larval eye disc, 211
 - Diego (Dgo), 191

- dINR
 - recruits downstream signaling molecules, 252
 - Diptera
 - larval eyes of, 353
 - Direct-developing insects, 352
 - Disease-related genes, 284
 - Dishevelled (Dsh), 191
 - Distal antenna (dan), 14
 - Distal antenna related (danr), 14
 - DI ligand, 171
 - DNA binding homeodomain, 7
 - Dorsal selector
 - BMP-4 and Tbx5, 64
 - Iro-C genes, 55
 - Dorso-ventral (DV) patterning, 42, 306, 307
 - aspects of, 43
 - axis determination, 42
 - gene expression, 47
 - genetic control, 44
 - group of genes, 56
 - initiation of, 45
 - retinotectal projection pattern, 64
 - specific functions of, 47
 - Dronc, 239
 - Drosophila, 237, 242, 245, 249, 300
 - 2-dimensional imaginal disc, 275
 - 3-dimensional eye, 275
 - adherens junction (AJ), 187
 - Aftiphilin, 169
 - anterior eye-antennal disc, 305
 - blastoderm embryo, visual anlage, 339, 340
 - brain, neuronal dysfunction and cell loss in, 279
 - compound eyes of, 75, 232
 - dorso-ventral patterning, 306
 - early eye disc development, 311
 - EGFR, 171
 - embryonic phase, 303
 - eye, 275
 - eye-antenna imaginal disc, 274
 - eye-antennal imaginal disc of, 322
 - genes suspected, validation of, 284
 - genetic screens, 286
 - homolog of Pax-6, 168
 - knockdown analysis, 317
 - larval eyes of, 353
 - model of HD, 287
 - modeling neurodegenerative diseases, 275
 - muscle and sperm cells, observations, 281
 - PDK1, homolog of, 252
 - photoreceptor from neurodegeneration, 151
 - proteinopathies in eye, models, 277, 279
 - proximodistal axis of, 302
 - signaling factor expression patterns, 315
 - TOR signaling on growth phenotypes in, 255
 - drosophila
 - eye, 274
 - Drosophila ey gene, 2
 - Drosophila eye
 - axial patterning, 38
 - D and V compartments, 44
 - polarized tissue, 43
 - role of pnr, 55
 - role of Tsh, 59
 - selector genes, 53
 - similarities with vertebrate eyes, 63
 - Drosophila Hpo, 239
 - Drosophila larval eye disc, 205
 - cell, protein folding in, 206
 - denatured polypeptide, 205
 - desensitization of EGFR, 211
 - EGFR signaling cycle, 208
 - endosomal trafficking, Ras downregulation, 212
 - in vitro biophysical studies, 205
 - ligand processing, EGFR signal activation, 209, 211
 - molecular chaperones, 206
 - Notch signaling cycle, 213
 - proteomic studies, 205
 - signaling protein homeostasis, 206
 - signaling, disruption, 205
 - specialized cells, proteostasis in, 207
 - Ubiquitin-Proteasome system, 206
 - visual signal transduction, modulation, 221
 - Drosophila retina, 151, 157, 317
 - apical-basal polarity, 144
 - Crb complex, 142, 145
 - development of, 43
 - elongation, spastin role, 154
 - genetic interaction studies, 142
 - Patj complex, 142, 145
 - sdt genes, 142, 145
 - stable/acetylated microtubules, 153
 - Drosophila TOR (dTOR), 254
 - Drosophila Tsc1/2, 254
- E**
- E-Cad, 197
 - Echinoid, 244
 - EGF signaling
 - in ommatidial spacing, 171, 172
 - Ellipse dominant mutations, 171

- Endocytic trafficking
 Notch activation, ligand-independent control, 218
- Endocytosis, 169, 189, 197, 211, 215, 217, 218, 220
 EGFR, 211
 of Dl, 169
 of Fmi and Egfr in IPCs, 193
 ubiquitin-mediated, 207
- Endosomal trafficking
 Ras, downregulation, 212, 213
- Epidermal growth factor receptor (EGFR), 14, 26
 activating ligands, 112
 activation of, 114
 cone cell precursors, 125
 D-cbl, signaling pathways, 212
 dominant negative, 113
 dPax2 activation, 127
 loss-of-function (LOF) clones, 172
 mutant cells, 172
 negative regulation of, 114
 ommatidial cluster growth, 116
 primary pigment cell recruitment, 127
 signal activation, 209, 211
 signaling pathway, 112, 116, 120, 121
- Epithelial cells, 149
- Epsin by Faf
 ubiquitination of, 217
- ER associated degradation (ERAD), 206
- ER stress, 206, 222, 286
- Ero1L, 215, 216
 genetic interactions, 215
 mosaic clone analysis, 216
- Ewing sarcoma breakpoint region 1(EWSR1), 279
- Expanded (Ex), 238, 240, 242–244
 localization of, 243, 244
- Extramacrochaete (Emc), 178
- Eya (eyes absent)
 overexpression of, 9
- Eye degeneration, 282
- Eye development, 185, 187
 DV patterning, 44
 early second instar of, 42
 genetic machinery involved in, 39
 growth spurt, 40
 pnr, role of, 63
 retinal differentiation, 52
 Ser, role of, 48
 Wg, role of, 56
- Eye disc
 Ato expression, 168
 growth, 165
 photoreceptor clusters in, 170
- Eye imaginal disc, 165, 167
- Eye lobes
 embryonic, 305
 epithelial layer of, 303
 non-differentiated area of, 310
- Eye neuroepithelium
 in fly eye, 189
- Eyegone (eyg), 12
 forced overexpression of, 12
 loss-of-function mutants, 12
- Eyeless (Ey), 168
- Eyeless (ey), 3
 expression pattern, 5
 forced overexpression of, 6
 hypomorphic alleles, 6
 Pax6 homologs, 5
- Eyes absent (eya), 9, 10
 coexpression of, 304
 conserved expression, 320
 downregulation of, 307
 expression of, 305, 310
 function of, 310, 315
 mutants, 9
 RNAi-mediated knockdown, 311
 role of, 311
 transcription factor gene, 304
 transcriptional regulator, 16, 17
- eyFLP cell lethal, 254
- eyg, 12
- F**
- F-actin acts, 244
- FERM proteins
 in Retina, 151
 in retina, 150
- Fly epithelia, 245
- Fly eye, 287
 in drug discovery, role, 287, 289
 junctions in, 187
- Fragile X syndrome, 274, 280
- Friend of Echinoid (Fred), 193
- Furrow, 103
 EGFR activity, 115
 progression, 107, 108
 recognizable cell cluster, 101
 speeding up of, 110
 switching Ato off, 112
- G**
- Gain-of-function (GOF)
 mechanisms, 274
- Gene duplication, 5, 337

Genetic studies, 241
 Golgi-localized kinase, 242
 Gp150
 loss of, 169
 Green fluorescent protein (GFP), 280

H

Head involution defective (*hid*), 233
 Hedgehog (*Hh*), 167
 Heteromeric complex
 Ex-Mer-Kibra, 242
 Hibris (*Hbs*)
 study, 170
 Hippo pathway, 235
 apical membrane in epithelial cells, 244
 downstream Wts-Mats complex, 237
 fat signaling, 242
 growth regulatory networks, 234
 Hpo codes for S-T kinase, 237
 motif-specific interaction, 238
 negative regulators of, 245
 network/superhighway, 250
 regulate growth, interact with other pathways, 249
 tumor suppressor genes, 237
 upstream regulators, 241
 Hippo signaling pathway, 235
 fat-branch related, phenotypes, 243
 studies, 241
 His-domain protein tyrosine phosphatase, 245
 Holometabola
 larval eye reduction, proximate cause, 353
 Homophilic interactions
 in fly eye, 188
 Homothorax (*hth*), 13, 56
 antagonistic interaction of, 63
 expression of, 56
 forced expression of, 13
 function of, 13
 loss-of-function phenotype of, 57
 misexpression of, 58
 mutant cells, 57
 potential mechanism of, 60
 ventral specific function of, 58
 Hpo and Yorkie, 244
 phosphorylation, 244
 Human Hsp70 (HSP1AL)
 misexpression of, 285
 Human neurodegenerative diseases, 274
 Huntingtin (*Htt*), 275
 N-terminal fragment, 277
 Huntington's disease (HD), 274
 Hyper-phosphorylation of d4E-BP1, 254

Hyperactivation, 237, 239

I

IgSF proteins
 preferential adhesion between different receptors, 194, 195, 197, 198
 Infantile neuronal ceroid lipofuscinoses (INCL)
 LOF mutations, 282
 Initiation
 furrow, 79, 86–89
 hh transcription, 87
 pattern formation, 84
 Inner photoreceptors, 100
 Insulin receptor substrate (IRS), 252
 Insulin-like growth factors (IGFs), 255
 Insulin-receptor signaling pathway
 cell size, regulation of, 252
 Insulin/PI3K signaling, 254
 Inter-retina space formation
 Drosophila retina morphogenesis, 157
 Intermediate/proneural groups, 167
 Interommatidial pigment precursor cells (IPCs), 187
 Intrinsic mechanisms mediating neurotoxicity
 identification of, 282, 283

J

Johnston's auditory organ
 Ato expression in, 168

K

KIBRA, 244, 251
 RNAi knockdown, 244
 Kinesin, 82
 Kinesin motors
 Kinesin-2, 155
 role in Drosophila retina morphogenesis, 155, 156

L

Large tumor suppressor (*lats*), 236
 Larval eye
 cadherins, regulating adhesion during rotation, 191
 cytoplasmic AJ-associated proteins, 190
 E-Cad, dense localization, 189
 Ed and Fred, 193, 194
 EGFR signaling, multiple roles, 192, 193
 homophilic interactions, 193
 in Holometabola, 353
 insect species, development in, 351
 myosin II, generating force, 193
 PCP proteins, 189
 PCP signaling, 191, 192

- photoreceptor, 189
- R-cell precursors, 189
- redeployment of, 346
- Larval optic neuropile (LON), 335
- Lateral inhibition
 - by N-DI interaction, 169
 - Notch, role, 168–170
- Leber congenital amaurosis (LCA), 157
- Leigh Syndrome, 281
- Ligand-binding
 - EGFR signaling, results in activation, 211
- Ligand-independent Notch signaling, 170, 171
- LKB1 (Par-4)
 - role, 151
- Loss of functions (LOF)
 - genes, 281
 - mutations, 280, 281
- Luciferase assay, 239

- M**
- Machado-Joseph disease (MJD), 275
- Mammalian cells, 239
- Mammalian Hippo pathway, 250, 252
 - Neurofibromatosis type II (NF2), 251
 - vertebrate models, 250
- Mammalian model systems, 244
- MAP kinase (MAPK)
 - moderate level signaling, 120
 - phosphorylated, 115
 - signaling pathway, 105, 120, 121, 125
- Mature fly eye, 185
 - cells, precise arrangement, 185
 - ommatidium, 185
- Membrane domain modulations
 - Spectrins, role of, 152
- Merlin (Mer), 244
- Metamorphosis, 233
- Molecular analysis, 236
- Molecular chaperones, 206
- Monoubiquitinated DI, 169
- Morphogenetic furrow (MF), 9, 76, 91, 101, 107, 185
 - anterior edge of, 13
 - initiation of, 7
 - localized expression, 5
 - ommatidial assembly, 92
 - pattern formation, 80
 - progression of, 89
 - propagation of, 7
 - spb expression, 8
- Mosaic techniques, 234
- Mus musculus, 37
- Mutagenesis, 234
- Mutant eye discs, 234
- Myotonic dystrophy 1 (MD1), 280

- N**
- N degradation, 169
- N signaling, 170
 - activation, 170
 - asymmetric activation of, 170
 - by DI, cis-inhibition of, 171
 - endosomal trafficking, role, 169
- NAD synthase nicotinamide mononucleotide adenyltransferase (NMNAT), 285
- Nedd-4 E3 ligases, 220
- Negative regulatory region (NRR), 215
- Nemo (nmo), 13, 192
 - forced expression of, 13
 - mutants, 13
- Neph1–Nephrin interactions, 128
- Nephronophthisis4 (NPHP4), 251
- Neurocrystalline lattice, 43, 75
- Neurodegeneration
 - cell death/apoptosis, 285
- Neurodegenerative diseases
 - LOF mutations, 280, 282
- Neurogenesis, 167
- Niemann-Pick disease type C, 282
- Nonvisual interneurons, 335
- Notch, 170
 - activation, 170, 214
 - D-cbl, signaling pathways, 212
 - definition of, 166
 - effects of, 105, 128
 - lateral inhibition in, 168, 169
 - ligand DI, 169
 - ligand endocytosis, Epsin homeostasis, 217
 - ligand-independent manner, activation in, 170
 - receptor, 215
 - signaling in, 127, 128, 169
- Notch intracellular domain (NICD), 169, 213
- Notch pathway, 105
 - components of, 110
 - transcription factor, 109, 125
- Notch signaling cycle, 213
- Notophthalmus viridescens, 37

- O**
- O-fucosyltransferase-1 (OFUT1)
 - Fringe (Fng), 216
 - glycosylation, 216
- Ommatidia, 165
 - selection and arrangement, 185
- Ommatidial rotation, 192
 - direction and degree of, 192

- Ommatidial spacing, 172
 EGFR, role of, 171
- Ommatidium, 119, 124
 cone cells, 233
 corneal lens secretion, 101
 EGFR signaling pathway, 112
 heterophilic interaction, 128
 inner photoreceptors, 100
 mystery cells, 101
 photoreceptor bundles, 186
 planar polarity, 118
 primary pigment cells, 233
 R8 photoreceptor, 105
 secondary bristle organs, 233
 secondary pigment cells, proliferation of, 233
 tertiary pigment cells, proliferation of, 233
- Optix, 6, 9
 C-terminal end, 8
 forced expression of, 8
 gene locus of, 7
 loss-of-function mutation of, 8
 regulatory domains of, 8
- Organogenesis, 37, 38, 42, 44
 study of, 234
- Outer optic lobe anlage (OOLA), 335
- Outer photoreceptors, 99
- P**
- Pale ommatidia, 100, 349
- Palmitoyltransferase, 243
- Pals-1-associated tight junction protein (Patj), 142, 145
 in retina development, role, 145
- Pannier (pnr)
 eye genes, 53
 fate selector, 60
 gene expression, 47
 selector genes, 61
 top most gene, 55
- Par and Crb complex
 cross-talk, 146
- Par complex
 in cell polarity, 146
 localization in mid-stage of pupal developing eyes, 147
- Par-1, 142
 Baz, phosphorylation of, 149
 phosphorylation sites, 149
- Par-1 kinase
 Baz, localization of, 149
- Par-3
 biochemical analysis, 146
 cell polarity, 146
 discovery of, 146
 in mouse retina, localization, 147
 vertebrate, 147
 vertebrate retina, functional role, 147
- Par-6, 146–149
 cell polarity, 146
 complex of, 142
- Parkinson's disease (PD), 274, 280
- Peroxisome proliferator-activated receptor gamma (PPAR γ), 252
- Phosphatases-Striatin-interacting phosphatase (STRIPAK), 245
- Phosphoinositide dependent kinase 1 (PDK1)
 Drosophila homolog of, 252
- Photoreceptor (R1–8) cells, 274
- Photoreceptors
 ablation of, 127
 cone cell transformation, 125
 DL transcription, 121
 double mutant eye precursors, 111
 inner, 101
 outer, 124
 over-recruitment of, 113
 R2/R5 and R1/R6 pairs, rhabdomeres, 101
 recruitment of, 127
 zn-finger transcription factor cell, 120
- Photoreceptors of AJs
 Baz, localization of, 147–149
 mammalian cells, 147
- Pigment cells, 275
- Pin head
 mutation, 235
 screens, 252
- Planar cell polarity (PCP), 170, 187, 220
 pathway, 242
 proteins, 189
- Plasma membrane, 237
- Platynereis dumerelii, 332
- Polarity in Drosophila eye, 43
- Polarized signaling
 in Drosophila larval eye disc, 210
- PolyQ diseases
 RNA toxicity in, 280
- PolyQ expansions, 283
 in Atrophin-1 (Atro-1), 278, 284
- Post-embryonic lethality, 234
- Postembryonic development
 in Bolwig's organs (BO) photoreceptors, 345, 346
- PP2A, 150
- Pre-proneural (PPN) zone, 108
- Precursor cells, 233

- Presenilin (Psn), 169
 catalytic activity of, 169
 loss of, 170
 maturation, 169
 Notch cleavage and signaling, 200
- Primary pigment cells, 125, 127
 dPax2 activation, 127
 formation of, 126
- Programmed cell death (PCD), 128
- Progression, 86
 furrow, 90, 91, 93
- Proneural genes, 167
- Protein kinase C (PKC), 255
- Protein misfolding disorders, 274
- Protein phosphatase 2A (PP2)
 Baz, localization of, 149
 dephosphorylation, 149
- Protein trafficking
 cellular adaptation to light, 223
- Proteinopathies
 fly models of, 282
- ProteinopathiesSee Protein misfolding disorders, 274
- Proteostasis
 in specialized cells, 207
- Pupal eye
 cadherins, 199
 distinctive pattern, generation of, 194
 IgSF proteins, preferential adhesion
 between different receptors, 194, 195, 197, 198
 moonlighting as signaling centers, AJs, 199, 200
 non-neuronal epithelial cells, 194
- Puromycin-sensitive aminopeptidase (PSA)
 identification of, 287
- R**
- R-cells, 186
- Rabex-5 Ubiquitinates Ras, 213
- Ral GTPase activity
 in Notch activation, 170
- Ras Association Family, 245
- Ras-like (Ral), 220
 hypomorphic alleles of, 221
- Rat sarcoma (Ras)
 activation of, 105, 128
 moderate level signaling, 120
 signaling pathway, 105, 121, 125
 ubiquitination of, 213
- RDN, 3
- Reactive oxygen species (ROS), 206
 accumulation of, 281
- Receptor tyrosine kinase (RTK), 105
 Sevenless, 123
 signaling pathway, 105
- Retina
 adult eye, 75
 adult primordium, 322
 differentiating, 310, 315
 differentiation of, 314
 dorsal half of, 76
 dorso-ventral patterning, 307
 Drosophila compound eye, 298
 early eye development, 79
 fully differentiated, 307
 furrow initiation restriction, 87
 Hh ligand, 82
 nymphal, 311
 overt patterning of, 81
 posterior margin of, 76
 primordium of, 303
- Retina development
 Par-3(Baz)/Par-6/aPKC, 146, 147
- Retina morphogenesis
 actin cytoskeleton, function, 153
 cell, apical and basolateral surfaces, 151
 phosphatidylinositol lipids, role, 151, 152
 trafficking and secretion, 152
- Retinal degeneration
 light-induced, 145
 superoxide-dependent, 145
- Retinal determination (RD) genes, 168
- Retinal determination network (RDN), 1, 3, 20
 development of ocelli, 28
 first expressed gene, 5
 genes, 6, 18, 28
 initiation of gene expression, 3
 larval eye formation, 27
 members of, 20, 24
 mutational inactivation of genes, 3
 regulation of, 29
 tissue specification, 15
- Retinal differentiation
 adult eye development, 301
 eye selector gene expression, 317
 eyg, role, 318
 hh, role, 320
 initiation of, 304
 morphogenetic furrow formation, 303
 onset of, 315
 repressive effect of Wg-signaling, 315
- Retinal neurogenesis
 Ato expression in, 166
 Atonal expression, positive regulation, 167, 168

- critical event for, 166
 - furrow progress, 167
 - ommatidial pattern, 166
 - R8 selection in, 167
 - secreted signaling molecules, 166
 - Retinis pigmentosa, 157
 - Rhabdomere, 99, 141, 157, 222, 223, 302, 342
 - and pigment cup, 351
 - Drosophila photoreceptor morphogenesis,
 - elongation in, 154
 - elaboration of, 345
 - elongation, 145, 153, 155
 - formation of, 144, 342
 - growth and elongation, 152
 - in developing pupal eyes, 154
 - light-sensing, 187
 - morphogenesis, 152, 155
 - morphogenesis microtubules, role, 153
 - photoreceptor in pupal retina, stalk region,
 - 145
 - separation, 157
 - specialized membrane, 222
 - stalk, 146, 152, 157
 - stalk membrane, 145
 - terminal web, 156
 - RhoA-Drok-Myosin II pathway, 193
 - Rhodopsin
 - expression, 100
 - folding and cotrafficking, 222
 - Rhodopsin 1 trafficking, 145
 - Rhomboid-3 (Rho-3), 210
 - Rough (Ro) expression, 171
 - Roughoid *see* Rhomboid-3 (Rho-3), 210
 - Rubin Lab, 234
 - Rumi
 - glucosylation by, 216
- S**
- Scabrous (Sca), 169
 - Scalloped (Sd), 239
 - Schistocerca americana
 - experimental model, 302
 - phylogenetic framework, 298
 - Scrib, 243
 - Septate junctions (SJ)
 - in fly eye, 187
 - Serrate (Ser), 46
 - dominant negative form of, 48
 - DV patterning, 47
 - genetic epistasis analysis, 48
 - loss of functions of, 47
 - ventral eye genes, 48
 - vertebrate homolog of, 64
 - Serum and glucocorticoid-regulated kinase (SGK), 255
 - Signal termination by INAD
 - control of, 222
 - Signal transduction pathways, 241
 - Signaling protein homeostasis, 206
 - Sine oculis (so), 6, 9, 168
 - coexpression of, 304
 - conserved expression, 320
 - downregulation of, 307
 - expression of, 310
 - eye specific expression, 7
 - function of, 317
 - larval eye formation, 6
 - regulatory domains of, 8
 - role of, 311
 - severe developmental defects, 7
 - transcription factor gene, 304
 - Spastin, 154
 - in Drosophila retina elongation, role,
 - 154
 - overexpression in photoreceptors, 154
 - Spectraplakin
 - role in Drosophila retina morphogenesis,
 - 156
 - Spectrins, 152
 - Spi proteins, 209
 - Spi trafficking
 - in Drosophila larval eye disc, 210
 - in ER, 210
 - Spinal and bulbar muscular atrophy (SBMA)
 - model of, 277
 - Spinocerebellar ataxias (SCA), 274
 - Stardust (Sdt), 142, 145
 - Strabismus, 191
 - Succinate dehydrogenase (SdhA)
 - deficiency in, 281
 - Supernumerary cells, 233
 - Superoxide dismutase 1 (SOD1)
 - in ALS, 274
 - in Tau, 274
 - in TDP-43, 274
 - mutations in, 279
- T**
- Tall columnar epithelial cells
 - in fly eye, 187
 - Target of Rapamycin (TOR), 254
 - multiple points upstream and downstream
 - of, 256
 - signaling, 254
 - TORC2 complex, 255
 - TATA box-binding protein (TBP), 277

- Tau, 278, 283
 neurotoxicity, 286
 toxicity, genetic modifiers, 286
- Teashirt (tsh), 11, 56
 embryonic role of, 10
 homeotic gene, 59
 loss-of-function mutation, 11
 overexpression of, 11
 potential mechanism of, 60
 ventral eye specific, 60
- TGF β signaling pathway, 240
- Thiol oxidase *see* Ero1L, 215
- Thyroid hormone receptor associated proteins (TRAP)
 complex, 174
 mutant clones, 174
- Tiptop (tio), 10, 11
 forced overexpression of, 11
 null mutants, 11
- toe, 12
- Transcription factors
 BarH1 and BarH2 homeodomain, 112
 cell type specific, 116, 120, 126, 128
 class II bHLH, 105
 Ets domain, 105, 112, 119, 125
 functionally redundant, 120
 R3/R4 specification, 118
 Ras/MAPK pathway, 123
 regulatory elements, 106
 signaling pathway, 121
- Transcriptomes, 19
- Transient receptor potential (TRP)
 folding and cotrafficking, 222
- Transient receptor potential mucolipin 1 (TRPML1)
 mutations in, 282
- Tribolium
 expression of dpp, 315
 knockdown analysis, 317
 molecular study of, 315
 morphogenesis of compound eye, 314, 315
 organization of compound eye, 313
 phylogenetic framework, 300
 taxonomic significance of, 312
- Tumor suppressors, 237
 growth regulation, 256
- Twin of eyeless (toy), 3, 315
 functional differentiation, 321
 knockdown analysis, 317
 Pax6 homologs, 5
- Twin of eyg (toe), 12
 downregulation of, 12
- U**
- Ubiquitin ligases
 Nedd-4 family, 220
- Ubiquitin Proteasome system, 206
- Unfolded protein response (UPR), 206
- V**
- Ventral eye genes
 boundary formation, 62
 DV patterning, 48
 genetic hierarchy of, 48
- Ventral nerve cord (VNC), 5
- W**
- Warts, 236
- Wingless (wg), 53
 loss of, 60
- X**
- X-box binding protein 1 (XBP1), 286
- Y**
- YAP1/2, 239
- Yellow ommatidia, 100, 346
- Yorkie (yki), 238
 activity, 241
- Z**
- Zebrafish gene
 mosaic eyes, 151
- Zyxin (Zyx), 243