

Index

- 1D
 chains of fullerene 276
 crystals derived from polyhedral
 framework structures 283–8
 crystal synthesis within SWNTs 275–82
 halide 288–90, 292–5, 297
 nanostructures 150, 284
 zig-zag chain 288
3D network, 2D layered, 1D chain 283
- actinide halides 275
AFI *see* zeolite
AgCl–AgBr filling 293; *see also* silver
AgCl–AgI, pseudoternary 292
Aharonov–Bohm oscillations 217
Ajayan, P.M. 137, 222
alumina 76
ammonium thio (seleno) metallate 258
amorphous carbon
 nanoparticles 67
 carbon film 104–5
anodic aluminum oxide 97
arc discharge 3, 31, 97, 154, 172, 175, 194,
 221, 231, 254
arc-produced fiber 209
arc vaporization 277
argon ion milling 117–18
armchair
 atomic arrangement 230, 254
 nanotube 33, 45, 50–1, 61, 95, 108, 207,
 227, 230–1
 structure 8–9, 11, 56, 267
atomic-focuser effects 77, 90
atomic force microscope (AFM) 165–6, 209,
 244, 273
Au–Au pairs 77; *see also* gold
- Bailey, S. 298
ballistic damage 143
ballistic emission 202–3
ballistic quantum conductance 207–10
Bando, Y. 203, 221–2, 243
Banhart, F. 134, 159, 234
barium iodide 288–90
B-C-N 237, 240
beam deflection effect 195
Belgian Interuniversity Project on
 Reduced-Dimensionality Systems
 (IAP V-1) 70
“bending-bridge” technique 167
bending of carbon nanotube 166–8,
 183, 203
 effect on electronic properties 133
bending modulus 181, 268
 effect of defects on 181
 by electric field-induced mechanical
 resonance 174–85
 of MWNT 180
Bernaerts, D. 61
Bessel function 18–20, 22–3, 25–8, 31, 41,
 50, 78, 264
Bettinger, H. F. 243
binary halide crystals 276
biological macromolecules, tubular structures
 in 4
bismuth nanowires 274
Blase, X. 227
Bloch, F.
 hydrodynamic equations of 126
blockage of SWNT capillaries 296
“blocking” effect 13–17
Boltzmann
 constant 192
 distribution 172
bond-bending energy 96
bonding
 energy curve 181
 between shells 204
boranes 256
boron carbon nanotube 128

- boron nitride (BN) 81, 83
 - cage structures 139
 - crystallographic orientations 223
 - curled and closed nanostructures 223
 - MWNT 225–7, 229
 - nanobamboos and nanorods 221
 - nanocone apex 224
 - nanoparticles 236, 262
 - tube caps 224
 - tube-filling project 245
- boron nitride (BN) nanotubes (NT) 252
 - 3-shelled, flattened 230
 - 5-shelled 223
 - BN and C-doped 236–43, 245
 - electrical property measurements 245
 - electron-irradiation-induced changes 233–6
 - helicity and atomic structure 226–30
 - morphology of 222–5
 - preparation and TEM analysis 243
 - shells 229, 234, 237
 - thermal stability and chemical toughness 244
- Bourgeois, L. 224, 227, 245
- Bragg reflections 59–60
 - for crystalline bundles 60
 - of flat graphite network 50
- Bragg spots 51
- Brown, G. 298
- “buckling” effect 180
- bucky-cubes 261
- “bucky-peapods”, formation of 155
- bucky-tetrahedra 261

- C⁺ implantation into copper 139
- C₆₀ fullerenes 97, 137, 154–6, 158, 223, 239, 261, 264
- Cabioc’h, T. 135
- carbide crystallites 85
- carbon (C)129
 - arc 85
 - atom displacements 140
 - closed nanostructures 223
 - film 13–17, 40, 98
 - graphene sheet 222
 - graphitization 149
 - K edge 131, 134
 - monoxide 53
 - MWNTs 82, 229
 - nanoshell 86–8, 90
 - nanostructures 137
 - onions 123, 130, 134, 145
 - soot 137, 145
- carbon–carbon
 - bond rotation mechanism 142
 - coherent atomic packing 70
 - coil 185
 - concentric 263
 - conductance measurement 210–13
 - filling 129, 231
 - pyrolysis technique 181
- catalytic arc vaporization 275
- catalytic chemical vapor deposition (CCVD) 53, 61, 68, 70, 97
- CCD detector 74
- CdCl₂ 260, 285
 - closed-cage nanoparticle of 259
 - “twisted” structure 284
- CdCl₅ 285
- CdCl₆ 284
- CdO 151
- chiralities, distribution of 69
- chalcogenides 260
- Charlier, J. C. 159
- Chatham, H. 229
- chemical etching 117
- chemical mapping 127
- chemical stability 191
- chemical vapor deposition (CVD) 97, 106, 216, 221, 231
 - of methane 170
- chemical vapor transport (CVT)
 - technique 258
- chemie douce* 255
- Chen, Y. 243
- chiral angle (helicity) 45
- chiral nanotubes 49–51
- Chopra, N. G. 222
- chromium 129–30
 - selenide 260
- classical elasticity theory 176
- cleaning of nanotubes 212
- closed-cage nanostructures 251, 254, 259
- CN_x nano-island formation 146–8
- cobalt 79, 145
- Cohen, M. 245
- Coleman, K. 298
- Colliex, C. 159
- Colomer, J.-F. 45
- composite SiC–SiO_x nanowires 185
- concentric graphitic layers 137
- condenser lens 74
- cone-like structures 40
- constant-force nanosprings 204
- continuous elasticity theory 176
- continuum elastic model 257
- convergent beam
 - electron diffraction (CBED) pattern 75, 144
 - diffraction spots 90
- copper 211
- core losses 127–35
- Costa, P. 298

- Cowley, J. M. 61, 73, 264
 Crespi, V. H. 159
 crystalline bundles lattice parameter 60
 Cu–Au alloys 77
 Cummings, J. 204, 222, 244
 curvature effect 97, 153
 on nature of electronic bonds 130–4
 curved graphitic networks 130–1
 cylindrical correction 25–6
- Dai, H. 54
 dangling bonds 142, 155, 251
 dark-field and bright-field images of
 nanotubes 197
 dark-field STEM images of ropes 80
 Debye Scherrer rings 140
 de Heer, W. A. 207
 Demczyk, B. G. 227
 Demoncy, N. 129
 diamond 38
 core 144
 film 145, 193
 formation inside graphitic onion structures
 144–6
 synthesized by chemical vapor
 deposition 135
 diamond–graphite phase diagram 145
 diffraction
 circles 67
 intensity distribution 35, 37
 ring of graphite 111
 theory of 83
 diffraction patterns (DPs) 74, 91
 from 5-layered BN NT 226
 of bundle of SWNT 50, 56
 diffusive conductor 212
 digital recording techniques 91
 dipping cycles 210–11
 discontinuity
 at boundary of crystal 77
 of helix 21
 DNA molecules 4
 Dong, Z.-C. 245
 Dorozhkin, P. 245
 double-walled nanotubes (DWNTs) 150, 155
 dual-beam laser evaporation method 4
 ductility 39
 Dunin-Borowski Rüdiger Meyer, R. 298
 dynamical diffraction effects 75
- Ebbesen, T. W. 222, 275
 elastic energy of bending 255, 257
 elasticity theory 177
 elastic and quasi-elastic collisions 122
 elastic and shear moduli of single-walled
 carbon nanotubes 168–9
- electrical conductance of a single MWNT
 209
 electrical properties 97, 191
 electric arc discharge 53, 66–7, 69–70
 electric field-induced mechanical resonance
 171
 electric transport
 of carbon nanotubes, *in-situ* 207
 measurements 115
 property 170
 through single carbon nanotubes 214
 electromechanical coupling of carbon
 nanotubes 170
 electromechanical resonance 183
 electromechanical response of SWNT 171
 electron
 biprism 198–9
 devices 148
 energy, threshold of 137
 excitation process 235, 237
 hole pairs 121
 holograms, formation of 199
 imaging of nanotubes, characteristics of
 9–13
 irradiated graphite 139–40
 mean-free-path-length 208
 micrographs 31
 microscopy 40, 61, 231–3
 optical defects 10
 phases image of carbon nanotube 200
 scattering amplitude 16
 wave phase, shift of 198
 electron beam
 bombardment 292
 effect on graphite, carbon nanotubes, and
 onions 137–44
 irradiation 38
 electron diffraction (ED) 45, 49, 256
 patterns 23, 28, 31, 33, 52–3, 56
 in nanotubular objects, theory of 226
 of SWNT bundles 49–52
 electron energy loss spectroscopy (EELS)
 73, 121, 140, 146–7
 spectra of carbon nanoparticles 123, 126
 electron nanodiffraction (END) 73, 78
 applications 74, 76
 pattern 75, 78
 spots 77
 electron-beam heating 235
 electronic band structure of SWNTs 207
 electronic properties
 of carbon onions or nanotubes 123–4
 of SWNTs 148
 electrostatic charges on carbon nanotubes
 195–7
 electrostatic deflection 175–6

- electrostatic force 196, 200, 202
- electrostatic potential at nanotube tips, mapping 198
- elemental analysis of filled carbon nanotubes 129
- element selective single-atom detection 128
- energy analyzer 121
- energy loss near edge structure (ELNES) 147
 - on carbon K edge 131–3
 - on graphitic structures 141
- energy loss spectra 126
- energy states related to quantum confinement 122
- Energy-Filtered Electron Microscopy of BN and C-doped BN NTs 236–43
- equatorial line 50, 52, 56, 58, 61, 63–4, 68
 - profile of intensities 57, 59, 68
 - profiles for SWNT bundles 58, 60, 65
- Eremets, M. 245
- Euler rule 223
- Ewald sphere 79
- excitation probabilities 127

- faced center cubic phase 146
- FE curves 244–5
- femtogram nanobalance 183
- Fe–Ni filling 232
- Fermi–Dirac function 192
- Fermi
 - energy 191–2
 - level 207
 - velocity 208
- ferrihydrite 76
- ferritin molecules 76
- Feynman crystals 275, 279
- Feynman-type solids 273
- fiber/nanotube contact 211
- field emission 217
 - of carbon nanotubes 191–3, 204
 - high-resolution transmission electron microscopes 222
- field emission guns (FEGs) 73, 290
- field emission-induced structural damage 200–3
- filaments 137
- film field emitters 193
- Flahaut, E. 298
- flexural rigidity 187
- fluctuation
 - conductance 119
 - supercurrent 98
- fluidized-bed reactor 267
- focused ion beam deposition (FIB)
 - technique 117
- foil surface 117

- four-dimensional intensity function 89
- Fourier transform 173, 230
 - filtered image of individual fingerprint structures 111
- Fowler–Nordheim
 - equation for field emission 191–2
 - plot 244
- Frank, S. 201
- Fraunhofer diffraction pattern 21, 27, 31
 - of helix 19–20
- Fresnel
 - diffraction effect 115
 - fringes 47, 111
 - projection electron microscope 245
- Friedel’s law 17, 35
- Friedrichs, S. 298
- fullerene-like nanoparticles 252–4
- fullerenes 80, 137, 223, 237, 277, 295–6
- fundamental resonance frequency and nonlinear effect 175–80
- Ga₂O₃ 151
- Gabor, D. 77, 90, 198
- gadolinium
 - metallofullerene 128–9
 - nanowires 158
- GaN 261
- Gao, Y. H. 203
- GaOOH 255
- gas discharge tubes 148
- Gaussian vibration probability profile 172
- Ginzburg–Landau free-energy functional yield 119
- Gogotsi, G. 159
- Golberg, D. 221–2, 229, 232, 238, 243
 - ball 194
 - clusters 145
 - electrodes 194, 207
 - nanowires 150–1
 - surface 216
- gold-alloyed MoS₂ and WS₂ micro- and nano-tubes 267
- gold nanowires 274
- graphene
 - indices 28
 - lattice 5–9, 27, 34
 - net, basis vectors of 5
 - reflections 30, 32–3
 - sheets 45, 141, 263
- graphite
 - bilayer model 101, 103–4
 - diamond transformation 139, 145
 - layers 85, 215
 - morphology 137
 - nanoparticles 54, 251

- nanostructures 137
- networks 132, 138
- reflections 82
- rods 129
- sheet 96–7, 216
- shells, local anisotropy of 131
- volume, compressibility of 39
- Green, M. L. H. 273
- Grosvenor, S. 298
- growth
 - kinetics 224
 - mechanism(s) of tubes 54
- H,S,O, compounds (hydridosilsesquioxanes),
 - closed cage 256
- H₂Ti₂O₇ 252
- Hacohen, Y. R. 268
- halides 288
 - cluster formation within SWNTs 290–2
- Hamada, N. 96
- Hammer, J. 298
- Han, W. 245
- Hanson, N. 298
- Hasegawa, M. 245
- “head-shaking” effect of nanotube 201,
203–4
- Heggie, M. I. 159
- helical iodine chains 276
- helical multishell gold nanowires 150
- helicity 63
 - deduction of 26–9
 - determination of 16–38
- Henrard, L. 70
- hexagonal close-packed (hcp) lattice 150
- hexagonal lateral packing of SWNT 80
- high annular angle dark field
(HAADF) 148
 - pre-EELS images 295
 - STEM image 294
- high-energy electron irradiation of polyhedral
graphitic nanoparticles 137
- high-resolution transmission electron
microscopy (HREM)
- high-resolution transmission electron
microscopy (HRTEM) 95
- HiPCO process 4
- hologram
 - in-line 77, 90
- Hone, J. 222
- honeycomb lattice 224, 251
- Hong, B. H. 274
- Hutchison, J. L. 273
- Ichihashi, T. 222
- icosahedral symmetry 223
- ID fluctuation superconductivity 116
- Iijima, S. 49, 81, 222, 226, 263
- image simulations 16
- imaging
 - conditions for single-walled carbon
nanotubes 104–6
 - electrostatic field and charge distribution
198–9
- In₂O₃ 151
- inelastic collision 208
- inelastic scattering 213
- inorganic compounds
 - classification of folding mechanisms of
254–7
 - with layered (2D) structure 255
- inorganic fullerene-like (*IF*) structures
251, 257–8, 264, 268
- inorganic nanotubes 251, 264–8
- inorganic onions 139
- intensity
 - arcs 63
 - distribution 19, 31, 79
- interatomic interaction force 181
- interferometer 198
- interlayer
 - tunneling effect 215–16
 - van der Waals interaction 255
- ion implantation technique 135
- iron 85
 - catalyst 275
 - pentacarbonyl 53
- iron-containing cores 76
- irradiation dose 140
- isolated straight bundle of SWNT 55
- JEOL-3000F 222
- JEOL-3100FEF 222
- K⁺ atom 279
- kaolinite 255
 - structure, schematic representation of 254
- Kim, Y.-H. 229
- kinematical theory of diffraction 17, 50–2,
57–8, 70, 83
- Kirkland, A. I. 273
- “knock-on” atom displacements 141–2, 235
- Koike, J. 139
- Kondo, Y. 150, 274
- Kong, J. 170
- Kral, P. 243
- Krätschmer-Huffman synthesis 275
- La-catalyzed arc discharge 221
- Lambin, P. 70
- lamps 148

- laser
 - ablation 53, 62–4, 68–70, 97, 153, 221, 254, 263, 268, 277
 - beam 184
 - evaporation 10, 12, 13, 40, 53
 - heating 221, 227
 - trapping apparatus 185
 - vaporization 231
- laser-produced nanotubes 64
- lattice distortions 279
 - images analysis of 144
 - parameters 48, 57, 61
 - plane 48, 91
- lattice fringes 85, 140, 228, 233, 263
 - HRTEM images 139
 - spacing 55, 82
- Lee, R. S. 222, 227
- Lennard–Jones potentials 282
- light-optical experiments 89
- Lin, M. F. 126
- lip–lip interactions 222
- Liu, J. Z. 181, 264
- local dielectric response theory 125
- Loiseau, A. 222, 243, 245
- Louchev, A. 245
- Louie, S. G. 245
- low-energy electron source microscope (LEEPS) 245
 - images of C-doped BN MWNT rope 244
- low-energy ion beam radiation 144
- low-light-television (TV) camera 74
- low loss region 121, 134
- low-resolution electron optical imaging 89
- low-temperature synthesis 255
- Lucas, A. 123
- Luzzi, D. E. 143, 159

- Ma, R. Z. 227, 232
- Madden, P. A. 282, 298
- magnesia 76
- magnetic storage devices 232
- magnetite-line structure 76
- Maida, M. 224
- manganese 85
- manganese vanadium oxide 255, 268
- “marginal imaging” STEM mode 86
- Margolin, A. 268
- Mazzoni, M. S. C. 229
- mean-free-path length 216
- mechanical properties of nanotubes and nanowires 165
- mechanical stiffness 191
- Meissner effect 98, 116, 118–19
- Menon, M. 227
- mercury 207, 209–13, 216

- metal 84
 - catalysts 53
 - halides, crystalline binary, general structure types of 277
 - nanoparticles 97
- metal-based nanoparticles 231
- metal-boride-catalyzed CVD 221
- metal-filled nanotubes 128
- metallic or semi-metallic nano-wires 84
- metal-semiconductor junction 39
- methane 53–4
- microdiffractograms 129
- micro or nanofluidic devices 155
- microtubules 255
- Mitome, M. 245
- molecular dynamics simulations 96
- molecular halide structures 284
- molecular mechanics calculations 152
- molybdenum, sulfides of 81, 83 128, 139, 251, 255
 - clusters 232–4
 - nanotubes 252, 260
- monodispersity of chirality 69
- monokinetic electrons 121
- multihelical tubes 265
- multiple harmonic effect 178
- multishell nanotubes 263
- multiwalled carbon nanoparticle 126
- multiwalled carbon nanotubes (MWNTs) 38, 65, 75, 77, 81–5, 97, 110–11, 122–5, 169
 - with 0.4 nm innermost tubes 111
 - 17-shell 115
 - 18-shell 112, 115
 - damage rate in 141
 - fluid in cavity of 156–7
- MX₂ cylindrically wound molecular layers of 264
- MX₃ precursor 258
- MX_n halides, electron beam bombardment of 292

- nanobalance 182–4
- nanobeam diffraction pattern (NBD) 226
- nanobearing 203–4
- nanobelts 150
- nanobridge 150
- nanobundles 64, 69
- nanocables 231–2
- nanocage 223
- nanochannels 97, 155
 - of calix hydroquinone 274
- nanocomposite 294
- nanodiffraction (END) pattern 86
 - of carbon nanotubes 73

- from nanoshells 90
 - ring 88
 - from single-walled nanotubes 78–80
- nanoelectronics 232
- nanofibers 137
- nanohorns 38–9
- nanoislands of hetero-atom structures 146
- nano-onions 39
- nano-oscillator 185
- nanoparticles 85
- nanoplatelet 255
- nanoporous structures 273
- nanorods 232
- nanoscale
 - electronics 165
 - technology 128
 - thermostats 232
- nanoshells 77, 85–90
- nanostressing stage 169
- nanostructural molecular device 237
- nano-structures 91
- nanothermometer 203–4
- nanotubes 137, 254
 - 0.6 nm radius 127
 - 0.7 nm radius 127
 - of 2D and 3D compound 252, 257
 - arrangement within a bundle 47–8
 - coalescence process 153
 - deformation 152
 - failure modes 215
 - fiber 212–13
 - field emission current 199
 - geometry 115
 - lattice image 235
 - morphology 9–16, 236
 - ribbon 170
 - tilt and measurement 37–8
 - types of 50
 - use for imaging experiments 88–90
 - using as nanopipes 155–7
- nano-whiskers 91
- nanowires 91
 - formation and the effect of electron irradiation 150–1
- NiCl₂ nanotubes 267–8
- nitrogen, characteristic signals of 147
- Novotny, M. 298
- Nufer, S. 298
- o*-carborane molecules 276
- off-axis electron holography 198
- Ogawa, T. 245
- Ohmic conductor 208
- Ohmic heating 213
- onion-ring structure compression of 144
- onions 38, 137
- optical diffractogram, simulated 23, 25
- optoelectronics 165
- Osakabe, N. 173
- oscillator 172, 184
- oxygen adsorption 215
- Pauling, L. 254
- PbO₂ 150–1
- peapods 153, 237
- Peng, H. Y. 97, 110
- pentagon-heptagon defects 144, 229–30
- Philip, E. 298
- phonon-electron interaction 208
- plane-wave electronic structure calculations 131
- plasma-jet method 221
- plasmon
 - of carbon nanoparticles 122
 - excitations 121–2, 124–5, 131
 - losses 122–7
- plasmon resonance
 - energy 134
 - frequency 122
 - modes, excitation of 126
- plastic deformation MWNTs 152
- polarized micro-Raman spectra 115
- polymer coil 185
- Poncharal, P. 181, 207
- Popovitz-Biro, R. 251
- post-specimen (PS) lenses 74
- potassium chloride 276
- potassium iodide 80
 - crystals, formation and growth within SWNTs 278–9
- prism with faced-centered-cubic structure 150
- pyrolysis 181
 - of carbon 55, 98
 - of carbon monoxide 275
 - of organic materials high-temperature 97
 - of organometallic precursors 53
 - vapor deposition 4
- Qin, L. C. 1, 104, 110
- quantum conductance 208, 213–16
 - of multiwalled carbon nanotube 201, 210
- quantum
 - dot type structures, formation of 273
 - point contact-structures, creation of 150
 - tunneling effect 191
 - wires 150
- Raman-active carbon nanotube modes 98
- Raman spectroscopy 45, 54

- Rao, C. N. R. 243
reciprocal space
 distribution 79
 evidence 55–6
 geometrical model 50–1
Remskar, M. 258
resonance
 of bent carbon nanotube 178
 frequency, fundamental 187
rhombohedral packing 229
Rinzler, A. G. 200–1
“rippling” effect 180
rocksalt-type structures 283
Rodenburg, J. M. 89
Ronchi-fringes 77
Ronchi interference patterns 89
Rosentsveig, R. 268
Rubio, A. 243
Rühle, M. 298
Ruoff, R. 243
ruthenium 76, 273, 276
- Saito, Y. 224, 243, 245
Salvetat, J. P. 167–8
Sawada, S. 96
Saxton, O. 298
scanning electron microscope (SEM) 148
 images of CVD-grown metal
 particle-filled C NTs 232
 image of ultrathin SWNT-containing AFI
 sample 118
scanning probe microscopy 165
scanning transmission electron microscopy
 (STEM) 73–4, 81, 128, 146
scanning tunneling (STM) microscopes 39,
 45, 150, 153, 244, 273
scattering
 amplitude 18, 20, 40–2
 intensity distribution 20
 power 83
 wave vector 50
Scherzer defocus 10, 13, 15, 49, 100–3, 105,
 112–14
 condition
Schrodinger’s equation 191
scroll-like structures 255
selected area electron diffraction (SAED)
 patterns 61, 76, 78, 82, 91
 of SWNT bundle 59, 63–4, 67
self-organization of fullerene
 molecules 277
semiconducting junctions 263
semiconductors, wide band-gap 237
semicrystalline TiO₂ nanotubes 257
shear deformation 168–9
SiC–SiO_x nanowires 186
silicon
 carbide 181, 231
 wafers 170
silver 139
 crystal within a SWNT 293
 halides 275
 “nanowire” 276
single-walled carbon nano-tube (SWNT)
 13–16, 38–40, 45, 95, 125–7, 275
 0.4 nm, novel properties of 115–19
 with AFI crystals 99, 108–9, 116
 with abrupt kink 152–3
 bridge 170
 bundles 46–9, 523–69 144
 capillaries 277
 diffraction symmetry 35–7
 filled 294, 296
 isolated 30–1
 magnetic susceptibility 116
 mechanical and electronic properties
 45, 80
 MoS₂ nanotubes 253, 258
 packing 56–61, 65, 282
 produced by CCVD 54–6
 produced by electric arc discharge 65–9
 produced by laser ablation 61–5
 properties of 45
 sequence under uniform electron
 irradiation 143
 simultaneous observation of 1D crystals
 and fullerenes in 295–6
 stability of 96
 wall fringes 223
SiO₂ 254, 256, 263
“six-line” material 76
Sloan, J. 245, 273
small-wave vector transfer 126
Smith, B. W. 143, 154–5, 159
SnO₂ 151
soft metal contact 209
solid
 forms of carbon 38
 lubricants 254
solid-vapor process 185
spherical nanostructures 139
spherical particles 123
“splitting” process in structural
 damage 201
spring constant of nanocoils 184
Srivastava, D. 227
stacking periodicity of nanotubes 50
standard Born–Mayer pair potentials 282

- Stao, T. 245
static charge at the tip of carbon nanotube 194
static mechanical properties of carbon nanotubes 165–6
Stéphan, O. 131, 159, 245
Stöckli, T. 121, 126
Stone–Wales type transformation 40, 142
strength of carbon nanotubes by double-tip stretching 169
stress distribution 224
stripping
 effect in structural damage 202
 process of a carbon nanotube 200
structure factor 42
 calculation of 16–25
sublimation
 of carbon 53
 or condensation method 260
subnanometer scale 147
subropes 80
subwavelength holes in thin films or optical probes 122
Suenaga, K. 128, 131–2, 159
sulphur 129–30
Sun, H. B. 184
super-conducting gap 98, 119
super-conductivity 116
superhard diamond-like amorphous carbon 106
superstructure spots 77
surface-work function between nanotube and mercury 211
“sword-in-sheath” failure 169
synthetic high-pressure diamond 135
synthetic misfit compounds 255
- Takayanagi, K. 150
Tanabe, T. 140, 159
TbCl₃ 284, 286
Tenne, R. 251
tensile and creep testing 165
Terauchi, M. 227, 236, 243
Terrones, M. 159, 243, 245, 298
Tetraethylorthosilicate, hydrolysis of 256
ThCl₆ chain 284, 287
thermal evaporation of graphite 105
thermal vibration of carbon nanotube 171–2
thiobenzene catalyst 260
threshold energy values for atomic displacement of carbon 143
threshold for radiation damage of carbon nanotubes 178
- time
 decay constant 179
 resolved EELS on a carbon nanotube containing N₂ gas 148
 sequence of carbon onion-like structures 146
TiO₂ 252
tip
 geometry of carbon nanotubes 191
 work function of the NT 195
titanates, reduced 252
Ti₂O nanoparticles 261
Tomanek, D. 243, 245
Tomblor, T. W. 170
Topcon-002B transmission electron microscope 10
top-layer transport in MWNT 215–17
transistors 148
transition
 metal oxides 264
 metals 53
transmission electron microscopy (TEM) 3, 40, 45, 66, 121, 263–8
 contrast of 0.4 nm single-walled carbon nanotubes 106–9
 image of NiCl₂ nanoparticle 260
 image of SWNT 66
trapping force 185
Trasobares, S. 137
Treacy, M. M. J. 173, 222
truncated trigonal prism motif 288
trigonal prismatic structure of MoS₂ 261
tripropylamine 98, 108
Tsang, S. C. 222
tube packing in a rope 225
tubular nanocrystal of graphite 105
tubule indices 28
tungsten
 atoms 90
 multiwall 258
 nanotubes 252, 259–60, 265
 substrate 221
 sulfides of 81, 83
turbostratic stacking 264
two-electrode contacting technique 217
“two-line” material 76
Type 2 nanotubes 213
Type 3 nanotubes 213
- UCl₄ 276
Ugarte, D. 134, 137, 159
unit cell 101
unit vectors of honeycomb network 45

- unrolled graphite sheet 95
- unrolled honeycomb lattice of graphite 95

- vanadium oxide 268
 - nanotubes 252, 255
- van der Waals
 - bonding 108
 - forces 228
 - interactions 224, 258
- Van Tendeloo, G. 45
- Vasvári, B. 126
- vibration amplitude of carbon nanotube 196
- video-cassette recorder (VCR) 74
- viscosity coefficient 179
- volume compressibility of single-walled carbon nanotubes 39
- VS2 260

- Wang, N. 95
- Wang, Z. L. 165, 191, 207, 245
- weak bonding forces 33
- weak-phase-object diffraction 83
- Wells, A. F. 278
- wet chemistry methods 231
- whiskers, hollow 254–5
- Wilson, M. 282, 298
- Woo, H.-G. 298
- work function at tips of carbon nanotubes 193–5

- Wright, D. 298
- wurzite 261

- X-ray diffraction (XRD) 45, 61, 66, 256
- X-ray
 - generators 148
 - microanalysis 73
- Xu, C. 298

- Y- and T-like molecular junctions 149
- Yao, Z. 39
- Young's interference experiments in optics 198
- Young's modulus 166–9, 172–3, 181, 186–8, 171–4
- yttrium carbide 85–6
- Yu, M. F. 169

- Zang, X. F. 263
- zeolite $\text{AlPO}_4\text{-5}$ (AFI) 76, 97–9
 - channels 109
 - crystals 99, 106–7, 116
- Zettl, A. 204, 222, 243–5
- Zhang, X. F. 222, 226, 232
- Zhou, W. 273
- zinc-blend-like crystal structure
 - arrangement 146
- ZnO 151
- ZrCl₄ 290–2
- Zweifka-Sibley, M. 298