

Index

- Academic achievement, 44, 64, 127, 136, 149, 153, 164, 208–211, 219
- Adaptive behavior, 13, 57, 148, 154
- Adaptive behavior problems, 55, 56, 58, 61, 154, 155, 159, 164
- Adaptive function, 74, 138, 151, 154, 156, 164, 170, 205
- Adolescence, 9, 11, 44–48, 56, 73, 96, 101, 117, 122, 137, 151–155, 163, 165, 204
- Adolescent childbearing, 45; *see also* Teen parenthood
- Adoption studies, 55, 56, 58, 61, 109–111, 155, 159, 164
- Adoptive care, 148, 158–160, 166, 168
- Advocacy model, 168, 172, 173
- Advocacy services, 166, 168, 175, 207, 212
- Affect regulation, 137
- Affective disorders, 11, 19, 30–33, 72–75, 79, 86
- Aggression, 25–26, 43, 46–65, 99, 106, 109–110, 118, 122, 123, 128, 131, 134, 136; *see also* Behavior problems; Externalizing symptoms
- Aggressive-withdrawn type, 43, 46, 49–54, 69
- Agoraphobia, 90
- Alabama Parenting Questionnaire (APQ), 115–116
- Alcohol abuse, 17, 30–32, 128, 144; *see also* Substance abuse
- Alcohol dependence, 23, 36
- Alcohol-affected individuals, 151–160, 165–173; *see also* FAS and related conditions
- Alcohol antisociality connection, 137
- Alcohol depression connection, 137
- Alcoholism, 17, 19–30, 34–40, 123, 126–133, 137, 138, 140, 143–145, 148; *see also* Substance use
- Alcohol-related neurodevelopmental disorder (ARND), 147, 149–153, 171, 172; *see also* FAS and related conditions
- Antisocial Alcoholics (AAL), 133–139
- Antisocial behavior, 105, 107–123, 133
- Antisocial Personality Disorder, 24, 88, 106–121, 130; *see also* Psychopathic personality
- Anxiety disorders, 30, 33, 96, 102
- Asthma, 51, 52, 53, 63
- Attachment, 29, 60, 89, 95–101, 122, 123, 159, 165, 169, 179, 180, 191, 192, 197, 202; *see also* Bonding
- Attention Deficit/Hyperactivity Disorder (ADHD), 88, 161, 167, 169, 172, 176; *see also* Hyperactivity; Impulsivity
- Attention deficits, 155, 159, 172; *see also* Distractibility
- Auditory attention, 154, 162
- Autonomic irregularities, 96, 118
- Aversive conditioning, 90
- Aversive stimuli, 99, 101
- Avoidance, 87, 90–92, 99
- Bayley Scales of Infant Development, 60, 63, 207
- Behavior management, 140, 167, 170
- Behavior problems, 24, 55, 99, 130–133, 136, 138, 140, 149, 154, 162, 208; *see also* Aggression
- Behavioral disinhibition, 108
- Behavioral genetic research, 3
- Behavioral inhibition, 88, 94–102
- Behavioral Inhibition System (BIS), 94
- Bipolar, 34, 73, 76, 79, 80, 86
- Bonding, 29, 159, 180, 190–93, 195, 201; *see also* Attachment
- Brain-injured individuals, 167, 169, 171, 219
- Caldwell Home Observation for the Measurement of Environment (HOME), 207, 214, 216
- Callous-unemotional (CU) traits, 118–120; *see also* Conduct Disorder

- Carolina Abecedarian Project, 210
- Case management, 186, 187, 216
 Focus on Families six-step model, 179
- Central Nervous System (CNS) dysfunction, 148–152, 159, 162, 164, 171
- Central processing, 153
- Child abuse, 30, 36, 62, 73, 159, 160, 206, 209
- Child Behavior Checklist, 58, 115–116, 123, 129, 130, 135
- Child behavior management, 207
- Child development, 138, 210, 222
- Child inhibition, 95
- Child protection monitoring, 207, 212
- Childhood-onset conduct disorder, 117–118
- Children of Alcoholics (COAs), 128, 131, 146
- Chronic otitis, 63
- Cocaine use, 180, 182, 190, 195, 198
- Coercive interactions, 65; *see also* Parent-child interactions
- Cognitive delays/deficits, 62–63, 135, 153, 159, 175
- Cognitive development, 48, 123, 214, 216, 218
- Cognitive processing, 89
- Cognitive-affective schemas, 127
- Community context, 132
- Community living, 206–207, 210, 212
- Concordia Longitudinal Study of Children at Psycho-Social Risk, 46–49, 52–54, 57–61, 64–66
- Conduct disorder, 26, 33, 34, 106, 107, 109, 111–121, 123, 129; *see also* Callous-unemotional traits
- Coping skills, 27, 77, 90, 181, 186, 198
- Cortisol, 5, 6, 9, 10, 11, 98, 99
- Craniofacial abnormalities, 148, 149, 151
- Criminal behavior, 105–106, 111, 121, 125
- Criminality, 21, 25, 106, 117, 123, 126
- Deinstitutionalization, 206
- Delinquency, 29, 64, 106, 123, 179, 180, 195, 204
- Delivery complications, 47–50, 52
- Depression, 19–21, 28, 32, 34, 44, 50, 62, 64, 73–76, 79, 80–83, 88, 94, 95, 107, 128, 133, 137, 156, 159, 181, 217
- Developmental disabilities, 147, 148, 153, 158, 166, 167, 172, 219, 221
- Diagnostic Interview Schedule-Version IIIA, 115
- Discipline, 73, 113–114, 131, 141, 161, 185, 214
- Distractibility, 129, 130, 153, 159; *see also* Attention deficits
- Domestic conflict, 181, 195, 198–199; *see also* Family violence; Marital conflict
- Dopamine, 11
- Down syndrome, 150
- Drug abuse, 22–26, 31, 117, 179, 181, 189, 204; *see also* Substance use
- Early intervention, 75, 165, 173, 210, 211, 220–222
- Eating disorders, 155
- Emotional Availability Scales, 66
- Emotional overinvolvement, 94
- Enuresis, 155
- Epidemiology, 17, 18, 21, 22, 37–39, 157, 175
- Excitatory amino acids, 11
- Executive functions/executive functioning, 153, 162, 165, 172
- Experiential learning, 172
- Expressed emotion (EE), 73, 94, 103
- Externalizing symptoms, 26, 29, 96, 131; *see also* Aggression
- Facial dysmorphism: *see* Craniofacial abnormalities
- Failure to thrive, 213, 221
- Familial aggregation, 17–23, 26, 38
- Familial transmission, 20, 88
- Family Adaptability and Cohesion Evaluation Scale (FACES III), 31, 33, 38
- Family Anxiety Coding System, 91
- Family bonding, 180, 190, 193
- Family cohesion, 31–33, 73
- Family communication skills, 184
- Family conflict, 29, 131, 179, 180; *see also* Family violence
- Family dysfunction, 29, 32, 53, 117, 122
- Family environment, 32, 203; *see also* Home environments
- Family functioning, 31–33, 50, 72, 73, 113, 135, 204
- Family Goal Setting, 184
- Family Interaction Coding System (FICS), 55
- Family involvement, 192, 199
- Family management practices, 179–180
- Family meetings, 185, 186, 190, 193, 195, 199
- Family planning services, 12–13
- Family preservation, 188, 206, 216, 222
- Family structure, 27–29, 32, 33, 128, 142
- Family support, 166, 173, 180
- Family systems theory, 90
- Family violence, 133, 180; *see also* Family conflict; Domestic conflict
- FAS and related conditions, 147–173, 177; *see also* Alcohol-affected individuals; Alcohol-related neurodevelopmental disorder; Substance ingestion during pregnancy advocacy services, 168
- diathesis-stress model, 9, 129, 137, 158, 169
- early intervention, 165

- FAS and related conditions (*cont.*)
 epidemiology, 150
 home visiting, 168
 intervention, 147, 160, 162
 mentoring programs, 168, 172
 prevalence, 150, 154–155
 primary disabilities, 151, 153, 159
 protective factors, 158, 168–169
 secondary disabilities, 151, 155, 158–159, 163, 166, 167, 171
- Fears, 75, 77, 79, 87, 88, 163
- Fetal Alcohol Effects (FAE): *see* FAS and related conditions
- Fetal Alcohol Syndrome (FAS): *see* FAS and related conditions
- Fetal nutrition deficits, 157
- Focus on Families (FOF), 179, 188, 200, 201
- Foster care, 148, 209, 213, 217, 219
- Gene-environment interaction, 22, 111
- Genetic epidemiology, 17–18, 21, 22
- Genetic mechanisms, 109
 markers, 3, 20, 22, 25, 158
- Genetic vulnerabilities, 3, 7, 8, 126, 127
- Guided participant modeling, 185
- Habits/stereotypes, 155
- Health problems, 45–48, 62, 94, 161; *see also*
 Physical health
- Heredity, 8, 109–111
- Heroin use, 181, 190, 195, 198, 202
- High Risk Interaction Coding System (H-RICS), 55
- Hippocampal abnormalities, 5
- Home environments, 33, 47, 48, 53, 169, 207, 214; *see also* Family environment
- Home safety training, 223
- Home visiting, 168
- Household rules, 181, 192, 195
- Hyperactivity, 63, 135, 151, 161; *see also*
 Attention Deficit/Hyperactivity Disorder
- Hypothalamic-pituitary-adrenal (HPA) axis, 5–12, 97
- Illicit drug use, 30, 32, 180–183, 190–191, 195–198, 203
- Impulse control, 173
- Impulsivity, 26, 129, 160; *see also* Attention Deficit/Hyperactivity Disorder
- Incarceration, 105, 113, 155
- Infant Health and Development Program (IHDP), 210–211
- Inhibition, 68, 90, 97–101
- Intellectual disabilities in children, 207–209, 211; *see also* Mental retardation
- Intellectual disabilities in parents, 205–219;
see also Mental retardation
 child-care skills, 210–213, 218, 221
 child-focused intervention, 205
 discrimination, 206
 effects on children, 205
 adolescents and adults, 209
 gender differences, 209
 incidence, 206, 218
 infants and young children, 207–208
 interventions, 209–218
 parent-focused intervention, 211–218
 risk of neglect and abuse, 211
 parent-focused interventions, 212
- Intelligence, 62, 106, 123, 138, 152, 210, 222
- Intelligence Quotient (IQ), 128, 133, 135, 149, 152–155, 160, 164, 172, 205–217, 222
- Intergenerational model of risk transmission, 44, 53, 54, 61–65, 106–109, 116, 121
- Kiddie Schedule for Affective Disorders and Schizophrenia (K-SADS-E), 30
- Language delays, 58, 215
- Learning problems, 45, 149, 151, 171, 208, 209
- Locus of control, 93
- Lying, 133, 162
- Major Depressive Disorder (MDD), 73, 88
- Marijuana use, 30, 32, 182, 183, 190, 191, 195, 196
- Marital communication, 141
- Marital conflict, 27, 28, 32, 61, 73, 89, 131; *see also* Domestic conflict
- Marital relationship, 29, 96, 134, 138
- Maternal aggression, 56, 57
- Maternal and Child Health Clearinghouse, 164, 166, 176
- Maternal criticism, 94–95
- Maternal education, 48, 55–57, 59, 61, 64, 65
- Maternal neuroendocrine activity, 7, 97, 98
- Maternal stress, 9, 14
- Maternal unresponsiveness, 54–56, 60, 61, 65
- McCarthy Scales of Children's Abilities, 214
- McMaster Family Assessment Device, 31
- Memory deficits, 151, 160
- Mental retardation, 48, 149, 152, 169, 208–210, 216–217, 223; *see also* Intellectual disabilities in children; Intellectual disabilities in parents
- Mentoring programs, 168, 172
- Methadone treatment, 182, 184, 195, 198, 199, 200, 203
- Michigan Project on Family Intervention with Substance Abusing Families, 142

- Michigan State University Multiple Risk Child Outreach Program, 127, 140, 145
- Microcephaly, 152
- Milwaukee Project, 210, 211, 223
- Monoaminoergic system deficits, 129
- Motor deficits, 6
- Multi-level intervention, 165
- Multiparity, 48, 50, 52
- Neglect, 30, 159, 160, 206, 211
- Neural deficits, 129
- Neural diathesis-stress model (of schizophrenia), 11
- Neuroendocrine response, 97
- Neuroimaging, 152, 164
- Neuromotor skills, 153
- Neuropsychological dysfunction, 117
- NIMH Diagnostic Interview Schedule for Children-Version 2.3 (DISC), 115
- NonAntisocial Alcoholics (NAALs), 133
- Nursing Child Assessment Teaching Scale, 216
- Observational learning, 111
- Occupational achievement, 17, 45, 48, 55, 64, 127
- Ontario Child Behaviour Checklist, 208
- Oppositional disorder, 32
- Oregon Social Learning Center, 65, 141
- Panic disorder, 19, 102
- Parent attitudes toward substance use, 179, 185
- Parent counseling, 167
- Parent education, 47, 63, 84, 169, 209, 216, 218–220
- Parent support groups, 166
- Parent training, 183–194, 198–199, 212–217, 223
- Parental Bonding Instrument (PBI), 30, 31, 33, 37
- Parental control, 29, 90, 93
- Parental monitoring, 28, 29, 115, 179, 185
- Parental overcontrol, 90, 94
- Parental psychopathology, 32, 124
- Parent-Child Assistance Program, 168
- Parent-child interaction training, 214, 215, 218
- Parent-child interactions, 29, 53–60, 90, 96, 99, 132, 179, 210, 214, 216; *see also* Coercive interactions
- Parenting competencies, 219
- Parenting curriculum, 186
- Parenting practices, 71, 113–121, 126
- Parenting rights, 161, 205, 206
- Peabody Picture Vocabulary Test, 211
- Peer group, 25, 34, 54, 55, 57, 87, 117, 128, 163, 180, 195, 198
- Peer group (*cont.*)
 deviant peer network, 25, 117, 128, 180, 195, 198
- Personality disorder, 9, 24, 88, 106, 112, 114, 116, 119, 128–130
- Phobias, 44, 103
- Physical abuse, 4, 187, 206
- Physical health, 4, 6, 10, 12, 44, 45, 47, 48, 50, 53, 64, 127, 148, 206, 207, 213; *see also* Health problems
- Physiological reactivity, 89, 96; *see also* Stress reactivity
- Polysubstance abuse, 27
- Post Traumatic Stress Disorder (PTSD), 14
- Pregnancy Complications, 5, 8, 9
- Prenatal care, 4, 12, 47
- Prenatal environment, 60
- Prevention, 3, 11, 12, 17, 29, 34, 44, 46, 71, 75, 78, 121, 123, 142, 148, 151, 157, 163, 164, 166, 173, 179–181, 187, 188, 195
- Preventive Intervention Project, 71–83
 clinician-facilitated intervention, 71–72, 78–83
 lecture-format intervention, 72
- Primary disabilities, 153, 159
- Problem Situation Inventory (PSI), 189, 190, 192, 193
- Problem-solving skills, 87, 185, 189
- Prosocial behavior, 92, 141
- Protective factors, 63, 125
- Psychiatric assessment, 94, 149
- Psychoeducational interventions, 76, 79, 82
- Psychopathic personality, 118; *see also* Antisocial Personality Disorder
- Psychosocial functioning, 45, 60, 62, 106
- Psychotropic drugs, 167
- Relapse, 12, 180, 181, 184–189, 195, 198–200
- Relapse prevention, 181, 189, 198
- Relaxation techniques, 162
- Risk aggregation, 128, 132
- Risk cumulation model, 127, 137
- Schizophrenia, 4–12, 69
- Schizotypal Personality Disorder (SPD), 9–11
- School achievement: *see* Academic achievement
- School dropout, 45, 64, 117
- Seattle Social Development Program (SSDP), 183
- Secondary disabilities, 155, 158, 159, 163, 166, 167, 171, 177
- Seizures, 152
- Self understanding, 75, 80
- Self-regulation, 130, 132, 134, 153, 175

- Sensory integration therapies, 170, 173
 Sensory processing, 153
 Sensory-motor integration, 153, 162
 Separation anxiety, 94
 Sexual abuse, 4, 62, 206
 Sexual behaviour (inappropriate), 155, 166
 Skill-building, 183, 187, 188, 207, 212, 220
 Social coaching, 170
 Social learning, 90, 95, 100, 101, 201
 Social skills, 170, 172, 187
 Social withdrawal, 43, 48, 52–57, 60, 62, 64, 102
 Socialization, 26, 29, 58, 109, 113, 118, 119, 139, 154
 Socioeconomic status, 32, 43, 106, 131, 150
 Somatization Disorder, 108
 Somatization symptoms, 107–109
 Special Needs Adoption Program, 168
 Specialized daycare, 209–212
 Speech/language disorders, 151, 153, 154
 Spina bifida, 150
 Stanford Binet Intelligence Scale, 60, 128, 135
 Strange Situation Procedure, 96
 Stress hormones; *see* Cortisol
 Stress reactivity, 103; *see also* Physiological reactivity
 Stressors, 4–9, 45, 79, 80, 113, 158, 160, 165, 169
 Structural Analysis of Social Behavior (SASB), 139
 Substance abuse in parents, 22–27, 107, 127–142, 158, 171, 179–200
 Substance ingestion during pregnancy, 47, 147, 156, 159, 174; *see also* FAS and related conditions
 Substance use, 17, 23–33, 88, 127–129, 142, 159, 160, 171, 180, 200, 203
 Suicide, 17, 30, 82, 156, 209
 Suicide threats, 156
 Swamp Model, 44–45
 Teen parenthood, 48, 49, 64, 117; *see also* Adolescent childbearing
 Temper tantrums, 63, 160, 214
 Temperament, 45, 46, 89, 90, 96–101, 111, 118, 120, 122, 128–130, 136–140, 144
 Therapeutic alliance, 75, 77
 Therapeutic roommates, 172
 Twin studies, 7, 18, 20–24, 26, 109–111, 125
 Uninhibited behavior, 139
 University of Michigan-Michigan State University (UM-MSU) Longitudinal Study, 127
 Verbal abuse, 73
 Verbal fluency, 154, 162
 Verbal learning, 153
 Visual-spatial skills, 153
 Vocational training, 207, 210
 Washington State FAS Diagnostic and Prevention Network, 164
 Washington State FAS Family Resource Institute, 168
 Yale Family Study, 30, 32