

## INDEX

- Accident, industrial; *see also* Agent Orange, BASF, Love Canal, Seveso, Times Beach  
analysis, statistical, 737–758  
hospitals capable of treatment, 715  
list of, 232  
meteorology important, 714  
personnel, skilled, important, 713
- Aflatoxin B1, 205
- Agent Orange, herbicide, 5–7, 137, 555  
composition, 6, 7  
fractionation of, 555–556
- Air sampling methods, 622  
the Muenchehage Sonde, 622
- Aliphatics, chlorinated, 454–458  
manufacture of, 455–456
- Alkenes, chlorinated, 509
- Alkoxyanilines, 509
- Allometry, 214–218  
clearance rate dose, 216  
dose-surface area, 215  
of metabolism, basal, 215
- Alum for dioxin flocculation, 538
- Arylhydrocarbon  
hydroxylase (AHH), 101, 106, 114, 250  
receptor, 249, 252
- Asphalt  
and dioxins, 534  
-lime mixture and dioxins, 534
- Atrophy, thymic, 101, 106, 107
- Automobile fuel and dioxins, 407–409  
combustion of, 407–409  
exhaust gas, 112, 266
- BASF accident at Ludwigshafen, Germany, 231–236  
cancer statistics  
exposure estimates, 233–235  
risk estimates, 235  
death among 74 chloracne cases, 233  
hydrolyzation of 1,2,4,5-tetrachlorobenzol, 231
- Beef fat consumption, daily, 160, 161
- Binghamton (New York) transformer accident  
fire in the State Office Building, 391, 393, 395
- Biocides containing dioxins, 440  
listed, 440
- Biphenyls  
polybrominated, 501–504  
synthesis of, 502
- Biphenyls  
polychlorinated, 509  
degradation, chemical, 527–529  
and potassium polyethylene glycolate, 527–529
- Biphenols, brominated, listed, 490
- 1,2-Bis-(tribromophenoxy)ethane, 499
- Bottom ash of incinerator  
data, 318–323, 342, 350, 367  
organics, chlorinated, in, 367
- Bromination of chemicals, 488–500  
description of eighteen, 491–500  
list of forty-one, 488–491
- Bromobenzenes, 495
- Bromophenol isomers, 493
- Bromophos, 451, 490, 498–499
- Bromoxynil butyrate, 490
- Bromoxynil octanoate, 491
- Burden, allometric, of body, 214–218
- Cancer after exposure to dioxins, 205–247  
of colon, 233, 236  
estimates, 233–236  
of liver, 256  
of lung, 233, 236  
models for: *see* Model risk procedures, 205–247  
statistics for an accident, 233–235  
exposure estimates, 233–235  
of stomach, 233, 236
- Capacitor fire, 377–399  
and biphenol, polychlorinated, 377  
in Columbus, Ohio, office building, 394  
and dioxin formation (emission), 377–399
- Carbamates, 509
- Carbon  
activated, granular, 376, 483  
in drinking water utilities, 483  
reactivation, 483  
particulate and dioxins, 288–295  
charcoal, 292  
graphite, 292  
soot, 292  
sugar coal, 292  
reactivation, 483–484  
and dioxin formation, 483–484
- Carboxylic acid esters, 509
- Carcinogenesis multistage model, 205

- CDD: *see* Dibenzo-p-dioxin, chlorinated
- CDF: *see* Dibenzofuran
- Cement treatment for dioxins, 533
- Charcoal, 292
- Chimney soot: *see* Soot
- Chloracne, human, 6, 9, 156, 230–234, 237  
and cancers, 233  
cases (365) listed, 232  
death among 74 cases, 233
- Chlorine gas chemistry, inorganic, 459–462  
dioxins in, 460
- Chloroaliphatics, 455–465  
dioxins in, 457, 464–465  
production by six methods, 455–456
- Chloroanilines, 444, 450  
dioxins in, 447, 449
- Chloroaromatics, 460–461  
dioxins in, 442, 460  
listed, ten, 442????  
with oxygen, nuclear, 442–444
- Chlorobenzene, 437, 442–454, 508  
dioxins in, 447, 448  
substituted, 442–454
- Chloronitrobenzenes, 444
- Chloroparaffins, 463
- Chlorophenol, 6, 267, 436–441, 508  
dioxin formation, 438–441  
manufacture of, 436
- Chlorophenylisocyanates, 509
- Chlorotoluenes  
dioxins in, 447, 449, 450
- Circonium-lime sludge, 536
- Clay treatment for dioxin adsorption, 537–538
- Coal, bituminous  
dioxin formation, 287–288
- Combustion and dioxins  
released from different sources, 264–266,  
273–433  
sources listed, 413–425, 643
- Committee on the Challenges of Modern Society  
of NATO, 1
- Compensation for accidents, legal aspects, 718,  
721–722
- Crump's multistage, linearized model, 207, 209
- Curacron, 491
- Cytochrome P1-450, 249, 252  
gene expression, 252
- Cytosolic receptor: *see* Receptor
- Daconil, 453
- Damage, legal aspects, 718–728  
to health, 721  
moral, 721  
to property, 721
- Decabromophenyloxide, 494–495
- Decachlorobiphenyl, 444, 502, 503
- Dechlorination  
catalytic, 284  
chemical, 521–530  
pyrohydrolytic, 530–531
- Decomposition of waste, catalytic, 555–556
- Degradation, chemical, of dioxins, 522–529
- Dibenzo-p-dioxin, 1, 5, 98, 103, 210, 435, 486–509
- Dibenzofuran, 1, 5, 98, 103, 435, 485–504
- Dibromoethane, 266  
as gasoline additive, 407
- Dibromophenol, 491
- 2,6-Dibromo-4-nitrophenol, 494
- Dichlorobenzenes, 448  
dioxins in, 448
- 2,5-Dichloro-4-bromophenol, 500
- Dichloroethane, 266  
as gasoline additive, 407
- Dichloromethane, 235
- Dichlorophenols, 440, 577
- 3-(3,4-Dichlorophenyl)-1,1-dimethylurea, 453
- Diethylnitrosamine, 252, 256  
and liver cancer, 256
- Dioxins (2,3,7,8-TCDD,  
2,3,7,8-Tetrachlorodibenzo-p-dioxin)  
accidents, industrial; *see also*: Accidents  
Working Group, 629–764  
in Agent Orange, 5–7, 137, 555–556  
in air, limits of, 638  
analysis of, 113  
areas of concern, seven listed, 115–116  
and asphalt treatment, 534  
and asphalt-lime treatment, 534  
from automobile fuel, 266, 407–409  
in beans, 142, 159–162  
bioaccumulation in laboratory animals, 106,  
167–182  
bioavailability, 167–182  
biodegradation, microbial, 136–138  
and body weight, 130–131  
and cancer, 101–102  
assessment, 191–192  
promoter, 241–242  
risk after exposure to, 205–247  
and car: *see* Automobile  
and carbon, particulate, 288–293  
as carcinogen, most potent known, 6, 205  
and carcinogenesis, schema of, 258  
in cattle, 142, 159–162  
cement treatment for, 533  
chemistry, 629–633  
clearance equation, 184  
and combustion, 264–266, 273–433  
of fossil fuel, 403–406  
sources listed, 418–420, 425, 643  
studies, 380–391, 396  
of wood, 400–402  
concern, areas of, listed, 115–116  
congeners, listed, 105, 108  
contingency planning, 641–666  
and copper(II), 291  
in corn, 143  
dechlorination, chemical, 269  
decomposition, catalytic, 555–556  
decontamination in situ  
by absorption: *see* Asphalt, Cement, Lime  
by sunlight, 701–705  
degradation  
by biological methods, 269, 518–521

## Dioxins (*cont' d*)

- degradation (*cont' d*)
  - by chemical methods, 521–531
  - by fluidized bed incineration, 552–553
  - by incineration, 538–548, 552–553
  - by infrared technology, 549–550
  - by kiln, rotary, incineration, 539–548
  - by microbes, 518–521
  - by oxidation, supercritical, 551–552
  - by physical methods, 537–538
    - absorption, 537–538
    - storage in mines, 538
    - treatment methods listed, 539–556
  - by pyrolysis, electric, 553–554
  - by pyroplasma system, 554–555
  - by ultraviolet
    - oxidation, 551
    - photolysis, 550
- destruction, 269–270, 517–559
- detoxification, 269–270, 517–559
  - technologies, new, listed, 517
- in dust, indoors, 154, 156
- in edible plants, 143
- effects, biological, 114–115
- in Elbe River
  - canals, 571
  - sediments, 571
- elimination equation, 184
- emission
  - from combustion, 264–266, 273–433
  - dilution in air, 147–149
  - of dust particles, 154, 156
  - equations for, 146–148
  - factor equation, 152
  - legislation in Italy, 642–647
  - models for, 147
  - rate of, 146
  - survey of, 642–647
- and epidermal growth factor receptors, 250
- and estradiol, 252
- exposure of humans, 124, 144–166, 219, 668–670, 673–676
  - assessment, 123–203
  - and cancer risk, 205–247
    - extrapolation procedures, 205–247
  - by ingestion of particles, 152–154
  - by inhalation of vapor, 145–152
- fate in soil, 133–144
- in fish, 140–142, 162–166
  - bioaccumulation in species of, 141
- from fire, 377–399, 400–403
- fixation, chemical, 533
- in flue gas: *see* Flue gas
- in fly ash: *see* Fly ash
- formation (emission) from
  - combustion, 264–266, 273–433
  - fire, 377–399, 400–403
  - fossil fuel, 403–406
  - incineration, 264–266, 273–433
    - of waste, municipal, 264
  - industrial processes, 267–268, 435–516
    - listed, 435

## Dioxins (*cont' d*)

- glucocorticoid interaction, 251
- and growth factor, epidermal, receptors, 250
- half-life in human body, 217, 241
- Henry's law constant, 125
- hormone-like, 249–262
  - risk assessment, 249–263
- in human body
  - half-life, 217, 241
  - volunteers, 230–231
- indexed (listed) for NATO, 90–95
- intake, daily, 185–191
  - assumptions, 187, 188
  - calculations, 187–189
  - data, 185–186
  - equation, 183
  - findings, 186
  - risks of cancer, 190
  - uncertainties, 187
- ingestion
  - of beef, 159–162
  - in children, 157–159
  - of dairy products, 159–162
  - of fish, 162–166
  - of soil, 157–159
- LD50, 6
- and lime treatment, 533
- limits, environmental, maximum, tolerable, 638, 645
  - listed, 638
  - upper for risk estimates, 212
- as liver tumor promoter, 225–230
- and mass spectrometry, 507
  - flow sheet for, 507
- model, pharmacokinetic, ideal, 190–191
- pharmacokinetics, 182–191
  - models, 183–185, 190–191
- photodegradation, 149–152
  - exposure estimation, 149–152
  - in soil, 136
- photolysis, 150–151
- pilot study, 1–40
  - funding, 21–30
  - information exchange, 15–40
  - topics, 17, 31–40
- in plants, green, 143–144
- from polyvinylchloride, 409–412
- and potency factor, 191
- from power plant, coal-fired, 406
- and pregnancy, 671
- in primate, nonhuman, 217
- in products
  - commercial, 505–507
  - industrial, 508–509
- properties of, 125–133
  - chemical, 125–133
  - physical, 125–133
  - toxicity, 123–124
- protection of clean-up worker, 677–683
- receptors, 250, 252
- regulations, inventory of, 81–95

- Dioxins (*cont' d*)  
 risk  
   assessment, 191  
   estimate models, 212, 241–242  
   extrapolation, 218  
 in sediment, 138–140  
 Seveso industrial accident, 629–764: *see* Seveso, Italy  
 and skin-soil contact, 154–157  
 solidification, 533–534  
 stabilization in situ, 533–534  
 statutes, 81–95  
   by country, 87–89  
   number (120) by country, 84–85  
 substitutions on structure, 107  
   combinations possible (5,020), 505  
 in superfund sites (U.S.A.), 556  
   technologies, six, used for, 556  
   listed, thirteen, 556  
 surveillance  
   of clean-up workers in Italy (1980–1984), 690–695  
   long-term, 685–689  
 in soybeans, 144  
 in 2,4,5-T, 7  
 toxicity, listed, 100, 102, 253–254  
 treatment, 670–671  
 ultraviolet absorption spectrum, 702  
   maximum is 307 nm, 702  
 ventilation, pulmonary, 131–133  
   equation for daily rate of, 133  
 in waste disposal sites, 271–272  
 in water above sediment, 139–140  
 water solubility is low, 127, 519  
 in weeds, 143  
 from wood-burning, 401–403  
 Diphenylether, chlorinated, 281  
 Diuron: *see* 3-(3,4-Dichlorophenyl)-1,1-dimethylurea  
 Dolomite mine for storage, 540  
 Dose-equivalence factor  
   animal-to-human, 213  
   surface area metric, 213  
 Dow Chemical accident at Midland, Michigan, 231
- Effect level, adverse  
 lowest observed, 210  
 Epidermal growth factor receptor, 250  
 Estimate of maximum likelihood, 209, 219  
 Estradiol and dioxin, 252  
 Estrogen  
   and dioxin toxicity, listed, 253–254  
   effects, 253–255  
   and liver cancer, 256  
   and ovary, 256  
   receptor, 252  
 Exposure and Hazard Assessment Working Group, 13–40  
 Extrapolation  
   models, 218–223  
   logit, 218  
   multihit, 218, 219  
   multistage, 217, 218
- Extrapolation (*cont' d*)  
 models (*cont' d*)  
   one-hit, 218  
   probit, 218  
   Weibull, 218, 219  
 procedures for cancer risk, 205–247
- Fire  
 of forest and dioxin formation, 288, 413  
 place, residential, and dioxins, 281  
 retardant: *see* Flame retardant  
 Fish consumption, daily, 162–166  
   of Great Lakes fish, 165  
   dioxins in, 140–142, 162–166  
 Fixation, chemical, for dioxins, 533–534  
 Flame retardants, 501, 502  
   and dioxins, 487  
 Fly ash, 7, 174, 175, 178, 264, 271, 276, 279–290, 293–296, 332, 342, 347, 350, 555, 587, 588  
   composition, 279  
   dioxins in, 280–290, 332, 333, 337, 342, 343, 653  
   is reactive, 279  
 Flue gas, 7, 264, 316–318, 324–328, 334, 342, 346, 349, 350, 356, 421–423  
   dioxins in, 334–335, 338, 343, 349, 366  
 Forest fire and dioxin formation, 288, 413  
 Fossil fuel consumption, 403–406  
   dioxins from soot, 403–406  
 Fractal, 753–758  
   geometry, 753–758  
   and meteorology, 755  
   regular, five examples of, 757  
 Fume incinerator, 275
- Gas  
 emission analysis, 623–624  
 sampling apparatus, schema of, 624  
 Geometry  
   fractal, 753–758  
   its nature is discontinuous, 756  
 Georgswerder landfill at Hansestadt, Hamburg, Germany, 568–574  
   cross-section, 570, 573  
 Gernsheim, Germany, disposal site, 590–593  
 Gerolsheim, Germany, disposal site, 579–580  
 Graphite, 292  
 Grenoble, France, industrial accident, 232  
 Growth factor, epidermal, 250  
 Guinea pig and dioxins, 168–173
- Hamburg-Moorfleet chemical plant, 562–567  
 Hamster, Syrian golden, and dioxins, 175  
 Henry's law constant, 125, 147  
 Heterocycles, 509  
 Hexabromobenzene, 495  
 Hexabromobiphenyl, 502  
 Hexachlorobenzene, 444, 448, 472  
 Hexachlorobutadiene, 458  
 Hexachlorocyclohexadienone, 439  
 Hexachlorocyclohexane, 443  
 Hexachlorophene, 6, 451–452, 517

- Human and dioxin
  - half-life, 218
  - volunteers, 230–231
- ICMESA plant: *see* Seveso, Italy, accident
  - incineration of wastes, 539
- Immunotoxicity, 107
- Incineration; *see also*: Combustion, Incinerator
  - of bed, fluidized, 552–553
  - for dioxin combustion, 545
  - by ICMESA reactor in Seveso, Italy, 539
  - in kiln, rotary, 539–548
  - of landfill oil near Hamburg, Germany, 543
  - plant, schema of, 541
  - U.S. Air Force experiments with, 546–548
- Incinerator
  - and air pollution control, 307
  - ash data, 318–323
  - cross section, schema of, 308–310
  - design, 275
  - and dioxins, 264–266, 273–433
  - emission data, 302–307, 315–318, 324, 331, 339–341, 364
  - worldwide, 363
  - for energy-from-waste, 274
  - history, 274
  - municipal for waste, 109
    - mass burning, 297, 323–324
    - refuse-derived, 297
    - two-stage, 297–301, 311–314
  - operating data, 336
  - of sewage sludge, 365–367
  - studies, 297–365
  - types of, six, 275
  - of waste
    - in Canada, 297–330
    - fabric filter for, 323
    - flue gas, 316–318, 324, 326–328, 334, 335, 338
    - in Germany, 334–341
    - hazardous, 368–376
    - municipal, 109, 297–301, 311–314, 323–324
    - pilot plant, 326
    - solid, 274–365
    - in Sweden, 330–331
    - at Umea, 330–331
    - toxicity equivalents for dioxins, 109
- Infrared
  - furnace, 549–550
  - test burns for dioxins, 550
  - technology, 549–550
- International Toxicity Equivalency Factor Method of Risk Assessment (I-TEF) for complex mixtures of dioxins and related compounds,
  - areas of concern, seven, 115–116
  - data
    - hierarchy, 106
    - sets, different, 108–114
      - homologue-specific, 108, 112
      - isomer-specific, 108
    - problems, future, 114–116
- I-TEF: *see* International Toxicity Equivalency etc.
- Karsau, Germany, disposal site, 594–596
- Kiln, rotary, 539–548
  - schema of, 541
  - transportable, 544
- Kociba's histopathology analysis of female rats, 206, 207, 212, 213, 219–224, 227, 236, 240
- Landfilling and dioxins, 532–533, 543
- Leaching laboratory experiments, 623
- Lime and dioxins, 533–534
  - and asphalt treatment, 534
  - and circonium sludge, 536
- Lindane, 396, 443, 452, 562, 590–593, 620
- Liquid injection incinerator, 275
- Liver
  - and cancer in mouse, 213
  - and estrogen, 256
  - target, primary, 217
- Love Canal, Niagara Falls, New York, dioxin site, 5, 611–613
  - list of 34 important chemicals in soil, 612
  - remedial action project, map of, 613
  - “Lowest-observed adverse effect level,” 210
- Malsch, Germany, disposal site, 577–578
- Mass burn incinerator, 275
- “Maximum likelihood estimate,” 209, 219
- Metal chlorides, 459–462
- Metal-processing industry and dioxins, 481–482
  - refined metal production, 481
  - scrap metal melting, 481
  - steel mill, 482
- Meteorology
  - correlation plot of areas, observed, and perimeters, 758
  - and random fractals, 755
- Microorganisms for degradation
  - of aromatic chlorine compounds, 520–521
  - of dioxins, 519–521
  - of 2,4,5-T, 520–521
- Milk of cow
  - fat consumption, daily, 160–161
- Mineral oil and dioxin, 378
- Model
  - carcinogen versus promoter, 208
  - Crump's multistage, linearized, 207, 209, 223
  - logit, 219–221
  - log-probit, 219–221
  - Moolgavkar, Venzon, Knudson two-stage, 208, 257
  - multistage
    - Crump's linearized, 207, 209, 223
    - equation, 223
    - linearized, 207, 209–225, 240, 255–257
    - quantal, 224
    - Weibull's, 219–221, 224
  - one-hit, 219–221
  - two-stage of Moolgavkar, Venzon, Knudson, 208, 228–230, 257
- Monochlorophenol, 440 219–221, 224

- Moolgavkar, Venzon, Knudson two-stage model, 208, 228–230, 257
- Mouse, 173, 213
- Mueggenburger Strasse landfill (Hansestadt, Hamburg), 575
- Multistage model: *see* Model
- Muenchehagen, Germany, disposal site, 581–589
- Naphthalenes, brominated, 501
- National Incinerator Testing and Evaluation Program (NITEP) in Canada, 297–330
- Nickel refining and dioxins, 481
- Nitro, West Virginia, industrial accident, 231, 232, 235–240
  - chloracne, 237–238
  - death from cancer, expected, 237–238
  - exposure, 237
  - lung cancer, 238–240
  - risk estimates, 237–239
    - person-years equation, 238
- Nitrophenols, 509
- “No observed adverse effect level,” 210
- “No observed effect level,” 210
- N.V. Philips, Amsterdam, Netherlands, industrial accident, 231
- Octabromobiphenyl, 502, 503
- Octabromophenyloxyde, 495
- Octachlorodioxin, 282–286
- Octachlorofuran, 286
- Octet method, statistical, 741–744
- Oil and dioxins, 467–468
  - motor- , 467–468
  - recycled, 467–468
  - waste- , 467–468
- Ovary and estrogen, 256
- Oxidation by
  - hydrogen peroxide, 551
  - ozone, 551
  - supercritical water, 551–552
  - ultraviolet light, 551
- Paper and dioxins, 476–479
  - cigarette- , 479
  - cosmetic tissue- , 476–478
  - filter- , 476
  - newsprint, 476–478
  - recycled is high in dioxins, 476–477
  - shopping bag, 479
  - tissues, cosmetic, 476–478
- Paper mill effluent and dioxins, 476–480
  - sludge, 480
- Parameter-A constant, 209
- Pentabromodiphenyloxyde, 497–498
- Pentabromophenol, 493
- Pentabromotoluene, 496
- Pentachlorobenzene, 444, 448
- Pentachlorophenol, 279–283, 294–296, 436, 440, 441, 469–472, 474
  - dioxins in, 469–472, 474
  - oil, 521–526
    - destruction, chemical, of, 521–526
- Pentachlorophenol (*cont'd*)
  - and wood
    - preservation, 7
    - treatment site, 111
      - dioxin toxicity equivalents, 111
- Pesticides, brominated, five, 490–491
- Phanerochaete chrysosporium*, 519–520
  - and lignin degradation, 519–520
  - pentachlorophenol degradation, 520
  - and white-rot, 519
- Phenol, 508
  - brominated, eleven listed, 488
  - chlorinated, 437
  - polychlorinated, 469–473
    - and dioxins, 469–473
- Phenoxyacetic acid, 509
- 2-Phenoxyphenol, 281
- Phosphoric acid esters, 509
- Phthalocyanine dyes and dioxins, 466–467
- Plasma field, thermal, for pyrolysis of wastes, 554–555
- Polycron, 491
- Polyvinylchloride, 266
  - as chlorine donor, 409–412
  - and dioxin, 410
- Potassium polyethylene glycolate, 521–529
  - for dioxin degradation, 521–529
    - pilot plant, schema of, 529
  - reagent, patented, composition of, 527
- Potency ratio, 229
- Power plant, coal-fired, and dioxins, 406
- Profenofos, 491
- Pseudomonas* species and degradation
  - of aromatic chlorine compounds, 520
  - of phenol, 521
  - of 2,4,5-T, 521
  - of 2,4,5-trichlorophenol, 521
- Pulp mill effluent and dioxins, 476–480
  - sludge, 480
- Pyrolysis, 275, 278
  - advanced electric reactor for, 554
  - electric, 553–554
  - in plasma field, thermal, 554–555
- Rabbit and dioxin, 175
- Rat, 213, 216, 218
  - and dioxin, 171–176, 181, 206, 207, 230
  - and liver analysis: *see* Kociba
  - tumor, 237–239
    - in liver, modeling of: *see* Model
- Receptor, cytosolic
  - down-regulation of, 251
- Refuse, municipal
  - composition of
    - in Japan, 348
    - in Ontario, Canada, 328–330
    - in U.S.A., 361
  - dioxins, 329, 330, 362
  - and fly ash, 276–281, 286–288
  - and incineration, 276–297
    - fuel derived from, 275
- Response probability equation, dichotomous, 210

- “Risk-specific dose,” 209, 227
- Rotary kiln incinerator, 275
- Rubber products, chlorinated, and dioxins, 509
- Safety, industrial, in Italy (1927–1984), 645
  - accident management, 659–684
  - exposure, 668–670
  - notification flow–sheet, 663
  - response, immediate, 667–684
  - treatment, 670–671
  - typology, factors listed, 664–665
- Salt mine storage of
  - national oil reserves in Germany, 539
  - hazardous wastes, 539
- Scrap metal melting and dioxins, 481
- Selecron, 491
- Seveso, Milan, Italy, industrial accident, 5–7, 143, 177, 621, 629–764
  - accident described, 740–741
  - area contaminated, map of, 635–636
  - aspects, legal, 717–728
    - compensation, 717–728
    - interests, diffuse, 719
    - liability, 717–728
    - right
      - to health, 720
      - private, subjective, 719
  - cancer incidence, 732–733
  - chemistry involved, 629–633
  - clean–up methods, 699
  - compensation, 717–728
  - contamination with dioxins, 723–725
  - damage produced, ten categories, 723–724
  - dioxins released, estimations, 707–712, 741
  - ICMESA plant, industrial accident, 633–639
  - liability, 717–728
  - management afterwards, 729–735
  - map of contaminated area, 635–636
  - monitoring, medical, 693–694
  - rehabilitation
    - of areas, 697–701
    - of buildings, 697–701
    - long-term, 685–690
  - responsibility, civil, 725
  - risk assessment, afterwards, 729–735
  - summary, 761–764
  - time line, 637
  - waste incineration, industrial, 539
- Sewage sludge incineration, 365–367
  - controversy in Germany, 619–621
  - dioxins in, 620
    - in flue gas from, 366
- Sielken analysis, 221–223
- Sludge, industrial, 473
  - dioxins in, 446–447, 473
  - pollutants, organic, listed, 446
- Sodium pentachlorophenolate, 469–473
  - and dioxins, 469–473
- Soot, 173, 174, 178, 292, 401
  - dioxins in, 402, 403
  - extract, 173, 174
- Soot (*cont’d*)
  - from house-heating, 415–416
- Species extrapolation correction factor, 214
  - dose-surface area metric, 214
- Spolana, Prague, Czechoslovakia, accident, 231
- Squire’s
  - analysis, 220–221
    - of dioxin low-dose risk to humans, 220
  - review of rat study, 206
    - liver, 206
    - lung, 206
    - nose, 206
- Steel mill and dioxins, 482
- Sugar coal, 292
- Superfund sites, thirteen, containing dioxins, listed, 556
  - clean-up technologies, six, 556
- Supersack (woven polypropylene), 540
- 2,4,5-T: *see* 2,4,5-Trichlorophenoxyacetic acid
- 2,3,7,8-TCDD: *see*
  - 2,3,7,8-Tetrachlorodibenzo-p-dioxin (synonymous with dioxin)
- Tannin as dioxin source, 281
- Technology Assessment Working Group, 263–628
  - B-Group activities, 263–273
- Teratogenicity, 107
- Tetrabromobisphenol A, 497
- Tetrabromophthalic anhydride, 496
- Tetrachlorobenzene, 444, 448
- 1,2,4,5-Tetrachlorobenzol, 231
- 2,3,7,8-Tetrachlorodibenzo-p-dioxin: *see* Dioxin
- Tetrachlorodioxin, 286
- Tetrachlorophenols, 436, 441
- Thiophenols, chlorinated, 508
- Times Beach, Missouri, accident (dioxin-containing waste oil sprayed on dusty roads), 5, 127, 134, 171, 172, 549, 614–616
  - dioxin in soil, 615
- Time-to-tumor analysis, 223–225
- Toxicity Equivalency Factor Method, international, of risk assessment for dioxins (I-TEF), 4, 8, 97–122
  - accuracy, 104
  - background, 100–104
  - consensus, 104
  - scheme, 104–114
  - toxicity equivalents by five methods, 104
    - for 17 congeners, 105
    - for milk, 110
    - for municipal waste incinerator, 109
    - for pentachlorophenol, 111
- Transformer, electrical, fires (U.S.A.), 377–399, 528
  - dioxin formation in
    - Binghamton State Office building, 391, 393, 395
    - Boston office building, 393
    - Chicago office building, 395
    - Cincinnati elementary school building, 393
    - Miami vault, 393, 395
    - San Francisco office building, 394
  - Treatment as promoter of cancer, 225–230

- Treatment as promoter of cancer (*cont' d*)
  - uncertainty factor, 225–228
- 1,2,4-Tribromobenzene, 496
- 1,3,5-Tribromobenzene, 497
- 2,4,6-Tribromophenol, 492
- 1,2,4-Trichlorobenzene, 439, 444–447, 475
  - and dioxin in, 445, 448, 475
- 2,4,5-Trichlorophenol, 6, 231, 436, 440, 441, 521
- 2,4,5-Trichlorophenoxyacetic acid (2,4,5-T), 6, 7,
  - 237, 520, 562
  - synthesis, industrial, described, 707–710
    - accident at Seveso, Italy, 6, 633–639; *see also* Seveso
- Tribromophenoxyethane, 499
- 2,3,6-Trichlorophenylacetic acid, 444
- Tumor: *see* Dioxin
  
- Ultraviolet
  - oxidation of dioxins, 551
  - photolysis of dioxins, 550
- Uncertainty factor, 207, 208
  - approach, 225–228
  - model, 240
- “Upper confidence limit estimate,” 209, 219
- “Upper limit risk estimate,” 212, 219
- Ureas, 509
- Ustinex PA, 454????
  
- Ventilation, pulmonary, 131–133
  - and activity, 132
  - minute, 132
  - rate, daily, equation for, 133
- Vinylchloride, 6, 205
  - carcinogenic, 6
- “Virtually safe dose,” 210
- Vitrification in situ, 534–536
  - technology, scheme of, 535
  - and zirconium–lime sludge, 536
- Waste
  - disposal sites containing dioxins in, 561–628
    - Netherlands, 618
    - United Kingdom, 617
    - United States of America, 597–616
    - West Germany, 562–596
  - hazardous, 368–376
    - liquid, flow diagram, 375
  - incineration, 274–365, 648–653
    - Canada, 297–330
    - Denmark, 351–353
    - Italy, 646, 651
- Waste (*cont' d*)
  - incineration (*cont' d*)
    - Japan, 342–350
    - Scotland, 358
    - Sweden, 354–357
    - United Kingdom, 358–359
    - United States of America, 360
  - solid, 274–365
    - incineration, 274–365
      - industrial (chemical), 274
      - municipal, 264, 274
- Water, supercritical
  - for oxidation, 551
  - for waste destruction, 551–552
- Wood-burning
  - dioxin in soot, 401–403
  - for house-heating, 401
  - soot formation, 401
- Wood-processing industry, 476–480
  - chlorobleaching, 476
  - dioxins in, 476–480