

# INDEX

## A

- {alpha}-amylase inhibitors, 172, 176, 177, 180
- Acanthoscelides*, 168, 176, 180
  - obtectus*, 119, 168, 199, 340, 353, 363
- Acarus siro*, 242, 323, 348, 352, 363, 367
- acclimation, 55, 77–80
- Acorus calamus* L., 310
- acoustical detection, 20, 21
- Adalia bipunctata* (L.), 184
- Adelina tribolii* Bhatia (Coccidia), 201
- admixtures, 310, 311, 312
- aeration, 51–69
  - background and history of, 51–60
  - dusts and, 365–366, 369
  - economics of, 67–68, 69
  - geographical and physical considerations, 65–66
  - parasitoids and predators and, 68, 419
  - physical characteristics of, 52–54
  - research needs, 68–69
  - usage, 13, 60–68
- Aerosil 380, 343, 348, 350
- Aerosil R72, 349
- Aerosil R972, 357, 365
- Africa, 203–205, 238–239
- Ahasverus advena* (Waltl), 13, 167
- American Conference of Government Industrial Hygienists (ACGIH), 367
- ammonia, 82
- Amyelosis transitella* (Walker), 90, 119, 423
- amylase-subtilisin inhibitor, 178
- Anisopteromalus calandrae*, 232, 236, 244, 245, 246, 247, 249, 251, 366, 424
- Aphytis chrysomphali*, 346, 366
- Argas reflexus* F., 112
- Artemisia tridentata* Nutt., 315
- Ascogregarina bostrichidorum* Purrini and Keil, 201
- Aspergillus*, 208, 211
  - flavus*, 122, 172, 173
  - ochraceus* Wilhelm, 250
- assisted hermetic storage, 127
- Attagenus unicolor*, 273, 293
- attapulgitic dust, 322

- Australia, 14, 16, 108
  - dusts in, 369–370, 371, 373
  - modified atmospheres in, 122–123
- Avena sativa* L., 165
- average sample number (ASN), 19
- avidin, 178
- azadirachtin, 154–156
- Azadiracta indica*, 154, 211, 246, 303, 310
- Azatin, 155

## B

- Bacillus*
  - cereus* (Bt) Frankland and Frankland, 196
  - thuringiensis* (Bt), 177–178, 195, 196, 197, 198, 205–206, 214, 218, 238, 245, 249, 424
- bacteria, 196–199, 211, 214
- Bactrocera dorsalis* (Hendel), 285
- baculoviruses, 200–201, 211, 215
- bait bags, 12, 280
- barley, 165
  - dusts and, 345, 359, 363
  - mechanisms of resistance, 175
  - pests of, 167
- barley trypsin inhibitor CMe, 178
- beans, 167, 363
- Beauveria*, 203, 211
  - bassiana*, 199, 200, 204, 205, 207, 208, 211, 212, 213, 214, 217, 218, 219, 250
  - brogniartii*, 199
- Bemisia argentifolii* Bellows and Perring, 79
- Berlese funnel, 15
- biogas generators, 127
- blast freezers, 83, 88
- Blattisocius tarsalis* (Berlese), 234
- Blovac BV22, 369
- Bombyx mori* (L.), 150
- Boservil, 200
- botanicals, 303–317
  - background and history of, 303–312
  - pathogens and, 211
  - research needs, 315–317
  - usage, 312–315

**Bracon**

- hebetor*, 230, 234, 236, 240–241, 245, 246, 249, 250, 251, 255, 256, 259, 260, 419, 420
- mellitor* Say, 249

*Bruchidius atrolineatus*, 168, 251  
bucket traps, 279

**C**

Cab-O-Sil, 345, 351, 357, 361

Cab-O-Sil M5, 365

*Cadra cautella*. *see* *Ephestia cautella*

calcium carbonate (limestone), 321, 323

calcium hydroxide (lime), 321

*Calliodes*, 231

*Callitroga macellaria* F., 113

*Callosobruchus*, 176

- chinensis* (L.), 168, 180, 236, 322, 344
- maculatus* (F.), 11, 20, 119, 168, 170, 175, 176, 180, 184, 235, 255, 322, 423
- subinnotatus* (Pic.), 119

Canada, 123, 209, 329

carbon dioxide, 105, 113, 114, 122, 246

application of, 129–131

discovery of, 106

effects of, 117–118, 119–122

high pressure and, 131–134

phosphine and, 134

principles of, 112–113

production of, 126–127

usage of, 112, 123, 124, 125

*Carpophilus*, 204, 289

*dimidiatus* (F.), 125

*hemipterus* (L.), 90, 125

*Caryedon*, 168

*serratus* (Oliver), 322

cash market, 11–12

Celite, 325, 353

Celite 209, 338

central storage, 12

*Cephalonomia waterstoni*, 235, 240, 250, 258

*Ceratotropis*, 167

*Ceutorhynchus assimilis*, 178

*Cheotospila elegans*, 58

*Cheyletus eruditus*, 233, 235, 242, 245, 247, 258

chitin synthesis inhibitors, 152–154, 424

*Chrysanthemum cineraraefolium* (Thev.)  
Vis., 313

*Cimex lectularius* L., 112

*Clausicella*, 232

clays, 212, 321, 322, 344

cocoa beans, 362–363

coherent electromagnetic energy, 381, 382

cold treatments, 73–81

acclimation to, 77–80

grain chilling, 51, 67, 85–87, 93, 95

heat treatments combined with, 91–92, 421

insecticide and, 422

insect response to, 68, 75–77

load determination, 83–85

methods of cooling, 82–83

modeling for, 80–81

pathogen and modified atmosphere with, 423

processing and storage system

compatibility with, 92–93

temperature ranges for, 73–75

usage, 85–89

water balance, 85

*Coleomegilla maculata* Timberlake, 78

computer simulation models, 4, 5, 18

for aeration, 59–60, 68–69

for parasitoids and predators, 235

constant pressure test, 128

copper oxychloride, 321

*Corcyra cephalonica*, 45, 132, 245, 322

corn (maize), 108, 165, 179

aeration for, 60

dusts and, 345, 351, 357–360

mechanisms of resistance, 172–173

pests of, 167

CPI VIA-301 Heatwave, 389

*Cryptolestes*, 13, 59, 291

*ferrugineus*, 8, 13, 15, 20, 57, 59, 68, 76,

77–78, 86, 97, 155, 167, 198, 202,

211, 235, 250, 258, 282, 347, 349,

354, 355, 357, 359, 360, 362, 363,

401, 407

*pusillus*, 167, 178, 217, 322, 347, 359,

360, 361, 362, 363

*turcicus*, 132, 133

*Curculio caryae*, 90, 94

*Cydia pomonella*, 80, 96

*Cynaesus angustus* (LeConte), 8

**D**

Damolin-KM-W, 352

degree-day (DD) model, 4–5

*Dendroctonus ponderosae* Hopkins, 294

DE No. 422, 366

*Dermestes maculatus*, 112, 244

diatomaceous earth (DE), 322, 325–339,  
343–344

- composition of, 334, 346
- grades of, 326
- heat treatments and, 96, 420–421
- identifying, 363–364
- parasitoids and predators and, 249
- particle size distribution, 330–331
- pathogens and, 212, 219
- registered dusts, 326–330
- retention on kernels, 351
- usage, 326, 334–339

Diatomite, 325

Dicalite IG-4, 366

Dicalite IG 3, 354

Die Die-67, 324

*Dinarmus*, 11

- basalis*, 235, 244, 252, 255

Dipel DF, 197, 214

Dipel 2X, 197, 214

diverter-type samplers, 18

Dobie Index, 169

dolomite, 321, 323, 344

Dri-Die, 324, 364

Dri-Die 67, 363

Dri-Die SG-68, 361

dried fruits, 82, 87–88, 90, 94–95

Drione, 324

*Drosophila melanogaster*, 76, 79, 404

Dryacide, 325, 329, 331, 334, 338, 341, 345,  
348, 351–352, 353, 354, 357, 359, 360,  
361, 362, 363, 364, 366, 367, 369–370,  
371

dusts, 321–373

- advantages of, 343–344
- application of, 368–372
- background and history of, 321–356
- combination with other methods, 96, 212,  
219, 364–366, 369, 373, 420–421
- disadvantages of, 344–346
- economics of, 367
- effectiveness of, 346–363
- mode of action of, 339–343
- physical properties of, 346–347
- quality of finished products, 366
- research needs, 372–373
- safety of, 367–368
- types of, 321–339
- usage, 356–372

Dynamitron, 386, 391

## E

ecdysteroids, 147, 150–152

economic injury level (EIL), 8

economic threshold (ET), 7–8, 11

edible oils, 310, 312

education, employee, 46–48

Electrocurtain, 386

electron beam fluidized bed (ebfb)  
processor, 393

electronic grain probe insect counter  
(EGPIC), 290

Ellis cups, 1

entoleters, 404

enzyme-linked immunosorbent assay  
(ELISA), 20

*Ephestia*, 250

- cautella*, 5, 17, 18, 45, 90, 113, 114, 125,  
132, 149, 156, 157, 167, 198, 200,  
205, 206, 211, 230, 240, 251, 255,  
256, 260, 279, 284, 286, 293, 356,  
359, 388, 420, 424

- elutella*, 18, 132, 205, 234, 237, 240, 256,  
259, 361

*figulilella*, 18

- kuehniella*, 18, 197, 202, 230, 233, 234,  
240, 245, 247, 249, 255, 323,  
324–325, 352, 361, 408, 410,  
411–412, 415, 419, 421

*Epiphyas postvittana* (Walker), 421

equilibrium wet-bulb temperature, 54

essential oils, 311

*Eupelmus*, 11

- vuilleti*, 252, 255

European Union (EU), 210, 252

exclusion. *see* sanitation and exclusion

expert systems, 6, 12, 21–22

## F

*Farinocystis*, 202

- tribolii*, 201, 210

farms, commercial, 12–13

Featherstone, 325

fenoxycarb, 148, 156, 157–159

Filter-Cel, 325

flow-through-pressure test, 128

food-baited traps, 3, 280

food processing facilities

- building exterior, 35–38

- building interiors, 38–39

- design of, 32–35

- treatments of, 89, 90–91, 229, 368–370

food processors and distributors, 16–18

France, 123  
 freeze-outs, 89  
 fruit  
   dried, 82, 87–88, 90, 94–95  
   fresh, 111, 123–124  
 fungi, 199–200, 210–211, 214–215, 250  
 funnel traps, 250, 279  
*Fusarium avenaceum* (Corda ex. Fries), 198, 218

## G

*Galleria mellonella* (L.), 202  
 gas chromatography with  
   electroantennographic detection of gas  
   chromatograph effluent (GC-EAD), 291  
 Gasil, 363, 365  
 Gasil 23D, 349, 357, 365  
 Gasil WP, 324  
 Germany, 123–124, 242, 252, 258–259, 334  
*Glycephagus destructor*, 348, 352, 367  
*Glycyphagus domesticus* (De Geer), 242  
*Gontozus nephantidis* Muesebeck, 251  
 grain chilling, 51, 67, 85–87, 93, 95  
 grain conditioning, 52  
 grain elevators, 13–16  
 Grain Pest Advisor-2, 6  
 grains and seeds, 85–87, 89–90, 94  
 Grain Storage Information System, 6  
 granulosis virus (GV), 200, 201, 249, 423, 424

## H

*Habrobracon*  
   *brevicornis*, 246, 249  
   *hebetor* (see *Bracon hebetor*)  
 halide, 82  
 Harper Valley DE, 329, 334, 346, 349, 354  
 heat shock, 77  
 heat treatments, 73–81  
   acclimation to, 77–80  
   cold treatments combined with, 91–92, 421  
   diatomaceous earth and, 96, 420–421  
   dusts and, 96, 364, 420–421  
   insect response to, 75–77  
   load determination, 83–85  
   methods of heating, 82  
   modeling for, 80–81  
   modified atmospheres and, 134, 421  
   processing and storage system  
   compatibility with, 92–93

temperature ranges for, 73–75  
 usage, 89–91  
 water balance, 85  
*Heliothis virescens* (F.), 206  
 hermetic storage, 106–109  
*Heterospilus prosopidis* Viereck, 236  
*Holepyris*, 236  
   *sylvanidis* (Brethes), 240  
 Home Shield, 334  
*Hordeum vulgare* L., 165  
*Hyalophora cecropia*, 147–148, 150  
 Hydra-Cell slurry pump, 369  
 hydroprene, 157  
 hypoxia, 79–80

## I

impact, 401–415  
   background and history of, 401–404  
   research needs, 415  
   usage, 404–413  
 impact machines, 41, 402–403, 404, 406–407, 410–413, 415  
 incoherent infrared radiation, 381, 382–383  
 infrared carbon dioxide gas analysis, 21  
 insect growth regulators (IGRs), 147–160, 357  
   background and history of, 147–156  
   research needs, 159–160  
   usage, 156–159  
 insecticides  
   cooling and, 422  
   dusts and, 364–365  
   parasitoids and predators and, 245–247  
   pathogens and, 210–211  
   pheromones and, 421  
   vegetable oil and, 422  
 Insectigone, 329, 353, 357  
 Insecto, 329, 331, 334, 338, 341, 345, 353, 354, 355–356, 357, 359, 360, 362, 363, 364, 367, 368, 369  
 Insectolo, 334  
 Institute of Physics, 391  
 integrated pest management (IPM), 8–10  
 integration of methods, 419–425  
   background and history of, 419  
   economics of, 425  
   research needs, 425  
   usage, 419–425  
 International Agency for Research on Cancer (IARC), 367  
 International Conference on Controlled Atmospheres and Fumigation, 105

International Institute of Tropical  
Agriculture - GTZ TT and U, 239  
International Organization for Biological  
Control (IOBC), 261  
International Rice Commission, 321  
International Rice Research Institute (IRRI),  
169  
International Working Conferences on  
Stored-Product Protection, 105–106,  
373  
ionizing radiation, 383–388, 391–397, 398  
Israel, 108–109, 124–125  
Italy, 125

## J

juvenile hormones (JH) and mimics,  
147–149

## K

kairomones, 250–251  
kaolin, 322–323, 344  
katelsous, 321, 344  
Keepdry, 334, 363  
Kenite 2-I, 345, 351, 361  
Kenya, 108, 203–205

## L

*Laelius*, 236  
*pedatus*, 234, 250, 251  
*Laemophloeus*, 201  
*Lariophagus distinguendus*, 230, 237, 250,  
251  
*Lasioderma serricorne*, 39, 45, 116, 125,  
132, 133, 153, 156, 158, 246, 279, 283,  
285, 286, 291, 293, 362  
Last-Call, 292  
legumes, 165–167, 184  
dusts and, 345  
limitations of resistance, 180  
mechanisms of resistance, 175–177  
pests of, 168  
*Lepidoglyphus destructor* (Schrank), 242  
light traps, 3  
*Locusta migratoria* L., 113  
low-temperature drying, 51, 52  
lure-and-kill, 284–285, 292  
*Lycotocoris campestris*, 231, 251  
*Lycytus brunneus* (Stephens), 112

## M

machine recognition, 20  
magnesite, 321, 323, 344  
magnesium oxide, 323  
maize. *see* corn (maize)  
*Manduca sexta*, 113, 155  
Margosan-O, 155  
*Mattesia*  
*dispora*, 202, 249  
*grandis* McLaughlin, 250  
*trogodermae*, 202, 215, 285, 421–422  
*Melanoplus*  
*differentialis* (Thomas), 404  
*sanguinipes* (F.), 178  
*Metaphycus luteolus*, 346, 366  
*Metarhizium*, 211  
*anisopliae*, 199, 208, 210, 214, 217, 250  
*flavoviride*, 212  
metered semiochemical timed release system  
(MSTRS), 286–288  
methoprene, 148, 156–157  
methyl salicylate, 46  
microbial control agents. *see* pathogens  
mineral dusts, 321, 323, 344–345  
mite monitoring device, 277  
models, 4–5. *see also* computer simulation  
models  
cold and heat treatments, 80–81  
modified atmospheres, 105–135  
background and history of, 105–122  
bacteriostatic and fungistatic effects of,  
121–122  
cooling and pathogen with, 423  
economics of, 131  
effects on insects, 113–121  
heat treatments and, 134, 421  
parasitoids and predators and, 246  
product quality with, 122  
research needs, 134–135  
usage, 122–134  
monitoring, 1–4, 12, 48  
pathogen efficacy, 219  
with pheromones, 277–283  
techniques, 39–40  
monitoring and decision tools  
background and history of, 1–10  
economics of, 18–22  
research needs, 22  
usage, 10–22  
*Musca*  
*autumnalis* DeGeer, 78  
*domestica* L., 76, 80  
museum artifacts, 112

*Myzus persicae* (Sulzer), 184

## N

Naaki, 325

National Food Research Institute, 395

National Sanitation Foundation, 31, 46

natural-air drying, 51

Natural Resources Institute, 260

near-infrared reflectance spectroscopy, 20,  
21

nematodes, 203, 214

Neosyl, 325

Neosyl TS, 357

Nevweb IGR, 157

*Niliparvata lugens* (Stahl), 179

nitrogen, 105, 113, 114

application of, 129–130

discovery of, 106

effects of, 118–119, 121, 122

principles of, 112

production of, 126–127

usage, 112, 122–123, 124, 125

Nitrogen-Flow-Fumigation method, 129

*Nomuraea rileyi* (Farlow) Samson, 199

non-ionizing radiation, 381–383, 388–391,  
397–398

*Nosema*

*locustae* Canning, 214

*pyrausta* (Paillot), 250

*whitei*, 202, 210, 218

NSW DE, 360

nuclear magnetic resonance, 21

nuclear polyhedrosis virus (NPV), 200, 215,  
249, 424

nuts, 82, 87–88, 90, 94

## O

oats, 165, 179

dusts for, 345

mechanisms of resistance, 175

pests of, 167

*Ocimum canum* Sims, 314

oils, 213, 422

edible, 310, 312

oilseeds, 165

*Olea europaea* L. *africana*, 212

operating characteristic (OC) curve, 19–20

oryzacystatin, 178

*Oryzaephilus*, 289, 291, 407, 415

*mercator*, 17, 132, 350, 355, 359, 360, 363

*surinamensis*, 8, 15, 45, 57, 90, 91, 117,

121, 125, 132, 133, 149, 154, 167,

178, 198, 199, 212, 280, 282, 286,

322, 323, 340, 344, 349, 354, 355,

357–358, 359, 360, 361, 362, 363,

387, 407, 410

*Oryza sativa* L., 165

oxygen, 106

## P

packaged foods, 89, 91, 112

packaging, 43–46, 48

parasites and, 249, 419–420

removal of damaged, 420

paddy husk ash, 321, 323

*Palorus subdepressus* (Wollaston), 178

parasitoids and predators, 229–261

background and history of, 229–237

biological control strategies, 235–237

compatibility with other control methods,

58, 68, 212–213, 238, 245–252, 366,

373, 419, 424

economics of, 253–260

environmental conditions, 232–234

mass rearing and release techniques, 244

packaging and, 249, 419–420

registration requirements, 252–253

research needs, 261

sterile males and, 424

usage, 237–260

pathogens, 193–220

advantages of, 194–195

background and history of, 193–203

compatibility with other techniques,

210–213, 219, 238, 249–250, 285,

423

disadvantages of, 195–196

economics of, 213–216

research needs, 216–220

traps and, 421–422

usage, 203–216

peanuts, 356, 359

*Pectinophora gossypiella* (Saunders), 287

Pelicans, 1, 14

Perma Guard, 329, 331, 334, 345, 351, 353,

354–355, 356, 357, 359, 360, 361

pesticides. *see* insecticides

PestMan, 6, 22

PestTools, 6

*Phanerotoma flavitestacea* Fl., 249

*Phaseolus*, 167, 168, 176

pheromones, 273–295, 424

background and history of, 273–285  
 economics of, 290–291  
 parasitoids and predators and, 250, 424  
 pathogens and, 211–212, 285  
 pesticides and, 421  
 population suppression with, 283–285, 423–424  
 research needs, 291–295  
 usage, 285–291  
 pheromone traps and lures, 3, 17–18, 235, 250, 277–280, 286, 290–291  
 phosphine, 91, 134, 365, 424  
 pin mills, 404  
 pitfall-cone traps, 17, 281, 282  
 plant extracts, 310–311  
*Plodia*, 125, 250  
   *interpunctella*, 3, 17, 18, 39, 45, 75, 90, 92, 113, 116, 117, 119, 125, 132, 148, 149, 151–152, 153, 157, 158, 159, 167, 177, 197, 198, 201, 202, 204, 205, 206, 212, 215, 232, 240, 244, 256, 279, 283, 284, 285, 286, 287–288, 291, 293, 349, 356, 357–358, 359, 362, 388, 421, 422, 423  
 predators. *see* parasitoids and predators  
 pressure chambers, 133–134  
 pressure half-life test, 128  
 probe traps, 2–3, 12–13, 18, 21, 281–283, 289–290, 291  
 processed foods, 89, 91  
 processing operations, 41–43, 92–93  
*Prostephanus truncatus*, 5, 7–8, 12, 20, 172, 183, 201, 202, 203–205, 217, 230, 231, 234, 236, 238–239, 244, 245, 249, 250, 251, 255, 260, 283, 288–289, 294, 295, 355–356, 357, 359, 360, 365  
 Protect-It, 249, 325, 329, 331, 334, 338, 346, 353, 357, 359, 361, 362, 364, 366  
 protozoa, 201–202, 215  
*Pseudomonas syringae* Van Hall, 198  
*Pterostichus brevicornis* Kirby, 78  
 public health pests, 112  
 pulses, 165, 167, 175–177  
 pyriproxyfen, 148, 157, 158, 159

## R

radiation, 381–398  
 background and history of, 381–388  
 economics of, 390–391, 396–397  
 research needs, 397–398  
 usage, 388–397

rapid cold hardening, 77  
 resistance of plants, 165–185  
   advantages of, 181–182  
   background and history of, 165–179  
   bagging and, 423  
   biological control, 229, 251, 424  
   economics of, 182–183  
   evaluation of, 168–171  
   limitations of, 180–181  
   mechanisms of, 171–177  
   pathogens and, 211, 219  
   research needs, 183–185  
   usage, 179–183  
 respiration gas, 127  
*Rhagium inquisitor* L., 113  
*Rhyzopertha*, 125  
   *dominica*, 5, 8, 13, 14, 15, 20, 21, 45, 55, 56–57, 58, 60, 80, 86, 125, 149, 154, 155, 156, 167, 169, 171, 172, 173, 174, 175, 178, 180, 199, 211, 212, 219, 239, 240, 246, 247, 257–258, 282–283, 289, 294, 295, 315, 322–323, 338, 344, 345, 347, 349, 351, 352, 353, 354, 355–356, 357, 359, 360, 361, 362, 372, 387, 404, 407, 415, 419  
 rice, 165, 180, 211  
   dusts and, 360–361  
   mechanisms of resistance, 173–174  
   pests of, 167  
   resistance evaluation, 169  
 Rice Growers' Cooperative Ltd., 370  
 rock phosphate, 323  
 rope, 287  
*Ryania*, 314  
   *speciosa* Vahl, 311

## S

safety  
   of botanicals, 312  
   of cold and heat treatments, 95–96  
   of dusts, 367–368  
   of parasitoids and predators, 253  
   of pathogens, 208–210  
 sampling, 2, 12, 18, 19–20  
 sand, 321, 322  
 sanitation and exclusion, 29–49, 61  
   background and history of, 29–31  
   economics of, 48  
   parasitoids and predators and, 247–249  
   research needs, 48–49  
   usage, 31–48

*Sarcophaga crassipalpis*, 76, 77, 78, 79, 80  
 sealing, 127–128  
 serpentine coolers, 88  
 SG 67, 341  
 SG 68, 351  
 sieves, 14, 15  
 silica gels, 324–325, 329, 341, 346, 351,  
 357, 364, 368  
 silicon dioxide, 322, 324–325, 326  
 silicophosphates, 324, 360  
 Sil-O-Cel, 325  
 simulation models. *see* computer simulation  
 models  
 Sipernat 22, 365  
 Sipernat 22S, 348, 349, 352, 357  
 Sirene, 292  
 SIROFLO, 371  
 SITO DETECT, 20  
*Sitophilus*, 13, 114–115, 121, 125, 173, 175,  
 282, 291–292, 294, 338, 345, 361, 401,  
 407, 415  
*granarius*, 15, 20, 56, 78, 91, 113, 114,  
 116, 117, 119, 120, 121, 134, 153,  
 167, 171, 198, 200, 203, 324, 338,  
 343, 344, 347, 348, 350, 351, 353,  
 361, 362, 387, 401, 404, 407, 408,  
 410, 422  
*oryzae*, 8, 15, 21, 55, 57, 59, 112, 121,  
 124, 149, 153, 154, 155–156, 157,  
 167, 169, 171, 172, 173, 174, 175,  
 177, 180, 199, 211, 239, 249, 282,  
 315, 322, 323, 324, 338, 339, 341,  
 343, 344, 345, 347, 348, 349, 350,  
 352, 353, 354, 355, 357, 359, 360,  
 361, 362, 363, 365, 383, 388, 401,  
 422, 424  
*zeamais*, 5, 7, 12, 20, 57, 60, 65, 86–87,  
 89, 167, 172, 174, 178, 183, 199,  
 204, 211, 316, 322, 361, 362, 387  
*Sitotroga cerealella*, 21, 132, 167, 169, 173,  
 174, 178, 180, 211, 232, 287–288, 293,  
 310, 357, 388  
 sodium chloride, 321  
 solvent extracts, 311  
 Sonometrics, 20  
*Sorghum bicolor* (L.) Moench, 165  
 sorghum (milo), 165  
 dusts and, 345, 351  
 mechanisms of resistance, 174–175  
 pests of, 167  
*Spodoptera*  
*exigua* (Hübner), 287  
*littoralis* (Boisduval) NPV, 215

*Stegobium paniceum*, 17, 407  
*Steinernema feltiae* (Filipjev), 203  
 sticky traps, 13, 17, 278–279  
 Stored Grain Advisor, 6, 21–22, 60, 258  
 suboptimal temperatures, 73, 75  
 subsistence agriculture, 10–11, 312–313, 314  
 sum of injurious temperatures (SIT), 80, 81  
 Super-Cel, 325  
 Super Insecolo, 357  
 supraoptimal temperatures, 73, 75

## T

*Tagetes minuta* L., 316  
 Takasaki Radiation Chemistry Research  
 Establishment (JAERI), 391  
 temperature, 73–97  
 in aeration, 53–54  
 background and history of, 73–85  
 dusts and, 351–352  
 economics of, 93–94  
 effect on insects, 54–55, 68, 232–233  
 research needs, 97  
 usage, 85–96  
*Tenebrio molitor*, 155, 347, 361  
*Tenebroides mauritanicus* (L.), 344  
*Teretriosoma nigrescens*, 5, 203, 230, 231,  
 236, 238–239, 244, 245, 250, 251, 255,  
 260  
*Tetranychus telarius* (L.), 347  
*Theocolax elegans*, 240, 244, 246, 247–248,  
 251, 257–258, 419  
 third generation pesticides, 147  
*Tineola bisselliella* (Hummel), 112  
 transgenic crops, 177–179, 182  
 traps. *see* monitoring  
*Tribolium*, 39, 120, 125, 132, 201, 202, 204,  
 278, 279, 286, 294, 314, 323, 415  
*castaneum*, 7, 8, 12, 13, 14, 15, 45, 57,  
 73–74, 76, 90, 114, 121, 125, 132,  
 149, 153, 154, 155, 157, 167, 174,  
 177, 178, 197, 199, 201, 202, 210,  
 244, 279, 282, 322, 338, 339, 344,  
 347, 348, 349, 351, 353, 354,  
 355–356, 357–358, 359, 360,  
 361–362, 363, 364, 365, 372, 387,  
 401, 404, 407, 408, 410, 421, 425  
*confusum*, 91, 116, 132, 133, 157, 167,  
 201, 203, 218, 279, 313, 324, 343,  
 348, 349, 350–351, 352, 354, 360,  
 361–362, 364, 365, 372, 387, 420  
*destructor*, 201  
 tricalcium phosphate (TCP), 323, 347



tricalcium trisilicophosphates, 324  
*Trichogramma*, 237, 244, 245, 249, 251, 258  
*chilonis* Ishii, 246  
*confusum*, 246  
*embryophagum* Quednau, 233  
*evanescens*, 230, 233, 234, 240–242, 250, 256, 258  
*japonicum*, 246  
*nigrescens*, 234, 251  
*nubilale* Ertle and Davis, 250  
*pretiosum*, 236, 244, 246, 251, 256  
 Tri-Die PT, 324  
 triers, 1, 18  
 Tri-O-Lite, 325  
 triticale, 165, 179  
   mechanisms of resistance, 175  
   pests of, 167–168  
*Triticum aestivum* L. subsp. *aestivum*, 165  
*Trogloderma*, 202, 279, 286  
*glabrum*, 202, 215, 250, 285, 293, 421–422  
*granarium*, 132, 202, 203, 234, 280, 360, 407  
*parabile*, 348, 359  
*variabile*, 39, 91, 112, 250  
 Trun-call, 250, 288  
 turning grain, 67  
*Typhaea stercorea*, 13, 167  
*Tyrophagus putrescentiae*, 132, 242, 323, 363

## U

United Kingdom, 125, 194, 209, 252, 367  
 United States, 179–180, 259  
   aeration in, 61–64  
   Department of Agriculture (USDA), 55, 62, 209, 286, 356, 386, 390  
   Environmental Protection Agency (US-EPA), 198, 209, 239, 253, 326, 329, 367  
   Food and Drug Administration (FDA), 30, 334  
   Food Drug and Cosmetic Act, 30  
   Food Quality Protection Act (1996), 239  
   microbial control agents in, 205–206  
   modified atmospheres in, 125–126  
   Occupational Safety and Health Administration (OSHA), 326, 367–368

Pure Food and Drug Act, 29–30  
 upper limit of chill injury zone (ULCIZ), 80–81  
*Uscana*, 11, 244  
*lariophaga*, 233, 237, 255

## V

vacuum probe, 14  
 vegetables, 111, 123–124  
*Venturia canescens*, 230, 233, 234, 245, 247, 249, 250, 251, 256, 419, 420  
*Verticillium lecanii* (Zimm) Viegas, 199  
 VGA-8000 gyrottron, 389  
*Vigna*, 167, 168  
*unguiculata*, 251  
 visual inspections, 3, 10, 16–17, 31  
*Vitex negundo* L., 310–311  
 volcanic ash, 321

## W

Wantage Research Laboratory, 384  
 wheat, 165, 179, 408–410  
   aeration for, 55–56, 57, 59–60  
   dusts and, 323, 344–345, 351, 352, 359, 361–362  
   mechanisms of resistance, 171–172  
   parasitoids and predators for, 257–258  
   pests of, 167  
 Wonder-Gun, 369  
 wood ash, 212, 321, 322

## X

*Xenorhabdus nematophilus* Poinar and Thomas, 203  
*Xylocoris flavipes*, 230, 231, 234, 235–236, 244, 245, 246, 251, 420

## Z

*Zabrotes*, 168, 176, 180  
*subfasciatus*, 168, 176, 180, 310, 314, 316, 363  
*Zea mays* L., 165  
 zeolites, 322  
 ZETA, 250, 279, 284, 287, 293  
 ZETOH, 284, 287, 293  
 zinc oxide, 323