

Index

A

Absorption 28
 Acceptors 49
 Accessible emission limit (AEL)
 337
 Active
 laser guard 377
 media 39
 medium 70
 Administrative control 358
 Aerodynamic window 112
 Alignment operations 360
 Amplifying medium 34
 Angular frequency 3
 Anode drop 45
 ANSI Z136.1 American national
 standard for the safe use of lasers
 343
 Antiguidded array 313, 315
 Arc discharge 43, 92
 Array lasers 310
 Associated hazards 367
 Astigmatism 79
 Auger process 303
 Automation 381
 Auxiliary gas 88
 Aversion response 329
 Axicons 410

B

Band structure 270
 Bandgaps 272, 273
 Barium fluoride 246
 Beam
 attenuator 347
 delivery by fibres 212

Beam

divergence 82, 241
 dumps 356
 edge 58
 expander 409
 homogenizer 249
 manipulation systems 240
 matrix 72
 mode 108
 Beam parameter product 59, 78, 83,
 124

Beam

parameters 123
 profile 241
 propagation 408
 quality 78, 108, 123, 182
 radius 54, 78, 80
 splitters 418
 stop 347, 355
 waist 65, 78
 Beams 51
 Biological hazards 327
 Blink reflex 329
 Blowers 99
 Blue fluorescence 244
 Boltzmann equilibrium 32
 Bottleneck 89
 Brilliance 268
 Buried heterostructure 290, 305

C

Calcium fluoride 246
 Calorimeter 417
 Cathode voltage drop 44
 Characteristic wave impedance 16
 Circular polarisation 17
 Cleaved facet lasers 316

CO laser 391
CO₂ molecule 86
Coaxial electrodes 102
Collateral radiation 364, 370
Collisional ionisation 27
Colour centres 246
Compounds
 III-V 272
 II-VI 273
Compton experiment 20
Concave 66
 mirror 64, 75
Conduction band 48
Confocal resonator 74
Constructive interference 10
Control 416
Convection cooling 97
Conventional processing 384
Conversion efficiency 237
Convex 66, 75
Cooling 96, 237
Corona discharge 233
Corrosion 238
Cross section of laser transition 132
Crystal halides 246
Current 93

D

DC current 94
De Broglie wavelength 275
Depth of field 250, 251
Destructive interference 10
Dielectric
 constant 5, 15
 slab waveguide 293
Diffraction 12, 52
 coupled 311
 losses 71
Diffusion
 cooling 97
 length 284
Diode pumped Nd:YAG laser 207
Dirac function 13
Discharge columns 101

Dispersion 244
 relation 3, 21
Distributed
 Bragg reflector 306
 feedback lasers 306
Disturbance 1, 13
Divergence 58, 78, 82
Donors 49
Double
 discharge power supply 255
 heterostructure 286, 289
Doughnut mode 60, 63, 104
Drilling 411
Duality relations 20

E

EC Machinery Directive 326
Edge precision 249
Efficiency 102
 diode laser 305
Eigenfunctions 60
Eigenvalue 73
Eigenvectors 73
Einstein coefficients 31
Electric field strength 51
Electricity 369
Electrode 94
 erosion 239
Electromagnetic
 induction 15
 wave 15, 18
Electron
 density 236
 mobility 44
 orbit 22
Electronic confinement 288
Electrons 20
Embedded laser 338
EMC Directive 343
Emission of radiation 47
EN 12266 safety of machines 343
EN 60825-1:1994 Safety of laser
 products 343, 346
Enclosures 371

- Energy
 - band 47
 - density 2, 241
 - level 23
 - supply 94
- European Health & Safety Directives 343
- Evanescence wave, coupled 311
- Excimer
 - formation 231
 - laser 227
 - transitions 228
- Excitation 91, 94
 - energy 88
- Excited
 - dimer 228
 - states 23
- Extraction efficiency 146, 257
- Eye protection 364
- F**
 - f/number 387
 - Fabry Perot 69, 280
 - Far field 10
 - Fast flow coaxial laser 106
 - Feedback 70
 - Fermi level 47, 282
 - Fibre optic 399
 - Field
 - lens 250
 - strength 90
 - Fire 370
 - Flat-field lenses 395
 - Flow resistance 99
 - Focal
 - length 52, 125
 - plane 55, 394
 - Focusing 54
 - optic 387
 - process 63
 - Folded resonators 102, 187
 - Foreseeable Exposure Level (FEL) 373
 - Four level lasers 131, 282
 - Fourier transformation 13, 52
 - Free
 - path 90
 - space propagation 66
 - Fresnel number 71, 82, 108
 - Fume
 - emissions 369
 - extraction 335
 - filtration 335
 - hazard 334
 - Fundamental mode 62
 - Fused
 - quartz 241, 244
 - silica 241, 244
 - Fusion cutting 414
 - G**
 - g parameters 68
 - Gain
 - coupled DFB 310
 - expression 232
 - guided 290
 - guided arrays 313
 - laser 34
 - Galvanometer 392
 - Gantry systems 400
 - Gas
 - discharge 41, 88
 - lifetime 262
 - mixture 92
 - pressure 90, 92
 - temperature 93
 - transport 97
 - Gaussian
 - beam 4, 63, 124
 - distribution 14, 54, 55, 64
 - Glow discharge 42, 90, 92
 - Graded
 - index fibre (GI) 216
 - mirrors 187
 - Grating outcoupled surface-emitting laser 317
 - GRIN (graded index ...) 295
 - Ground state 22

GSE 317

H

Harmonic wave 2
Hazard classification 337
Heat exchanger 99, 104, 237
Helium 89
Hemiconcentric resonator 69
Hemiconfocal resonator 69
Hemispherical resonator 64
Hermite polynomials 60
Heterostructure 286, 289
High power lasers 85
Higher order modes 62
Hole 48
Homogeneous line broadening 36
Homojunction 283
Huygen's principle 10

I

Image defects 250
Imaging techniques 248
Impurities 49
Incident beam monitors 419
Incoherent 19
Indirect
 band structure 270
 semiconductor 269
Industrial
 laser systems 379
 lasers 263
Infrared radiation 86
Integrated beam deflector surface-emitting lasers 319
Integrators 410
Intensity 17, 268
 profile 109
 scanning 418
Interference 10
 fringes 12
Interlocking 347
Intrinsic conduction 48
Inverse Fourier transformation 14

Inversion of population 33, 88
Ionisation 44

J

Jointed Arm beam guides 411

K

K number 83, 124
Keratoplasty 263
Kirchhoff Fresnel integral 51
Knudsen layer 46

L

Large signal gain 35
Laser
 active medium 36
 beam 38
 beam intensity distribution 417
 cutting 413
 guards 375
 hazard classes 337
 hazard classification 367
 level 88
 processing machine standard
 EN12266 326
 radiation hazards 330
 safety officer 326, 356
 sales value 380
 soldering 398
Lasers manufacturers 380
Law of reflection 7
Lead chalcogenides 274
Lead-tin chalcogenides 274
Leaky wave coupled 311
Lens resonators 165
Lenses 394
LIDAR 263
Lifetime 24
Light 18
 amplification 33
 wave 37
Linear polarisation 17

- Liquid phase epitaxy 277
- Lithium fluoride 246
- Long pulse durations 255
- Longitudinal
 - flow lasers 99, 101
 - oscillations 87
 - pumping 207
- Loss mechanisms 302
- Losses 70
- Low-Voltage Directive 343

- M**

- M^2 parameter 77, 83, 125
- Machinery Directive 343
- Magnesium fluoride 246
- Magnetic switch 235
- Maintenance operations 360
- Majority carriers 284
- Manipulation techniques 385
- Marking 396
- Mask 385
 - material 252
- Master oscillator power amplifier (MOPA) 310
- Matching network 96
- Material processing 85
- Maximum permissible exposure (MPE) 337, 341
- Mechanical 370
- Medical surveillance 366
- Metal-organic chemical vapor deposition
 - 278
- Metastable states 24
- Micromachining 263
- Microwave 96
- Minority carriers 284
- Mirror
 - cooling 403
 - distortion 405
 - systems 242
- Mode
 - locking 157, 302
 - volume 76
- Molecular beam epitaxy 278
- Molecule 25
- Monitoring 416
- Monochromatic wave 19
- MOPA concept 210
- Moving
 - lens 388
 - mirrors 387
 - workpiece 386
- Multifaceted integrators 410
- Multiple quantum well 275
- Multirod systems 192
- Multi-slab systems 196
- Multistage compression 236

- N**

- n type semiconductor 49
- Nitrogen 88
- Nominal
 - Hazard Zone (NHZ) 368
 - Ocular Hazard Distance (NOHD) 331, 367
- Numerical aperture 128, 213

- O**

- Optical
 - coatings 248
 - confinement 291
 - Density (OD) 365
 - fibres 390, 411
 - imaging 385
 - materials 417
 - Parametric Oscillators (OPOs) 227, 228
 - resonator 37, 108
- Optics 51

- P**

- p type semiconductor 49
- Paraxial
 - beams 7, 53
 - ray approximation 394

Paschen's law 41
Passive laser guard 377
Pauli's law 47
Percussion 412
Periodical Q-switching 162
Permeability 5, 15
Phase
 difference 9, 11
 distribution 78
 shifts 53
 velocity 5
Photo ionisation 27
Photochemical
 damage 328
 processes 230
Photodegradation 239
Photoelectric
 devices 418
 effect 19
Photons 19
Planar wave 4
Plane mirror 64
Plasma 93, 94
 geometry 100
 luminosity monitors 420
 state 40
 volume 108
Plug efficiency 146
Population inversion 232, 282
Positive index guided arrays 313
Post-objective scanning 389
Potential
 surfaces 229
 tunnel 47
Power density 84
 distribution 78
 distribution moments 79
 distribution standard deviation 80
Power monitor 417
Preionization 236
 electrode 233
Pre-objective scanning 390
Prism resonators 187
Protective
 clothing 365

 housing 355
 laser eyewear 352
 skinwear 352
Pulse
 durations 253
 forming network 232
 shaping 253
Pumping source 35
Pyroelectric detectors 418

Q

Q-switched Nd:YAG 397
Q-switching 157, 254
Quantum
 defect 136
 number 24
 wells 275

R

Radiance 128
Rare gas halides 230
Rate equations 287
Rayleigh length 57, 65, 82
Reaction Fusion Cutting 414
Recombination radiation 47
Rectangular symmetry 62
Red fluorescence 245
Reflected beam monitors 420
Reflection 6
Refractive index 3, 16
Regeneration 91
Resonance wavelengths of the
 resonator 38
Resonators 51
Retinal damage 332
RF
 currents 94
 excitation 104
Ring shaped beam 75
Risk assessment 366
Robots 390, 400
Rod 149
Rotating mirrors 392, 410

- Rotating needle 419
- Rotation 89
- Rotational
 - states 90
 - symmetry 62
- Round trip 76

- S**

- Saha's equation 44
- Sapphire 246
- Saturation intensity 36, 133
- Scan mask 249
- Scanners 410
- Schawlow-Townes 301
- Schindler diagram 143
- Schwarzschild 242
- Scraper mirror 60, 76, 111
- Scribing 396
- Sealed cavities 240
- Seed pulse 257
- Semiconductor
 - diode laser 267
 - laser materials 271
- Semiconductors 46
- Sensors 416
- Separate confinement heterostructure (SCH) 295
- Servicing operations 360
- Short
 - cavity lasers 300
 - pulse durations 254, 257
- Side pumped
 - rods 207
 - slabs 207
- Single
 - mode laser 297
 - pulse Q-switch 160
 - rod laser 191
 - shot 412
- Skin damage 330
- Slab 154
 - systems 196
- Slope efficiency 144, 286
- Small gain signal cross section 229
- Small signal gain 35, 91, 132
- Solarization 246
- Solid state lasers 119
- Spark-gaps 232
- Spectral width 300
- Spectrum 13
- Speed of
 - light 3, 16
 - of propagation 3
- Spherical
 - aberration 388
 - mirror 6
 - shape 56
 - wave 2, 3, 8, 10, 74
- Spiker/Sustainer 255
- Spiking 158
 - mode 157
- Spontaneous emission 27, 32
- Stable resonators 69, 169
- Standing wave 10
- Step-index fibre 213
- Stimulated emission 28, 89, 281
- Stripe
 - lasers 305
 - contact lasers 290
- Sunburn 328
- Superlattices 275
- Superrad
 - figure 247
 - scattering 247
 - emitting lasers 315

- T**

- TEA laser 92
- Technique 249
- Telescope 409
- TEM₀₀ mode 124
- TEM₀₁ mode 60
- Thermal
 - (burn) damage 328
 - collision 89
 - instabilities 92
 - lensing 152
 - induced birefringence 155

Thermo-mechanical damage 333
Thin film growth 263
Thorus 112
Three in one 218
Threshold power 139
Thyratrons 232, 234
Tolerances 384
Toroidal 77
Total efficiency 144
Translating mirrors 402
Transmission 6
 losses 71
Transmitted beam monitors 420
Transverse
 flow lasers 99, 101
 modes 62
 oscillation 86
Trepanning 413
Trigger switch 234
Tube 155
 configurations 206
Tuneable solid state lasers 121

U

Ultrashort pulse 227
Ultraviolet wavelengths 227
Uncertainty relation 29
Unstable
 multirod systems 195
 resonator 69, 176
UV microobjectives 243

V

Valence band 48
Vapour phase epitaxy 277
Vaporisation Cutting 414
VCSEL 317
Vertical
 cavity structure 316
 cavity surface-emitting laser 317
Vibrating mirrors 410
Voltage 93

W

Wave 1, 19
 amplitude 2
 energy density 18
 intensity 18
 phase 2
Wavefront 2, 6, 64, 67
Wavefunction 2, 9
Waveguide laser 97
Wavelength 3
Wavenumber 3
Welding 415
Whisper modes 162
Window lasers 291

X

X ray
 absorption 237
 preionizing 233

Y

Y junction coupled 311