

SUBJECT MATTER INDEX

A

acceptor-doping 213
activation energy 215
actuators 168, 199
adaptive heterostructures 84
aging 199, 207
APB 121
Arrhenius-type 215
ASIC'S 168
Avrami theory 134

B

band-gap illumination 207
beta-diketonates 178
bit line 1
BPSG 35, 161
breakdown voltage 125
 BST 6,8,44, 115, 167
bypass capacitors 115

C

capacitance density 2, 9
capacitors 1,
 capacitor, stacked 3
 capacitor, trench 3
characteristic length 79
charge injection 141
 charge trapping 201
 chemical mechanical polishing (CMP) 4
coercive fields 134
collision cascade 95
conductive oxide 92
Conformality 22
contact resistance 31

critical thickness 89
cross-section 98
Curie-von Schweidler relationship 12
Curie temperature 50
CVD 61, 91, 117

D

decoupling capacitors 199
defect dipoles 210
depolarizing field 74
dielectric 91
dielectric constant 2, 48
dielectric after-effect 58
dielectric dispersion 54
diffusion barriers, TiN 29, 150
direct recoil spectroscopy (DRS) 93
domains 71
in epitaxial films 71
domain period 72
domains, electric 72
domains, elastic 73
domain wall pinning 200
donor doping 202
DRAM's 1, 43, 91, 123, 146, 167, 199
DRO 147

E

EEPROMS 115, 145, 168
elastic energy 76
electrodes, 24, 149
IrO₂ 125, 149, 203, 222
LSCO 149, 203, 222
Pt 149
RuO₂ 7, 66, 149, 203, 222
SrRuO₃ 149, 222
YBCO 149, 222

electrocoloration 214
electron injection 203
electronic pinning 228
electrostrictive 91
embedded memory 146
enthalpy 84
epitaxial films 71
EPR 202
equivalent oxide thickness, t_{eq} , 9, 44
etching 25
external fields 83

F

fatigue 92, 116, 139, 199, 224
ferroelectric 44, 91
field-assisted recovery 206
FLASH 145
forming gas 162
FRAMS 145
frequency dependence 133
fringing fields 138

G

Gbit 2
Gibbsian segregation 101, 103

H

hillocking 151
HSG cylinder 3
hydrogen anneal 35
hydrogen diffusion 139

I

IBSD 91

imprint 92, 149, 224
Integrated circuit 167
integration 15
interface capacitance 10
interlayer dielectric 35
ion scattering spectroscopy (ISS) 93

J

K

Kaufman-type ion source 100
kinetic energy distribution 95

L

Landau-Ginzburg-Devonshire formalism 11, 74
layered perovskite 92, 116
layered perovskite, SBT 92, 204
leakage current 10, 12, 25, 53, 92, 122, 212
liquid delivery systems 18, 174
lithography 4

M

martensitic transformations 73
memory 1,
metalorganic precursors 16
metal alkoxides 176, 178
metallization 4, 157
MIS devices 7
misfit dislocations 74
MMIC's 168
MOCVD 11, 18, 148, 168, 170
MOD 118
morphotropic phase boundary 152
MSRI 96

N

NDRO 148
nonvolatile memories 115
NVRAM 91, 95, 168

O

ONO 167
optical switches 199
oxygen diffusion barrier 236
oxygen stable electrodes 25

P

paraelectric 51, 81,
periodic polydomain structures 74
phased array radars 115
piezoelectric 91
piezoelectric actuators 167
PLZT 8
PMN 8
point defects 202
polarization discontinuity 201
polarization switching 105
polydomain microstructures 78
precursors 176
precursors, organometallics 176
precursors, beta-diketonates 176

process integration 43
pyrochlore 189, 222
pyroelectric 91
pyroelectric detectors 115
PZT 8, 91, 115, 145, 168, 221,

Q

R

RBS 151
refresh 58
refresh time 12
relaxation currents 12
reliability 14
remanent polarization 189
resistance degradation 15, 199, 212
retention 116, 224, 229,
RF sputtering 45
RF tags 145
RTP 118

S

Schottky controlled leakage current 14
Schottky discharge 53
self strain tensor 75
sense amplifier 1s
sensors 199
shadow cone 94
Si-CMOS 221
smart cards 145
smart systems 168
sol-gel 148
solid source delivery 174
spontaneous polarization 190
SrTiO₃ 8
stacked cell 60
step coverage 22, 63
storage cell 147
storage node 16
supercrystal 86
surface pinning 140
surface roughness 154
switching kinetics 132

T

tantalum butoxide 117

tantalum oxide 7

template 225

TEOS 161

tetragonality 87

TOF-ISARS 93

twin structure 73

U

ULSI 167

uncooled infrared detectors 168

V

V_{cc} 1

W

word line 1