

Subject Index

- absorption edge, 167, 171 ff.
 - acceptors, 224, 227, 230, 264, 272, 304.
 - a.c.conduction, 262ff., 303.
 - at high fields, 295.
 - in chalcogenide glasses, 262.
 - loss mechanisms in, 265–6.
 - photon-assisted tunneling, 266.
 - power law, 262, 266.
 - temperature dependence, 263–4.
 - a.c.conductivity
 - in amorphous semiconductors, 262.
 - As₂S₃, 263.
 - As₂Se₃, 263.
 - accumulation region, 277.
 - acousto-optic modulators, 169.
 - activation energy.
 - of conductivity, 231, 235 ff.
 - of relaxation processes, 266.
 - of traps from high field experiments, 295.
 - Adam-Gibbs equation, 11.
 - Ag-Au liquid, 398.
 - Ag-Te liquid, 385, 411, 416, 426, 429.
 - amorphous state definition, 2.
 - Anderson's transition, 108, 121, 124, 127, 130, 226.
 - Anderson's Model, 136.
 - Ar, liquid, structure of, 371, 381
 - As bonding, 51.
 - structure, 69.
 - As₂S₃
 - absorption edge, 172 ff, 178 ff, 188 ff.
 - contact effect, 280.
 - density of states at E_F, from a.c.conductivity, 263.
 - doped with Fe, 190.
 - drift mobility in, 273.
 - free spins, 190.
 - fundamental absorption band, 198.
 - index of refraction, 169, 212.
 - infrared spectra, 165.
 - magnetic susceptibility, 83, 190, 243.
 - photoemission, 205.
 - photoluminescence, 191.
 - piezooptical effects, 214.
 - Raman spectra, 165, 167.
 - scattering of light, 189.
 - structure, 73 ff, 165, 167.
 - As₂S₃ – As₂Se₃ alloys, infrared spectra, 164.
 - As₂Se₃
 - absorption edge, 172 ff, 178.
 - bonding, 56.
 - contact effect, 280.
 - density of states at E_F, from a.c. conductivity, 263.
 - drift mobility in, 272–3.
 - free spins, 190.
 - fundamental absorption band, 198.
 - infrared spectra, 165.
 - magnetic susceptibility, 83, 190, 243.
 - photoemission, 205.
 - photoluminescence, 191.
 - Raman spectra, 165.
 - structure, 73 ff, 165.
- As-Se-Te liquid alloys, 414, 418, 420, 429.
 - As₂Te₃
 - absorption edge, 172, 173, 178.
 - density of states at E_F, from a.c. conductivity, 263.
 - temperature dependence of a.c.conductivity, 262–4.
 - atomic overlap, 380.
 - atomic transport, 10, 12.
 - Au-Sn liquid, 384.
 - Au-Te liquid, 404, 407, 429.
 - autocorrelation function, 105.
- B, bonding, 53.
 - band conduction, 231.
 - band edges, 227 ff.
 - band model of amorphous semiconductors, 227 ff.
 - barrier, contact, 276.
 - Bi-Mg liquid, 407–411, 424, 427.
 - binary alloys, 127.
 - binding energy, field lowering of, 291.
 - birefringence, stress induced, 214.
 - Bi-Sb liquid, 399.
 - Bi-Se liquid, 413.
 - Bi₂Te₃ liquid, 404–406, 429.
 - bonding in alloys, 385, 411, 424, 425.
 - bond modifier, 226.
 - bonding in amorphous semiconductors, 224 ff.
 - Borland's proof for localized states, 134.
 - Born-Green theory, 378.
 - bound states in alloys, 404, 405, 407, 424, 427.
- C, bonding, 46, 51.
 - electrical conductivity, 253.
 - structure, 72 ff, 81 ff, 87.
 - tunnelling into, 253.

- calorimetry, 38.
- carriers
 injection of, 267, 286 ff.
 lifetime of, 287, 291.
 recombination, 286 ff.
 thermal, 286.
- CdAs₂
 absorption edge, 173.
 bonding, 48.
- CdGeAs₂ and similar ternaries
 absorption edge, 178.
 bonding, 48.
 electrical properties of, 242 ff.
 Faraday effect, 214.
 fundamental absorption band, 196.
 magnetic susceptibility of, 243.
 structure, 72.
- Cd-Mg liquid, 398.
- Cd-Sb liquid, 404–406, 429.
- cnam structure, 69.
- chalcopyrites, 48.
- chalcogenide glasses
 absorption edge, 167, 172 ff, 178 ff,
 190.
 a.c.conduction in, 262.
 contacts with, 278.
 electron spin resonance in, 258.
 free spins, 190.
 Hall effect in, 259 ff.
 index of refraction, 212.
 infrared spectra, 164.
 inhomogeneity, 168, 188.
 memory effects, 24, 207, 211, 313
 ff, 330 ff.
 photoluminescence, 191.
 properties of commercially produced
 glasses, 170.
 Raman spectra, 164 ff.
 structure, 74.
 surface conductance, 281.
 chemical bond description, 46 ff, 222 ff.
- cluster model, 76.
- cold layer effect, 338.
- coherent-potential approximation, CPA,
 128.
- compounds A^{III}B^V
 absorption edge, 175.
 electrical conductivity, 248.
 fundamental absorption band, 196.
 infrared spectra, 164.
 piezooptical effects, 214.
 Raman spectra, 163 ff.
 structure, 71, 95.
 thermopower, 248.
 tunnelling into, 255.
- compounds A^{III}B^{VI}
 bonding, 56.
 structure, 73.
- compounds A^{III}B₃^{VI}
 bonding, 56.
- compounds A₂B₃^{VI}
 see As₂S₃, As₂Se₃ and As₂Te₃
- compounds A^{IV}B^{VI}
 bonding, 54.
 structure, 74.
 see GeTe.
- compounds A^{VI}B₆^{VII}
 bonding, 51.
- compounds A₂B₁₀^{VII}
 bonding, 51.
- compounds A^{II}B^{II}C₂^{VI}
 bonding, 48.
- compounds A^{II}B^{IV}C₂^V
 bonding, 48.
 structure, 71.
- conduction electrons
 density, 388.
 density of states, 393, 394, 419, 427,
 428.
 localisation, 390, 407, 418–420,
 422.
 mean free path, 389, 390, 423.
 nearly free electron model, 389,
 398–400.
- conduction, high field, 285 ff. 304, 305.
- conductivity, see electrical conductivity,
 mobility.
- configurational entropy, 11.
- continuous network model, 58, 86 ff.
- contacts, 275 ff, 303.
 blocking, 266, 277, 288, 290.
 effect on crystallization temperature,
 280.
 effect on Hall coefficient, 261.
 emission processes, 288.
 injecting, 278, 286.
 neutral, 278-ff.
- Coopersmith-Neustadter model, 112.
- Co-S liquid, 413.
- covalent bonds, 46.
- critical concentration, 131, 133.
- critical field in electronic breakdown,
 343.
- crystal growth, 7, 22.
- crystalline inclusions, effect on Hall
 coefficient, 258, 260.
- crystallization, 4, 20, 348.
 electric field effects, 26.
 kinetics, 4, 20.
 mode, 17.
 photo induced, 24.
 temperature, 280.
- Cu-Sn liquid, 371–373, 384, 400–
 402.
- Cu-Te liquid, 385, 411, 412, 425, 429.
- dangling bond, 224 ff, 257, 264, 295.
 effect on a.c.conductivity, 264.
- Davis-Mott model, 177, 229, 231 ff.
- defects in glasses
 electronic transitions, 169.
 p-bands, 171.
 vibrations, 169.
- delay time, 318, 322 ff, 340, 352.
- density

- deficit, 17.
- fluctuations, 19.
- density of states, 227 ff, 303 ff.
 - at Fermi energy, 255, 256, 263, 264, 277.
 - at interface, 276.
 - of amorphous Se, 274, 284.
 - from dielectric screening, 277.
 - table, from a.c.conductivity, 263.
 - see conduction electrons.
- device structures, 330 ff.
 - four terminal threshold switch, 331.
 - memory array, 330.
 - threshold switch, 332.
- dielectric films, 223, 224, 279.
- dielectric relaxation time, 275, 286, 287, 324, 347.
- differential thermal analysis, 353 ff.
- diffraction pattern of an amorphous solid, 59 ff.
- diffusion, 10, 12.
- diffusion length, lifetime, 275.
- direct correlation function, 377, 379.
- disordered systems, theory of
 - 1-dimensional, 134.
- donors, 224, 227, 230, 272, 304.
- double bond, 49 ff.
- double injection in switching devices, 344 ff.
- drift mobility, 267 ff.
 - effect of pressure, 269.
 - effect of trapping, 267–8.
 - in a-Se, 268–272.
 - in a-Si, 273–4.
 - in As_2S_3 , 273.
 - in As_2Se_3 , 272–3.
 - table, 270.
- E, Edwards' path integral formulation, 139.
- Edwards' mean field theory, 147.
- eclipsed configuration, 46 ff, 78, 89.
- effective medium approach, 111.
- effective potentials, see pair potentials.
- effective self energy, 127.
- Eggarter-Cohen mobility model, 120.
- elasto-optical effects, 213 ff.
- elastoresistance, 251 ff, 303.
- electrical conductivity in the simple mean field theory, 153.
- electrical conductivity of liquids
 - experimental results, 391, 392, 394–396, 403, 405–411, 415–417.
 - measurement, 387, 388.
 - temperature dependence, 400–402.
 - theory of, 389–392, 418–422, 424–427.
- electrodeposition, 14.
- electron migration, 352, 410, 422.
- electron energy losses, 205.
- electron states
 - extended, 103, 107, 122, 177.
 - localized, 107, 122, 177, 191.
 - singly occupied, 190.
- electron microprobe, 32.
- electron microscopy, 16, 32.
 - scanning, 32.
- electron spin resonance
 - in chalcogenide glasses, 243, 304.
 - in tetrahedral films, 257.
- electronic models of switching, 342 ff.
 - critical field, 343.
- electronegativity, 424, 425, 427.
- electroreflectance, 213.
- electrothermal model of switching devices
 - external circuit effects, 341–2.
 - stability of solutions of, 338–341.
- energy gaps, 175, 392, 419, 423.
 - see also pseudogaps, 428;
 - Mott-CFO model
- enriched isotopes, use of, 371, 386.
- equivalent alloys, 399, 400.
- entropy
 - configurational, 11.
 - residual, 11.
 - theory of glassy state, 11
- extended states, 103, 107, 122.
- F, Faber-Ziman theory, 397.
- Faraday effect, 214.
- Fermi level
 - splitting of, 285, 294.
- fictive temperature, 12.
- field dependence of conductance, 338.
- field effect, 281 ff.
 - in amorphous Ge, 282.
 - in amorphous Si, 282.
- field enhanced hopping, internal field emission, 344.
- filament region
 - bulk, 317, 319, 325, 335 ff, 349 ff.
 - chemical etching of, 349, 350.
 - formation of, 317, 319, 325, 342, 348 ff.
 - growth velocity of, 352.
 - revitrification of, 348.
 - surface, 350 ff.
 - width of, 327, 350, 352.
- fluctuations
 - density, 19.
 - composition, 26.
- fluidity, 10.
- free volume theory, 11.
- forming process, 317, 335.
- four terminal threshold switch, 331 ff.
- Franz-Keldysh effect, 213.
- free carrier absorption, 168.
- Fulcher equation, 10.
- fundamental absorption band, 194 ff.
- G, Ga-Te liquid, 413.
- Ge, amorphous
 - absorption edge, 171, 192 ff.
 - bonding, 46.

- defects, 170 ff, 192, 206.
- elastoresistance, 251 ff.
- electrical conductivity, 246 ff, 257 ff.
- electron energy losses, 205.
- electroreflectance, 213.
- electron spin resonance, 192, 257.
- field effect in, 282.
- fundamental absorption band, 195, 196 ff.
- Hall coefficient, 260.
- high field conduction in, 291, 293.
- index of refraction, 207.
- infrared spectra, 162.
- photoemission, 202.
- piezooptical effects, 214.
- preparation of, 243 ff.
- Raman spectra, 162, 164.
- reflection spectra, 162.
- structure, 71, 77, 85, 89 ff, 160.
- surface conductance, 282.
- thermopower, 247 ff.
- tunneling into, 253 ff.
- void structure, 192, 243 ff.
- Ge liquid, 160, 392, 429.
- Ge-Si alloys
 - fundamental absorption band, 206.
 - infrared spectra, 164.
 - Raman spectra, 164.
- Ge-Sn alloys, 164.
- Ge-Te alloys, GeTe
 - absorption edge, 173, 178.
 - index of refraction, 211.
 - infrared and Raman spectra, 167.
 - photoemission, 205.
 - structure, 54, 74 ff, 167, 211.
- glass
 - definition, 3.
 - entropy theory, 11.
 - formation, 4, 6, 353.
 - free volume theory, 11.
 - ideal, 9, 10, 108.
 - preparation, 12.
- glass transition, glass transition temperature T_g , 3, 8, 11, 38, 320, 353.
- Green's function
 - average, 140.
 - one electron, 139.
 - partially excluded, 128.
 - path-integral representation, 140.
- H, Hall coefficient,
 - dependence on density of states, 390, 394, 395, 403, 404.
 - liquids, 386, 387, 389.
 - low mobility liquids, 390, 391, 395.
 - magnitude of, 261–2.
 - negative Hall coefficient, 258.
 - table, 260.
- Hall effect, 258 ff, 302.
- hopping conduction, 258–9.
 - in chalcogenide glasses, 259–60.
 - heat capacity, 3, 9.
- heterogeneities, 181 ff, 186 ff, 231, 260, 295 ff.
- heterogeneous model of switching, 335 ff.
- heterojunction, 275.
- holding current, 318.
- holding voltage, 326.
- hopping conduction, effect on a.c. conductivity, 266.
- hydrostatic pressure effects, 213, 251 ff, 303.
- hypermetted chain theory, 378.
- I, icosahedral structures, 72.
- injection,
 - double injection, 286.
 - double injection in switching materials, 288, 344 ff.
 - of carriers, 286 ff.
 - see also carrier injection
- imperfect crystals, 105.
- impurities in glasses.
 - electronic transitions, 170.
 - vibrations, 169.
- index of refraction, 206 ff.
- infrared spectra, 162 ff.
- inhomogeneities, 18, 181 ff, 186 ff, 231, 260, 295 ff.
- In-Sb liquid, 405
- In-Se liquid, 413
- In-Te liquid, 411, 427.
- In-Tl liquid, 399.
- interference function, 362–370, 381.
 - determination of liquids, 362–366.
- internal electric fields, 181 ff, 186 ff, 231, 295 ff.
- ionic bombardment, 188.
- ionic conduction, 10.
- ionicity of bonds, 46.
- isothermal compressibility, 366.
- K, Kramers- Kronig dispersion relation, 206.
- L, layer structure, 69.
- lifetime, 267 ff, 285.
 - of injected carriers, 267 ff.
- light scattering, 37, 189,
- Li-Pb liquid, 408.
- liquid alloys;
 - see metallic liquid alloys; partial interference functions, semiconducting liquid alloys
- liquid-liquid separation, 26.
- liquid structure models, 373, 375, 377, 393, 423.
 - Percus-Yevick hard sphere theory, 378–380.
- localized states, 107, 122.
- localization function, 123.
- localization length, 138.

- lock-on state, 350.
 lock-on time, 318, 329, 348, 352.
 lone pair electrons, 224, 264.
 lone pair semiconductors, 223 ff.
 low absorption tails, 188.
- M, magnetic susceptibility, 83, 190, 243, 304.
 magnetoresistance, 257, 303.
 Markov process, 150.
 mean field theory, 147.
 mean free time, 120.
 mean free path, 120.
 memory
 applications, 331.
 arrays, 330 ff.
 devices, 315, 318 ff, 330 ff.
 effects, 24, 207 ff, 313 ff, 330.
 materials, 317, 318, 352 ff.
 mechanism of, 23, 207 ff, 330, 347 ff.
 switch, 318 ff, 329 ff.
 metallic liquid alloys, 382–384, 397–407
 Mg-Sb liquids, 408.
 microcrystallite structure (micro-crystal models), 15, 58, 76.
 miscibility gaps, 413, 27 ff.
 Möbius transformation, 137.
 mobility, 231 ff, 300 ff, 305.
 drift, 267 ff.
 edges, 107, 110, 121, 123, 127, 229, 300 ff, 303;
 field induced shift of, 294.
 gap, 110, 127, 229, 300 ff, 304.
 Hall, 259 ff, 305.
 model, Eggarter, 120.
 molecular transport 10, 12.
 Mott-CFO model, 110, 121, 177, 227 ff, 297.
- N, N, Si₃, 55.
 NaK liquid, 382–384.
 negative resistance, 337, 351.
 negative resistance devices, 314 ff.
 neutron diffraction, principles of, 363–365.
 Ni-S liquid, 413.
 non-central forces, 382.
 nucleation, 6, 17, 20.
 nuclear magnetic resonance, 394, 413, 420, 428.
- O, off-state, on-state, see memory devices
 on-state of threshold switch, 326 ff.
 optical gap, 175.
 optical memory effects, 207 ff.
 optical microscopy, 31.
 oxide films, 230.
 oxide glasses, 223, 224, 230.
 defects, 169.
 vibrational spectra, 167.
- P, pair potentials, between ions, 373, 374, 375, 377, 378.
 paramagnetism, see magnetic susceptibility.
 partial interference functions, 371–373, 379, 382–285.
 Pb liquid, 366, 367, 392, 393, 429.
 percolation, 112, 118, 130, 132, 233, 294, 298 ff.
 percolation threshold, 294, 299, 305.
 Percus-Yevick theory, 377–379.
 perfect phase coherence, 103.
 perturbed crystal model, 58, 83.
 phase coherence length, 105.
 phase diagrams for alloys, 409–412.
 phase separation, 27, 348, 352, 353.
 phonon assisted hopping, tunneling, 231, 232, 262.
 photoconductivity, 304.
 at high fields, 294–5.
 decay time of, 286.
 photoemission, 201.
 photo-induced crystallization, 23.
 photoluminescence, 191.
 photon-assisted tunneling, 266
 photovoltage, 277, 278, 302.
 piezooptical effects see elasto-optical effects.
 piezoresistance see elastoresistance.
 Placzek corrections, 364.
 Po, bonding, 53.
 polaron conduction, 231, 261.
 drift mobility, 268, 261.
 Hall effect, 258, 261.
 polarons, 305.
 polymers, 142, 145, 150, 152.
 Poole-Frenkel effect, 290 ff.
 effect on drift mobility, 272.
 porosity of NCS films, 257, 258, 303.
 potential fluctuation, 111, 181 ff, 186 ff, 231, 294, 295 ff.
 near contacts, 278.
 probability distribution.
 Lorentzian, 125.
 rectangular, 125.
 pseudo-gaps, 407, 427, 428.
 pseudomobility edges, 134.
 pseudo-potentials, 374, 375, 378.
 non-locality, 398.
 pulses,
 SET and RESET, 349.
- R, radial distribution function, 59 ff, 366, 368, 369.
 radiation emitted during switching, 352.
 radiation resistance, 333.
 radio frequency glow discharge method, 282.
 Raman spectra, 163 ff.
 random fields method, 143.
 random phase model, 232.
 random structure, 15.
 rare gases, liquid form of, 373.

- Rb liquid, 381.
 read only memory, 329.
 recombination, 278, 299.
 recombination front, 347.
 recombination instability, 346.
 recombination radiation, 304.
 recovery time, 322, 326 ff, 341.
 rectification ratio, 275 ff, 289, 290.
 relaxation effects in glasses, 9.
 relaxation case semiconductor, 258, 275, 279, 281, 285.
 relaxation time
 dielectric, 275, 285, 286, 287.
 loss mechanisms, 266.
 for nuclear spins, 395, 413, 420.
 relaxation type semiconductor, 347.
 renormalized perturbation series (RPS), 122, 136.
 reset of memory, 329 ff, 351.
 Richardson-Schottky equation, 288.
 ring structure, 69.
- S, bonding, 51.
 Sb, bonding, 51.
 structure, 69.
 Sb₂Te₃ liquid, 404, 405, 429.
 scattering, coherent and incoherent, 362, 363.
 see also neutron diffraction, X-ray diffraction.
 Schottky emission, 288.
 screening length, 276, 296, 304.
 screening potential, 275–6.
- Se,
 absorption edge, 174, 178, 181.
 alloying, drift mobility in alloys, 270–1.
 bonding, 51 ff.
 contact effect, 280.
 density of states at E_F, from a.c. conductivity, 263.
 drift mobility, 268–272; table, 270.
 elasto-optical effects, 214.
 electron energy losses, 206.
 Faraday effect, 214.
 Franz-Keldysh effect, 213.
 free spins, 190.
 fundamental absorption band, 197.
 infrared spectra, 166 ff.
 Hall coefficient, 260.
 liquid, 370, 392, 395, 396, 429.
 magnetic susceptibility, 243.
 photoemission, 205.
 space charge limited currents, 287.
 structure, 69, 80 ff, 84, 95.
- self-consistent field (SCF) theory, 145.
 asymptotic solution, 150.
 self energy, 122.
- semiconductor, relaxation case, 281.
 set of memory, 329 ff.
 Se-Tl liquid, 411.
- Si
 absorption edge, 173, 192 ff.
 bonding, 46.
 drift mobility, 273–4.
 electrical conductivity, 246.
 electron spin resonance in, 192, 194, 257.
 field effect, 282.
 fundamental absorption band, 206.
 high field conduction, 290.
 infrared spectra, 162, 164.
 liquid, 392, 393.
 photoemission, 205.
 photoluminescence, 191.
 piezooptical effects, 214.
 Raman spectra, 162, 164.
 structure, 71, 77, 85, 89 ff.
 thermopower, 248.
 tunneling conduction in, 253 ff.
 void networks in, 192, 243.
- SiC
 electrical conductivity, 246.
 electron spin resonance, 257.
- single site approximations, 127.
 single localized imperfection, 103.
 SiO₂, vibrations, 167.
 small angle X-ray scattering, 16, 35, 39.
 SnTe, Raman spectra, 164.
 Sn-Te liquid, 404.
 space charge, 275 ff, 286, 303.
 effect on drift mobility, 267.
 effect on Hall coefficient, 258, 302.
- space charge limited currents, 286 ff.
 density of localized states from, 289.
 for exponential distribution of localized states, 287.
 for uniform trap density at Fermi level, 287.
 in a-Ge, 287.
 in As₂Te₃, 287.
 in chalcogenides, 287.
 in Se, Sb₂S₃, 287.
- specific heat, 3, 9, 265.
 spherulitic structure, 48.
 spinodal decomposition, 29.
 splat cooling, 13.
 static approximation, 363.
 staggered configuration, 46 ff, 78, 89.
 structure of amorphous solids, 16 ff, 45 ff.
- structure changes, 347 ff.
 in oxide films, 348.
 reversible, 347 ff.
- sulphides, liquid, 408, 429.
 sum rules, 206 ff.
 surface conductance, 281, 282.
 surface energy, 21.
 surface states, 281 ff, 303.
- switching
 asymmetric, 322.
 characteristic, 318.
 device, 315, 318 ff.
 device materials, 317, 318, 352 ff.
 effects, 313 ff.
 materials, 352 ff.

- mechanism, 334 ff, 342 ff.
- speed, 318.
- thermal, 351.
- switching mechanisms, 334 ff.
 - electrothermal model, 337 ff.
 - heterogeneous model, 335 ff.
 - thermal models, 336 ff, 351.
- T, Te
 - absorption edge, 174.
 - bonding, 51 ff.
 - electron energy losses, 206.
 - fundamental absorption band, 198.
 - liquid, 392–396, 429.
 - photoemission, 205.
 - Raman spectra, 167.
 - structure, 69, 95.
- tellurides, liquid, 408, 429.
- Te-Se liquid, 414, 417, 420.
- Te-Tl compounds, 76; liquids, 411, 412–415, 420–426, 429.
- tetrahedral structure, 71.
- thermal and electrothermal theories of switching, 336 ff.
- thermal breakdown, 351.
- thermal conductivity, 265.
- thermal switching, 351.
- thermoelectric power of liquids,
 - measurement, 389.
 - theory of, 389–392, 397, 420, 422, 426, 427.
- thermoelectric voltage, thermopower,
 - 233 ff, 238, 258 ff, 302, 303.
 - CdGeAs₂, 242
 - GaAs, 248.
 - GaSb, 248.
 - Ge, 247 ff.
 - InSb, 249.
 - Si, 248.
- thermostimulated depolarization, 279, 304.
- threshold voltage, 318, 320 ff, 331.
 - fluctuations, 324.
 - frequency dependence, 322.
 - temperature dependence, 321.
 - theory, 334 ff, 342 ff.
- transient ON-state, 328, 340.
- transit time, 267 ff, 271 ff.
- transparency of glasses, 167 ff.
- traps, 267 ff, 271 ff, 286, 292.
 - release time, 286.
 - trap limited drift mobility, 267 ff.
- tunneling, 119.
- tunneling conduction, variable range
 - hopping, 232 ff, 249 ff, 252 ff, 258, 259.
- tunneling into NCS films, 255 ff, 279.
- U, ultrasonic delay lines, 169.
- Urbach edge (tail), 178 ff, 302.
- V, vapor deposition, 13.
- variable range hopping, 232 ff, 249 ff, 258, 259, 263.
- vibrational spectra, 161 ff.
- virtual bound states, 426, 427.
- viscosity, 10, 11.
- voids, 243, 257, 295, 296, 303.
- W, WKB approximations, 150.
- wurzitic structure, 48.
- X, X-ray diffraction, principles of, 59 ff, 365 ff.
- Z, Ziman theory of electron transport, 389, 391, 392.
- Zn-Sb liquid, 303, 429.