

INDEX

- Abstinence
 sleep and, 396
 total, 621
- Acetylcholine, morphine
 treatment and, 130
- Acetaldehyde, hangover
 and, 427
- Activation states, 320
- Acute alcohol administration
 technique, 104
- Addictive behavior, *see also*
 Craving; Physical
 dependence
 extinction of, 621-628
 generator schedule and, 485
- Adenyl cyclase regulation, in
 morphine tolerance and
 dependence, 147
- Adjunctive behavior,
 alcoholism synthesis
 and, 480-486
- Adrenalin secretion, arousal
 state and, 323-324
- Aggressive behavior, *see also*
 Interpersonal aggression
 alcohol/chlordiazepoxide
 intake and, 255-261
 cultural norms and, 358
 inadequate social
 integration and, 354
 interpersonal, 345-366
 among Irish, 357-358
 norepinephrine and, 349
 organic dysfunction and, 356
 personal history and, 352-356
 psychological need for, 353
- Aggressive behavior (cont'd)
 as response to pain, 359
 sex differences in, 350
 testosterone and, 349
- Alcohol, *see also* Alcoholic(s);
 Alcoholism; Ethanol;
 Drinking behavior
 acceptable intake of, 411-413
 cellular sites of action for,
 90
 chlordiazepoxide and, 251-261
 chronic effects of, 411
 cigarette smoking and, 324-325,
 378, 424, 621
 cirrhosis and, 407-408, 411-412
 CNS changes due to, 268-269,
 350-351, 378, 406-407
 color vision and, 188
 coronary heart disease and, 408
 craving for, *see* Craving;
 Physical dependence
 as depressant, 91
 dipsogenic effects of, 547-565
 dose division in intake of,
 504-505
 epinephrine secretion of,
 348-349
 fear-reducing effect of,
 325-326
 fetal syndrome in, 410
 frog retina green rods and,
 191-194
 ganglion cell type and, 189-191
 hypothalamic-pituitary-gonadal
 axis and, 95-112
 information processing and,
 333-343

- Alcohol (cont'd)
- liver damage from, 407-408, 411-412
 - long-term aberrations from use of, 218
 - luteinizing hormone and, 96-99, 107, 423, 433-435
 - macromolecule biosynthesis alterations and, 65-79
 - metabolizing capacity for, 409
 - modification of effects in, 320
 - motor functioning and, 351
 - norepinephrine secretion and, 348-349
 - normalizing action of, 293-302
 - in nucleic acid metabolism, 73-74
 - operant conditioning and, 421-422
 - personal history and, 352-356
 - physiological effects of, 295, 562
 - post-withdrawal consumption of, 510-511
 - predictors of work for, 596
 - in protein metabolism, 76
 - psychic dependence on, 370
 - psychological stress and, 319-330
 - psychomotor performance and, 328
 - safe consumption of, 413-414
 - sensitivity to, 409
 - shock and, 268-285
 - single neuronal level and, 129-133
 - smoking and, 324-325, 378, 424, 621
 - teratogenic effects of, 410
 - testosterone and, 101-107
 - tolerance to, 169-181
 - ulcers and, 408
 - violence and, 361-363
- Alcohol abuse, determinants of, 471, *see also* Alcoholism
- Alcohol acquisition behavior, 594, 599
- Alcohol consumption, behavior analysis of, 603-608, *see also* Drinking behavior
- Alcohol deprivation effect, 457
- Alcoholic(s)
- assumptions about, 466-473
 - control exercised by, 548-549, 578
 - daily alcohol consumption by, 405
 - disposition to drink in, 601-617
 - drinking behavior of, *see* Drinking behavior
 - ethanol as reinforcer for, 467
 - ethanol primacy in, 466-467
 - as heavy smokers, 378
 - opioid consumption by, 468
 - physical dependence in, *see* Physical dependence
 - post-withdrawal syndrome in, 218
 - relapse of, 589
 - sleep deficit in, 400
 - thirst reaction in, 549
- Alcoholic patients, sleep of, 389-400
- Alcohol intoxication, *see* Intoxication
- Alcoholism, *see also* Alcoholic(s); Drinking behavior
- as adjunctive behavior, 480-486
 - animal models of, 16, 465-486
 - calories and alcohol consumption in, 479-480, 513-515
 - chronic, 101-105
 - craving in, *see* Craving
 - determinants of, 471
 - disease concept of, 621
 - dominance of physical dependence over environmental determinants in, 469-472
 - generator schedules in, 484-485
 - human vs. animal model of, 473-480, 486

- Alcoholism (cont'd)
 physical dependence in,
 19, 156, 474, 482-483
 physical symptoms of,
 578-579
 proneness to, 470-471
 schedule induction in,
 474, 503-519
- Alcohol-stress interactions,
 325-329
- Alcohol-tobacco interactions,
 324-325
- Alcohol tolerance, compared
 with barbiturate
 tolerance and opiates,
 169-181
- Alcohol Use Inventory, 571,
 574-575
- Aldehyde dehydrogenase, 410
- Aminoacyl-t-RNA synthetases,
 76
- AMP (adenosine monophosphate),
 adenine conversion to,
 67
- Androstenedione, 350
- Anesthetics
 varying effects of, 9
 withdrawal prevention with,
 1-11
- Animal models, 16, 473-480
 excessive drinking in,
 476-477
 physical dependence in,
 482-483
- Antabuse, 409
- Anterior-pituitary hormones,
 hangover and, 433-435
- Antidiuretic hormones,
 hangover and, 435
- Arousal
 males vs. females in,
 323-324
 performance and, 320
 psychological and
 physiological, 346-352
 three types of, 320
- Ataxia
 d-propranolol and, 4-6
 in rhesus monkeys, 453
- Attack behavior, in rats, 252-261,
see also Interpersonal
 aggression
- Avoidance response, problem
 drinking as, 622-623
- BAL, *see* Blood alcohol level
- Bar (tavern)
 aggressive atmosphere of,
 359-361
 sociocultural role of, 358-359
- Barbiturates
 abstinence rating system for,
 31
 administration of, 163
 hypothalamic-pituitary-gonadal
 axis and, 95
 hypothermic and hypnotic
 effects of, 158
 low-dose intravenous, 338-343
 luteinizing hormone and,
 108-109
 in opioid withdrawal syndrome,
 171
 physical dependence on, 26
 protein metabolism and, 77
 at single neuronal level, 129
- Barbiturate tolerance, 163
 catecholamines in, 155-165
 compared to alcohol tolerance,
 169-181
- Barbiturate withdrawal syndrome,
 61-62, *see also* Withdrawal
 syndrome
 abnormal behavior in, 39
 abnormal postures in, 33, 36-37
 in cats, 25-41
 convulsions in, 34, 38
 hallucinations in, 40
 "personality change" and, 37
 physical signs in, 35
- Behavior
 drinking, *see* Drinking behavior
 low-dose intravenous alcohol in,
 333-343
- Behavioral changes, in rats,
 235-245
- Benzodiazepines, 61
- Beverage ethanol concentration
 effects, 527-531

- Biological addiction-memory, 218
- Biosynthetic macromolecules, *in vitro* assays of, 70
- Blackouts, 578
- Blood alcohol level, 560, 564
aggression and, 354
disposition to drink and, 601, 612-614
female vs. males in, 321
heart rate and, 328-329
in "loss of control" studies, 554
in rats 511-513
shock drinking and, 288
withdrawal and, 16-18, 51-54
- Body temperature, pentobarbital and, 161
- Brain, nonadrenergic systems in, 161
- Brain hyperexcitability, visual evoked responses in, 211-220
- Calcium carbide citrate, 409
- Calcium ions, in membrane processes, 131-132
- Calcium levels, in withdrawal syndrome, 172-174
- Caloric intake, alcohol and, 288-289
- Cardiomyopathy, 408
- Cat
barbiturate withdrawal syndrome in, 25-41
neurotoxicity signals in, 26
posture and muscle tone in, 33
- Catecholamines
in barbiturate tolerance, 155-165
in ethanol tolerance, 155-156
in hangover, 436
in morphine abstinence syndrome, 124
- Central nervous system
alcohol and, 348
arousal effect in, 350-351
in barbiturate withdrawal syndrome, 29
- Central nervous system (cont'd)
cognitive functioning and, 377
hydrostatic pressure changes and, 7-8
hyperexcitability of in withdrawal, 1, 15-16
- Central nervous system depressants, compared to opiates, 117-133
- Central nervous system response, in deep-sea divers, 7
- Cerebrospinal fluid, 6-OHDA and, 158
- Chlordiazepoxide, effects of in intraspecies aggression in rats, 251-261
- Chromatin activity, regulation of, 68
- Chromatin-template activity, 74
- Chronic alcoholism, hyperthalamic-pituitary-gonadal disruptions and, 101-105, *see also* Alcoholism
- Cigarette smoking, *see* Smoking
- Cirrhosis, alcohol and, 407-408, 411-412
- Cognitive functioning, drinking practices and, 377-386
- Color vision, alcohol and, 188
- Compensatory response, 518
- Competitive games, aggressive behavior and, 360
- Contingent consequences, drinking behavior and, 605-606
- Convulsions, 578
- Coprinus atramentarius*, 410
- Coronary heart disease, alcohol and, 408, 411
- Cravers, vs. noncravers, 571-575, 628
- Craving, *see also* Disposition to drink
age, education, and drinking history in, 572
Alcohol Use Inventory and, 574-575
beverage used in, 577
cue exposure control and, 625-626
defined, 571-572

- Craving (cont'd)
 modification of, 625-628
 physical consequences in,
 578
 physical symptoms of,
 578-579
 psychopathology and, 580-582
 recidivism in, 584
 Rudie-McGaughran Scale
 Scores for, 573
 tremor and, 626-627
- Crowding, aggression and,
 359-360
- Cue exposure, 621-628
- Cycloheximide, ethanol
 dependence and, 66
- Dark-adapted eye, alcohol
 effect on, 194-198
- Delirium tremens, 57, 59, 571
- Dependence problems, 410-411,
see also Physical
 dependence
- Dextropropoxyphene, 409
- Diphenylhydantoin,
 prosynaptic excitatory
 mechanisms in, 131
- Disposition to drink, 601-617,
see also Craving;
 Drinking behavior
 blood alcohol level and,
 612-614
 heavy drinking and, 609-610
 "taste test" in, 606-607
 treatment outcome and,
 608-615
- Disulfiram, 409
- Dopamine, in withdrawal
 reaction studies, 235,
 241-242
- Dopaminergic neurons, 161-162
- Dose division, in alcohol
 overdrinking studies,
 504-505
- Drinking, *see also* Drinking
 behavior
 arousal stimuli and,
 361-362, 365
 behavioral-pharmacological
 variables in, 527-535
 loss of control in, 472
- Drinking behavior, *see also*
 Alcoholism; Disposition to
 drink
 aggression and, 354-356
 analysis of, 603-608
 binge vs. heavy, 599
 contingent consequences in, 605
 disposition to drink and,
 601-617
 physiologic and situational
 determinants of, 589-600
 schedule effects in, 604-605
 setting conditions in, 604-605
 "steady" vs. "binge," 590
 stress and, 355
 success-failure responses in,
 592-593
 "taste test" and, 606
- Drinking-history questionnaires,
 379
- Drinking pattern
 craving and, 569-585
 shock and, 268-285
- Drinking practices, cognitive
 functioning and, 377-386,
see also Alcohol; Drinking
 behavior
- Drugs, "normalization" through,
 301
- Drunken state, males vs. females
 in, 323
- Electrolyte homeostasis, hangover
 and, 430
- Emotional state, blood-alcohol
 level and, 321-322
- Endorphins, cross tolerance with
 enkephalins, 143
- Energy metabolism, metabolites
 of, 426-428
- Enkephalins
 cross-tolerance with endorphins,
 143
 degradation of, 148
 iontophoresis and, 150
 neurotransmitter release and,
 142
 opiate dependence and, 127
- Epinephrine secretion, 348-349
- Ethanol, *see also* Alcohol
 acceptable daily intake of, 405,
 413

- Ethanol (cont'd)
age factor in, 409
as biochemical trigger, 472
carcinogenic effects of, 410
compared with opiates, 87-91
dependence on, *see* Craving;
Physical dependence
dose-response relationships
404
factors influencing
reinforcing efficacy of,
481-482
mediators of similar to
those of opiates, 87-91
membrane structure changes
and, 8
"motivational enslavement"
of, 470
as mycotoxin, 403
neuronal electrical
activity of, 87
normalization by, 294-302
in opioid withdrawal
syndrome, 171
oxidation of, 425
as pharmacological drug, 414
physical dependence on, *see*
Physical dependence
primacy of to alcoholic,
466-467
as reinforcer, 443-461,
467, 481-482
sensitivity to, 409
stimulatory effect of, 236
stress-relief properties of,
468-470
tolerance to vs. physical
dependence on, 163
toxicity of, 403-414
Ethanol concentration, in
beverages, 527-531
Ethanol consumption
calorie intake and, 288-289
sodium phenobarbital and,
305-317
Ethanol preference, alteration
of in hamsters, 223-231
Ethanol self-administration
number of drinks consumed
in, 528-530
Ethanol self-administration
(cont'd)
pharmacological influences on,
523-536
preloads or primary doses in,
531-535
Ethanol tolerance
catecholamines and, 155-165
cyclohexamide and, 66
rate of development in, 177
Ethanol treatment, behavioral
changes and, 235-245
Excitatory receptive field, 188
Fear, "sobering up" and, 325
Females
aggressive behavior of, 361-362
arousal effect in, 350
drinking practices of, 347
Fluid balance, in loss-of-control
studies, 558
Fluid intake, alcohol effect on,
556, 560-561
Frog retina, ganglion cell
receptor field properties
in, 187-203
Fructose, hangover and, 423,
431-432
GABA (gamma-amino-butyric acid),
as retinal inhibitory
transmitter, 202-203
Ganglion cell receptive field
dark-adapted eye and, 194-199
alcohol and, 187-203
response pattern of, 199
sensitivity of, 194-199
Ganglion cell type, alcohol
effect on, 189-190
Genetical effects, 410
Glucocorticoids, alcohol and,
163
L-glutamate, morphine treatment
and, 130
GMP (guanine monophosphate),
guanine conversion to, 67
Gout, 409
Grand mal seizures, in withdrawal
reactions, 171

- Green rods, in frog ganglion
receptive field studies,
191-194
- Growth hormone, 423, 433-435
- Halstead Category Test, 380,
382
- Hamsters, ethanol preference
in, 223-231
- Hand tremor, craving and,
626-627
- Hangover, *see also* Withdrawal
syndrome
anterior-pituitary hormones
and, 433-435
catecholamines and, 436
defined, 424
degree of, 428
electrolytes in, 428-431
endocrine factors in,
432-436
etiology of, 424-426
fructose in, 423, 431
hormones in, 423, 433-435
metabolic and endocrine
pathology during,
423-436
pituitary gland in, 435
testosterone and, 432-433
thirst in, 428-429
- Heart rate
blood-alcohol concentration
and, 328-329
normalization of after
alcohol dose, 301
- Heat, as aversive or
aggressive stimulus,
359-360
- Heavy drinker, *see also*
Alcoholic
sleep patterns of, 393
- hn-RNA, coupling of to
polyriboadenylic acid,
68
- Hormones, hangover and, 423,
433-435
- 6-Hydroxydopamine, 155-164
- 5-Hydroxytryptophan, in
hamsters, 223-231
- Hyperexcitability
comparative studies in, 214
persistence of in rats, 209-219
in withdrawal syndrome, 57-58,
62, 210-220
- Hyperreflexia, in withdrawal, 59,
124
- Hyperventilation, 57
- Hyposedatives, withdrawal
reactions in, 170-174
- Hypoglycemia, symptoms of, 426
- Hypothalamic-pituitary-gonadal
axis, effects on, 95-112
- Inderal, *see* d-Propranolol
- Information processing, low-dose
intravenous alcohol and,
333-342
- Interpersonal aggression
alcohol and, 345-366
crowding and, 359-360
environmental factors in,
358-361
personal history in, 352-353
social context of, 364
sociocultural factors in,
357-358
stages in, 363
- Intoxication
environmental setting in,
321-329
intensity of, 427
hangover and, 429-430
- Intraspecies aggressive behavior,
257-261
- Iontophoresis, 150
- Korsakov's syndrome, 407
- Leucine-enkephalin, destruction
of, 143
- LH, *see* Luteinizing hormone
- Lidocaine
seizures from, 9
in withdrawal prevention, 1
- Liver, effect of alcohol on,
407-408, 411-412
- Local anesthetics, in withdrawal
prevention, 1-11

- Long-term memory, 164
 "Loss of control" concept, 548-549, 564, 578
 Luteinizing hormone, 423, 433-435
 alcohol and, 107
 barbiturates and, 108
 morphine and, 98-99
 secretion of by pituitary gland, 110
 testosterone levels and, 110
 Luteinizing hormone depleting effects, tolerance to, 96-99
 Lymphogranulomatosis maligna, 409

Macaca mulatta, 43-44, 445
 Macromolecular biosynthesis alterations of, 65-79
 bronchial pathways in, 67-69
 metabolism of, 69-70
 Males, drinking fantasies of, 347
 Membrane processes, calcium ions in, 131-132
 Metabolic factors, in hangover, 423-436
 Mice
 d-propranolol metabolism in, 10
 physiological and behavioral normalizing actions of single alcohol dose in, 293-302
 voluntary intake patterns in, 539-545
 withdrawal prevention in, 1-11
 Microelectrophoretic technique, in opiate dependence studies, 125-129
 Minnesota Multiphasic Inventory, 580-583
 Moderate drinkers, daily alcohol consumption in, 405

 Monkeys, ethanol drinking by, 443-461, *see also* Rhesus monkeys
 Mood, emotional state and, 321
 Morphine
 cortical neurone and, 126
 in opioid withdrawal syndrome, 171
 in protein synthesis, 78
 RNA metabolism and, 72
 testosterone level and, 98-99
 withdrawal syndrome and, 59, 173
 Morphine abstinence syndrome, catecholamines and, 124
 Morphine analgesia, calcium ions and, 132
 Morphine tolerance, 141-142, 145-147
 Motor functioning, effect on, 351
 m-RNA, degradation of, 68
 Multi-trial free-recall task, 382
 Myenteric plexus
 naloxone and, 120
 opiates and, 118, 121
 serotonin and, 122

 Naloxone
 myenteric plexus and, 120
 withdrawal syndrome and, 143
 Naloxone-precipitated escape behavior, 149
 Narcotics, *see also* Opiates
 acute effects of, 97-98
 hypothalamic-pituitary-gonadal axis and, 95-112
 endocrinology and, 100
 National Institute on Alcohol Abuse and Alcoholism, 16
 Neurochemical modification, tolerance prevention by, 179-180
 Neuronal activity, in withdrawal syndrome, 173
 Norepinephrine
 alcohol and, 348-349
 in withdrawal syndrome, 172
 Norepinephrine turnover, increase in, 161-162

- Nucleic acid metabolism, 71-74
Nucleosides, phosphorylation
of, 67
- Obsessive-compulsive
phenomena, 621, 628
- 6-OHDA, *see* 6-Hydroxydopamine
- Operant conditioning, 421-422
- Opiate dependence, 156
microelectrophoretic
studies and, 125-129
neuronal aspects of, 117-133
neurotransmitter sensitivity
and, 123-124
- Opiate receptors, opioid
peptides and, 141-151
- Opiates
cellular sites of action
for, 90
compared with central
depressants, 117-133
compared with ethanol,
87-91
as depressants, 91
macromolecular biosynthesis
in, 65-79
myenteric plexus and, 118
neuronal electrical
activity and, 87
in nucleic acid metabolism,
71-73
in protein metabolism, 74-76
similarity to ethanol
actions, 87-91
at single neurone level,
129-133
spinal interneurons and, 89
- Opiate tolerance, 156
compared with alcohol and
barbiturate tolerance,
169-181
myenteric plexus and, 121
neuronal aspects of, 117-133
rate of development in,
178-179
- Opiate withdrawal
catecholamines and, 124-125
vs. CNS depressants, 124-125
- Opioid peptides
in alcoholics, 468
- Opioid peptides (cont'd)
opiates and, 142-144
tolerance and dependence with,
144-150
- Opioid withdrawal, morphine and,
171
- Organic dysfunction, aggression
and, 356
- "Overdrinking," determinants of,
471
- Pancreatitis, 408-409
- Paracetamol, 409
- Pentobarbital
body temperatures and, 161
luteinizing hormone and, 109
self-administration of, 495-502
- Pentobarbital dependency, in cat,
25, *see also* Barbiturate
withdrawal syndrome
- Personality variables, craving
and, 569-585
- Phenobarbital, ataxia and, 4, 6,
see also Sodium
phenobarbital
- Phosphoribosyl pyrophosphate
transferase, conversion of,
67
- Photoperiod, in ethanol
preference in hamsters,
223-231
- Physical dependence, *see also*
Craving
in animal model, 19, 236,
482-483, 516
in chronic alcoholism, 483
circadian rhythms in, 542-543
diurnal rhythms in, 541
dominance of, 469-472
metabolic capacity of, 518
in mice, 539-541
in rats, 515-516
- Physiological arousal, 346-352
- Physiological effects, 295, 562
- Polyriboadenylic acid, 68
- Polyneuropathy, 407
- Post-withdrawal syndrome, 218
- Power fantasies, male drinking
and, 348-349

- Preloads, in ethanol self-administration, 531-535
- Priming doses, in self-administration study, 531-535
- Problem drinking, as avoidance response, 622-623
- Prolactin, 423, 433-435
- d-Propranolol
 metabolism of in mice, 10
 in metrazol-induced seizures, 9
 in withdrawal prevention in mice, 1-11
- Protein metabolism
 alcohol and, 76
 barbiturates and, 77
 opiates and, 74-76
- Protein synthesis
 alterations in, 69
 morphine and, 78
- PRPP (phosphoribosyl pyrophosphate), 67
- Psychoactive drugs, tolerance to, 66
- Psychological arousal, 346-352
- Psychological stress, alcohol and, 319-330
- Psychomotor performance, alcohol and, 328
- Psychosocial history, craving and, 569-585
- Rana temporaria*, 187, 189
- Rats
 behavioral changes in, 235-245
 detoxification in, 19
 ethanol, intoxication in, 19-22
 hyperexcitability following chronic alcohol experience in, 209-219
 intraspecies aggression in, 251-261
 physical dependence in, 19, 516
 schedule induction in, 475-480
- Rats (cont'd)
 stress-induced drinking in, 265-289
- Receptive fields, lateral inhibition of, 191, *see also* Ganglion cell receptive field
- Receptor sensitivity studies, 240-294
- Retina, alcohol effect on, 187-203
- Retinal neurons, in frog, 188
- Rhesus monkeys
 alcohol deprivation effect in, 457
 alcohol withdrawal reactions in, 43-54
 ataxia in, 453
 drinking by, 443-461
 ethanol as reinforcer for, 443-461
 food-induced drinking of ethanol by, 448-449
- Ribbon synapses, 187
- RNA metabolism, in protein synthesis, 69
- RNA synthesis, chromatin proteins and, 68
- Rod and Frame Test, 580-582
- Rodents, learning ability in, 67, *see also* Mice; Rats
- Rudie-McGaughan Scales Scores, 573
- Schedule effects, drinking behavior and, 604-605
- Schedule induction model, 474-476
 diurnal distributions of, 503-519
 validity of, 478-480
- Sedatives, self-administration of by humans, 495-502
- Self-administration
 dose manipulation in, 527
 pharmacological influences on, 523-536
- Self-control, vs. alcohol-related aggression, 357, *see also* "Loss of control" concept

- Self-intoxication estimate,
blood-alcohol
concentration and,
321-322
- Serotonin, myenteric plexus
and, 122
- Serotonin precursor, and
alcoholic drinking in
rats, 226-231
- Setting conditions, in
drinking behavior, 605
- Sex fantasies, male drinking
and, 347
- Sex-role stereotype, drinking
and, 348
- Shipley-Hartford Scale,
380-381
- Shock
drinking pattern and,
268-285
post-shock drinking in
response to, 289
- Siamese fighting fish,
alcohol effect on, 260
- Skeletal muscle myopathy, 408
- Sleep
in alcoholic patients,
389-400
heavy drinking and, 393
measures of, 393-394, 399
slow-wave, 393, 400
- Smoking
as addictive behavior, 621
alcohol and, 324-325, 378
in hangover, 424
- Sober alcoholics, relapses
of, 589
- Sociocultural factors, in
aggressive behavior,
357-358
- Sodium pentobarbital, *see also*
Barbiturate withdrawal
syndrome
in cats, 27
dose-response curves for,
308
self-administration of,
495-502
and voluntary ethanol
consumption in rats,
305-317
- Spectral sensitivity
in frog ganglion cells, 194
measurement of, 194
- Spinal interneurons, opiates
and, 89
- Stress, drinking and, 265-289,
see also Shock
- Submissive behavior, alcohol/drug
effects on, 257-260
- Success/failure measures,
592-593, 598
- "Taste test," in disposition to
drink, 606-607
- Testosterone
aggressive behavior and, 349
alcohol and, 101-105, 107
in females, 350
hangover and, 432-433
pentobarbital and, 109
tolerance to, 96-99
- Δ^9 -Tetrahydrocannabinol, in rat
intraspecies aggression,
251-261
- Thirst
alcohol and, 561
in hangover, 428-429
self-ratings and, 559-560
urine specific gravity and,
562-563
- Thyroid stimulating hormone, 423,
433-435
- Tobacco-alcohol interactions,
324-325, *see also* Smoking
- Tolerance, *see also* Alcohol
tolerance; Barbiturate
tolerance; Opiate tolerance
adaptive change in, 181
to morphine, 141-142
prevention of by neurochemical
modification, 178-180
rate and extent of, 174-179
separate mechanisms in, 180-181
time course of development for,
169
- Tremor
craving and, 626-627
in withdrawal syndrome, 48-49,
54
- TSH, *see* Thyroid-stimulating
hormone

- Ulcers, gastric, 408-409
- Urine output, in "loss of control" studies, 554
- Urine specific gravity, thirst and, 563
- UTP (uridine triphosphate), amination of, 67
- Violence, in bars and taverns, 361-363, *see also* Aggressive behavior
- Visual evoked response, craving and, 594
- Voluntary intake, temporal patterns of, 539-545
- Wernicke's syndrome, 407
- Wisconsin Card Sorting Test, 380, 382
- Withdrawal, from barbiturates, *see* Barbiturate withdrawal syndrome
- Withdrawal reaction
 avoidance of, 467
 delayed, 237-240
 in experimental animals, 61
 major signs of, 60
 opiates and hypnotics compared in, 170-174
- Withdrawal seizures, prevention of in mice, 1-11
- Withdrawal symptoms, reactivation of, 210
- Withdrawal syndrome, 237-240, *see also* Barbiturate withdrawal syndrome; Hangover; Opiate withdrawal
 behavioral checklist for rhesus monkeys in, 47
 blood ethanol concentrations and, 16-18, 51-53
 calcium levels in, 172-174
 CNS disturbances in, 15-16, 210-211, 218-219
 common features of, 172-173
 graded intensity in, 58
 human vs. animal models in, 15-22, 57-62
 hyperexcitability in, 57-58, 210-219
 long-term aberrations following, 218
 naloxone and, 143
 norepinephrine in, 172
 opioid, *see* Opioid withdrawal syndrome
 in rats, 235-240, 507
 in rhesus monkeys, 43-45
 sequence of events in, 7
 three categories of, 60
 tremor analysis in, 48-49
- World Health Organization, 412-414
- Xylocaine, *see* Lidocaine