

INDEX

- Agelena labyrinthica*
maze behavior, 40–41
place memory, 39–40
web building and orientation, 28
- Agelena*, optical memory, 30–32
- Aggression and learning, *Calcinus tibicens*, 91
- Agriolimax*, homing behavior, 247
- Alonella*, habituation, 86
- Amphineura, taxonomy, 190–192
- Ampullaria*, maze-learning, 219, 245–247
- Annelida, molluscan origins, 193–194
- Antifacilitation, crustacean synapses, 107–109
- Ants (*see also under particular species*)
maze learning, 152–154
reversal learning, 163
situation specificity, 162–163
stages in learning, 162
- Aphonopelma californica*, maze learning, 40
- Aplysia*
behavioral and neurophysiological studies
of habituation, 261–263
circadian rhythms in units and behavior, 258–261
classical conditioning, 219, 234, 236
feeding mechanisms, 213
food discrimination, 219
habituation, 218
heterosynaptic facilitation, 253–257
locomotion, 208
mechanoreceptors, 202
neurophysiological mechanisms of
classical conditioning, 252–257
neurophysiological studies of habituation, 249–251
operant conditioning, 219, 240–242
operant conditioning of units, 257–258
- Aplysia (cont'd)*
passive avoidance learning, 239–240
peripheral nerve net habituation, 231–232
- Apoidea (*see* Bees)
- Apus*, 66
- Arachnids, general morphology, 4 (*see also* Chelicerates)
- Araneus diadematus*, conditioning of food aversion, 25
food conditioning, 25–26
place memory for prey, 39
web orientation, 32–33
- Arctosa variana*, astronomical orientation, 36–39
- Armadillidium*, learning set, 87
turn alternation, 87
- Asellus*, instrumental learning, 87, 102
- Astacus*, instrumental learning, 89
- Astacus fluviatilis*, 66
- Astia vittata*, conditioning, 24
- Astronomical orientation
Arctosa variana, 36–39
in scorpions, 39
in wolf spiders, 36–39
learning components, 36–39
- Attus arcuatus*, food avoidance learning, 24
- Aversive inhibitory conditioning, cockroach, 159–160
- Avoidance conditioning
Aplysia, 239–240
Attus arcuatus, 24
Blatta orientalis, 148–151
Blattella germanica, 148, 150
Limulus, 42–43
Periplaneta americana, 148–151
Salticus, 27

- Axoaxonic synapses, insects, 134
- Balanus*, 66
habituation, 87
- Bees
color discrimination learning, 177–178
“concept” learning, 182–183
conditioning, 175–181
conditioning of sting responses, 178
“dance,” 175
discrimination capacities, 174–175
extinction and spontaneous recovery, 177
generalization, 182
homing abilities, 178–179
long-term memory, 179
maze learning, 178
olfactory conditioning and recruitment,
180–181
operant conditioning, 181
“percept” acquisition, 182–183
perception and learning, 174ff
reversal learning, 179
role of olfaction and learning in foraging,
175
- Biochemical correlates of learning,
cockroach, 156–157
- Bivalvia, taxonomy, 190–192
- Blatta orientalis*
avoidance conditioning, 148–151
electrophysiological correlates of
learning, 156
maze learning, 150–151
operant conditioning, 156
- Blattella germanica*
avoidance conditioning, 148, 150
maze learning, 150
- Branchinecta*, 66
- Byrsotria fumigata*, maze learning, 150
- Calanus*, diurnal rhythm, 83
- Calcinus tibicens*, aggressive displays and
experience, 91
- Calocalanus pavo*, 66
- Calyptraea*, homing behavior, 248
- Cambarellus shufeldtii*, dominance
hierarchy, 69
- Cambarus*, instrumental discrimination, 89
- Cancer productus*, operant conditioning
of leg lifting, 121
- Carbon dioxide, effects on learning in
cockroaches, 164–165
- Carcinoscorpius*, habitat, 3
- Carcinus*
instrumental learning, 88, 89
learning, 50
maze learning, 100
nerve cell body removal, 122
- Cephalopoda, taxonomy, 190–192
- Cerapus*, 66
- Cerci, in cockroach habituation, 145–146
- Chelicerata (subphylum), 1ff
- Chelicerates
acquired orientations, 28–40
astronomical orientations in spiders,
36–39
conditioning, 24–28
general morphology, 3–5
habitat, 3
habituation, 11–24
learning capacities, 11ff
mating and reproduction, 7–9
nervous system, 5–7
nutrition, 7
place memory for prey, 39–40
respiration, 9
sense organs, 9–11
taxonomy and phylogeny, 1–2
- Cholinesterase, changes during learning
in *P. americana*, 156–157
- Chromodoris*
habituation, 218
phototropism, 205
- Chromodoris zebra*, habituation, 223–224
peripheral nerve net, 229
- Classical conditioning
Aplysia, 234, 236
Bees, 174ff
Cyclocypris, 86
Cynomyia cadaverina, 147
Eupagurus, 89
gastropods, failure in, 264–265
heterosynaptic facilitation, 253–257
insects, 146–148
Limulus, 41–42
neurophysiological mechanisms, in
Aplysia, 252–257
Ocypoda, 88
Pagurus, 88
Pagurus striatus, 93–94
Phormia regina, 147–148

- Classical conditioning (*cont'd*)
Physa, 233–234
Pleurobranchaea, 236–237
sensitization, 237–238
Tritonia (failure), 238
- Classification
Chelicerata, 1–2
Crustacea, 54–59
Gastropoda, 189–192
Insecta, 136–140
- Clibanarius*, habituation, 88
- Cockroach (*see also particular species*)
aversive inhibitory conditioning, 159–160
avoidance learning, 148–151
electrophysiological correlates of learning, 156
factors in maze performance, 150–151
instrumental learning, 148–151
maze learning, 149–150
metathoracic ganglion and biochemical correlates of learning, 156–157
operant conditioning, 154–160
probability learning, 163
reversal learning, 163
temperature effects on memory, 164
- Color discrimination learning, bees, 177–178
- Command neurons, Crustacea, 64
- Componotus herculeanus pennsylvanicus*
maze learning, 153–154
temperature effects on learning and memory, 164
- “Concept” learning, bees, 182–183
- Conditioned stimuli, in bee learning, 174, 177
- Conditioning (*see also* Classical conditioning, Instrumental learning, Maze learning, Olfactory conditioning)
Astia vittata, 24
bee proboscis, 175–176
bees, 175–181
chelicerates, 24–28
extinction and spontaneous recovery in bees, 177
food associations in *Araneus diadematus*, 25–26
food aversion in *Araneus diadematus*, 25
Nemoscolus laurae, 24
Phidippus morsitans, 24
- Copilia*, perception and memory, 81
- Corpora pedunculata, in chelicerates, 6
- Crepidula*, homing behavior, 248
- Crustacea
central compensation, 111
characteristics of specific groups (examples), 54–59
classical conditioning, *Cyclocypris*, 86
dominance hierarchies, 69–70
entrainment of rhythms, 84–86
evolution, 49–50
experience and development, 74–75
feeding behavior and food preferences, 70–71
“focusing of attention,” 77
food preferences, 71
generality of learning, 102–103
habituation, 90–93
habituation learning
Alonella, 86
Balanus, 87
Cyclocypris, 86
instrumental learning, 87, 94–96
Cyclocypris, 86
Daphnia, 86
Simocephalus, 86
“jittery” movement fibers, 81
lateral giant fiber escape reflex, 112–120
learning, 65ff
learning, antifacilitation at synapses, 107–109
learning, early demonstrations, 50–51
“learning to learn,” 105–106
long-term and short-term habituation in crayfish, 119
memory capacity, 96
morphology, 52–53
operant conditioning of leg lifting in crabs, 120–121
optokinetic memory, 78–80
orientations, 77–78
partial reinforcement effect, 104–105
performance, 97–99
physiological studies, 106–124
place learning, 65–69
Polychaete origins, 49–50
reasons for studying learning, 51
rhythmic and phasic behavior, 81–86
secondary reinforcement, 103–104
sensorimotor learning, 71–73
simple approach and avoidance learning, 73–74

- Crustacea (*cont'd*)
 standard learning paradigms, 86ff
 synaptic facilitation, 107–109
 synaptic ionic mechanisms, 107–109
 temporal coding, 80
 unit specificities, 110–111
- Crustacean nervous system, 60–65
 brain, 61
 cell bodies and synapses, 61
 command neurons, 64
 “economizing” principles, 63–64
 neuromuscular facilitation, 80
 neuron numbers, 62
- Cyclocypris*
 classical conditioning, 86
 habituation, 86
 instrumental learning, 86
- Cynomyia cadaverina*, classical conditioning, 147
- Cythereis*, 66
- “Dance-language” in bees, 175
- Daphnia*, instrumental learning, 86, 102
- Development, gastropods, 196–200
- Diastylis*, 66
- Discrimination capacities, bees, 174–175
- Dishabituation, habituation of in *Helix*, 226
- Diurnal rhythms, Crustacea, 81–86
- Dominance hierarchies, Crustacea, 69–70
- Dromia*, instrumental learning, 88
- Drosophila guttifera*, olfactory conditioning, 161
- Drosophila melanogaster*
 maze learning, 152
 olfactory conditioning, 161
- Early experience, shell-entering behavior of hermit crabs, 75
- Electrical and chemical transmission in crayfish habituation, 115–119
- Electrophysiological correlates of learning
Blatta orientalis, 156
 locust, 156
- Electrophysiological studies of habituation, *Limulus*, 20–24
- Entrainment of circadian rhythm
 in *Aplysia*, 258–261
 in Crustacea, 84–86
- Epiblemum scenicum*, prey orientation and catching, 17–18
- Escape learning *Arctosa variana*, 37–39
- Escape reflex
 in crayfish, 112–120
 in gastropods, 209–211
 in *Tritonia*, habituation of, 232–233, 235
- Estheria*, 66
- Eupagurus*
 classical conditioning, 89
 instrumental learning, 88–89
- Eurypterida*, ancestors of scorpions, 2
- Evarcha*, prey orientation and catching, 13, 17–18
- Evolution, insects, 136–143
- Excitatory postsynaptic potentials
 classical conditioning in
Aplysia, 252–257
 decline during habituation in *Aplysia*, 249–251
- Experience and development, Crustacea, 74–76
- Eyestalk in Crustacea, role in learning and retention, 123
- Facelina goslingi*, shading response, 224
- Facilitation in crustacean synapses, 107–109
- Feeding and nutrition, chelicerates, 7
- Feeding behavior and learning, Crustacea, 70–71
- Feeding mechanisms, *Aplysia*, 213
- “Focusing of attention,” Crustacea, 77
- Food conditioning
Araneus, 25
Linyphia triangularis, 27
- Food location, gastropods, 214–216
- Foragers (bees), training to find food, 175
- Formica*, maze learning, 152–154
- Fruit flies (*see* *Drosophila*)
- Fusitriton*, homing behavior, 248
- Gamma-aminobutyric acid, changes during learning in *P. americana*, 156–157
- Gammarus*, avoidance learning, 74
- Gastropoda
 avoidance conditioning, *Aplysia*, 239–240
 circadian rhythm and entrainment, 258–261

- Gastropoda (*cont'd*)
- classical conditioning, *Aplysia*, 234, 236
 - failure in *Tritonia*, 238
 - of *Physa*, 233–234
 - of *Pleurobranchaea*, 236–237
 - development, 198–200
 - escape reflexes, 209–211
 - feeding behavior and mechanisms, 206–211
 - food location, 214–216
 - geotaxis, 203
 - habituation, 217–228
 - habituation, correlated neural and behavioral studies, 261–263
 - habituation in peripheral nerve net of *Aplysia*, 231–232
 - habituation of escape response of *Tritonia*, 232–233, 235
 - hermaphrodites, 196
 - homing behavior, 247–249
 - learning, 216ff
 - learning summary, 218–219
 - locomotion, leaping, 206–209
 - maze learning
 - Ampullaria*, 245–247
 - Lymnaea*, 245–247
 - Physa*, 243–244
 - Rumina*, 244–245
 - metamorphosis, 199–200
 - nervous system anatomy, 195–196
 - neurophysiological mechanisms of classical conditioning in *Aplysia*, 252–257
 - neurophysiological studies of habituation in *Aplysia*, 249–251
 - operant conditioning in *Aplysia*, 240–242
 - operant conditioning in *Physa*, 242–243
 - reproduction, 196–198
 - sensory functions, 201–206
 - swimming reflexes, 209–210
 - taxonomy, 190–192
 - unit conditioning, 257–258
 - vision, 203–206
- Gecarcinus*, learning set, 89
- Generalization, bees, 182
- Geotaxis, gastropods, 203
- Giant cells in *Aplysia*
 - gastropods, 187–188
 - habituation of, 249–251
- Grain beetles (see *Tenebrio molitor*)
- Grapsus grapsus*, neuromuscular facilitation, 107–109
- Habituation
 - acute and chronic preparations in crayfish, 119–120
 - Alonella*, 86
 - Balanus*, 87
 - chelicerates, 11–24
 - Clibanarius*, 88
 - correlated neural and behavioral studies, 261–263
 - crustaceans, 90–93
 - Cyclocypris*, 86
 - electrophysiological studies in *Limulus*, 20–24
 - gastropods, 217–228
 - inhibitory neuron in crayfish, 120
 - insects, 145–146
 - mechanisms of escape reflex in crayfish, 112–120
 - neurophysiological studies in *Aplysia*, 249–251
 - orb weavers, 11–12
 - Pagurus*, 89
 - peripheral nerve net
 - of *Aplysia*, 231–232
 - of gastropods, 228–232
 - Periplaneta americana*, 145, 146
 - Procambarus*, 89
 - Schistocerca gregaria*, 146
 - stimulus specificity in *Lymnaea*, 228
 - Tenebrio molitor*, 145
 - transmitter release in crayfish, 116–117
 - Tritonia* escape response, 232–233, 235
- Haliotis*, locomotion, 208
- “Headless” insect preparations, 154–160, 165
- Helisoma*, spontaneous bursts in units, 259
- Helix*
 - habituation, 218
 - homing behavior, 247
 - spontaneous bursts in units, 259
- Helix albolabris*, habituation, 226–227
- Hemigrapsus nudus*, operant conditioning, 121
- Hemimetabolous metamorphosis, insects, 141, 143
- Hermisenda crassicornis*, photoreceptor recordings, 204–205
- Hermit crab, early experience and shell-entering behavior, 75
- Heterosynaptic facilitation
 - classical conditioning in *Aplysia*, 253–257

- Heterosynaptic facilitation (*cont'd*)
 patterned nerve firing, 257
- Hierarchies, visual reflexes in *Limulus*, 19–20
- Higher-order conditioning, crustaceans,
 103–104
- Homing abilities
 bees, 178–179
 gastropods, 247–249
 lobsters, 65, 68
- Hutchinsonella macracantha*, 66
- Inhibitory aversive conditioning, in
 cockroaches, 149
- Insecta, 131ff
 advantages as research subject, 143–145
 classical conditioning, 146–148
 in *Cynomyia cadaverina*, 147
 in *Phormia regina*, 147–148
 classification, 136–140
 evolution, 136–143
 evolution of wing development, 140–141
 habituation, 145–146
 hemimetabolous metamorphosis, 141, 143
 holometabolous and entamorphosis
 evolution, 141
 learning, critique, 158–160
 morphology, 132–133
 nervous system, similarity of annelid,
 134–135
 nervous system structure, 133–136
 numbers, 131
 olfactory conditioning, 160–162
 subesophageal ganglion, 136
 supraesophageal ganglion, 136
- Instrumental learning
Asellus, 87
Astacus, 89
Cambarus, 88, 89
Carcinus, 88, 89
 cockroaches, 148–151 (*see also particular species*)
 Crustacea, 94–96
Cyclocypris, 86
Daphnia, 86
Dromia, 88
Eupagurus, 88, 89
Leander, 88
Ocypoda, 88, 89
Pachigrapsus, 88
Panulirus, 89
Parachaeraps, 89
- Instrumental learning (*cont'd*)
Paracyclops, 87
Porcellio, 87
 wasps, 154
- Ionic mechanisms, in synaptic changes,
 107–109
- “Jittery” movement fibers, crustacea, 81
- Jumping spiders, habituation, 12–18
- Leander*, instrumental discrimination, 88
- Learning
 Bees, 174ff
 Chelicerates, 11ff
 Crustacea, 65ff
 Gastropods, 216ff
 Insects, 145ff
- Learning and dominance hierarchies in
 crayfish, 69–70
- Learning sets
 Crustacea, 105–106
Gecarcinus, 89
Orconectes, 89
Porcellio, 87, 88
- Leg flexion training, cockroaches and
 locusts, 154–160
- Lepas hillii*, 66
- Limax*, homing behavior, 247
- Limulus*
 avoidance conditioning, 42–43
 classical conditioning attempts, 41–42
 electrophysiological studies of habitua-
 tion, 20–24
 general morphology, 3–4
 habitat, 3
 habituation of “off” units, 21
 heart control, 20
 mating, 8
 nervous system complexity and habitua-
 tion, 20–24
 operant conditioning attempt, 41
 perfusion of central nervous system, 19
 vision, 9–10
 visual reflex habituation, 18–20
- Linyphia triangularis*, food conditioning, 27
- Littorina*, habituation, 217, 218, 220, 221
- Littorina littoralis*, phototropisms, 206
- Locomotion, gastropods, 206–209
- Locust
 electrophysiological correlates of
 learning, 156

- Locust (*cont'd*)
 shock avoidance training, 154–160
- Lycosid spiders (*see* Wolf spiders)
- Lymnaea*
 failure in maze, 245–247
 maze learning, 219–220
- Lymnaea stagnalis*
 associative learning, 224
 escape learning, 224–226
 habituation, 217, 218, 220–222, 224, 227–228
- Magnesium ions, effect on habituation, 108–109
- Mating and reproduction, chelicerates, 7–9
- Maze-learning
Ampullaria, 245–247
 ants, 152–154
Aphonopelma californica, 40
 bees, 178
Blatta orientalis, 150, 151
Blattella germanica, 150
Byrsotria fumigata, 150
Carcinus maenas, 97, 100
 cockroaches, 149–150
Comptonotus herculeanus pennsylvanicus, 153–154
Drosophila melanogaster, 152
 factors in cockroach performance, 150–151
Formica rufa, 153–154
Lymnaea, failure in, 245–247
Nauphoeta cinerea, 150
Periplaneta americana, 150, 151
Physa, 243–244
Rumina, 244–245
Tenebrio molitor, 152
- Melanoplus differentialis*, electrophysiological correlates of learning, 156
- Memory
 capacity in Crustacea, 86–89, 96
 consolidation, insects, 164–165
 interference in insects, 164–165
 long-term, in bees
 metamorphosis in insects, 152
 optical, in *Agelena*, 30–32
 optokinetic, Crustacea, 78–80
- Merostomata, *Limulus*, 1
- Metamorphosis and retention in *Tenebrio*, 152
- Metamorphosis, Gastropoda, 199–200
- Metathoracic ganglion of cockroach, biochemical correlates of learning, 156–157
- Mollusks (*see also* Cephalopods, in *Volume 3*; Gastropods, *this volume*; and *particular species*)
 evolution, 192–195
 gastropod feeding behavior and mechanisms, 211–216
 gastropod locomotion, 206–211
 learning in gastropods, 216ff
 nervous system development, 193–196
 phylogenetic relations, 189–192
- Mouth-opening conditioning, *Aplysia*, 234, 236
- Natica*
 experience and boring behavior, 220
 homing behavior, 248–249
- Nauphoeta cinerea*, maze learning, 150
- Nemeritis canescens*, olfactory conditioning, 161
- Nemoscolus laurae*, conditioning, 24
- Nerve cell bodies
 effects of removal in *Carcinus*, 122
 insects and short-term learning, 122
- Nerve net
 characteristics in gastropods, peripheral, 228–231
 habituation in *Aplysia*, 231–232
 habituation in gastropods, peripheral, 231–232
- Nervous system
 Chelicerata, 5–7
 Crustacea, 60–65
 Gastropoda, 192–196
 Insecta, 133–136
 organization and habituation in *Limulus*, 20–24
- Neuromuscular facilitation, crustaceans, 80
- Neuron numbers
 crustacean nervous system, 62
- “Novelty” detectors, *Podophthalmus*, 80–81
- Nucella*, homing behavior, 248–249
- Ocypoda*, 66
 habituation of approach response, 73
 instrumental learning, 88, 89
 place learning, 68

- “Off” units in *Limulus*, habituation, 21
- Olfaction, in bee learning, 175–180
- Olfactory conditioning
- Drosophila guttifera*, 161
 - Drosophila melanogaster*, 161
 - insects, 160–162
 - Nemeritis canescens*, 161
 - worker bee recruitment, 180–181
- Oniscus asellus*, 67
- Operant conditioning
- Aplysia*, 240–242
 - bees, 181
 - Blatta orientalis*, 156
 - cockroaches, 154–160
 - leg lifting in crabs, 120–121
 - Limulus*, 41
 - Physa*, 242–243
 - units in *Aplysia*, 257–258
- Opothobranchs
- giant cells, 188
 - taxonomy, 190–192
- Optical memory, *Agelena*, 30–32
- Optokinetic memory, Crustacea, 78–80
- Orb-weavers, habituation, 11–12
- Orconectes*, learning set, 89
- Orientation, Crustacea, 77–78
- Osphradium, role in chemo- and tactile reception, 201–202
- Pachigrapsus*, instrumental learning, 88
- Pagurus striatus*
- classical conditioning, 88, 93–94
 - discrimination learning, 94–96
 - habituation, 89
 - instrumental learning, 88, 94–96
 - memory capacity, 96
 - secondary reinforcement, 103–104
- Panulirus*, instrumental discrimination, 89
- Panulirus interruptus*, place learning, 65, 68
- Parachaeraps*, instrumental learning, 89
- Paracyclops*, instrumental learning, 87
- Partial reinforcement, crustaceans, 104–105
- Pedal locomotion, gastropods, 206–209
- “Percept” acquisition, bees, 182–183
- Perception and memory, *Copilia*, 81
- Perfusion, *Limulus* central nervous system, 19
- Periplaneta americana*
- avoidance conditioning, 148–151
 - biochemical correlates of learning, 156–157
- Periplaneta americana* (cont'd)
- habituation, 145, 146
 - maze learning, 150, 151
 - memory interference, 164–165
 - shock avoidance training, 154–160
- Pheromones, gastropod feeding, 215
- Phidippus morsitans*, conditioning, 24
- Phormia regina*, classical conditioning, 147–148
- Phototrophic responses, gastropods, 205–206
- Phthisica*, 66
- Physa*
- classical conditioning, 219, 233–234, 237–238
 - habituation, 223
 - maze learning, 243–244
 - operant conditioning, 242–243
 - sensitization and classical conditioning, 219
- Place learning
- Crustacea, 65–69
 - Ocypoda*, 68
 - Panulirus interruptus*, 65, 68
- Place memory
- Agelena labyrinthica*, 39–40
 - Araneus diadematus*, 39
 - prey in spiders, 39–40
 - Tegenaria domestica*, 39–40
- Pleurobranchaea*, classical conditioning, 236–237
- Podophthalmus*, “novelty” detectors, 80–81
- Polarized light, as cue in maze learning, 40
- Polychaetes, as ancestors of Crustacea, 49–50
- Porcellio*
- instrumental learning, 87, 88
 - learning set, 87, 105–106
 - position habit learning, 102
 - turn alternation, 87
- Probability learning, cockroaches, 163
- Proboscis conditioning, bees, 175–176
- Procambarus*
- effects of eye stalk removal on retention, 123
 - habituation, 89
 - instrumental discrimination, 89
 - persistence of states, 82–83
- Procion yellow staining of nerves, 110–111
- Protein, changes during learning in *P. americana*, 156–157

- Prothoracic ganglion, learning in cockroach, 155–156
- Reproductive behavior, gastropods, 196–198
- Respiration, chelicerates, 9
- Retention in *Tenebrio* after metamorphosis, 152
- “Retreat” orientation in spiders, learned components, 30–36
- Reversal learning
ants, 163
bees, 179
cockroaches, 163
Crustacea, 89
- Rhythmic and phasic behavior, Crustacea, 81–86
- Ribonucleic acid
changes during learning in *P. americana*, 156–157
in crustaceans, 121
- Rock lobster, see *Panulirus interruptus*
- Rumina*, maze learning, 219–220, 244–245
- Salticus*, avoidance conditioning, 27
- Schistocerca gregaria*
electrophysiological correlates of learning, 156
habituation, 146
- Scorpions
astronomical orientations, 39
general morphology, 4
mating, 8
- Secondary reinforcement, *Pagurus striatus*, 103–104
- Segmentation, comparison of mollusks and annelids, 193–194
- Sensitization, gastropod classical conditioning, 237–238
- Sensorimotor learning, 71–73
- Sensory functions
cell bodies, 202–203
chelicerates, 9–11
chemoreception in gastropods, 201–203
Crustacea, 80–81
geotaxis, 203
insects, 136
tactile reception in gastropods, 201–203
vision in gastropods, 203–206
- Sensory input, web orientations in spiders, 29
- Shock avoidance learning, insects, 154–160
- Simocephalus*, instrumental learning failure, 86
- Simple approach and avoidance learning in Crustacea, 73–74
- Siphonaria*, homing behavior, 247
- Situation specificity, ant learning, 162–163
- Spiders (see also under Chelicerata and particular species)
learning in web orientations, 30–36
mating, 8
predatory behavior and habituation, 12–18
vision use in predatory behavior, 12–18
- Squilla mantis*, 66
- Statocyst, gastropod, 203
- Sting response conditioning, bees, 178
- Subesophageal ganglion, insects, 136
- Supraesophageal ganglion, insects, 136
- Swimming reflexes, gastropods, 209–210
- Synaptic changes, Crustacea, 107–109
- Synaptic mechanisms
facilitation and antifacilitation, 107–109
habituation of crayfish escape reflex, 114–120
heterosynaptic facilitation, 254–256
- Tachypleus*, habitat, 3
- Talitrus saltator*, orientation, 68, 76
- Tarantula, maze learning, 40
- Tegenaria domestica*, place memory, 39–40
- Temperature, effects on learning and memory in insects, 164–165
- Temporal coding, crustaceans, 80
- Tenebrio molitor*
habituation, 145
maze learning, 152
retention after metamorphosis, 152
temperature effects on learning and memory, 164–165
- Territoriality, *Uca maracoani*, 68
- Trilobites
ancestors of chelicerates, 1–2
of crustaceans, 49–50
- Tritonia*
failure of classical conditioning, 238
habituation, 218, 219
habituation of escape response, 232–233, 235

- Tritonia* (cont'd)
 peripheral nerve net, 229
 sensitization and classical conditioning, 219
- Turn alternation
Armadillidium, 87
Porcellio, 87
- Uca*, instrumental learning, 88
Uca maracoani
 territoriality, 68
 tidal rhythm, 82–83
Uca pugilator, direction learning, 69
Uca pugnax, entrainment of color change and learning, 85
- Unit habituation, *Limulus*, 20–24
- Vision
 in *Limulus*, 9–10
 in spiders, 12–18
 pigments in gastropods, 204
- Visual reflexes
 gastropods, 205–206
Limulus, 19–20
- Wasps
 instrumental learning, 154
 olfactory conditioning, 160–161
- Web orientations
Araneus diadematus, 32–33
 optical “engram” and time for establishment in spiders, 30–33
 spiders, 28–40
Zygiella x-notata, 33–36
- Wolf spiders
 astronomical orientation, 36–39
 conditioning, 24
- Xysticus ferox*, conditioning, 24
- Yoked control, in cockroach avoidance training, 154–160
- Zygiella x-notata*, web orientation and learning, 33–36