

INDEX

- Abrasion
 flaw size and, 195-198
 surface strengthening by, 198
- Abrasive surface processing
 material removal by, 190-191
 surface-related properties and,
 190
- Acid-base interaction, Drago
 correlation of, 76
- Acidic ethylene-acrylic acid
 copolymers, contact
 angles in, 77-78
- Acidic polarization curve,
 corrosion rate and,
 97-98
- Adhesion, surface treatments for
 enhancement of, 83
- AES, *see* Auger electron
 spectroscopy
- Alloys
 high-strength, *see* High-
 strength alloys
 high-temperature coatings on,
 128-129
 oxidation resistance of, 118
 selective oxidation of, 114-115
- Aluminum oxide
 formation of, 114
 selective oxidation and,
 116-117
- Aluminum surfaces, native oxide
 on, 82
- Anisotropic grinding damage, 194
- Anodic polarization curve,
 passivity and, 99
- ATR (attenuated total reflection),
 application of, 22
- Auger electron
 energy of, 27
 vs. photoelectron, 27
- Auger electron spectroscopy, 8
 in chemisorption studies, 55
 in oxygen chemisorption, 58
 oxygen uptake and, 60-65
 in reaction kinetics studies,
 53
 in surface characterization,
 23-28
- Bias sputtering, 133-135, *see*
 also Sputter ion plating
- Biaxial failure stress, rf
 sputtering and, 208
- Brittle ceramics
 plastic deformation in, 192
 tensile strength in, 191
- Brittle fracture processes, in
 abrasive stock removal,
 191
- Brittle materials, compressive
 surface layers on, 210
- Carbon, ESCA spectrum of, 45
- Carbon steels, fretting of,
 175-178, *see also* Steel
- Catalytic surface, in scanning
 electron microscopy, 33
- Ceramic etching, fracture
 strength and, 207
- Ceramic processing, surface
 structure and mechanical
 properties related to,
 189-211

- Ceramic removal, plastic deformation in, 190-191
- Ceramics, ion sputtering in, 206-207
- Ceramic surface
corrosion of, 200
strengthening of, 210
- Chemically altered surfaces, 200-207
- Chemisorption, in reactor
kinetics study, 54-59
- Chrome plate, oxide surface of, 83
- Chromium, in oxidation
resistance, 113-114
- "Clean off" reactions, oxygen
molecular beam in, 66-71
- Concentration polarization, 97
- Contact angles, of acidic and
basic liquids on
copolymers, 77-78
- Corrosion
concentration polarization in, 97
defined, 93-94
deposit induced effects in, 123-125
electric potential and, 95
electrochemistry of, 94-95
erosion and, 15-128
film breakdown in, 104
film ductility and, 104
high-temperature, 109-129
kinetics of, 96-99
mixed oxidant attack in, 119-122
passivity and, 98
polarization in, 95-96
potential-pH equilibrium
diagram for, 96
thermodynamics of, 95
- Corrosion fatigue resistance,
defined, 145
- Corrosion potential, defined, 98
- Corrosion principles, 93-95
- Corrosion rate
from anodic and cathodic
polarization curves, 97
reaction products and, 120
- Corrosion research, crack growth
phenomena and, 200-201
- Corrosion resistance
ion plating in, 133
kinetic strategies and,
100-101
surface modification in,
100-107
thermodynamic strategies in,
100
- Crack growth, corrosion and,
200-201
- Crack-tolerant behavior
definitions in, 144-146
emergent surface modification
techniques in, 157-168
engineering characterization
and, 146-153
high-cycle fatigue in, 149
laboratory specimens in,
146-147
low-cycle fatigue in, 149
precracked specimens in, 148
- Crack-tolerant properties,
144-156
categories of, 154
engineering significance of,
150
laser surface treatment and,
168
publication trends and Defense
Department interests
in, 153-156
yearly and total research
citations in, 155-156
- Creep fatigue resistance,
defined, 145
- Critical fracture energy, grain
size vs. flaw size in,
196
- Crystalline structures, in
corrosion resistance,
102
- Crystallization, in glass
surface strengthening,
210
- Current, corrosion rate and, 96

- Defense Department U.S., crack-tolerant properties reporting and research from, 153-154
- Deposit-induced effects, in high-temperature corrosion, 123-125
- Drago correlation, of acid-base interaction, 76
- Effective passive film, in corrosion resistance, 101
- Electron analyzer, 35
- Electron energy loss spectroscopy (EELS), 26
- Electronic components, surface modification methods for, 12
- Electron spectroscopical methods, instrumentation in, 34
- Electron spectroscopy for chemical analysis
Auger instrument for, 36
vs. Auger spectroscopy, 28
carbon spectra in, 45
of cleaned steel surface, 37
enhanced sensitivity in, 46
improved resolution by monochromatization in, 43
in surface characterization, 23-24
Upsala instrument for, 44
- Ellipsometry
defined, 20
experimental arrangement for, 21
- Emergent surface modification technique, 157-168
- Enhanced adhesion, surface treatments for, 83-84
- Erosion-corrosion interactions, 125-128
- ESCA-Auger multipurpose instrument, 36
- ESCA survey scan, of cleaned steel surface, 37, *see also* Electron spectroscopy for chemical analysis
- ESD, *see* Electron stimulated desorption
- Etching techniques, fracture strengths and, 207
- Ethyl-trifluoroacetate, ESCA carbon spectra in, 45
- Evaporative ion plating, 133
schematic of, 134
- EXAFS (extended x-ray absorption fine structure), 26
- Failure stress, biaxial, 208
- Fatigue behavior, ion implantation and, 159-161
- Fatigue cracking, fretting and, 184
- Fatigue crack initiation, fretting and, 184
- Fatigue loading, in crack-tolerant behavior, 147
- Fatigue resistance
defined, 145
fretting and, 176-177
- Film, passive, *see* Passive films
- Film crystallinity, after breakdown, 104
- Film ductility, crystallinity and, 104
- Film thickness limitations, variations in, 103
- Flaw formation, 203-206
- Flaw size
abrasion and, 195-196
grain size and, 196
grinding and, 194
- Fracture mechanics analysis, for surface controlled crack-tolerant properties, 153
- Fracture toughness, defined, 145
- Fracture toughness threshold, in high-strength alloys, 151
- Fretting
causes of, 174
defined, 173
experimental procedures in, 174
fatigue cracking and, 174, 184

- Fretting (continued)
 metallic debris and, 180
 oxide debris and, 182-184
 Fretting corrosion, 173-185
 vs. fretting fatigue, 181-182
 Fretting fatigue resistance,
 defined, 146
 Fretting surfaces, oxidation of,
 182
- Gaseous hydrogen embrittlement,
 87-90
- Glass
 compressive surface layers on,
 210
 corrosion behavior for, 202
 crystallization in strengthen-
 ing of, 210
 ion sputtering in, 206-207
 Glass etching, fracture strength
 and, 207
 Glass surface, strengthening of,
 210
 Graphite carbon monolayer,
 oxidation of, 67-69
 Grinding process, flaw size in,
 197
- Hemispherical retarding field
 analyzer, 35
 Hermetic seals, in crack growth
 prevention, 206
 Heterogeneous surface, adsorption
 of monolayer on, 6
 High-cycle fatigue, in crack-
 tolerant behavior, 149
 High-resolution electron loss
 spectroscopy, 8
 High-strength alloys
 crack-tolerant behavior of,
 143-169
 crack-tolerant properties of,
 150-152
 number and size distributions
 in, 152
 High-temperature coatings,
 128-129
 High-temperature corrosion
 oxidation in, 110-119
 principal forms of, 110-128
- Hot corrosion attack, initiation
 and propagation of,
 124-125, *see also*
 Corrosion; High-tempera-
 ture corrosion
- HRELS, *see* High-resolution
 electron loss spectro-
 scopy
- Hydrogen, gaseous, embrittlement
 by, 87-90
 Hydrogen absorption rate, on
 iron, 89
 Hydrogen embrittlement, 87-90
 Hydrogen embrittlement
 resistance, defined, 146
- Infrared absorption, defined, 20
 Inorganic surfaces, binding of
 with polymers, 75-84
 Intermolecular forces, solution
 and interfacial proper-
 ties related to, 75
 Intermolecular interactions
 electron donor-acceptor inter-
 actions and, 75
 London dispersion forces
 and, 75
 types of, 75-76
- Ion implantation, 11-14, 158-162
 defined, 158
 fatigue behavior and, 159-161
 and tribological behavior of
 steel surfaces, 15
- Ion plating
 in corrosion resistance, 133
 evaporative, 133-134
 sputter, *see* Sputter ion
 plating
- Ion scattering spectroscopy,
 8, 28
 analysis of silicon oxide
 surface by, 41
 basis of, 29
- Ion sputtering, in glazes and
 ceramics, 206-207,
see also Sputter ion
 plating
- Iron, hydrogen absorption rate
 on, 89-90
- ISS, *see* Ion scattering spectro-
 scopy

- Laser beam, interaction with surface, 11
- Lasers, surface treatment by, 11
- Laser-shock processing, yield strength and, 167-168
- Laser surface modification, vs. cooling rate and melt depth, 13
- Laser surface processing, 163-168
 - extended area coverage by, 165
 - microstructural modification by, 163-165
 - stress corrosion cracking and, 167
- LEED, *see* Low-energy electron diffraction
- Low-cycle fatigue, in crack-tolerant behavior, 149
- Low-energy electron diffraction
 - hemispherical retarding field analyzer in, 35
 - in oxygen chemisorption studies, 58
 - in oxygen uptake and oxidation studies, 63
 - schematic of, 26
 - structural and geometrical patterns in, 32
 - structural details for, 7-8
- Machining-mechanical strength behavior, 191-194
- Material removal by abrasive surface processing, 190-191
- Mechanical properties, surface structure and ceramic processing related to, 189-201
- Metallic debris, fretting and, 180
- Metals, ion implantation in, 158-159
- Metal surfaces
 - acidic and basic properties of, 82-83
 - high-temperature corrosion of, 109-129
 - passivity of, 98
 - repassivation of, 105
- Microhardness data, for sputter ion plated steel, 138-140
- MIR, *see* Multiple internal reflection method
- Mixed oxidant attack, 119-122
- Molecular beam dosing, 52
- Monochromatization, ESCA resolution by, 43
- Multiple internal reflection method, 34
- Noncrystalline films, in corrosion resistance, 101-102
- Oxidation
 - cyclic data in, 118
 - of fretting surfaces, 182
 - in high-temperature corrosion, 110-119
 - in reaction kinetics studies, 60-65
 - selective, 116-117
 - thermodynamically stable oxides in, 111
 - transient, 113
- Oxidation studies, AES in, 60-65
- Oxide barriers, development of, 120
- Oxide debris, fretting and, 182-184
- Oxide scale(s)
 - as oxidation barrier, 115-116
 - spalling of, 117
 - sulfide, nitride, and carbide phases of, 121
- Oxide scale adhesion, optimizing of, 118
- Oxide scale development, 112
- Oxygen adsorption rate, in "clean off" reactions, 66
- Oxygen chemisorption, 55-56
- Oxygen gas molecular beam scattering, 57
- Oxygen sticking coefficient, 62
- Passive films
 - breakdown resistance in, 104

- Passive films (continued)
 crystalline and noncrystalline structures and, 101-102
 defined, 101
 greater protection from, 103
- Passivity, corrosion and, 98
- Photoelectron
 vs. Auger electron, 27
 escape depth of, 27
- Pitting, in flaw formation, 204-206
- PIXEA X-ray method, 28-32
- Plastic deformation
 in brittle ceramics, 192
 tensile strength and, 194
- PMMA, *see* Polymethylmethacrylate
- Polymer(s)
 binding with inorganic surfaces, 75-84
 maximum adhesion between, 83
 ordered lamellar structure of, 30
- Polymer adsorption, acid-base interactions in, 79-82
- Polymeric sample, ESCA wide scans of, 38
- Polymer surfaces, acidity and basicity of, 76-79
- Polymethylmethacrylate
 acid-base interactions and, 79
 adsorption of into silica gel, 79-80
- Polyvinylchloride, postchlorinated, 79
 adsorption of, 80-82
- Potential, as corrosion tendency, 95-96
- Potential-pH equilibrium diagram, corrosion and, 96
- Pourbaix diagram, 95
- PVC, *see* Polyvinylchloride
- Raman spectroscopy, defined, 20
- Reaction kinetics, 51-72
 apparatus and techniques used in measurement of, 51-54
 chemisorption in, 54-59
 "clean off" reactions in, 66-71
 CO product signal in, 70
 detector mass spectrometer in, 52
- Reaction kinetics, 51-72
 (continued)
 kinetic equations for, 68-69
 LEED in study of, 53
 oxidation of graphitic carbon monolayer in, 67
 oxidation stages in, 60-65
 SIMS in study of, 54
 typical reactions in, 54-71
 ultrahigh vacuum system for study of, 53
 ultraviolet-excited photoemission spectroscopy in, 53
- rf sputtering, biaxial failure stress and, 208
- SAM (scanning Auger microscopy), mapping of semiconductor surface with, 40
- Scanning electron microscopy, 32-33
 of iron surface with localized corrosion, 39
- Secondary ion mass spectroscopy, 8, 28
 analysis of SiO₂ surface by, 41
 in reaction kinetics study, 54
- SEM, *see* Scanning electron microscopy
- Silanol groups, as acid sites on metal surfaces, 82
- Silica, silanol groups as acid sites on, 82
- Silica gel, PMMA adsorption onto, 79-80
- Silicon, in oxidation resistance, 115
- Silicon dioxide film, flaw formation and, 204
- Silicon nitride, pitting and, 204-206
- SIMS, *see* Secondary ion mass spectroscopy
- Sputtered silica glass dish, failure of, 209
- Sputtering, rf, 208
- Sputter ion plating
 coating results in, 136-140
 experimental procedure for, 136

- Sputter ion plating (continued)
 schematic of, 135
 temperature effects in, 133-140
- Steel
 comparative electron diffraction patterns of, 179
 fretting of, 175-178
 microhardness determinations for, 138-139
 sputter ion plating for, 133-140
- Steel surfaces, ion implantation in, 15
- Stress corrosion, of structural ceramics, 200-203
- Stress corrosion cracking resistance, defined, 145
- Stress corrosion threshold, in high-strength alloys, 151
- Structural ceramics, stress corrosion in, 200-203
- Structure, surface analysis and, 7-8
- Sulfide phase, of oxide scales, 121
- Surface(s)
 chemical analysis of, 9
 heterogeneous, 5-6
 historical significance of, 3-5
 metal, *see* Metal surfaces
 special properties of, 5-7
- Surface analysis techniques, 7-9
- Surface concentration limits in, 71
 types of, 8
- Surface characterization, 19-47
 desirable items for future development in, 42
 elemental composition and bonding in, 23-32
 features of interest in, 19-20
 strong and weak points of ESCA and Auger spectroscopy related to, 28
- Surface flaws, in brittle ceramics, 191-192, *see also* Flaw size
- Surface free energy, "positive" nature of, 7
- Surface grinding, subsurface lateral cracks in, 193
- Surface improvement, future techniques in, 207-210
- Surface modification
 corrosion resistance through, 100-106
 in crack-tolerant behavior of high-strength alloys, 143-169
 for improved properties, 3-16
- Surface modification processing regimes, vs. power density and interaction time, 13
- Surface properties, phenomena affected by, 4-5
- Surface reactions, kinetics of, 51, *see also* Reaction kinetics
- Surface strengthening, abrasion in, 198
- Surface structure, ceramic processing and mechanical properties related to, 189-211
- Surface tension characterization, contact angle method in, 20
- Surface treatment, *see also* Surface modification
 for enhanced adhesion, 83-84
 by lasers, 11
- Sustained load cracking resistance, defined, 145
- Temperature-programmed desorption, 54
- Transient oxidation, 113
- Ultraviolet-excited photoemission spectroscopy, 53-54
- Uppsala instrument, in ESCA, 44
- Vapor deposition, ion plating in, 133-134
- XPS, *see* X-ray excited photoelectron spectroscopy

- X radiation, penetration depth
 - of, for aluminum, 25
- X-ray excited photoelectron spectrometry, in reaction kinetics study, 54
- X-ray synchrotron, ESCA
 - sensitivity enhancement with, 46