

# Bibliography

- [1] Ahlfors, L. (1973). *Conformal Invariance. Topics in Geometric Function Theory*. McGraw-Hill.
- [2] Aizenman, M. (1985). The intersection of Brownian paths as a case study of a renormalization method for quantum field theory. *Commun. Math. Phys.* **97** 111-124.
- [3] Amit, D.J., G. Parisi, and L. Peliti (1983). Asymptotic behavior of the “true” self-avoiding walk. *Phys. Rev. B* **27** 1635-1645.
- [4] Berg, P. and MacGregor, J. (1966). *Elementary Partial Differential Equations*. Holden-Day.
- [5] Berretti, A. and A. Sokal (1985). New Monte Carlo method for the self-avoiding walk. *J. Stat. Phys.* **40** 483-531.
- [6] Beyer, W. A. and M. B. Wells (1972). Lower bound for the connective constant of a self-avoiding walk on a square lattice. *J. of Comb. Theor.* **13** 176-182.
- [7] Billingsley, P. (1986). *Probability and Measure*. John Wiley & Sons.
- [8] Brandt, A. (1966). Estimates for difference quotients of solutions of Poisson type difference equations. *Math. Comp.* **20** 473-499.
- [9] Breiman, L. (1968). *Probability*. Addison-Wesley.
- [10] Brydges, D. and Spencer, T. (1985). Self-avoiding walk in 5 or more dimensions. *Commun. Math. Phys.* **97** 125-148.
- [11] Burdzy, K. and G. Lawler (1990). Non-intersection exponents for random walk and Brownian motion. Part I: Existence and an invariance principle. *Prob. Theor. and Rel. Fields* **84** 393-410.

- [12] — (1990). Non-intersection exponents for random walk and Brownian motion. Part II: Estimates and applications to a random fractal. *Annals of Prob.* **18** 981-1009.
- [13] Burdzy, K., G. Lawler, and T. Polaski (1989). On the critical exponent for random walk intersections. *J. Stat. Phys.* **56** 1-12.
- [14] Deuschel, J.-D., and D. Stroock (1989). *Large Deviations*. Academic Press.
- [15] Dubins, L., A. Orlicsky, J. Reeds, and L. Shepp (1988). Self-avoiding random loops. *IEEE Trans. Inform. Theory* **34** 1509-1516.
- [16] Duplantier, B. (1987). Intersections of random walks: a direct renormalization approach. *Commun. Math. Phys.* **117** 279-330.
- [17] Duplantier, B. and K.-H. Kwon (1988). Conformal invariance and intersections of random walks. *Phys. Rev. Lett.* **61** 2514-1517.
- [18] Durrett, R. (1984). *Brownian Motion and Martingales in Analysis*. Wadsworth.
- [19] Dvoretzky, A., P. Erdős, and S. Kakutani (1950). Double points of paths of Brownian motions in  $n$ -space. *Acta. Sci. Math. Szeged* **12** 75-81.
- [20] Edwards, S. F. (1965). The statistical mechanics of polymers with excluded volume. *Proc. Phys. Sci.* **85** 613-624.
- [21] Ellis, R. (1985). *Entropy, Large Deviations, and Statistical Mechanics*. Springer-Verlag.
- [22] Erdős, P. and S. J. Taylor (1960). Some intersection properties of random walk paths. *Acta. Math. Sci. Hung.* **11** 231-248.
- [23] Felder, G. and J. Fröhlich (1985). Intersection properties of simple random walks: a renormalization group approach. *Commun. Math. Phys.* **97** 111-124.
- [24] Feller, W. (1968). *An Introduction to Probability Theory and its Applications, Vol. I*. John Wiley & Sons.
- [25] — (1971). *An Introduction to Probability Theory and its Applications, Vol. II*. John Wiley & Sons.
- [26] Flory, P. (1949). The configuration of real polymer chain. *J. Chem. Phys.* **17** 303-310.

- [27] de Gennes, P-G (1979). *Scaling Concepts in Polymer Physics*. Cornell University Press.
- [28] Gilbarg, D. and N. S. Trudinger (1983), *Elliptic Partial Differential Equations of Second Order*. Springer-Verlag.
- [29] Guttmann, A. (1978). On the zero-field susceptibility in the  $d = 4, n = 0$  limit: analyzing for confluent logarithmic singularities. *J. Phys. A.* **11** L103-L106.
- [30] — (1987). On the critical behavior of self-avoiding walks. *J. Phys. A.* **20** 1839-1854.
- [31] Guttmann, A. and R. Bursill (1990). Critical exponent for the loop erased self-avoiding walk by Monte Carlo methods. *J. Stat. Phys.* **59** 1-9.
- [32] Hammersley, J. M. (1961). The number of polygons on a lattice. *Proc. Camb. Phil. Soc.* **57** 516-523.
- [33] Kesten, H. (1962). On the number of self-avoiding walks. *J. Math. Phys.* **4** 960-969.
- [34] — (1964). On the number of self-avoiding walks. II. *J. Math. Phys.* **5** 1128-1137.
- [35] — (1987). Hitting probabilities of random walks on  $Z^d$ . *Stoc. Proc. and Appl.* **25** 165-184.
- [36] — (1987). How long are the arms in DLA? *J. Phys. A.* **20** L29-L33.
- [37] — (1990). Upper bounds for the growth rate of DLA. *Physica A* **168** 529-535.
- [38] Lawler, G. (1980). A self-avoiding random walk. *Duke. Math. J.* **47** 655-694.
- [39] — (1982). The probability of intersection of independent random walks in four dimensions. *Commun. Math. Phys.* **86** 539-554.
- [40] — (1985). Intersections of random walks in four dimensions II. *Commun. Math. Phys.* **97** 583-594.
- [41] — (1985). The probability of intersection of three random walks in three dimensions. Unpublished manuscript.
- [42] — (1986). Gaussian behavior of loop-erased self-avoiding random walk in four dimensions. *Duke Math. J.* **53** 249-270.

- [43] — (1988). Loop-erased self-avoiding random walk in two and three dimensions. *J. Stat. Phys.* **50** 91-108.
- [44] — (1989). The infinite self-avoiding walk in high dimensions. *Annals of Prob.* **17** 1367-1376.
- [45] — (1989). Intersections of random walks with random sets. *Israel J. Math.* **65** 113-132.
- [46] Lawler, G. and A. Sokal (1988). Bounds on the  $L^2$  spectrum for Markov chains and Markov processes: a generalization of Cheeger's inequality. *Trans. AMS* **309** 557-580.
- [47] Le Gall, J.-F. (1986). Propriétés d'intersection des marches aléatoires. I. Convergence vers le temps local d'intersection. *Commun. Math. Phys.* **104** 471-507.
- [48] Le Guillou, J. C. and Zinn-Justin, J. (1989). Accurate critical exponents from field theory. *J. Phys. France* **50** 1365-1370.
- [49] Li, B. and A. Sokal (1990). High-precision Monte Carlo test of the conformal-invariance predictions for two-dimensional mutually avoiding walks. *J. Stat Phys.* **61** 723-748.
- [50] Lyklema, J. W. , C. Evertsz and L. Pietronero (1986). The Laplacian random walk. *Europhys. Lett.* **2** 77-82.
- [51] Madras, N. (1988). End patterns of self-avoiding walks. *J. Stat. Phys.* **53** 689-701.
- [52] — (1991). Bounds on the critical exponent of self-avoiding polygons. *Festschrift in honor of Frank Spitzer* (R. Durrett and H. Kesten, ed.). Birkhäuser-Boston.
- [53] Madras, N., A. Orłitsky, and L. Shepp (1990). Monte Carlo generation of self-avoiding walks with fixed endpoints and fixed lengths. *J. Stat. Phys.* **58** 159-183.
- [54] Madras, N. and A. Sokal (1988). The pivot algorithm: a highly efficient Monte Carlo method for the self-avoiding walk. *J. Stat. Phys.* **50** 109-186.
- [55] Mandelbrot, B. (1983). *The Fractal Geometry of Nature*. W. H. Freeman.
- [56] Nienhuis, B. (1982). Exact critical exponents of  $O(n)$  models in two dimensions. *Phys. Rev. Lett.* **49** 1062-1065.

- [57] — (1984). Critical behavior of two-dimensional spin models and charge asymmetry in the Coulomb gas. *J. Stat. Phys.* **34** 731-761.
- [58] Park, Y. (1989). Direct estimates on intersection probabilities of random walks. *J. Stat. Phys.* **57** 319-331.
- [59] Polaski, T. (1991). Ph.D. Dissertation, Duke University.
- [60] Port, S. and C. Stone (1978). *Brownian Motion and Classical Potential Theory*. Academic Press.
- [61] Scott, D. (1990). A non-integral-dimensional random walk. *J. Theor. Prob.* **3** 1-7.
- [62] Slade, G. (1987). The diffusion of self-avoiding random walk in high dimensions. *Commun. Math. Phys.* **110** 661-683.
- [63] — (1989). The scaling limit of self-avoiding random walk in high dimensions. *Annals of Prob.* **17** 91-107.
- [64] Sokal, A. D. and Thomas, L. E. (1989) Lower bounds on the autocorrelation time of a reversible Markov chain. *J. Stat. Phys.* **54** 797-824.
- [65] Spitzer, F. (1976). *Principles of Random Walk*. Springer-Verlag.
- [66] Stein, E. and G. Weiss (1971). *Introduction to Fourier Analysis on Euclidean Spaces*. Princeton University.
- [67] Stöhr, A. (1949-50). Über einige lineare partielle Differenzgleichungen mit konstanten Koeffizienten III. *Math. Nachr.* **3** 330-357.
- [68] Stoll, A. (1989). Invariance principles for Brownian local time and polymer measures. *Math. Scand.* **64** 133-160.
- [69] Symanzik, K. (1969). Euclidean quantum field theory. Appendix by S. R. S. Varadhan. *Local Quantum Theory* (R. Jost ed.), Academic Press.
- [70] Vicsek, T. (1989). *Fractal Growth Phenomena*. World Scientific.
- [71] Wall, F. and R. White (1976). Macromolecular configurations simulated by random walks with limited numbers of non-self-intersections. *J. Chem. Phys.* **65** 808-812.
- [72] Westwater, M. J. (1980). On Edwards' model for long polymer chains. *Commun. Math. Phys.* **72** 131-174.
- [73] Witten, T. and L. Sander (1981). Diffusion-limited aggregation, a kinetic critical phenomenon. *Phys. Rev. Lett.* **47** 1400-1403.

# Index

- Beurling projection theorem
  - discrete, 78-82
  - continuous 140, 158
- capacity
  - of ball, 53, 60
  - logarithmic, 57-62
  - transient, 51-57
- conformal invariance 140, 153
- connected set 61
- differences 13
  - estimates of, 41-45
- diffusion limited aggregation 82-86
- Dirichlet problem
  - bounded domain, 24
  - inhomogeneous, 25, 36
  - unbounded domain 26-28
- Domb-Joyce model 171
- Edwards model 170-175
  - discrete, 172
- escape probability 51
- filtration 19
- Flory exponents 167
- fractal dimension 83
- generating functions 34, 64, 92-93
- Green's function 28-36
  - for self-avoiding walk, 169
- harmonic function
  - discrete, 22
  - continuous 31, 38, 41
- harmonic measure 47-51
  - upper bounds, 76-82
- Harnack inequality
  - continuous, 41-42
  - discrete 42, 45-46
- Harnack principle 46
- hyperscaling 169
- intersections of walks 87ff
  - critical dimension 90, 115-116
  - intersection exponent, 139-140
  - long-range, 93-102, 121-128, 143-146
  - one-sided, 113-114, 128-133, 139-161
  - three walks in three dimensions, 134-137
  - two-sided, 102-112, 116-120
- invariance principle for intersections 143-149
- killing time 19, 33-34
- Laplacian (discrete) 21-22
- Legendre transforms 150
- line segment
  - harmonic measure of, 62-75
- local central limit theorem 12-19
- martingales 22-28
- maximum principle 25
- Monte Carlo simulations

- intersection probability, 140
  - loop-erased walk, 178, 199
  - self-avoiding walk, 178-181
- optional sampling theorem 23
- pivot algorithm 180-181
- Poisson kernel 41
- potential kernel 37-41
- radius 61
- random time 19
- random walk with taboo set 188
- recurrence 20-21
- recurrent set 55
- reflection principle 21
- Robin's constant 59
- self-avoiding polygon 165
- self-avoiding walks
- critical exponents, 165-170
  - infinite, 177
  - in high dimensions, 163, 168
  - kinetically growing, 164, 175-178
  - Laplacian or loop-erased, 177-178, 183-210
  - Monte Carlo simulations, 178-181
  - myopic or true, 177
  - usual, 163-170
  - weakly, 171
- simple random walk 11
- characteristic function, 12-13
- slowly varying function 64
- Stirling's formula 18
- stopping time 19
- strong Markov property 20
- subadditive function 141-142
- subharmonic function 22
- superharmonic function 22
- Tauberian theorems 64-67, 92-93
- transience 20-21
- transient set 55
- translation invariant measure 106
- universality class 171

- $\asymp$  7  
 $\approx$  7  
 $\sim$  7  
 $\leftrightarrow$  13  
 $\nabla_y f$  13  
 $\nabla_y^2 f$  13  
 $\nabla_N f$  57  
  
 $a_d$  31  
 $a(x)$  37  
 $a_n$  [Chap. 7] 192  
 $\bar{A}$  24  
 $A_n$  120  
 $A_n$  [Chap. 6] 165  
 $\mathcal{A}_n$  78  
 $\alpha$  [Chap. 6] 167  
  
 $b(r)$  142  
 $b(x, y, r)$  139, 141  
 $B^i$  139  
 $\mathcal{B}_n$  78  
 $\beta(a)$  150  
  
 $C_n$  35  
 $C_n$  [Chap. 6] 164  
 $C_n(x)$  [Chap. 6] 165  
 $C_n(\omega)$  [Chap. 6] 177  
 $\text{cap}(A)$  52, 59  
  
 $D_n$  97  
 $D_r$  141  
 $D_r(z)$  141  
 $\delta(x)$  12  
 $\partial A$  24  
 $\Delta f$  21  
 $\Delta$  [Chap. 6] 170  
  
 $e_j$  21  
 $e^\lambda(\cdot)$  106  
 $E(n, x)$  13  
 $E_i$  87  
 $E^x$  11  
 $E^{x_1, \dots, x_k}$  87  
  
 $\text{Es}_A$  51  
 $\eta$  [Chap. 6] 169  
  
 $f(n)$  102  
 $f(n, k)$  113, 149  
 $f(\lambda)$  87  
 $F(n)$  102  
 $F(\lambda)$  105  
 $\tilde{F}(n)$  112  
 $\tilde{F}(\lambda)$  112  
  
 $g_A(x)$  58  
 $g(\lambda)$  88  
 $G(x)$  29  
 $G_n(x)$  29  
 $G_\lambda(x)$  33  
 $G(x, y)$  29  
 $G_n(x, y)$  28  
 $G_\lambda(x, y)$  33  
 $G_A(x, y)$  34  
 $G^\lambda(\cdot)$  106  
 $\underline{G}^\lambda(\cdot)$  107  
 $\overline{G}(0, x)$  [Chap. 6] 169  
 $\gamma$  [Chap. 6] 166  
 $\bar{\gamma}$  140, 152  
 $\Gamma_n$  [Chap. 6] 164  
  
 $H_A(y)$  47  
 $H_A^m(y)$  51  
 $\underline{H}_A(x, y)$  35, 47  
 $\overline{H}_A(x, y)$  47  
  
 $I^+(\cdot)$  106  
  
 $J_n(x)$  [Chap. 3] 93  
 $J_n(x)$  [Chap. 4] 121  
 $J_n$  [Chap. 6] 170  
 $J_{n,m}$  134  
 $\tilde{J}_n(x)$  102  
 $\bar{J}$  [Chap. 6] 172  
  
 $k$  38-39  
  
 $L$  184



- $L^R$  184  
 $\Lambda(j, k, x)$  122  
 $\Lambda_n$  [Chap. 6] 164  
 $\mu$  [Chap. 6] 164  
 $\langle n \rangle$  62  
 $\nu$  [Chap. 6] 167  
 $o_\alpha(\cdot)$  7  
 $O_\alpha(\cdot)$  7  
 $(\Omega_i, P_i)$  87  
 $p_n(x)$  11  
 $p(n, x)$  11  
 $p_n(x, y)$  11  
 $p_n^A(x, y)$  188  
 $\bar{p}_n(x), \bar{p}(n, x)$  13  
 $P$  [Chap. 6] 167  
 $P^x$  11  
 $P^{x_1, \dots, x_k}$  87  
 $\hat{P}$  187  
 $\hat{P}^m$  189  
 $\phi(\theta)$  12  
 $\phi_n(x)$  94  
 $\Phi(\lambda)$  92  
 $\psi(r)$  152  
 $q(r, k)$  149  
 $q_n^A(x, y)$  188  
 $Q_r$  149  
 $Q_\beta$  [Chap. 6] 171  
 $Q^\beta$  [Chap. 6] 172  
 $r(n)$  [Chap. 6] 165-166  
 $\tilde{r}(n)$  [Chap. 6] 166  
 $R_n$  [Chap. 3] 93  
 $R_n$  [Chap. 4] 121  
 $R_{n,m}$  134  
 $\tilde{R}_n$  97  
 $\text{rad}(A)$  61  
 $\rho(\cdot)$  [Chap. 7] 191  
 $S_n, S(n)$  11  
 $S^i$  87  
 $S(\sigma, \tau)$  87  
 $\hat{S}(j)$  186  
 $\sigma(\cdot)$  [Chap. 7] 191  
 $T$  19  
 $T^i$  87  
 $T_r^i$  139, 141  
 $T^i$  [Chap. 5] 141  
 $\tau_A$  [Chaps. 2-7] 47  
 $\bar{\tau} = \bar{\tau}_A$  [Chaps. 2-7] 63  
 $\tau_n$  [Chap. 5] 143  
 $U$  62  
 $U$  [Chap. 6] 167  
 $U^+$  62  
 $U^-$  62  
 $U_n$  62  
 $U_n^+$  62  
 $U^\beta$  [Chap. 6] 171  
 $W(j)$  102  
 $\xi_m$  51  
 $\xi$  [Chaps. 5-7] 139, 142  
 $\xi(k)$  [Chap. 5] 149  
 $\zeta$  [Chaps. 5-7] 139, 146  
 $\zeta(k)$  [Chap. 5] 149

## Probability and Its Applications

### *Editors*

Professor Thomas M. Liggett  
Department of Mathematics  
University of California  
Los Angeles, CA 90024-15555

Professor Charles Newman  
Courant Institute of  
Mathematical Sciences  
New York University  
New York, NY 10012

Professor Loren Pitt  
Department of Mathematics  
University of Virginia  
Charlottesville, VA 22903-3199

Probability and Its Applications includes all aspects of probability theory and stochastic processes, as well as their connections with and applications to other areas such as mathematical statistics and statistical physics. The series will publish research-level monographs and advanced graduate textbooks in all of these areas. It acts as a companion series to Progress in Probability, a context for conference proceedings, seminars, and workshops.

We encourage preparation of manuscripts in some form of TeX for delivery in camera-ready copy, which leads to rapid publication, or in electronic form for interfacing with laser printers or typesetters.

Proposals should be sent directly to the editors, or to: Birkhäuser Boston, 675 Massachusetts Avenue, Cambridge, MA 02139.

### *Series Titles*

K. L. CHUNG/ R. J. WILLIAMS. *Introduction to Stochastic Integration*, 2nd Edition  
R. K. GETTOOR. *Excessive Measures*  
R. CARMONA/ J. LACROIX. *Spectral Theory of Random Schrödinger Operators*  
G. F. LAWLER. *Intersections of Random Walks*