

---

---

# Index

## A

- Acetolactate decarboxylate:  
  food processing, 2  
  recombinant enzyme, 3
- Action pattern:  
  amylases:  
    multimolecular process, 70–72  
    multiple attack, 68–70  
    types of mechanism, 67–68  
  polygalacturonase, 218–220
- Acylation:  
  lipase, 180–181  
  papain, 143  
  subtilisin, 130–131
- Acyl-enzyme:  
  acyl-antibody intermediate, 7  
  lipase, 180–181  
  papain, 145  
  subtilisin, 135  
  thiolsubtilisin, 24  
  thioltrypsin, 24
- Acyl transfer reaction:  
  lipase, 26, 188–191
- Adsorption equilibrium constant,  $K_{ad}$ , 109
- Allene oxide cyclase, 257–258
- Amylases (*see* individual enzymes,  $\alpha$ -Amylase,  $\beta$ -Amylase, Glucoamylase)
- $\alpha$ -Amylase:  
  action pattern, 68–70  
  amino acid sequences, 39–42  
  calcium binding site, 45  
  chloride binding site, 45  
  food processing, 2  
  general characteristics, 37–38  
  mechanism, 59  
  modification, 29  
  multimolecular reaction, 70–71  
  subsites, 65–66  
  substrate binding site, 44–45  
  three-dimensional structures, 42–43
- $\beta$ -Amylase:  
  action pattern, 67, 68  
  amino acid sequences, 46–47  
  food processing, 2  
  general characteristics, 38  
  mechanism, 56–58, 59–60  
  multimolecular reaction, 70, 72

- subsites, 65–66
  - three-dimensional structures, 48, 49
  - Antibodies, catalytic:
    - anti-idiotopic catalytic antibodies, 9–10
    - chemical synthesis, 7
    - combinatorial chemistry, 9
    - crystal structure, 6–7
    - theory, 6
    - unnatural amino acids, 8
  - Anti-idiotope:
    - catalytic antibodies, 9–10
  - Artificial enzymes:
    - chymotrypsin, 10
    - metalloenzymes, 10, 11
    - transaminase, 10, 11
- B**
- Barnase:
    - hydrophobic effects, 22–23
- C**
- Catalase:
    - amino acid sequences, 346–348
    - compound I:
      - formation, 351–353
      - reduction, 353
      - structure, 353–354
    - compound II, 354
    - peroxidatic activity, 354–355
    - rate constant, enzymatic cycle, 352
    - reduction of H<sub>2</sub>O<sub>2</sub>, 351–353
    - three-dimensional structures, 348–351
  - Catalatic activity:
    - horseradish peroxidase, 335–337
  - Catalytic antibodies (*see* Antibodies, catalytic)
  - Catalytic triad:
    - catalytic antibody, 7
    - lipases, 178–179
    - subtilisin, 131–133
  - Catecholase (*see* Polyphenol oxidase)
  - Catechol oxidase (*see* Polyphenol oxidase)
  - Cellobiohydrolases:
    - cellulose-binding domain, CBD, 89, 90
    - Cellulomonas fimi*, 91
    - Clostridium thermocellum*, 92
    - stereochemistry, 103–104
    - three-dimensional structures:
      - Cellulomonas fimi* Cex, 100, 101
      - Trichoderma reesei* CbhI, 97–98
      - Trichoderma reesei* CbhII, 97, 99–100
      - Trichoderma reesei*, 89–91
  - Cellulase (*see* individual enzymes, Cellobiohydrolases, Cellulolytic enzymes, Endoglucanases,  $\beta$ -Glucosidase)
  - Cellulose:
    - carboxymethyl-, 87, 88
    - crystalline forms, 86–87, 88
  - Cellulolytic enzymes:
    - characteristics, 86
    - classifications, 85–86
    - mechanism of adsorption, 107–110
    - processing, 2
    - reaction mechanisms:
      - displacement reaction, 104–107
      - oxocarbenium ion intermediate, 104–107
    - stereochemistry, 103–104
    - substrate structures, 86–88
    - synergism, 110–114
    - (*see also* individual enzymes, Cellobiohydrolases, Endoglucanases,  $\beta$ -Glucosidase)
  - Cellulose-binding domain (CBD):
    - cellobiohydrolases, 89, 90
    - endoglucanases, 90, 92, 93
  - Chymosin:
    - amino acid sequences, 148–150
    - catalytic site, 150–152
    - food processing, 2
    - mechanism of catalysis, 154–156
    - modification, 29–30
    - recombinant enzyme, 3
    - substrate binding site, 153

- substrate specificity, 153–154
- three-dimensional structure, 150–152
- Chymotrypsin:
  - artificial enzyme, 10–12
- Cis-enediol intermediate:
  - xylose isomerase, 373–375
- Colipase:
  - action of colipase, 185–186
  - lipase binding region, 185
  - lipid binding region, 183
  - primary structure, 182
  - three-dimensional structure, 182–184
- Combinatorial libraries:
  - catalytic antibodies, 9
- Compound I:
  - catalase, 351
  - horseradish peroxidase, 327, 330
- Compound II:
  - catalase, 354
  - horseradish peroxidase, 327, 330–331
- Condensation reaction:
  - amylases, 70–71
- Cresolase (*see* Polyphenol oxidase)
- Cyclodextrin:
  - artificial enzymes, 10–11
- Cytochrome c, 325–326

**D**

- Deacylation:
  - lipase, 180–181
  - papain, 143
  - subtilisin, 130–131
- Demethylation:
  - pectinesterase, 223–224
- Deoxypolyphenol oxidase, 294–297
- Disulfide bonds, 23–24

**E**

- Electrostatic interaction, 19–20
- Endoglucanases:
  - Cellulomonas fimi*, 93

- cellulose-binding domain (CBD), 90, 92, 93
- Clostridium thermocellum*, 94–95
- stereochemistry, 103–104
- three-dimensional structure:
  - Clostridium thermocellum* CelD, 101
  - Humicola isolens* endoglucanase V, 101–102
  - Thermonospora fusca* E2, 102
  - Trichoderma reesei*, 92–93
- Eumelanin, 298, 300

**F**

- Flavor cofactor:
  - glucose oxidase, 309, 314
- $\beta$ -Glucanase, 2

**G**

- Glucoamylase:
  - action pattern, 67, 68
  - active site, 53
  - amino acid sequences, 48, 50–51, 52
  - food processing, 2, 4
  - general characteristics, 38–39
  - induced-fit binding, 65, 67
  - mechanism, 56–58, 61
  - multimolecular reaction, 70, 72
  - multiple forms, 48, 51
  - raw starch binding site, 53, 55
  - subsites, 65–67
  - three-dimensional structure, 53–54
- Glucose isomerase (*see* Xylose isomerase)
- Glucose oxidase:
  - amino acid sequence, 311, 312
  - carbohydrate moiety, 309–310
  - flavor cofactor, 309, 310
  - food processing, 2
  - general characteristics, 308–309
  - reaction mechanisms:
    - hydride transfer, 315–316
    - kinetics, 314–315
    - one-electron transfer, 317–318

- two-electron reduction, 315–316
- specificity, 311, 314
- three-dimensional structure, 311, 313
- $\beta$ -Glucosidase:
  - Clostridium thermocellum*, 96–97
  - Trichoderma reesei*, 95–96

## H

- Horseradish peroxidase:
  - amino acid sequences, 323–325
  - catalytic activity, 335–337
  - compound I (HRP-I):
    - oxidation, 328–330
    - reduction, 330–331
    - structure, 330
  - compound II (HRP-II):
    - formation, 328–330
    - reaction, 327
    - reduction, 331–335
  - compound III (HRP-III), 336
  - crosslinking, 338
  - general characteristics, 321–323
  - hydroxylation, 337–338
  - ionization groups, 328
  - isozymes, 321–322
  - rate constants, enzymatic cycle, 323
  - reaction chemistry of substrates, 332–335
  - reaction mechanism, 327–328
  - reductive cleavage of peroxide, 328–330
  - substrate binding site, 331
  - three-dimensional structure, 325–326
- Hydride shift mechanism:
  - xylose isomerase, 375–376
- Hydride transfer mechanism:
  - glucose oxidase, 315–316
- Hydrogen bonding, 20–22
- Hydrogen bond inventory, 21
- Hydroperoxide cyclase (*see* Allene oxide cyclase)
- Hydroperoxide isomerase, 257
- Hydroperoxide lyase, 260–258
- Hydrophobic effect, 22

- Hydroxylation:
  - horseradish peroxidase, 337–338
  - polyphenol oxidase, 285, 290–292

## I

- Indole-3-acetic acid:
  - horseradish peroxidase, 334
- Interfacial catalysis:
  - lipase, 170–172
  - molecular basis, 198–200
- Ion-pair:
  - papain, 141–143

## L

- Lactase:
  - food processing, 2
- L-lactate dehydrogenase:
  - substrate specificity modification, 25
- Langmuir isotherm equation, 109
- Lipase-colipase complex, 182–185
- Lipases:
  - acyl transfer reaction, 26, 188–191
  - amino acid sequences, 172–174
  - catalytic triad, 178–179
  - enzyme-modified cheese/butterfat, 4
  - food processing, 2, 4
  - the ‘lid,’ 180
  - lipase-colipase complex, 182–185
  - mechanism of catalysis, 180–181
  - modification, 26
  - non-aqueous catalysis, 188–191
  - oxyanion hole, 179–180
  - substrate binding & specificity, 186–188
  - three-dimensional structures, 175
  - transesterification, 4
- Lipase-colipase complex, 182–185
- Lipolytic enzymes (*see* individual enzymes, Lipases, Phospholipase A<sub>2</sub>)
- Lipoxin, 248–249
- Lipoxygenase:
  - activation of native enzyme, 254, 256

- aerobic cycle, 250
- anaerobic cycle, 250–252
- amino acid sequence, 237, 239–241, 244
- characteristics, 238
- hydroperoxides, further reactions:
  - allene oxide cyclase, 257–258
  - cooxidation, 260
  - hydroperoxide isomerase, 257
  - hydroperoxide lyase, 258–260
- iron, 248–250
- lag period, 256
- lipoxins, 248, 249
- physiological functions, 260–261
- reaction mechanisms:
  - organoiron-mediated pathway, 254, 255
  - radical, 250–254
- specificity of reaction, 243–248
- three-dimensional structure, 241, 242
- Lysozyme:
  - disulfide bonds, 23, 24
  - electrostatic interaction, 20
  - food processing, 2
  - hydrogen bonding, 21
  - hydrophobic effects, 22
  - substrate specificity modification, 25
- $\alpha$ -Lytic protease:
  - substrate specificity modification, 25

**M**

- Melanin, 271–272, 297–302
- Meso-alkylation, 332
- Metpolyphenol oxidase, 294–297
- Monohydroxylation:
  - polyphenol oxidase, 285, 290–292
- Monophenol oxidase (*see* Polyphenol oxidase)

**N**

- Nucleophilic displacement mechanism:
  - amylases, 56–61
  - cellulolytic enzymes, 104–107

**O**

- Organic synthesis (*see* Acyl transfer reaction)
- Organoiron-mediate pathway:
  - lipoxygenase, 254, 255
- Oxocarbonium ion:
  - amylases, 56–61
  - cellulolytic enzymes, 104–107
- Oxyanion hole:
  - lipases, 179–180
  - papain, 145
  - serine proteases, 20
  - subtilisin, 133–134
- Oxypolyphenol oxidase, 294–297

**P**

- Papain:
  - acyl-enzyme, 145
  - amino acid sequence, 139
  - food processing, 2
  - ionization of active site, 141–143
  - ion-pair, 141–143
  - mechanism of catalysis, 143–144
  - oxyanion hole, 145
  - substrate specificity, 146–147
  - tetrahedral intermediate, 144
  - three-dimensional structure, 139–141
- Partition coefficient,  $K^p$ , 108
- Pectate lyase:
  - amino acid sequences, 225–227
  - characteristics, 224–225
  - reaction mechanism, 228–229
  - three-dimensional structure, 227–228
- Pectic enzymes:
  - classification, 213–214
  - food processing, 2
  - (*see also* individual enzymes, Pectate lyase, Pectinesterase, Polygalacturonase)
- Pectic substances:
  - structure, 212–213
- Pectinesterase:
  - amino acid sequences, 221–223

- characteristics, 220–221
  - demethylation, 223–224
  - Peroxidatic activity:
    - catalase, 354–355
  - Phenolase (*see* Polyphenol oxidase)
  - Pheomelanin, 298, 300
  - Phospholipase A<sub>2</sub>:
    - active site, 194
    - amino acid sequence, 192
    - calcium binding site, 194–195
    - interface recognition site, 195–196
    - mechanism of catalysis, 196–198
    - modification, 19, 27
    - three-dimensional structures, 193–194
  - Polygalacturonase:
    - amino acid sequences, 214–215, 216
    - antisense RNA inhibition, 5
    - mechanisms and action patterns, 218–220
    - ripening, 215, 217–218
    - β-subunit, 215, 217
    - tomato enzymes, 214
  - Polyphenol oxidase:
    - active site:
      - histidines, 275, 293–295
      - sequence homology, 282, 283
    - amino acid sequences, 276–278, 280–281
    - copper, 293–295
    - inactive forms, 275
    - kinetics, 290–293
    - melanin formation, 271–272, 297–302
    - molecular weights, 272–274
    - physiological functions, 271–272
    - proenzymes, 274–275
    - reaction mechanism:
      - deoxy-, met-, oxy-forms, 294–297
      - monohydroxylation, 285, 290–292
      - o*-diphenol oxidation, 292–293
      - products, 297–302
      - substrate specificity, 285–290
      - three-dimensional structures, 283–284
  - Porphyrins π cation radical:
    - horseradish peroxidase, 330–331, 335
  - Proteases:
    - food processing, 2
    - (*see also* individual enzymes, Chymosin, Papain, Proteolytic enzymes, Subtilisin)
  - Proteolytic enzymes:
    - chymosin, 147–156
    - food processing
    - papain, 139–147
    - subtilisin, 124–138
  - Protoporphyrin, 322
- Q**
- Quinone methide, 300, 301
- R**
- Radical mechanism:
    - glucose oxidase, 317–318
    - lipoxxygenase, 250–254
  - Recombinant enzymes, 3
  - Ribonuclease T1:
    - hydrogen bonding, 21
- S**
- Sclerotization, 299, 300
  - Subsite theory:
    - the kinetic method, 61–63
    - the labelling method, 64–65
  - Subtilisin:
    - active site, 127–128
    - acyl-enzyme, 135–136
    - amino acid sequences, 125–127
    - calcium binding site, 129
    - catalytic triad, 131–133
    - disulfide bonds, 23
    - electrostatic interaction, 19
    - hybrid proteins, 25
    - hydrogen bonding, 22
    - mechanism of catalysis, 129–131
    - Michaelis complex, 134

- non-aqueous system, 27
- oxidation, 25
- oxyanion hole, 133–134
- pK<sub>a</sub> of His64, 133
- protonation and charge distribution, 132
- role of Asp32, 132–133
- substrate binding site, 128–129
- substrate specificity, 136–138
- substrate specificity modification, 24
- tetrahedral intermediate, 134–135
- three-dimensional structure, 127–129
- thiolsubtilisin, 24
- β-Subunit:
  - amino acid sequence, 215, 217
  - polygalacturonase, 215, 217–218
- Sulfate-binding protein:
  - hydrogen bonding, 21
- Synergism:
  - cellulolytic enzymes, 110–114

## T

- Tetrahedral intermediate:
  - lipase, 180–181
  - papain, 144
  - subtilisin, 134–135
- Thermolysin:
  - hydrogen bonding, 21
- Thiolsubtilisin, 24
- Thioltrypsin, 24
- Transglycosylation:
  - amylases, 71
- Triacylglyceride lipases (*see* Lipases)
- Trypsin:
  - electrostatic interaction, 20
  - thioltrypsin, 24
- Tyrosinase (*see* Polyphenol oxidase)

- Tyrosyl-tRNA synthetase:
  - hydrogen bonding, 21

## U

- Unnatural amino acids, 8

## X

- Xylose isomerase:
  - amino acid sequences, 363–366
  - dissociation constants for metal cations, 370
  - food processing, 2
  - immobilization, 360
  - inhibitors, 363
  - isomerization mechanism, 372–376
    - catalytic base, 377
    - cis-enediol, 373–375
    - 1,2-hydride shift, 375–376
    - ring-opening step, 376–377
  - metal cation:
    - action, 377–378
    - binding sites, 368–369
    - coordination, 369–371
    - dissociation constant, 370
    - general requirements, 261
  - modification, 4, 27–29
  - molecular weights, 359
  - processing, 4
  - stereochemistry of reaction, 372
  - substrate specificity, 361–362
    - kinetics, 362
  - thermal and pH stability, 361
  - three-dimensional structures, 366–368
    - metal binding sites, 368–369
    - metal coordination, 369–371