

Index

- ABO, 37
 A-like, 422, 424
 A1 and A2, 44, 91
 A and B variants, 44, 50, 92
 antigens, 37
 B(A) phenotype, 49, 50, 92
 biochemistry and biosynthesis of, 76, 310
 cis-AB, 90
 differentiation of, 58
 enzymes A and B, 83
 epistatic interactions of, 40
 expression in cancer of, 422
 locus, 49, 83
 monoclonal antibodies, 43
 precursor chains of, 38, 77
 serology of, 42
 tissue distribution of, 55
- Abortion, 314
- Acanthocytosis, 238, 288
- Acetylcholinesterase, 385, 414
- Actin, 15
- Adducin, 16
- Adhesion molecules, 66, 201, 205, 290, 422
- AET inactivation, 229, 230, 405
- Allelic diversity, 178, 181
- Aminophospholipid translocase, 219
- An^a, 337, 343
- Anion exchanger, 6, 25, 81, 127
 mutations of, 19, 24, 384
- Ankyrin, 17
 mutations of, 19
- Anti-adhesion therapy, 435
- Anti-P1 antibodies, 316
- Antigen 12E7, 377
 biochemistry of, 381
- Antigen Protease-sensitive, 138
- AnWj, 286, 287, 290, 291, 292
- Aquaporin, *see* CHIP28
- Au: *see* Auberger
- Auberger (Au), 283
- Auto-anti-PP, P^k, 316
- Autonomous B-lymphocyte proliferation, 117
- B(A) phenotype, 49, 50, 92
- β-1,4-*N*-Acetylgalactosaminyltransferase, 361, 363, 365, 366, 367
- Band 3: *see* Anion exchanger
- Biphasic hemolysin, 315
- Blood groups
 alterations with disease: *see* Cancer
 collections of, 479
 gene mapping of, 445, 455
 linkage groups, 461
 nomenclature of, 477
 physical map of, 467
 series of, 479
 systems of, 478
- Bombay phenotypes, 51, 98
- Burkitt lymphoma, 313
- C: *see* Rh
- c: *see* Rh
- C3b/C4b receptor, 404
- C4, 397
 C4d fragments, 400
 molecular genetics of, 399
 polymorphism of, 399
- Ca²⁺ ATPase, 10
- Cad, 351
 biochemistry of, 359, 368
 biological role of, 371
 biosynthesis of, 363

- Cad (*cont.*)
 genetic basis of, 370
 inheritance of, 354
- Cancer, 421
 ABH changes with 425
 anti-adhesion therapy of, 435
 ii changes with, 428
 Lewis changes with, 425
 P changes with, 432
 Tn expression with, 433
- Cartwright, 384
 biochemistry of, 385
 polymorphism of, 386
- CD15, 61: *see* SSEA-1
- CD18, 66
- CD35: *see* CR1
- CD44, 288, 291, 292
 isoforms of, 290
- CD47, 197, 200, 204, 216, 218
- CD55: *see* DAF
- CD59, 412, 414
- CDA: *see* Congenital dyserythropoietic anemia
- Ch: *see* Chido/Rodgers
- Chido/Rodgers
 alternative notation of, 404
 C4 allotypes of, 402
 polymorphism of, 399, 400, 401
 serology of, 398
- CHIP28 (Aquaporin-1), 9, 273, 389
- Chronic granulomatous disease (CGD), 238
- cis*-AB phenotypes, 90
- Co(a-b-) phenotype, 389
- Co: *see* Colton
- Cold agglutinins, 117
- Cold agglutinin disease, 117
- Colton, 234, 389: *see* Aquaporin
- Complement regulatory molecules, 397
- Congenital cataract, 131
- Congenital dyserythropoietic anemia type II, 24, 131, 309, 313
- CR1, 287, 398, 404, 405
- Cr^a, 410, 414
- Crohn disease, 408
- Cromer, 398
 antigens, 408, 410
 Dr(a-) phenotype, 409, 413
 Inab phenotype, 410, 413
 molecular genetics of, 413
 Tc(a-) phenotype, 409
- Cs antigens, 408
- Cytogenetics, 449
- D category cells: *see* D variants
- D epitopes, 192, 210
- D variants, 192, 211
- D, *see* Rh
- D--variant, 193, 214
- DAF, 398, 409, 412
- Dantu, 158, 173
- Dc- variant, 193, 214
- Decay accelerating factor: *see* DAF
- Dematin, 17
- DFR, 211
- Dh^a, 337, 342
- Di: *see* Diego
- Diego, 383
 biochemistry of, 384
- DNA rearrangements, 160, 210, 211
- Do: *see* Dombrock
- Dolichos biflorus*, 42, 91, 354, 356, 360, 369
- Dombrock, 387, 414
 biochemistry of, 388
- Donath-Landsteiner hemolysin, 315
- Dr(a-) phenotype, 409, 413
- Dr^a, 410, 413
- D^u: *see* Dweak
- Duchenne muscular dystrophy (DMD), 238
- Duffy, 204, 216, 243
 biochemistry of, 246
 malaria and, 256
 molecular cloning of, 261
 nomenclature of, 244
 Plasmodium binding proteins and, 260
- Dweak, 192
- E: *see* Rh
- e: *see* Rh
- En(a-) phenotype, 138, 175
- Epistatic interactions, 49
- Erik, 160, 172, 180
- Fatty acylation, 194
- Fl: *see* Antigen Sia-b1
- Forssman, 311
 biosynthesis of, 319
 expression in cancer, 432
- FPTT, 170
- Fucosyltransferases, 41, 52, 54, 56, 96, 103, 107
- Fy(a-b-) phenotype, 244, 247, 258, 259
- Fy, 245: *see* Duffy
- Fy6, 246
- Fy^x, 246
- Gangliosides, 118, 360
- Gd: *see* Antigen Sia-Ib1
- Ge(-2, -3) phenotype, 337, 341
- Ge(-2, -3, -4) phenotype, 339: *see also* Leach phenotype
- Ge(-2,3) phenotype, 337, 341: *see also* Yussef phenotype
- Ge: *see* Gerbich

- Gene conversion, 180, 211
 Gene duplication, 157
 Gene mapping, 445
 Gerbich, locus, 333
 antigens, 336: *see also* Glycophorin C and D
 Globo-A, 310: *see also* ABO
 Globo-H, 310: *see also* ABO
 Globoside, 304, 432
 Glucose transporter, 10, 128
 Glycophorin A, B, E
 aberrant splicing of, 180
 deletion variants of, 175
 gene family of, 157, 178
 homologs of, 177
 hybrid genes of, 159
 locus of, 157
 properties of, 138, 154, 204, 216
 variants of, 158, 359
 Glycophorin C
 function of, 344
 gene promoter of, 344
 molecular cloning of, 331
 tissue specificity of, 343
 Glycophorin D, 334: *see also* Glycophorin C
 Glycophorin 11, 118, 138, 139, 140, 153, 331, 359
 nomenclature of, 332
 Glycoshingolipids, 302, 304
 Glycosyl-phosphatidylinositol-linked proteins: *see*
 GPI-linked proteins
 Glycosyltransferases 41, 75
 GM3, 309
 GPI-linked proteins, 10, 25, 385, 388, 409, 412, 414
 Gy^a, 388, 414
- H-deficient phenotypes: *see* Bombay, Para-Bombay
 He(Henshaw), 159, 170, 174, 175, 179
 Helgeson phenotype, 406
Helix pomatia, 360, 434
 Hemolytic anemia, 20
 HEMPAS: *see* Congenital dyserythropoietic anemia type II
 Hereditary elliptocytosis, 20, 344
 Hereditary pyropoikilocytosis, 20
 Hereditary spherocytosis, 18, 195
 Hh, 37
 biochemistry of, 76
 Bombay and Para-Bombay, 51, 98
 differentiation of, 58
 epistatic interactions of, 40, 49
 H enzyme, 96
 locus of, 51, 93
 precursor chains of, 38, 77
 tissue distribution of, 55
- Histo-blood group antigens, 55, 64, 130, 421, 434, 435
 Homologous recombinations, 178
 Hy, 388, 414
 Hydatid cyst fluid, 300, 301
- ICAM, 201, 205
 IFC, 409, 410
 anti-IFC, 409
 IgM^{w∞}, 144
 ii
 antigens, 120, 123
 biochemistry of, 121, 310
 branched I structure, 122, 130
 distribution of, 130
 fine specificity of, 128
 I(Ma), 129
 I^p, 120
 I^r, 120
 I^t; 121
 linear i structure, 126, 128
In(Jk) gene, 271
In(Lu) gene, 285, 291, 312
In(Lu)-related p80, 286: *see also* CD44
 In, 286, 290, 291: *see also* CD44
 Inab phenotype, 410, 413
 Infectious mononucleosis, 315
 Integrin associated protein: *see* CD47
- Jk(a-b-) phenotype, 268, 272
 urea lysis of, 271
 Jk: *see* Kidd
 Jk_{null}: *see* Jk(a-b-) phenotype
 JMH, 414
 Jo^a, 388, 414
 Js: *see* Kell
- k (cellano): *see* Kell
 K: *see* Kell
 K_o, 229, 230, 236, 237
 Kell, 227
 antigen inactivation of, 229, 230
 gene, 234
 locus, 234
 molecular cloning of, 229
 nomenclature of, 228
 proteins, 228
 tissue specific expression of, 236
 variants of, 236
 Kell_{null}: *see* K_o
 Kidd, 267
 biochemistry of, 270
 gene, 275
 locus, 270
 Kidd_{null}: *see* Jk(a-b-) phenotype
 K_{mod}, 237

- Kn: *see* Knops
 Kn/McC, 287,
 Knops, 398, 404, 406
 null phenotype, 406
 Kp: *see* Kell
 Kx, 229, 237
- Lactosylceramide, 304
 Le(a, b, x): *see* Lewis
 Leach phenotype, 23, 229, 337, 344: *see also*
 Glycophorin C and D
 Leaky scanning mechanism, 335
 Leucocyte adhesion deficiency, 66
 Lewis, 37
 antigens Le^a, Le^b, 42, 45, 106
 antigens Le^s, Le^y, 45, 47, 48, 106
 antigens sialyl-Le^x, 106
 biochemistry of, 75
 differentiation of, 58
 epistatic interactions of, 40, 49
 expression in cancer of, 425, 427
 Le enzyme, 103
 locus, 52, 100
 precursor chains of, 38, 77
 tissue distribution of, 55
 LFA-1, 66, 201, 205
 LFA-3, 414
 Li, 143
 Linkage analysis, 446
 Linkage groups, 461
 LKE, 311, 314: *see also* SSEA-4
 Ls^a (Lewis II), 337, 342
 Lu(a-b-) phenotype, 285
 Lu, 282: *see also* Lutheran
 Lud, 143, 144
 Luke: *see* LKE
 Lutheran, 281
 antigens, 281, 282, 285, 286
 biochemistry of, 283, 284, 285
 locus, 281
 regulatory genes of, 285
 LW, 189, 197, 204, 216, 389
 molecular cloning of, 200
- Malaria, 256
 Masamune-Davidsohn phenomenon, 423
 M^r, 174, 179
 McC^a, 404
 McLeod syndrome, 238
 Memphis polymorphism, 384
 MER2, 287
 M^s, 174, 179
 MIC2 gene, 379
 molecular cloning of, 382
 Miltenberger (Mil to MiXI), 160, 176, 179, 181
 MIRL-I: *see* CD59
- M^h phenotype, 138, 175
 MNSs, 153
 locus, 157, 178
 Molecular cloning and polymorphism
 of ABO, 83
 of C4/Ch-Rg, 399
 of CR1, 406
 of DAF, 410
 of Di, 384
 of GPC/D, 333
 of H, 96
 of Kell, 229
 of Kidd, 275
 of Lewis, 103
 of LW, 200
 of MIC2/12E7, 382
 of MN, 154
 of Rh, 198
 of Ss, 154
 of XG, 383
 of Yt, 386
 Monoclonal antibodies
 of ABO, 43
 of Gerbich, 334, 339
 of H, 48
 of Kell, 228
 of Lewis, 45
 of Lu, 283
 of LW, 197
 of P, 313
 of Rh, 197
 Monosomy 7, 389
Mycoplasma pneumoniae, 137, 144, 145, 315
 Myosin, 17
 M^r, 170, 179
- N-acetylglucosaminyltransferases, 122
 Non secretor: *see* Secretion
- P, 299, 301
 antibodies, 316
 biosynthesis of, 317
 disorders of, 314
 expression in cancer of, 432
 monoclonal antibodies of, 313
 purification and characterization of, 302
 p, 299, 308, 309
 P-like, 310, 319
 P₁, 300, 304
 biosynthesis of, 320
 P₂, 299, 309
 Palindromic sequences, 179
 Pallidin: *see* Protein 4.2
 Para-Bombay phenotypes, 51, 98
 Para-Lutheran, 283
 Paroxysmal cold hemoglobinuria, 315

- Paroxysmal nocturnal hemoglobinuria, 24, 384, 388, 410
PBDX gene, 383: *see also* Xg
 pD protein, 254: *see also* Duffy
 P^a, 301, 308, 309
 biosynthesis of, 317
 expression in cancer of, 432
 Polyglycosylceramides, 127
 Pr, Sa, antigens, 118
 biochemistry of, 138, 139, 140, 142
 Prenatal diagnosis
 of c and E, 209
 of D, 207
 Protein 2.1: *see* Ankyrin
 Protein 4.1, 15
 4.1 deficiency, 22, 344, 345
 Protein 4.2, 18
 4.2 deficiency, 20
 Protein p55, 18
 p55 deficiency, 345
 Pseudoautosomal locus, 379, 383
- Radin, 387
 RCA, 398
 Rd, 387: *see also* Radin
- Receptors
 for C3b/C4b, 404
 for chemotactic peptides, 262
 for *E. coli*, 316
 for *Hemophilus influenzae*, 286
 for IL8, 262
 for *Mycoplasma pneumoniae*, 137, 144, 145
 for Parvovirus B19, 317
 for *Plasmodium falciparum*, 181, 371
 for *Plasmodium knowlesi*, 257
 for *Plasmodium vivax*, 257
- Recombinational hotspots, 178
 Red cell aging, 25
 Red cell membrane
 composition of, 1
 lipids of, 4, 239, 302
 mechanical stability of, 344
 rigidity of, 346
 skeleton of, 3, 17, 195, 229, 239
- Regulatory genes, 193, 218, 271, 285, 288
 Rg: *see* Chido/Rodgers
 Rh, 189
 associated polypeptides, 194, 203
 C/c polymorphism of, 211
 compound antigens of, 193
 D+/D- polymorphism of, 205, 214
 E/e polymorphism of, 211
 evolutionary pathway of, 210
 gene complexes of, 190
 hybrid genes of, 211
 locus, 197, 205, 387
- Rh (*cont.*)
 membrane complex, 214
 monoclonal antibodies of, 196
 nomenclature of, 190
 proteins, 196, 201
 putative function of, 219
 tissue specific expression of, 198
 transcripts of, 198, 207
 typing by PCR of, 207
- Rh-deficiency syndrome, 189, 193, 218: *see also*
 Rh_{null}, Rh_{mod}
 Rh50 glycoprotein, 199, 203, 216, 218
 Rhesus: *see* Rh
 Rh_{mod}, 193
 Rh_{null}, 193, 196, 199, 218, 219
- S-s-U- phenotype, 156, 174, 175, 181, 218
 Sat, 173
 Sc: *see* Scianna
 Scianna, 386
 Sd(a+ +), 355: *see also* Cad
 Sd^a, 351
 biochemistry of, 355, 367
 enzymatic basis of, 361, 366, 367
 genetic basis of, 370
 inheritance of, 351
 tissue distribution of, 352
- Secretion, 37
 epistatic interactions of, 40, 49
 locus, 51, 93
 secretors, nonsecretors, 54, 55, 58, 94
- Secretor: *see* Secretion
 Selectins, 108, 435
 Sia-11/-b1/-1b1, antigens, 118
 biochemistry of, 133, 134
 Sialoantigens: *see* Sia antigens
 Sialosyl-Tn, 434
 Sialosylparagloboside, 309
 Sialyl-Lewis x, 106, 108, 427, 435: *see also*
 Lewis
- Sid, 370: *see also* Sd^a
 Skeletal proteins, 13, 16
 SI^a, 404
 Southeast asian ovalocytosis, 23
 Spectrin, 13
 mutations of, 21
 Sphingosine, 308
 SSEA-1, 61, 309: *see also* Lewis
 SSEA-3, 310, 311
 SSEA-4, 310, 311
 St^a, 158, 159, 170, 179
 isoforms of, 167
 STn, 434
 Stomatin, 9
 Stomatocytosis, 193
 Super-Sid: *see* Sd(a+ +)

- T antigen, 432
 TACAs: *see* Tumor-Associated-Carbohydrate-Antigens
 Tamm-Horsfall glycoprotein, 355, 362, 367, 369: *see also* Sd^a
 Tc(a-) phenotype, 409
 Tc^a, 410
 Thomsen-Friedenreich antigen, 432
 Tj(a-): *see* p
 Tn-syndrome, 432
 Transferases A and B: *see* ABO (A and B enzymes)
 Transporters, 6, 272
 Trihexosylceramide, 304
 Tropomodulin, 17
 Tropomyosin, 17
 Tumor-Associated-Carbohydrate-Antigens, 421
 Tumors: *see* Cancer

Ulex europaeus, 48
 UMC, 410
 Urea transporter, 272

 VIM-2 epitope, 61, 62
 Viral infections, 145, 315
 Vo: *see* Antigen Sia-11

 Weak P, 309
 Webb, 337, 342
 WES^a, 409, 410

 Xg, 377
 biochemistry of, 381
 locus, 379
 molecular cloning of, 383
 Xg^a, *see* Xg
 XGR gene, 381
 XGS gene, 381
 X^o gene, 193, 218
 XS2 gene, 288
 X^or gene, 193, 218
 X gene, 425: *see also* CD15 and SSEA-1

 Yg^a, 380
 Yk^a, 404
 Yt, 384, 386, 414
 locus, 234: *see also* Cartwright
 Yussef phenotype, 337, 341

 Z locus, 51
 Zinc neutral endopeptidase, 231