

Index

■ A, B, C

Android application, 12

ART, 30

components, 26

activities, 26

broadcast intent receiver, 28

intent and intent filters, 27

service process, 27

content provider, 29

Dalvik virtual machine, 29

file structure, 12, 16

AndroidManifest.xml, 17

constant definitions, 20

layout files, 22

R.java file, 19

source code file, 25

Android devices *vs.* desktop computers

application windows, 7

copyright protection problems, 12

keyboard input problems, 11

command input restrictions, 11

onscreen keyboard application, 11

keys and buttons, 3

multimodal interactions, 6

onscreen keyboards, 6

screen size, 6

buttons and graphical elements, 7

densities, 2

text and icon size, 7

software distribution, 12

storage devices, 6

tap-only touch screens, 8

hover-over operations, 10

mapping errors, 9

moving the cursor

without clicking, 8

right-click functions, 11

touch screens and stylus, 5

Android interface design, 33. *See also*

GuiExam application

Android runtime (ART), 30

■ D

Dalvik virtual machine (DVM)

vs. ART, 30

vs. JVM, 29

Design applications, 71

explicit match, 71 (*see also* Direct

intent triggering mechanism)

implicit match, 71 (*see also* indirect

intent triggering mechanism)

Dialog boxes, 122

activity's dialog theme, 122

AlertDialog class, 123

dismissDialog() function, 123

onCreateDialog() function, 122

onPrepareDialog() function, 123

ProgressDialog class, 123

showDialog() function, 122

toast reminders, 123

AlertDialog.Builder class, 126

application interface, 124

code implementation, 124

DialogInterface class, 127

OnKeyDown response function, 127

setPositiveButton function, 127

Direct intent triggering mechanism, 72

without parameters

activity class, 77

application interface, 73

callee activity, 72, 80

class-name modifiers, 80

constructor, 80

drag-and-drop layout, 76

final configuration, 76

layout configuration, 79

Direct intent triggering mechanism (*cont.*)
 layout file, 74–75
 reflection, 73
 setContentView() function, 78
 with parameters
 application interface, 82
 callee activity, 81
 executing application, 83
 Intent.setClassName() function, 86
 layout design, 84, 88
 layout file, 89
 onActivityResult function, 87
 property-value data pairing, 86
 set result function, 91

■ **E, F**

Embedded systems. *See* Android devices *vs.* desktop computers

■ **G, H**

GuiExam application, 47
 activity state transition, 33
 active states, 33
 finish function, 38
 inactive states, 34
 onCreate function, 36
 onDestroy function, 38
 onPause function, 37
 onRestart function, 38
 onResume function, 37
 onStart function, 37
 onStop function, 37
 paused states, 34
 schematic representation, 35
 stopped states, 34
 triggers, 39
 applications and activities, 46
 application interface, 68
 DDMS view, 69
 finish function, 65
 ImageView, 66
 buttons and events, 58
 code implementation, 50
 Context class, 39
 activity context, 41
 context wrapper/direct
 context methods, 42

dialog constructor, 40
 offspring classes, 40
 subclasses, 40
 design layouts, 52
 interface structure, 54
 text-edit widget, 53
 text property, 52
 user interface, 53
 file structure, 48
 ID attribute, 56
 ImageView, 61
 inner class listener, 59
 intent, 43
 action test, 45
 category test, 45
 components, 43
 data test, 45
 explicit matching/direct
 intent, 44
 implicit matching/indirect
 intent, 44
 mechanism, 44
 roles, 43
 interface, 49
 setContentView function, 54
 touchscreen input
 code implementation, 106
 constructor function, 108
 setStyle function, 108
 View.onDraw
 function, 108

■ **I, J, K, L, M, N, O, P, Q, R, S**

Indirect intent triggering mechanism
 built-in activity, 92
 ACTION constants, 96
 Activity.startActivityForResult()
 function, 92
 application interface, 93
 constructor function, 95
 layout file, 94
 custom activity, 97
 application interface, 97
 Intent.ACTION_EDIT, 104
 layout design, 99
 layout file, 101

■ **T, U, V, W, X, Y, Z**

- Touchscreen input, 105
 - application settings, 128
 - applying properties, 129
 - icon dialog box, 132
 - menulist, 128
 - screen resolutions, 129
 - target device, 128
- dialog boxes, 122
 - activity's dialog theme, 122
 - AlertDialog.Builder class, 127
 - AlertDialog class, 123
 - application interface, 123
 - code implementation, 124
 - DialogInterface class, 127
 - OnKeyDown response function, 127
 - ProgressDialog class, 123
 - setPositiveButton function, 127
 - toast reminders, 123
- display framework, 105
 - application interface, 109
 - code implementation, 109
 - fill mode parameters, 108
 - GuiExam project (*see* GUIExam application)
 - onDraw function, 105
 - setContentView function, 106
- drawing framework, 110
 - application interface, 111
 - code implementation, 111
 - invalidate function, 110
 - postInvalidate function, 110
 - View.onDraw function, 110
 - View.onTouchEvent, 110
- keyboard input, 117
 - application interface, 118
 - code implementation, 119
 - keyCode parameter, 117, 121
 - onKeyDown function, 117
 - virtual machine, 119
- multi-touch code framework, 113
 - application interface, 114
 - code implementation, 115
 - getX/gety functions, 113
 - onDraw function, 117
 - touch event class, 113