
Index

A

Action bar

- action providers, 147
- action view
 - accessing, 146
 - collapsing, 146
 - declaration, 145
 - SearchView, 145
- callback method, 144
- components, 140
- default Theme.Holo theme, 140
- getActionBar method, 140
- onCreateOptionsMenu method, 143
- onOptionsItemSelected method, 143
- removing, 141
- res/menu resource directory, 141
- showAsAction parameter, 142

Activity

- creation, 32
- declaring activity, 32
- life cycle
 - onCreate, 35
 - onDestroy, 35
 - onPause, 35
 - onRestart, 35
 - onResume, 35
 - onStart, 35
 - onStop, 35
 - state machines, 33–34

Acitivty.getPreferences method, 180

Adapter

- array, 103
- custom
 - getCount method, 106

- getItemId method, 106
- getItem method, 106
- getView method, 107
- notifyDataSetChanged method, 108
- simple cursor adapter, 105
- view layout
 - grid view, 110
 - item selection events, 113
 - list view, 108
 - spinner, 111
- addAction method, 167
- addParentStack method, 166
- addProximityAlert method, 214
- addToBackStack method, 135
- ALTER TABLE SQL query, 187
- Android Backup Service
 - API key, 193
 - backup agent implementation, 194, 196–197
 - BackupManager.dataChanged method, 196
 - manifest file, 196
 - signup, 193
- Android Development Tools (ADT), 16
- Android framework
 - activity (see Activity)
 - application, 66
 - broadcast messages
 - application's manifest, 64
 - implementation, 64
 - life cycle, 65
 - registerReceiver method, 65
 - security components, 66
 - sendBroadcast method, 63
 - content provider

Android framework (*cont.*)

- alarm clock provider, 62
 - android:authorities
 - attribute, 60
 - browser provider, 62
 - calendar provider, 62
 - call log provider, 62
 - contacts provider, 62
 - contract class, 59
 - delete method, 56
 - document provider, 62
 - getContentResolver
 - method, 61
 - getType method, 57
 - implementation, 57
 - insert method, 56
 - media store provider, 62
 - onCreate method, 57
 - query method, 56
 - read permission, 60
 - settings provider, 62
 - telephony provider, 62
 - update method, 56
 - user dictionary provider, 63
 - voicemail provider, 63
 - write permission, 60
- context, 66
- intent
- explicit intents, 37
 - filters, 37
 - getIntent() method, 38
 - implicit intents, 37
 - launch activities and
 - services, 36
 - optional information
 - pieces, 36
 - pending intent class, 39
 - primary information
 - pieces, 36
- service
- AndroidManifest.xml file, 42
 - binder (see Binding service)
 - intent/calling code, 45
 - life cycle, 44
 - onBind method, 41

- onStartCommand
 - method, 45
- restricting access, 42
- startService
 - method, 45

Android Interface Definition Language (AIDL), 3, 49

Android Native Development Kit (Android NDK), 16

Android platform

- applications, 9
- architecture, 2
- ART
 - applications, 8
 - Dalvik VM, 7
 - DEX, 8
 - Java Virtual Machine, 7
 - zygote, 8

Linux kernel

- AIDL, 3
- alarm timer, 5
- IPC, 3
- logger, 4
- low memory killer, 5
- wake locks, 4
- YAFFS2, 5

Location Manager, 9

native libraries, 6

Notifications Manager, 9

Package Manager, 9

Telephony Manager, 9

version

- API level, 10
- codename, 10
- fragmentation, 12
- number, 10
- support library, 13

Android runtime (ART)

- applications, 8
- Dalvik VM, 7
- DEX, 8
- Java Virtual Machine, 7
- zygote, 8

Android Software Development Kit (Android SDK), 15, 70

B

- BackupManager.dataChanged
 - method, 196
- Binding service
 - communication channel, 46–47
 - connectivity state, 55
 - device's power configuration, 54
 - displaying notifications, 54
 - getSystemService method, 54
 - global activity state, 54
 - HTTP downloads, 54
 - input methods, 55
 - layout resources, 55
 - local service, 47
 - location information, 54
 - lock and unlock key guard
 - screen, 55
 - remote service
 - AIDL, 49
 - message queue, 51
 - UI mode, 55
 - vibrator, 55
 - WiFi network, 55
 - window manager, 55

C

- Camera
 - access permission, 237
 - addTarget method, 244
 - build method, 245
 - CameraCaptureSession
 - class, 246
 - createCaptureRequest
 - method, 243–244
 - createCaptureSession
 - method, 242–243
 - getAvailableCapture
 - RequestKeys method, 245
 - getCameraCharacteristics
 - method, 239
 - getCameraIdList method, 238
 - getOutputSizes method, 242
 - openCamera method, 240

- setFixedSize method, 242
 - stopRepeating method, 247
- cancelAll method, 169
- cancel method, 169
- Context.getSharedPreferences
 - method, 181
- Context.openOutputFile
 - method, 181
- createCaptureRequest method, 243
- createCaptureSession method, 242
- create method, 151

D

- Dalvik Executable (DEX), 8
- Development environment
 - Android toolchain
 - ADT, 16
 - Android Studio, 16
 - NDK, 16
 - SDK, 15
 - Hello Android application
 - (see Hello Android application)
 - JDK, 17
 - LINUX, 20
 - Mac OS X, 19
 - Microsoft Windows, 17
- Dialogs
 - alert dialog
 - adding buttons, 152
 - creation, 151
 - custom layout, 157
 - multi-choice list, 155
 - parts, 150
 - setItems method, 154
 - setSingleChoiceItems
 - method, 156
 - DatePickerDialog, 158
 - DialogFragment, 162
 - ProgressDialog, 161
 - TimePickerDialog, 160

E

- Editor.commit method, 181

F

findFragmentById method, 138

Fragments

- add method
 - FragmentManager
 - instance, 133
 - FragmentTransaction
 - class, 133–134
 - frameLayout, 133
 - layout file, 132
- findFragmentById
 - method, 138
- getActivity method, 137
- onActivityCreated
 - method, 131
- onAttach method, 131
- onCreate method, 131
- onCreateView method, 131
- onDestroy method, 132
- onDestroyView method, 132
- onDetach method, 132
- onPause method, 131
- onResume method, 131
- onStart method, 131
- passing arguments, 136
- replace method
 - addToBackStack
 - method, 135
 - getArguments method, 137
 - popBackStack method, 135
- user interface, 135

G

Generic shared preferences, 181

getActionBar method, 140

getActivities method, 40

getActivity method, 40, 137

getApplication() method, 67

getArguments method, 137

getAvailableCaptureRequestKeys

- method, 245

getBroadcast method, 40

getCameraCharacteristics

- method, 239

getCameraIdList method, 238

getContentResolver method, 61

getDefaultSensor method, 201

getExternalStorageState

- method, 174

getIntent() method, 38

getLastKnownLocation method, 215

getOutputSizes method, 242

getReportingMode method, 202

getSensorList method, 201

getService method, 40

getStreamMaxVolume method, 220

getStreamVolume method, 220

getWritableDatabase method, 188

H

Hello Android application

- Android device
 - Device dialog, 28
 - USB Debug mode, 27
- project building, 26
- project creation
 - activity name, 25
 - Android application
 - dialog, 23
 - Android project editor, 26
 - Android Studio setup, 22
 - project activity, 24
 - target Android API level, 24

hide method, 141

I

Integrated development

- environment (IDE), 16

Intent

- explicit intents, 37
- filters, 37
- getIntent() method, 38
- implicit intents, 37
- launch activities and
 - services, 36
- optional information pieces, 36
- pending intent class, 39
- primary information pieces, 36

Inter-process communication (IPC), 3
 isMicrophoneMute method, 218
 isMusicActive method, 222
 isSpeakerphoneOn method, 218

J, K

Java Development Kit (JDK), 17
 Java Runtime Edition (JRE), 17

L

Layouts
 API, 96
 dynamic layout (see Adapter)
 findViewById method, 115
 ID attribute, 114
 linear layout
 gravity, 99
 orientation, 97
 weight, 98
 relative layout
 anchor View, 101
 designing complex user interfaces, 100
 element organization, 100
 parent View, 102
 requirements, 96
 XML resources, 95, 114

Location
 GPS_PROVIDER, 210
 isProviderEnabled method, 210
 LocationManager instance, 209
 NETWORK_PROVIDER, 210
 objects, 215
 PASSIVE_PROVIDER, 210
 permissions, 209
 providerChangedListener, 210
 update method
 addProximityAlert method, 214
 getLastKnownLocation method, 215
 LocationListener interface, 212

removeProximityAlert method, 214
 removeUpdates method, 213
 requestLocationUpdates method, 212
 requestSingleUpdate method, 213

M

makeText method, 149

Media

audio devices
 microphone, 218
 speakerphone, 218

audio record
 microphone, 230
 output, 231
 prepare method, 232
 release method, 233
 requesting audio record permission, 230
 setAudioEncoder method, 231
 setOutputFile method, 232
 setOutputFormat method, 231
 start method, 232
 stop method, 232

audio streams
 getStreamMaxVolume method, 220
 getStreamVolume method, 220
 isMusicActive method, 222
 setStreamMute method, 221
 setStreamSolo, 222
 setStreamVolume method, 221
 types, 219

playing audio
 AsyncPlayer, 225
 prepare method, 224
 release method, 225
 setAudioStreamType method, 223

Media (*cont.*)

- setDataSource method, 223
- SoundPool (see SoundPool)
- start method, 224
- playing video
 - startPlayback method, 234
 - stopPlayback(), 235
 - SurfaceView, 233
- video recording
 - setPreviewDisplay method, 236
 - setVideoEncoder method, 237
 - setVideoSource method, 236

N

notify method, 165

O

- onBind method, 41
- onCreateDialog method, 162
- onCreateOptionsMenu
 - method, 143, 146, 148
- onCreateView method, 135
- onOptionsItemSelected
 - method, 143
- onStartCommand method, 45
- openCamera method, 240

P, Q

- popBackStack method, 135
- PreferenceManager.getDefault
 - SharedPreferences method, 180

R

- registerReceiver method, 65
- removeProximityAlert method, 214
- requestLocationUpdates
 - method, 212
- requestSingleUpdate method, 213
- Resources
 - advantages, 69

- alternative resources, 88
- APK expansion files, 93–94
- assets
 - getAssets method, 92
 - web view, 93
- color state list resources, 73–74
- configuration qualifier, 88–91
- drawable resources
 - bitmap file, 74
 - nine-patch file, 75
 - shape drawable, 76–77
 - state list drawable, 77
 - XML bitmap file, 74–75
 - XML nine-patch file, 76
- groups, 71
- layout resources, 77–78
- menu resources, 78
- property animation, 72
- raw resources, 79
- runtime configuration, 91–92
- structures, 70
- tween animation, 73
- value resources
 - Boolean values, 82
 - color resources, 79–80
 - color value resources, 83
 - dimensions, 84–85
 - integer arrays, 85
 - quantity strings, 81–82
 - string arrays, 80–81
 - string resources, 80
 - typed arrays, 86
- XML resources, 87–88

S, T

- sendBroadcast method, 63
- send() method, 40
- Sensor
 - getDefaultSensor method, 201
 - getSensorList method, 201
 - receiving sensor events
 - cancelTriggerSensor method, 206
 - interpretation, 206
 - registerListener method, 204

- reporting mode, 202
- requestTriggerSensor
 - method, 206
- SensorEventListener
 - interface, 203
- TriggerEventListener, 205
- unregisterListener
 - method, 204
- types, 200
- setArguments method, 136
- setFixedSize method, 242
- setItems method, 154
- setMessage method, 151
- setMicrophoneMute method, 218
- setMultiChoiceItems method, 155
- setNegativeButton method, 153
- setNeutralButton method, 153
- setOutputFormat method, 231
- setPositiveButton method, 152
- setProgress method, 120
- setSingleChoiceItems method, 156
- setSpeakerphoneOn method, 219
- setStreamMute method, 221
- setStreamSolo method, 222
- setStreamVolume method, 221
- setStyle method, 168
- setTitle method, 151
- setView method, 157–158
- SharedPreferences.register
 - OnSharedPreference
 - ChangeListener
 - method, 182
- SharedPreferences.unregister
 - OnSharedPreference
 - ChangeListener
 - method, 183
- show method, 149, 162
- SoundPool
 - creation, 226
 - loading audio samples, 227
 - play method, 228
 - release method, 229
 - unloading audio sample, 229
- SQLite relational database
 - creating tables, 187
 - database name and version
 - number, 185
 - deleting data, 192
 - getWritableDatabase method
 - inserting data, 188–189
 - updating data, 189
 - onCreate method, 186
 - onUpgrade method, 186–187
 - reading data, 190–191
- startActivity method, 66
- START_FLAG_NOT_STICKY
 - method, 45
- START_FLAG_REDELIVERY
 - method, 45
- START_FLAG_STICKY method, 45
- startService method, 45, 66
- Storing data
 - Android Backup Service
 - API key, 193
 - backup agent
 - implementation, 194,
 - 196–197
 - BackupManager.data
 - Changed method, 196
 - manifest
 - file, 196
 - signup, 193
 - external storage
 - cache data, 177
 - constant strings, 174
 - Context.getExternalFilesDir
 - method, 175
 - directory, 175
 - Environment.getExternalStoragePublicDirectory
 - method, 176
 - getExternalStorageState
 - method, 174
 - reading and writing data, 173
 - generic shared preferences, 181
 - internal storage, 171
 - shared preferences
 - activity, 180
 - adding preferences, 181
 - default, 180

Storing data (*cont.*)

- Editor.commit method, 181
- fragment class, 184
- getter methods, 181
- listening method, 182
- preferences screen
 - configuration resource, 183
- SQLite relational database (see SQLite relational database)
- structuring data
 - reading data, 179
 - writing data, 178

U

User interface

- action bar (see Action bar)
- dialogs (see Dialogs)
- notifications
 - action buttons, 167
 - back stack, 165
 - canceling, 169
 - notification drawer, 163
 - NotificationManager
 - class, 164
 - PendingIntent, 165
 - posting, 164
 - updating, 168
- toasts, 148

V, W, X

Views

- input controls
 - CheckBox, 126
 - EditText, 121
 - ImageButton, 123
 - isChecked
 - method, 126
 - OnClickListener
 - interface, 123
 - play button, 122
 - RadioButton, 127
 - setOnCheckedChangeListener
 - Listener method, 127
 - Switch, 125
 - ToggleButton, 125
- output controls
 - ImageView, 117
 - ProgressBar, 118
 - space, 120
 - TextView, 116
- Viking Killer, 5
- Virtual Machine (VM), 7

Y, Z

- Yet Another Flash File System (YAFFS2), 5