

INDEX

- Aging
 protein, 141
- Albetetin, 101–111
 biological activity grafted to, 101
 design of, 102
 gene, 104
 secondary structure, 102
 expression, 105
 structural properties of, 106–108
 with interferon fragment, 110–111
- Alcohol dehydrogenase, 3
 in biosensor, 39
- Alkaline phosphatase, 3
 LB films of, enzymatic activity of, 26–28, 36
- Antibodies, 3
 CD spectra of, 12, 22
 LB films of, 23, 29
 ellipsometry of, 11
 immunological activity of, 23, 25, 29
 surface potential, 27
 stability, 20
 STM study of, 11
 X-ray studies of, 26
- Apoferitin, 2D array of, 31–32
 mutant, 2D crystals of, 57, 61
- Archaeobacterium, 77; *see also* Lipids
- Atomic force microscopy (AFM), 154, 156, 157, 215–216
- Azurin, 3, 204
- Bacterioferritin, 139–141
- Bacteriorhodopsin, 3, 45, 163–179
 application for optical information processing, 163
 function and structure, 164–167
 LB films of, 23
 applications of, 171–175
 holographic interferometry, 172–173
 holographic properties, 47, 169–171
 pattern recognition, 173–175
 photochromic properties in, 168–169
 mechanism, 46
 properties, variation of, chemical and genetic, 167–168
- β -glucosidase from extremophiles, 89
 Sulfolobus solfataricus, 90
 expression by autoselecting plasmid, 96–98
 expression in *E. coli* and yeast, 92–93
 secretion, 98
 structural and kinetic features, 90
 substrate specificity, 91
 thermal stability, 85
- Bioactuators, 38
- Bioelectronic devices, 145
- Bioelectronics, 217–218
- Biosensors, 38–39
 nanogravimetric, 38–39
 potentiometric (PAB), 38–41
- Catalase, 148, 150–151
 monolayers, SEM study of, 151–152
- Cell patterning, 157–160
- Cellular automata, 47–49
- Closing plate method, 5
- Crystallization, 2D,
 of proteins, 32, 53, 55–58, 147
 aqueous subphase method, 58–59
 mechanism of, 63–64
 mercury method, 57–58
- Cyclosporin, structure of, 124–128
- Cytochrome b5, 204
- Cytochrome b562, 148, 155
 alkylated, 152
 monolayers of, 152
 mutant, 154
 structure of, 149
- Cytochrome c, 3, 13, 132–134, 137, 204
 interprotein electron transfer, 133–134
 monolayers,
 FTIR spectroscopy of, 14, 16
 X-Ray scattering studies of,
 17, 18
 Saccharomyces cerevisiae,
 redox potentials of, 139
 self-exchange in, 134
- Cytochrome c551, 135, 137–139

- Cytochromes P450,
 electron transfer in, 204–208
 structure, 206
- Cytochrome P450cam, 3D structure, 205
- Cytochrome P450scc, 3, 13, 203
 CD spectra of, 12
 CO-reduced spectra, 14
 expression systems, 208
 expression in *E. coli*, 209
 expression in yeast, 209–212
- LB films of, 20, 42
 electrical properties, 42–43
 X-Ray study of, 20
- recombinant, 19–20, 34
 secretion from yeast, 209–213
 structure, 206
 TEM study, 33
 wild type, 19–20, 34
 X-Ray scattering of, 21
- Cytochromes, 131–139
 redox potentials of, 135
- Cytochromes c, structure of, 136–137
 redox potentials, 137–139
- DNA, 116, 123
 recombinant, technology, 115, 204–205
- Drug design, 125
- Elba Project, 218
- Electromechanical devices, conducting polymers
 in, 183
- Electron transfer, 30, 125, 133
 in cytochrome P450 systems, 204–207
 interprotein, 133
- Engineering, molecular, 198
- Epitaxy, molecular beam (MBE), 216
 organic, 216
 organic molecular beam (OMBE), 145
- Ferritin, 139–140
 AFM imaging of, 154–157
 apo, 147
 monolayers, 150
 SEM study of, 151
 2D crystals of, 57, 59–60
- Fullerenes, 73
 LB films of, 74
 STM study, 74–75
- Glutathione-S-transferase, 3, 13
 CD spectra of, 8
 LB films of, 23, 33
 enzymatic activity of, 15, 26–27
 pesticide determination by, 39
 STM study of, 9
 temperature stability, 20
- Holographic interferometry, bacteriorhodopsin
 films in, 171–173
- Holography, 45
- IgG, *see* Antibodies
- Interferometry, 17; *see also* Holographic interferometry
- Laccase, 38
- Langmuir–Blodgett (LB) films, 1, 4, 48, 67, 217
 conductive, 72
 of proteins, 8
 electrical properties of, 42
 long range stability in, 33
 of archae lipid, 78
 SPM of, 68, 71, 72
- Langmuir–Blodgett (LB) technique, 4, 26, 67–68,
 145, 147, 216
 modified (LBM), 4, 13, 22, 31
 for 2D crystallization, 32
- Langmuir–Schaefer (LS) technique, 4, 9, 22, 29
- Laser, excimer, for cell patterning, 157
- LB, *see* Langmuir–Blodgett
- Lipids, from Archaeobacterium, 77, 79
 LB films of, 78, 84
 transmission electron studies, 82
 X-Ray studies, 81, 86
 modification of, 79–80, 85
 TEM study, 82
- Lithography techniques, 145
- LS, *see* Langmuir–Schaefer
- Metalloproteins, 3, 131, 203
- Microactuators, bilayer, 184
- Microfabrication, 197
 silicon, 177, 180–181
- Microfingers, 187
- Micromirrors, 194
- Minifingers, 185
- Molecular electronic devices (MED), 145
- Molecular manufacturing, 215, 217
- Monolayers, protein, 6, 13
- Monooxygenation, 205
- Mutagenesis, of protein surface, 64
 site-directed, 139, 153–154, 206
 for protein stability, 153
- Nanoelectronics, 75
 molecular, 71
- Nanolithography, 216
- Nanotechnology, protein-based, 47
- NMR, 2D spectra, 118
 3D spectra, 118
 for structure determination, 115–116
- NMR studies, 115–128
 NOE, 117–123
 of biological macromolecules, 117–125
 resonance assignment, 119–121
 structure calculation, 121–123
 structure refinement, 123
 sample preparation for, 116–117

- Nuclear Magnetic Resonance, *see* NMR
- Optical filtering, 45
- Pattern recognition, BR films in, 173–175
- Photovoltaic cells, 44–45
- Polymerization, 2D, 217
- Polymers,
conducting, 71–72, 177–181
and microfabrication, 181
applications, 182
electromechanical devices, 183
microactuators, 184
microfingers, 187–191
minifingers, 185
Schottky diodes, 182
sensors, 182
film formation, electrochemical growth, 179
films of, 178
electrochemical switching in, 180
ion transport in, 195–196
properties of, 177–178
STM studies of, 71–72, 74
nonconducting, bilayers, 191
- Protein A, sublayer, 29
- Protein arrays, 2D, 31–32, 53, 56
applications of, 37
assembling principles of, 54–55
homogeneity of, 34
- Protein, de novo, 101, 125
design, 141
with grafted function, 108
stability, 141
enhancement of, 153
structure, 6, 10
secondary, 10
tertiary, 10, 23
quaternary, 10, 23
thermal stability, 1, 20–22
in LB films, 22, 23, 33
trans-membrane, 1, 3
water soluble, 1, 3
- Reaction centers, photosynthetic
electric properties, 42
from *Rhodobacter sphaeroides*, 3, 5, 13
CD spectra of, 12
- Reaction centers (*cont.*)
thermal stability of, 20, 22
from *Rhodospseudomonas viridis*, 3, 44
in photovoltaic cells, 44–45
LB films of, 23
function in, 23
STM study of, 13, 30
surface potential of, 27
- Recognition, molecular, 54, 216
- Reverse micellar approach, 15, 19
- Rhodopsin, bacterial, *see* Bacteriorhodopsin
bovine, 3
LB films of, 23, 30
thermal stability, 20
- Scanning electron microscopy, *see* SEM
- Scanning tunneling microscopy, *see* STM
- Scanning probe microscopy (SPM), of LB films,
68, 71, 72
- Self-assembly, 31–32, 53–56, 216
convective, 55
- SEM, 59, 147, 151–152
- Stability, protein, enhancement of, 153
- STM, 9, 68–70, 74, 215–216
for manipulation of molecules, 146
instrument, 70
- Supramolecules, assembling principles in, 54–55
- TEM, 59
of apoferritin, 60–61
of archae lipids, 82
of cytochrome P450_{sc}, 33
of LB films, 34
- Thin films, electrochemistry, 217
- Thioredoxin, 3, 30
LB films of, 23
- Transmission electron microscopy, *see* TEM
- Trough, LB, alternating layers, deposition of, 5
conventional, 71
- Urease, LB films of, 23
- Valinomycin, mixed films of, with archae lipids,
86, 87
- X-ray, crystallography, 1, 9, 59–61
small-angle diffraction, 17, 21, 81, 83–86