

# Index

## A

- Abdomen, reoperative surgery
  - hand-assisted laparoscopic approach, 58, 125
  - right hemicolectomy, 45
  - robotic approach, 82
  - sigmoid colectomy, 115
  - stoma construction, 218
- Abdominoperineal resection (APR)
  - minimal invasive colorectal surgery, 21
  - proctectomy, 179–180
  - proctectomy and rectopexy
    - hybrid robotic approach, 168–170
    - laparoscopic approach, 158
- Acetaminophen, 10
- Alexis® laparoscopic system, 132, 174, 178
- Alvimopan, 9
- Analgesic, postoperative care, 9–10
- Anastomosis
  - intracorporeal, 95–96
  - tension-free, 116, 126
  - total colectomy and proctocolectomy, 187
  - transection, 194–195
- Anastomosis with leak test, 11
  - HALS port, 123
  - laparoscopic approach, 157
  - proctectomy, 179
  - proctectomy and rectopexy, 156–157, 168
  - robotic approach, 147
  - sigmoid colectomy and left hemicolectomy, 113–114
  - single-port laparoscopic approach, 137, 140
- Anastomotic leak testing
  - with colonoscope, 74
  - TES, 226–227
- Anterior rectopexy technique, 160–161
- Antiperistaltic “V” anastomosis, 95
- APR. *See* Abdominoperineal resection (APR)
- Areolar plane, with mesorectal dissection, 155
- Ascending colon mobilization
  - hand-assisted laparoscopic surgery, 192
  - single-port laparoscopic approach, 201
  - total colectomy and proctocolectomy, 185–186

## B

- Barium enema, 7
- Benign strictures, TES, 227
- Bleeding
  - hand-assisted laparoscopic approach, 59, 126
  - proctectomy and rectopexy, 157–158
  - right hemicolectomy, 46
  - robotic approach, 83
  - sigmoid colectomy, 116

- Bowel obstruction
  - laparoscopic approach
    - exteriorization, 210–211
    - identification and mobilization, 209–210
  - single-port laparoscopic approach
    - exteriorization, 217–218
    - identification and mobilization, 216–217
- Bowel preparation, 8

## C

- Camera control terminal, 17–18
- Camera navigation, 30–31
- Carcinoid tumors, TES, 226
- Carter-Thomason fascial closure device, 24
- Cecum mobilization
  - hand-assisted laparoscopic surgery, 192
  - right hemicolectomy, 73
  - single-port laparoscopic approach, 201
  - total colectomy and proctocolectomy, 185–186
- CLASICC trial, 4
- Cleveland Clinic Florida, 208
- Clip applier, operating room setup, 19, 30
- Closure
  - hand-assisted laparoscopic approach, 56
  - laparoscopic approach, 104–105
  - right hemicolectomy, 43–44
  - single-port laparoscopic approach, 66
  - transanal endoscopic microsurgery
    - full-thickness excision, 238–239
    - partial-thickness excision, 237
  - transanal minimally invasive surgery, 247–248
- Cochrane database review
  - Hasson technique, 23
  - laparoscopy, 4
- Colectomy
  - hand-assisted laparoscopic surgery
    - background, 189–191
    - operative steps, 191–197
    - port placement and extraction sites, 191–197
    - room setup and positioning, 191
  - single-port laparoscopic approach
    - background, 199
    - operative steps, 200–202
    - preoperative planning, 199
    - room setup and patient positioning, 199–200
- Colonoscopy
  - anastomotic leak testing with, 74
  - minimal invasive colorectal surgery, 7
  - sigmoid colectomy, 110
  - tumor identification, 60

- Colon transection
  - hand-assisted laparoscopic surgery, 194–195
  - single-port laparoscopic approach, 202
  - total colectomy and proctocolectomy, 187
- Colorectal cancer, TES, 223
- COLOR trial, 4
- Colostomy
  - port configuration for, 209
  - report of, 205
  - single-port laparoscopic approach, 141
  - trocar placement at, 210
- Colotomy, 219
- Contraindications, laparoscopic/robotic surgery, 8
- Conventional (CON) approach
  - proctectomy and rectopexy, 152
  - total colectomy and proctocolectomy, 183–184
- COST trial, 4
- Crohn's disease
  - hand-assisted laparoscopic approach, 59
  - right hemicolectomy, 46
  - stoma construction, 219
- CT colonography, 7
- CT-guided abscess drainage, 11
  
- D**
- da Vinci robotic surgical system
  - minimal invasive colorectal surgery, 19–20
  - robotic approach, 77
  - room setup and positioning, 78
- Descending colon mobilization
  - hand-assisted laparoscopic surgery, 194
  - proctectomy, 177
  - proctectomy and rectopexy, 166
  - robotic approach, 146
  - single-port laparoscopic approach, 134–137, 201–202
  - total colectomy and proctocolectomy, 186–187
- Dexamethasone, PONV prevention, 9
- Dissection
  - transanal endoscopic microsurgery
    - full-thickness excision, 238
    - partial-thickness excision, 237
  - transanal minimally invasive surgery, 247
- Distal mucosectomy, 179
- Diverticulitis
  - HALS port, 125
  - sigmoid colectomy, 115
- Docking
  - pelvic, 31
  - robotic surgery, 28–29, 79–80, 82
- Double purse-string robotic stapled anastomosis
  - technique, 179
- Double-stapled anastomosis, 156–157
- Droperidol, PONV prevention, 9
- Duodenal injury
  - hand-assisted laparoscopic approach, 60
  - right hemicolectomy, 46–47
  - robotic approach, 83
- Duodenum identification
  - dissection, 54
  - laparoscopic intacorporeal
    - anastomosis, 71–72
  - retroperitoneal plane, 41
  - robotic approach, 80
  - single-port laparoscopic approach, 66
  
- E**
- Early ambulation, 10
- Electrocautery
  - and pedicle, 53
  - proctectomy and rectopexy, 158
  - right hemicolectomy, 45, 55–56
- Electrocoagulation control, 32
- Electrosurgery, 19
- Endocone™, 64
- EndoEYE™, 246
- Endoloop, operating room setup, 19
- Endoscopic-assisted stoma, 212
- Endo Stitch™ device, 247–248
- EndoWrist One™ vessel sealer, 32
- EndoWrist™ stapler, 32
- Energy control, robotic surgery, 32
- Energy instruments, robotic surgery, 30
- Energy sources, operating room setup, 19
- Enhanced recovery after surgery (ERAS), 8–9
- Enhanced recovery programs, 183
- ENSEAL®, 4
- Enterotomy
  - hand-assisted laparoscopic approach, 59–60, 126
  - right hemicolectomy, 46–47
  - robotic approach, 83
- Equipment
  - malfunction, robotic surgery, 32
  - operating room setup, 17
  - for robotic surgery, 25–26
- ERAS. *See* Enhanced recovery after surgery (ERAS)
- Excision
  - transanal endoscopic microsurgery
    - full-thickness excision, 238
    - partial-thickness excision, 237
  - transanal minimally invasive surgery, 247
- Exploratory laparoscopy, 39
  - hand-assisted laparoscopic surgery, 191–192
  - hand port, 52–53
  - hybrid robotic approach, 165
  - laparoscopic approach, 101, 111
  - laparoscopic intacorporeal anastomosis, 71
  - proctectomy, 176
  - proctectomy and rectopexy, 153
  - robotic approach, 79–80, 145–146
  - sigmoid colectomy, 121
  - single-port laparoscopic approach, 132–133
  - stoma construction, 216
  - total colectomy and proctocolectomy, 185, 200–201
- Exteriorization, 187–188
- Extracorporeal anastomosis
  - hand-assisted laparoscopic approach, 56
  - laparoscopic approach, 104–105
  - right hemicolectomy, 43–44
  - single-port laparoscopic approach, 66
  - single-port robotic approach, 90–91
- Extraction sites
  - hand-assisted laparoscopic surgery, 191–197
  - laparoscopic approach, 184–185
  - right hemicolectomy, 64–65
  - sigmoid colectomy, 129–132
  - single-port robotic approach, 87
  - total colectomy and proctocolectomy, 191–197
  - total robotic approach, 175–176
  - transverse colectomy, 100–101

**F**

- Fascia, suture closure, 24
- Fast-track programs, 8–9, 183
- Firefly fluorescence imaging, 32
- Full-thickness excision
  - operative steps, 238–239
  - transanal endoscopic microsurgery, 237–238

**G**

- Gasless laparoscopic stoma, 212
  - GelPOINT®
    - right hemicolectomy, 90
    - single-port laparoscopic approach, 130, 131
    - TAMIS, 244
    - total colectomy and proctocolectomy, 199–202
  - GelPoint Advanced™, 64
  - GelPOINT Mini™, 64
  - GelPort®, 101, 130, 200
  - GelSeal®, 132
  - Gerota's fascia, 42
  - Glove port
    - creation of, 200
    - TAMIS, 244–246
  - Graspers
    - operating room setup, 19
    - robotic surgery, 30
- H**
- HALS. *See* Hand-assisted laparoscopic surgery (HALS)
  - Hand-assist device, 23–24
  - Hand-assisted laparoscopic surgery (HALS)
    - minimal invasive colorectal surgery, 19
    - right hemicolectomy, 45
    - right hemicolectomy and ileocecectomy, 49–50, 58
      - bleeding, 59
      - closure, 56
      - Crohn's disease, 59
      - duodenal injury, 60
      - duodenum, dissection, 54
      - enterotomy, 59–60
      - extracorporeal anastomosis, 56
      - hand port, exploratory laparoscopy and insertion, 52–53
      - hepatic flexure mobilization, 55
      - ileocolic vessels, identification and ligation, 53–54
      - inadequate assistance, 60
      - inferior to superior approach, 57–58
      - lateral to medial approach, 56–57
      - locally advanced cancer, 59
      - medial to lateral approach, 57
      - middle colic vessels, identification and ligation, 55–56
      - morbid obesity, 58–59
      - operative steps, 52
      - port placement and extraction sites, 51–52
      - proximal transverse colon mobilization, 55
      - reinspection, 56
      - reoperative abdomen, 58
      - retroperitoneal plane, dissection, 54
      - right colon mobilization, 54
      - room setup and positioning, 50–51
      - superior to inferior approach, 58
      - terminal ileum mobilization, 54
    - sigmoid colectomy and left hemicolectomy
      - anastomosis with leak test, 123
      - approaches, 124
      - complications, 125–126
      - exploratory laparoscopy, 121
      - hand port insertion, 121
      - inferior mesenteric artery, identification
        - and division, 121–122
      - mobilization, 122
      - port placement and extraction sites, 120–121
      - room setup and positioning, 119–120
      - splenic flexure mobilization, 122–123
      - transection, 123
    - total colectomy and proctocolectomy
      - background, 189–191
      - operative steps, 191–197
      - port placement and extraction sites, 191–197
      - room setup and positioning, 191
  - Hand port insertion
    - exploratory laparoscopy, 52–53
    - hand-assisted laparoscopic surgery, 191–192
  - Hand-sewn coloanal anastomosis, 179
  - Harmonic® ACE, 4
  - Hartmann's resection
    - HALS port, 124
    - laparoscopic reversal of, 114–115
    - robotic approach, 147–148
    - single-port laparoscopic approach, 140–141
  - Hasson technique, 22–23, 51
  - Hasson trocar, 45
  - Hepatic flexure mobilization
    - hand-assisted laparoscopic surgery, 192
    - laparoscopic approach, 102
    - laparoscopic intracorporeal
      - anastomosis, 72–73
    - right hemicolectomy, 42–43, 55
    - robotic approach, 80–81
    - single-port laparoscopic approach, 66, 201
    - single-port robotic approach, 89–90
    - total colectomy and proctocolectomy, 186
    - transverse colectomy, 104
  - High dorsal lithotomy position, 244
  - Holding system, TEM, 234
  - Hybrid robotic approach
    - proctectomy and rectopexy
      - abdominoperineal resection, 168–170
      - anastomosis with leak test, 168
      - descending colon mobilization, 166
      - exploratory laparoscopy, 165
      - inferior mesenteric vessels, 165–166
      - operative steps, 164–165
      - port setups and extraction sites, 164
      - preoperative planning, 163
      - rectal mobilization, 167
      - rectopexy, 170–171
      - rectum transection, 168
      - room setup and positioning, 163–164
      - sigmoid colon mobilization, 166
      - splenic flexure mobilization, 166
      - sigmoid colectomy, 147

**I**

- Ileal pouch anal anastomosis, 195–197
- Ileocolic pedicle ligation
  - hand-assisted laparoscopic surgery, 192
  - single-port laparoscopic approach, 201
  - total colectomy and proctocolectomy, 185–186

Ileocolic vessels, identification and ligation  
 laparoscopic intacorporeal anastomosis, 71–72  
 right hemicolectomy and ileocecectomy,  
 39–41, 53–54  
 robotic approach, 80  
 single-port laparoscopic approach, 65  
 single-port robotic approach, 88–89

Ileorectal anastomosis  
 HALS, 189  
 stoma construction, 205  
 total colectomy and proctocolectomy, 183, 202

Ileostomy  
 history, 205  
 loop of, 211  
 port configuration for, 209  
 trocar placement at, 210  
 for ulcerative colitis, 206

Inadvertent enterotomy, stoma construction, 219

Incentive spirometry, 10

Inferior mesenteric artery (IMA)  
 hand-assisted laparoscopic surgery, 194  
 identification and division, 121–122  
 proctectomy, 176, 177  
 proctectomy and rectopexy, 165  
 sigmoid colectomy, 146–147  
 sigmoid colectomy and left hemicolectomy, 112  
 single-port laparoscopic approach, 133–136  
 total colectomy and proctocolectomy,  
 186–187, 201–202  
 ureter and ligation, 153

Inferior mesenteric vein (IMV)  
 mobilization, 112–113  
 splenic flexure, 146  
 proctectomy, 177  
 proctectomy and rectopexy, 154  
 single-port laparoscopic approach, 134–137

Inferior mesenteric vessels, 165–166

Inferior to superior approach, 45, 81–82

Inflammation, Crohn's disease, 46

Instruments  
 conflict and clashing, 129, 130  
 insertion for robotic surgery, 29  
 operating room setup, 19  
 transanal endoscopic microsurgery, 235  
 transanal minimally invasive surgery, 246

Insufflator, 18–19

Intersphincteric resection, proctectomy, 179

Intestinal division, laparoscopic intacorporeal  
 anastomosis, 73

Intra-abdominal abscesses, 11

Intracorporeal anastomosis, 44, 73–75

Intraperitoneal access  
 Hasson/open access, 22–23  
 optical access trocars, 23  
 single port and hand assist, 23–24  
 Veress needle, 22, 23

IPAA, total colectomy and proctocolectomy,  
 187–188, 202

Isoperistaltic anastomosis, 74  
 “I” anastomosis, 95–96  
 “M” anastomosis, 96

## K

Kii Fios First Entry®, 174, 178  
 Knot tying, robotic surgery, 31–32

## L

Laparoscopic (LAP) approach  
 proctectomy and rectopexy, 151–152  
 abdominoperineal resection, 158  
 anastomotic leak, 157  
 anterior rectopexy technique, 160–161  
 bleeding, 157–158  
 mobilization, 154  
 nerve injury, 158  
 operative steps, 153–157  
 port placement and extraction sites, 152–153  
 posterior rectopexy technique, 159–160  
 rectopexy, 159  
 room setup and positioning, 152  
 surgical technique, 158–159

right hemicolectomy and ileocecectomy, 37–38  
 bleeding, 46  
 Crohn's disease, 46  
 duodenum, retroperitoneal plane  
 and identification, 41  
 enterotomy and duodenal injury, 46–47  
 exploratory laparoscopy, 39  
 extracorporeal anastomosis, closure,  
 and reinspection, 43–44  
 hand-assisted laparoscopy, 45  
 hepatic flexure mobilization, 42–43  
 ileocolic vessels, identification and ligation, 39–41  
 inferior to superior approach, 45  
 intracorporeal anastomosis, 44  
 lateral to medial approach, 44–45  
 lesion, difficulty with identification, 47  
 locally advanced cancer, 46  
 medial to lateral approach, 44  
 middle colic vessels, identification and ligation, 43  
 morbid obesity, 45–46  
 port placement and extraction sites, 38–39  
 proximal transverse colon mobilization, 42–43  
 reoperative abdomen, 45  
 right colon mobilization, 41–42  
 room setup and positioning, 38  
 terminal ileum mobilization, 41–42  
 tumor, difficulty with identification, 47

sigmoid colectomy and left hemicolectomy, 109–110  
 anastomosis with leak test, 113–114  
 approaches, 114–115  
 complications, 115–116  
 exploratory laparoscopy, 111  
 inferior mesenteric artery, ureter  
 and ligation, 112  
 inferior mesenteric vein, 112–113  
 mobilization, 112  
 port placement and extraction sites, 110–111  
 room setup and positioning, 110  
 transection, 113

stoma construction  
 advantage, 207  
 background, 205–207  
 endoscopic-assisted stoma, 212  
 gasless laparoscopic stoma, 212  
 operative steps, 209–212  
 permanent vs. temporary stoma, 206  
 port placement, 208–209  
 preoperative planning, 207–208  
 room setup and positioning, 208  
 single-site laparoscopic stoma, 212  
 trephine stoma, 212

- total colectomy and proctocolectomy, 183–184
    - operative steps, 185–188
    - port placement and extraction sites, 184–185
    - room setup and positioning, 184
  - transverse colectomy, 99
    - closure, 104–105
    - exploratory laparoscopy, 101
    - extracorporeal anastomosis, 104–105
    - hepatic flexure mobilization, 102
    - middle colic vessels, identification and ligation, 102–104
    - omental division/resection, 101
    - port placement and extraction sites, 100–101
    - preoperative planning, 100
    - re-inspection, 104–105
    - room setup and patient positioning, 100
    - splenic flexure mobilization, 102
  - Laparoscopic colon surgery, 4
  - Laparoscopic colorectal surgery, 20
  - Laparoscopic intracorporeal anastomosis
    - duodenum, identification, 71–72
    - exploratory laparoscopy, 71
    - hepatic flexure mobilization, 72–73
    - ileocolic vessels, ligation, 71–72
    - intestinal division, 73
    - intracorporeal anastomosis, 73–75
    - port placement and extraction sites, 71
    - preoperative planning, 69–70
    - proximal transverse colon mobilization, 72–73
    - right colon mobilization, 72
    - room setup and patient positioning, 70
    - specimen bagging, 73
    - terminal ileum mobilization, 72
  - Laparoscopic resection, of rectal cancer, 8
  - Laparoscopic warmers, operating room setup, 19
  - Laparoscopy, 3–4
    - Cochrane Review, 4
    - contraindications for, 8
    - current trends, 5
    - evidence of safety, 4
    - learning curve, 4–5
    - operating room setup, 17–18
    - right hemicolectomy, 21
    - total abdominal colectomy, 21
  - Lateral to medial approach
    - HALS port, 124
    - robotic approach, 81
    - sigmoid colectomy, 114
    - single-port laparoscopic approach, 137
  - LDUH. *See* Low-dose unfractionated heparin (LDUH)
  - Left hemicolectomy
    - HALS port, 124
    - sigmoid colectomy, 114
    - sigmoidectomy, 21
  - Left lower quadrant (LLQ) port, 38, 51, 144
  - Left upper quadrant (LUQ) port
    - hand-assisted laparoscopic technique, 51
    - right hemicolectomy and ileocecectomy, 38
    - sigmoid colectomy, 144
  - Left ureter identification, 133–136
  - Lesion, difficulty with identification, 47
  - LigaSure™, 4
  - Light source, operating room setup, 17–18
  - Lithotomy
    - minimal invasive colorectal surgery, 21, 22
    - right hemicolectomy and ileocecectomy, 78
    - for straight laparoscopic approach, 50
    - TAMIS in, 229, 244
  - Liver lobe, exploration, 111
  - LMWH. *See* Low-molecular-weight heparin (LMWH)
  - Locally advanced cancer
    - HALS port, 125–126
    - hand-assisted laparoscopic approach, 59
    - right hemicolectomy and ileocecectomy, 46
    - robotic approach, 82
    - sigmoid colectomy, 116
  - Low anterior resection (LAR) port placement, 21, 176
  - Low-dose unfractionated heparin (LDUH), 10
  - Low-molecular-weight heparin (LMWH), 10
- M**
- Matador cape, 103
  - Medial to lateral approach
    - HALS port, 124
    - proctectomy, 176, 177
    - robotic approach, 81
    - sigmoid colectomy, 114
  - Mesentery, 95
  - Mesorectal plane, rectovaginal septum, 156
  - Midclavicular line (MCL), 164
  - Middle colic vessels, identification
    - and ligation, 43, 55–56
    - hand-assisted laparoscopic surgery, 192–193
    - laparoscopic approach, 102–104
    - single-port laparoscopic approach, 66
    - single-port robotic approach, 90
    - total colectomy and proctocolectomy, 186, 201
  - Monitor, operating room setup, 17–18
  - Monopolar cautery, TAMIS, 246
  - Morbid obesity
    - HALS port, 125
    - hand-assisted laparoscopic approach, 58–59
    - right hemicolectomy and ileocecectomy, 45–46
    - robotic approach, 82
    - sigmoid colectomy, 115
    - stoma construction, 218
  - Mortality, and anastomotic leak, 11
  - Multi-institutional study, 86
  - Muscle splitting technique, 52
  - MUTYH-associated polyposis (MAP), 183
- N**
- National Comprehensive Cancer Network (NCCN), 225
  - Natural orifice specimen extraction, 240–241
  - Natural orifice transluminal endoscopic surgery (NOTES), 63, 227
  - Needle holding, robotic surgery, 31–32
  - Nerve injury, proctectomy and rectopexy, 158
  - Neuroendocrine tumors (NETs), 226
  - Nonsteroidal antiinflammatory drugs, 10
  - NOTES. *See* Natural orifice transluminal endoscopic surgery (NOTES)
- O**
- Ole maneuver, 103
  - Olympus TriPort™ platform, 244, 246
  - Omental division/resection, 101
  - Omentum, 55, 113

- Operating room setup
- laparoscopic approach, 100, 110
    - hand-assisted, 50–51, 191
    - intracorporeal anastomosis, 70
    - right hemicolectomy, 38
    - single-port, 64, 129, 199–200
  - in minimal invasive colorectal surgery
    - camera control terminal, 17–18
    - equipment, 17
    - general setup, 20
    - hand-assist techniques, 19
    - instruments, 19
    - insufflator, 18–19
    - intraperitoneal access, 22–24
    - laparoscopes, 17–18, 20
    - light source, 17–18
    - monitor, 17–18
    - patient positioning, 20–22
    - port closure techniques, 24
    - for robotic colorectal surgery, 20
    - robotic techniques, 19–20
    - Yellofin Stirrups, 21
  - proctectomy and rectopexy, 152, 163–164
  - robotic surgery, 78, 143–144
    - camera and surgical instruments navigation, 30–31
    - docking, 28–29
    - electrocoagulation/energy control, 32
    - equipment, 25–26, 32
    - general setup, 26–28
    - instrument insertion, 29
    - intracorporeal anastomosis, 94
    - needle holding, suturing, and knot tying, 31–32
    - patient positioning, 28
    - port placement, 30
    - preoperative checklist, 32–33
    - preparation, 25
    - single-port, 87
    - sweet spot, 29, 31
    - tools, 32
    - undocking, 29
  - sigmoid colectomy, 119–120
  - stoma construction
    - laparoscopic approach, 208
    - single-port laparoscopic approach, 215
    - total colectomy and proctocolectomy, 184
    - transanal endoscopic microsurgery, 234
    - transanal minimally invasive surgery, 244
- Optical access trocars, 23
- Optics, TEM, 234–235
- Ostomy
- indications for, 206
  - maturation
    - laparoscopic approach, 211–212
    - single-port laparoscopic approach, 218
- P**
- Palliation, of rectal cancer, 225–226
- Partial-thickness excision
- operative steps, 236–237
  - transanal endoscopic microsurgery, 235–236
- Patient positioning
- laparoscopic surgery, 100, 110
    - hand-assisted, 50–51, 191
    - intracorporeal anastomosis, 70
    - right hemicolectomy, 38
    - single-port, 64, 129, 199–200
  - operating room setup, 20–22
  - proctectomy and rectopexy, 152, 163–164
  - robotic surgery, 28, 78, 143–144
    - intracorporeal anastomosis, 94
    - single-port, 87
  - sigmoid colectomy, 119–120
  - stoma construction
    - laparoscopic approach, 208
    - single-port laparoscopic approach, 215
    - total colectomy and proctocolectomy, 184
    - transanal endoscopic microsurgery, 234
    - transanal minimally invasive surgery, 244
- Pelvic abscess, TES, 227
- Pfannenstiel incision, 38, 44, 131–132
- Pneumo-dissection, in avascular plane, 133
- Pneumoperitoneum, 19
- Pneumorectum
- transanal endoscopic microsurgery, 236
  - transanal minimally invasive surgery, 247
- POI. *See* Postoperative ileus (POI)
- PONV. *See* Postoperative nausea and vomiting (PONV)
- Port closure
- stoma construction, 211
  - techniques for, 24
- Port placement
- hand-assisted laparoscopic surgery, 191–197
  - stoma construction
    - laparoscopic approach, 208–209
    - single-port laparoscopic approach, 216
- Port setup, TAMIS, 244–246
- Posterior rectopexy technique, 159–160
- Postoperative care
- minimal invasive colorectal surgery
    - analgesic options, 9–10
    - complications, 10–11
    - early ambulation, 10
    - fast-track recovery, 8–9
    - gum chewing, 9
    - ileus, 9
    - PONV, 9
    - pulmonary impairment, 10
    - VTE, 10
  - transanal endoscopic surgery, 229–231
- Postoperative ileus (POI), 9
- Postoperative nausea and vomiting (PONV), 9
- Preoperative planning
- hybrid robotic approach, 163
  - laparoscopic approach, 100
  - laparoscopic intracorporeal anastomosis, 69–70
  - minimal invasive colorectal surgery
    - abdominal x-ray, 7
    - bowel preparation, 8
    - contraindications, 8
    - operative issues, 8
    - work-up, 7–8
  - single-port laparoscopic approach, 199
  - stoma construction, 207–208
- Proctectomy and rectopexy, 22
- hybrid robotic approach
    - abdominoperineal resection, 168–170
    - anastomosis with leak test, 168
    - descending colon mobilization, 166
    - exploratory laparoscopy, 165
    - inferior mesenteric vessels, 165–166
    - operative steps, 164–165

- port setups and extraction sites, 164
- preoperative planning, 163
- rectal mobilization, 167
- rectopexy, 170–171
- rectum transection, 168
- room setup and positioning, 163–164
- sigmoid colon mobilization, 166
- splenic flexure mobilization, 166
- laparoscopic approach, 151–152
  - abdominoperineal resection, 158
  - anastomotic leak, 157
  - anterior rectopexy technique, 160–161
  - bleeding, 157–158
  - mobilization, 154
  - nerve injury, 158
  - operative steps, 153–157
  - port placement and extraction sites, 152–153
  - posterior rectopexy technique, 159–160
  - rectopexy, 159
  - room setup and positioning, 152
  - surgical technique, 158–159
- total robotic approach
  - abdominoperineal resection, 179–180
  - operative steps, 176–179
  - port setups and extraction sites, 175–176
  - preoperative planning, 173
  - room setup and positioning, 174–175
- Proctocolectomy
  - hand-assisted laparoscopic surgery
    - background, 189–191
    - operative steps, 191–197
    - port placement and extraction sites, 191–197
    - room setup and positioning, 191
  - single-port laparoscopic approach
    - background, 199
    - operative steps, 200–202
    - preoperative planning, 199
    - room setup and patient positioning, 199–200
- Proctoscope, TEM, 233
- Prone jackknife position, TAMIS, 244
- Proximal transverse colon mobilization, 42–43, 55
  - laparoscopic intracorporeal anastomosis, 72–73
  - robotic approach, 80–81
  - single-port laparoscopic approach, 66
  - single-port robotic approach, 89–90
- Pulmonary impairment, postoperative care, 10
  
- R**
- Rectal adenoma, transanal endoscopic surgery, 224
- Rectal cancer
  - laparoscopic resection, 8
  - palliation of, 225–226
  - transanal endoscopic surgery, 224–225
- Rectal mobilization
  - hand-assisted laparoscopic surgery, 195–196
  - proctectomy, 177–178
  - proctectomy and rectopexy, 154–156, 167
  - total colectomy and proctocolectomy, 187, 202
- Rectal neoplasms, surgical approaches for, 243
- Rectopexy
  - hybrid robotic approach, 170–171
  - laparoscopic approach, 159
- Rectourethral fistulas, transanal endoscopic surgery, 226
- Rectovaginal fistulas, transanal endoscopic surgery, 226
- Rectum transection
  - hand-assisted laparoscopic surgery, 196–197
  - proctectomy, 178–179
  - proctectomy and rectopexy, 156, 168
  - total colectomy and proctocolectomy, 202
- Reinspection, 43–44
  - hand-assisted laparoscopic surgery, 56, 194–195
  - laparoscopic approach, 104–105
  - single-port laparoscopic approach, 66
  - stoma construction, 211
  - total colectomy and proctocolectomy, 187
- Restorative proctocolectomy with ileoanal pouch anastomosis (RPC-IPAA), 183–184
- Retroperistaltic anastomosis, 73–74
- Retroperitoneal plane dissection, 54
  - robotic approach, 80
  - single-port laparoscopic approach, 66
  - single-port robotic approach, 89
- Retrorectal tumors, transanal endoscopic surgery, 226
- Reversed Trendelenburg position, 58
- Richard Wolf system, 233
- Right colon mesentery, 39
- Right colon mobilization, 41–42, 54
  - laparoscopic intracorporeal anastomosis, 72
  - robotic approach, 80
  - single-port laparoscopic approach, 66
  - single-port robotic approach, 90
- Right hemicolectomy and ileocecectomy
  - hand-assisted laparoscopic approach, 49–50, 58
    - bleeding, 59
    - closure, 56
    - Crohn's disease, 59
    - duodenal injury, 60
    - duodenum, dissection, 54
    - enterotomy, 59–60
    - extracorporeal anastomosis, 56
    - hand port, exploratory laparoscopy and insertion, 52–53
    - hepatic flexure mobilization, 55
    - ileocolic vessels, identification and ligation, 53–54
    - inadequate assistance, 60
    - inferior to superior approach, 57–58
    - lateral to medial approach, 56–57
    - locally advanced cancer, 59
    - medial to lateral approach, 57
    - middle colic vessels, identification and ligation, 55–56
    - morbid obesity, 58–59
    - operative steps, 52
    - port placement and extraction sites, 51–52
    - proximal transverse colon mobilization, 55
    - reinspection, 56
    - reoperative abdomen, 58
    - retroperitoneal plane, dissection, 54
    - right colon mobilization, 54
    - room setup and positioning, 50–51
    - superior to inferior approach, 58
    - terminal ileum mobilization, 54
    - tumor identification, 60
  - laparoscopic approach, 37–38
    - bleeding, 46
    - Crohn's disease, 46
    - duodenum, retroperitoneal plane and identification, 41
    - enterotomy and duodenal injury, 46–47
    - exploratory laparoscopy, 39
    - extracorporeal anastomosis, closure, and reinspection, 43–44
    - hand-assisted laparoscopy, 45
    - hepatic flexure mobilization, 42–43
    - ileocolic vessels, identification and ligation, 39–41

- Right hemicolectomy and ileocectomy (*cont.*)
- inferior to superior approach, 45
  - intracorporeal anastomosis, 44
  - lateral to medial approach, 44–45
  - lesion, difficulty with identification, 47
  - locally advanced cancer, 46
  - medial to lateral approach, 44
  - middle colic vessels, identification and ligation, 43
  - morbid obesity, 45–46
  - port placement and extraction sites, 38–39
  - proximal transverse colon mobilization, 42–43
  - reoperative abdomen, 45
  - right colon mobilization, 41–42
  - room setup and positioning, 38
  - terminal ileum mobilization, 41–42
  - tumor, difficulty with identification, 47
- laparoscopic intracorporeal anastomosis
- duodenum, identification, 71–72
  - exploratory laparoscopy, 71
  - hepatic flexure mobilization, 72–73
  - ileocolic vessels, ligation, 71–72
  - intestinal division, 73
  - intracorporeal anastomosis, 73–75
  - port placement and extraction sites, 71
  - preoperative planning, 69–70
  - proximal transverse colon mobilization, 72–73
  - right colon mobilization, 72
  - room setup and patient positioning, 70
  - specimen bagging, 73
  - terminal ileum mobilization, 72
- robotic approach, 77–78
- approaches, 81–82
  - considerations and complications, 82–83
  - operative steps, 79–81
  - port placement and extraction sites, 78–79
  - room setup and positioning, 78
- robotic intracorporeal anastomosis, 93
- operative steps, 94–96
  - port placement and extraction sites, 94
  - room setup and patient positioning, 94
- single-port laparoscopic approach, 63–64
- closure, 66
  - complications, 67–68
  - duodenum identification, 66
  - exploratory laparoscopy, 65
  - extracorporeal anastomosis, 66
  - hepatic flexure mobilization, 66
  - ileocolic vessels, identification and ligation, 65
  - medial to lateral approach, 67
  - middle colic vessels, identification and ligation, 66
  - operative steps, 65
  - port placement and extraction sites, 64–65
  - proximal transverse colon mobilization, 66
  - reinspection, 66
  - retroperitoneal plane dissection, 66
  - right colon mobilization, 66
  - rollover technique, 67
  - room setup and positioning, 64
  - single port insertion, 65
  - terminal ileum mobilization, 66
- single-port robotic approach, 85–88
- exploratory laparoscopy, 87–88
  - extracorporeal anastomosis, 90–91
  - hepatic flexure mobilization, 89–90
  - ileocolic vessels, identification and ligation, 88–89
  - middle colic vessels, identification and ligation, 90
  - port insertion, 87–88
  - port placement and extraction sites, 87
  - proximal transverse colon mobilization, 89–90
  - retroperitoneal plane dissection, 89
  - right colon mobilization, 90
  - room setup and positioning, 87
  - single-port docking, 88
  - terminal ileum mobilization, 90
- Right lower quadrant (RLQ) port
- sigmoid colectomy, 144
  - total colectomy and proctocolectomy, 188
- Ripstein method, of mesh placement, 160
- Robotic approach
- right hemicolectomy and ileocectomy, 77–78
  - approaches, 81–82
  - considerations and complications, 82–83
  - operative steps, 79–81
  - port placement and extraction sites, 78–79
  - room setup and positioning, 78
  - sigmoid colectomy and left hemicolectomy
  - Hartmann's resection, 147–148
  - mobilization, 147
  - operative steps, 145–147
  - port placement and extraction sites, 144–145
  - room setup and positioning, 143–144
  - transection, 147
- Robotic bipolar vessel sealer, 32
- Robotic docking, sigmoid colectomy, 145–146
- Robotic intracorporeal anastomosis, 93
- operative steps, 94–96
  - port placement and extraction sites, 94
  - room setup and patient positioning, 94
- Robotic low anterior resection, 22
- Robotic right hemicolectomy, 21
- Robotic stapler, 32
- Robotic techniques, 19–20
- Robotic trocar, 30
- Rollover technique, 67
- Running Device RD180™, 248
- S**
- Sacral promontory, suturing to, 171
- SBO. *See* Small bowel obstructions (SBO)
- SCIP. *See* Surgical Care Improvement Project (SCIP)
- Scissors, operating room setup, 19
- Sigmoid colectomy and left hemicolectomy
- hand-assisted laparoscopic approach
  - anastomosis with leak test, 123
  - approaches, 124
  - complications, 125–126
  - exploratory laparoscopy, 121
  - hand port insertion, 121
  - inferior mesenteric artery, identification and division, 121–122
  - mobilization, 122
  - port placement and extraction sites, 120–121
  - room setup and positioning, 119–120
  - splenic flexure mobilization, 122–123
  - transection, 123
  - laparoscopic approach, 109–110
  - anastomosis with leak test, 113–114
  - approaches, 114–115
  - complications, 115–116
  - exploratory laparoscopy, 111
  - inferior mesenteric artery, ureter and ligation, 112
  - inferior mesenteric vein, 112–113

- mobilization, 112
- port placement and extraction sites, 110–111
- room setup and positioning, 110
- transection, 113
- robotic approach
  - Hartmann's resection, 147–148
  - mobilization, 147
  - operative steps, 145–147
  - port placement and extraction sites, 144–145
  - room setup and positioning, 143–144
  - transection, 147
- single-port laparoscopic approach
  - anastomosis with leak test, 137, 140
  - approaches, 137–140
  - descending colon mobilization, 134–137
  - exploratory laparoscopy, 132–133
  - Hartmann's resection, 140–141
  - inferior mesenteric artery ligation, 133–136
  - port placement and extraction sites, 129–132
  - room setup and positioning, 129
  - single port insertion, 132–133
- Sigmoid colon mobilization
  - hand-assisted laparoscopic surgery, 194
  - hybrid robotic approach, 166
  - proctectomy, 176–177
  - single-port laparoscopic approach, 133–136
  - total colectomy and proctocolectomy, 186–187, 201–202
- Sigmoidoscope, 233
- Sigmoid resection, 110
- SILS™ port, 64, 130–132, 244
- Single-assist device, 23–24
- Single-incision laparoscopic surgery (SILS), 63–64, 215
  - complications, 67–68
  - disadvantages, 67
  - total colectomy and proctocolectomy, 199
- Single-port docking, 88
- Single-port insertion, 132–133, 200–201
- Single-port laparoscopic (SPL) technique, 4, 63
  - right hemicolectomy and ileocecectomy, 63–64
    - closure, 66
    - complications, 67–68
    - duodenum identification, 66
    - exploratory laparoscopy, 65
    - extracorporeal anastomosis, 66
    - hepatic flexure mobilization, 66
    - ileocolic vessels, identification and ligation, 65
    - medial to lateral approach, 67
    - middle colic vessels, identification and ligation, 66
    - operative steps, 65
    - port placement and extraction sites, 64–65
    - proximal transverse colon mobilization, 66
    - reinspection, 66
    - retroperitoneal plane dissection, 66
    - right colon mobilization, 66
    - rollover technique, 67
    - room setup and positioning, 64
    - single port insertion, 65
    - terminal ileum mobilization, 66
  - sigmoid colectomy and left hemicolectomy
    - anastomosis with leak test, 137, 140
    - approaches, 137–140
    - descending colon mobilization, 134–137
    - exploratory laparoscopy, 132–133
    - Hartmann's resection, 140–141
    - inferior mesenteric artery ligation, 133–136
    - port placement and extraction sites, 129–132
    - room setup and positioning, 129
    - single port insertion, 132–133
  - stoma construction, 215
    - alternative operative approach, 218
    - complications, 218–219
    - Crohn's disease, 219
    - inadvertent enterotomy/colotomy, 219
    - morbid obesity, 218
    - operative steps, 216–219
    - reoperative abdomen, 218
    - room setup and positioning, 215
  - total colectomy and proctocolectomy
    - background, 199
    - operative steps, 200–202
    - preoperative planning, 199
    - room setup and patient positioning, 199–200
- Single-port robotic approach, 85–86
  - exploratory laparoscopy, 87–88
  - extracorporeal anastomosis, 90–91
  - hepatic flexure mobilization, 89–90
  - ileocolic vessels, identification and ligation, 88–89
  - middle colic vessels, identification and ligation, 90
  - port insertion, 87–88
  - port placement and extraction sites, 87
  - proximal transverse colon mobilization, 89–90
  - retroperitoneal plane dissection, 89
  - right colon mobilization, 90
  - room setup and positioning, 87
  - single-port docking, 88
  - terminal ileum mobilization, 90
- Single-port techniques, 19
- Single-site laparoscopic stoma, 212
- Single-Site Laparoscopy (SSL) Access System, 246
- Sleeve resection, transanal endoscopic microsurgery, 239–240
- Small bowel obstructions (SBO), 11
- Specimen bagging, 73
- Specimen removal
  - laparoscopic intracorporeal anastomosis, 74–75
  - transanal endoscopic microsurgery
    - full-thickness excision, 238
    - partial-thickness excision, 237
  - transanal minimally invasive surgery, 247
- Splenic flexure mobilization, 146
  - hand-assisted laparoscopic surgery, 122–123, 194
  - hybrid robotic approach, 166
  - laparoscopic approach, 102
  - proctectomy, 177
  - proctectomy and rectopexy, 154
  - single-port laparoscopic approach, 134–137, 201–202
  - total colectomy and proctocolectomy, 186–187
- SSIs. *See* Surgical site infections (SSIs)
- Staplers, operating room setup, 19
- Steeper Trendelenburg position, 58
- Stoma construction
  - laparoscopic approach
    - advantage, 207
    - background, 205–207
    - endoscopic-assisted stoma, 212
    - gasless laparoscopic stoma, 212
    - operative steps, 209–212
    - permanent vs. temporary stoma, 206
    - port placement, 208–209
    - preoperative planning, 207–208
    - room setup and positioning, 208
    - single-site laparoscopic stoma, 212
  - trephine stoma, 212

- Stoma construction (*cont.*)
- single-port laparoscopic approach, 215
  - alternative operative approach, 218
  - complications, 218–219
  - crohn's disease, 219
  - inadvertent enterotomy/colotomy, 219
  - morbid obesity, 218
  - operative steps, 216–219
  - reoperative abdomen, 218
  - room setup and positioning, 215
- Submucosal transanal excision, 236
- Suction-irrigation device, 19
- Superior to inferior approach
- HALS port, 124
  - sigmoid colectomy, 114
- Supine positioning, for straight laparoscopic approach, 50
- Surgeon-disease-screen setup, 129
- Surgeon's console, 25–27
- Surgical Care Improvement Project (SCIP), 10–11
- Surgical instruments navigation, 30–31
- Surgical site infections (SSIs), 10–11
- SutureCut™ needle drivers, 31
- Suturing, robotic surgery, 31–32
- T**
- TAMIS. *See* Transanal minimally invasive surgery (TAMIS)
- TEM. *See* Transanal endoscopic microsurgery (TEM)
- Tension-free anastomosis
- HALS port, 126
  - laparoscopic approach, 116
- Terminal ileum mobilization, 41–42, 54
- laparoscopic intacorporeal anastomosis, 72
  - robotic approach, 80
  - single-port laparoscopic approach, 66
  - single-port robotic approach, 90
- TES. *See* Transanal endoscopic surgery (TES)
- Total colectomy and proctocolectomy, 183–184
- operative steps, 185–188
  - port placement and extraction sites, 184–185
  - room setup and positioning, 184
- Total mesorectal excision (TME), 151, 167
- Total robotic approach, proctectomy
- abdominoperineal resection, 179–180
  - operative steps, 176–179
  - port setups and extraction sites, 175–176
  - preoperative planning, 173
  - room setup and positioning, 174–175
- Transanal endoscopic microsurgery (TEM)
- background, 233
  - full-thickness excision, 237–238
  - holding system, 234
  - natural orifice specimen extraction, 240–241
  - operating instruments, 235
  - operative proctoscope, 234
  - operative steps
    - full-thickness excision, 238–239
    - partial-thickness excision, 236–237
  - optics, 234–235
  - partial-thickness excision, 235–236
  - patient preparation, 233
  - platforms for, 233
  - rectal adenoma, 224
  - room setup and positioning, 234
  - sleeve resection, 239–240
  - TAMIS, 243
- Transanal endoscopic surgery (TES)
- anastomotic leak, 226–227
  - applications of, 224
  - basic operative setup and instrumentation, 228–229
  - benign strictures, 227
  - carcinoid tumors, 226
  - complications, 229–231
  - history and evolution, 223–224
  - laparoscopic vs. open TME, 223
  - NOTES, 227
  - palliation of rectal cancer, 225–226
  - patient selection and workup, 227–228
  - pelvic abscess, 227
  - platforms, 229
  - postoperative care, 229–231
  - procedural technique, 229
  - rectal adenoma, 224
  - rectal cancer, 224–225
  - rectovaginal and rectourethral fistulas, 226
  - retrorectal tumors, 226
  - transanal endoscopic microsurgery, 223
- Transanal excision (TAE), 223, 225
- Transanal minimally invasive surgery (TAMIS)
- background, 243
  - defining, 243
  - high dorsal lithotomy position, 244
  - in lithotomy position, 229
  - operating instruments, 246
  - operative steps, 246–248
  - patient preparation, 243–244
  - platforms, 244–246
  - port setup and instrumentation, 244–246
  - prone jackknife position, 244
  - room setup and positioning, 244
  - TEM platform, 243
- Transection, total colectomy and proctocolectomy, 187
- Transverse colectomy, laparoscopic approach, 99
- closure, 104–105
  - exploratory laparoscopy, 101
  - extracorporeal anastomosis, 104–105
  - hepatic flexure mobilization, 102
  - middle colic vessels, identification and ligation, 102–104
  - omental division or resection, 101
  - port placement and extraction sites, 100–101
  - preoperative planning, 100
  - re-inspection, 104–105
  - room setup and patient positioning, 100
  - splenic flexure mobilization, 102
- Transverse colon mobilization
- hand-assisted laparoscopic surgery, 192–193
  - inframesocolic approach, 55
  - single-port laparoscopic approach, 201
  - total colectomy and proctocolectomy, 186
- Trendelenburg position, exploratory laparoscopy, 39
- Trephine stoma, laparoscopic approach, 212
- Triangulation technique, 140
- Trocar placement
- adequate insufflation and, 71
  - at colostomy site, 210
  - at ileostomy site, 210
- Trocars, operating room setup, 19
- Tumor identification
- difficulty with, 47
  - hand-assisted laparoscopic approach, 60, 126
  - laparoscopic approach, 116
- Tumor localization, 7

**U**

Ulcerative colitis (UC), 183  
Undocking, robotic surgery, 29  
Ureteral stents, proctectomy, 173  
U-shaped articulating holding system, TEM, 233

**V**

Vascular ligation, 40–41  
Venous thromboembolism (VTE) prophylaxis, 10  
Ventral rectopexy, 159  
Veress needle, 22, 23, 45  
Vertical rectus abdominis-myocutaneous (VRAM) flap, 170

**W**

Waldeyer's fascia, 160

**X**

Xenon light source, 17

**Y**

Yellofin Stirrups, 21