

Index

A

- Abdominal aortic aneurysm (AAAs)
 - ECM
 - collagen, 59, 60
 - elastin, 60
 - proteoglycan (PG), 60–61
 - histomechanical constitutive models (*see* Constitutive modeling, AAA tissue)
- Active myocardial mechanics
 - crossbridge mechanics, 441–442
 - FEM, 449–452
 - fiber-sheet dispersion effects, 453–454
 - hexagonal lattice model, 442–443
 - histological measurements, 441
 - lattice spacing, 447–449
 - sheet angle, 448, 449
 - strain dependence
 - angle distributions, 454–459
 - transverse stress, 453
 - systolic stress
 - angles, model, 443, 444
 - equi-biaxial stretch, 446, 447
 - finite element computational model, 446, 447
 - finite element formulation, 445
 - Guccione activation model, 443
 - mean fiber orientation, 444
 - pre-computable functions, 446
 - sheet-sheet coupling, 443–444
 - simplifying assumptions, 446
 - von-Mises distribution, 445
 - three-dimensional active stresses, 440
 - tissue-scale models, 440
- Adipose tissue
 - active metabolism, 79
 - biological structure, 80
 - mechanical properties, 80, 81
 - musculoskeletal/connective tissues, 80
 - structure–function relationships, 80
 - subcutaneous, dermal and intraperitoneal, 79
- Adventitia model, 280–281
- Angular integration
 - compressive deformation, 23
 - Green-Cauchy strain tensor, 23
 - numerical solution, 24
 - Piola–Kirchhoff stress tensor, 23
 - planar fiber distributions, 23
 - spatial density distribution function, 23
 - strain energy, 23
 - vs. structure tensor approach
 - error percentage, 29, 30
 - fiber distribution, graphical representation, 27
 - numerical comparison, 26
 - second Piola–Kirchhoff stresses, 28
 - strain energy, 26
 - Taylor expansion, 29
 - transversely isotropic distribution, 28, 29
 - uniaxial and biaxial tension, 27
 - von Mises distribution, 27
 - 3D fiber distribution, 23
 - unit sphere discretization, 24
- Anisotropic viscoelastic distributed fiber model, 303–305
- Arterial hyperelastic constitutive modeling, 278–279
- Arterial wall, 226

B

- Biaxial testing
 - biaxial rig hardware, 154–156
 - biaxial testing, 153–154
 - cornea and sclera, 289
 - finite element implementation
 - clamped boundary conditions, 359
 - sutured boundary conditions, 358
 - mechanical response, characterising and comparing, 154
 - planar soft tissue, 153
 - skin mechanics, 317, 318
 - ventricular myocardium, 257
- Bi-component constitutive theory, x–xi
- Biomedical Engineering 49 (BME), v, vi
- Blood vessel biomechanics, 265
 - adventitial fiber model, 280–281
 - coronary media (*see* Coronary arterial media model)

C

- Cardiomyocytes, 251–252
- Cauchy stress, 300
- Cavity-induced extracellular (interstitial) pressure (CIP), 209
- CCD. *See* Charge-coupled device (CCD)
- Cell mechanics
 - contractile forces and traction microscopy, 42–43
 - fluidization/reinforcement, 47–48
 - MSM and intercellular stresses, 44
 - OMTC, 45–46
 - plithotaxis, 48–50
 - SGM, 50
 - stretch-induced fluidization, 50
- Cell scale studies, 84–85
- Charge-coupled device (CCD), 138–139
- CNS tissues
 - age, 6
 - brain white matter, 5
 - disease processes, 6
 - microstructure
 - brain, 2–3
 - spinal cord, 3
 - microstructure, 3–4
 - MRE, 5
 - neuronal kinematics, 5
 - relaxation behaviour, 5
 - structural rearrangements, 5
 - wave attenuation, 6
- Collagen fibres, 136, 138
 - AAAs

- azimuthal angle and elevation angle, 62, 64
- Bingham distribution function, 62, 64, 65
 - imaging, 61, 62
 - PLM, 62, 63
 - remodeling and weakening, 60
- anisotropy, cornea and sclera
 - limbus, 305–308
 - peripapillary sclera, 308–310
- Collagenous tissues
 - load-bearing tissues, 15
 - mechanical load transmission, 15
 - mechanical models, 16
- Collagen waviness, 258–259
- Compressible Neo-Hookean model, 299
- Computationally coupled two-scale analysis
 - FEM, 99
 - homogenization scheme, 99
 - of human eye, 107–108
 - human eye model, macro-level, 100–101
 - Lamina Cribrosa model, meso-level, 101–103
 - laminar beam structure, 105–107
 - mesoscopic deformation gradient, 100
 - numerical results
 - collagen fibrils, 108
 - in-plane stress, 113
 - maximum principal stress distribution, human eye, 110
 - meso- or macrostructure, lamina cribrosa, 109
 - strain- and stress-like quantities, 108
 - strain environment, axon bundles, 111
 - numerical two-scale model, human eye, 98
 - parameter identification, axon bundles, 104–105
 - Piola-Kirchhoff stress tensors, 99
 - scale transitions, 99
- Conceptual fibre distribution model, 146–148
- Constitutive modeling, AAA tissue
 - adaptation model
 - collagen turnover, 70–71
 - FE model, 72
 - isotropic collagen orientation density, 73
 - orthotropic distribution, 73
 - sensing model, 71
 - smoother wall stress distribution, 73
 - structure update model, 72
 - azimuthal orientation, 69
 - collagen fiber density and orientation, 66
 - inter-fiber and inter-fibril sliding, 70

- passive histomechanical model
 - CFPG-complex, 67–68
 - finite strain kinematics, 66–67
 - parameter identification and model validation, 68–69
 - phenomenological approaches, 65
 - Contractile forces and traction microscopy, 42–43
 - Cornea and sclera biomechanics
 - collagen fiber anisotropy
 - limbus, 305–308
 - peripapillary sclera, 308–310
 - fully integrated distributed fiber model, 298–303
 - glaucoma, 288
 - inflation testing
 - development, 311–312
 - experimental setup, 290–293
 - strain analysis, 293–295
 - stress analysis, 295–297
 - vs. uniaxial strip testing, 289
 - mechanical properties, 285–286
 - viscoelastic distributed fiber model, 303–305
 - WAXS, 286–288, 300–302, 309
 - Coronary arterial media model
 - assumptions, 267, 269
 - descriptive power, 276–277
 - examination, 274–275
 - experimental database, 272
 - fibers, 270–271
 - hyperelastic material, 269–271
 - kinematics and statics, 267–269
 - optimal parameter estimation, 274
 - osmotic swelling, 266
 - parameters and physical significance, 271–272
 - phenomenological model, 275
 - schematic illustration, 270
 - semi-structural model, 275–276, 279
 - torsional stiffness, 272–274
 - 2D-to-3D predictive power, 277
 - Coronary arterial tree, 3D reconstruction, 187–192
 - Coronary artery adventitia
 - finite-strain micromechanics model, fibrous tissue, 230
 - geometrical and mechanical features, 230–232
 - homogenization approach, 232–233
 - modeling predictions, comparison, 235–237
 - second-order microstructural model, 233–234
 - limitations, 244–245
 - microstructure-based constitutive model, 227–228
 - phenomenological constitutive model, 226–227
 - quantitative morphometric data
 - in situ deformation, 241–243
 - material and method, 238–239
 - morphometric data, 239–241
 - Coronary autoregulation, 219
 - Coronary vascular stiffness, 218–219
 - Coronary vasculature
 - architecture, 176–178
 - diameter asymmetry, 178–185
 - area expansion ratio, 180, 181
 - characterization, 178
 - diameter ratio, 180, 181
 - flow distribution, 182, 183
 - significance, 184
 - statistical morphometric data, 179
 - velocity ratio, 183, 184
 - wall shear stress, 184
 - network, morphometric models, 186–187
 - physiological significance, 3D model, 195–199
 - porcine coronary vasculature, 192–195
 - structure–function relations, 185, 186
 - 3D reconstruction, arterial tree, 187–192
- D**
- Digital image correlation (DIC), 291–293, 322, 324
 - Discrete fiber models, cornea and sclera, 297
 - Distributed fiber models, cornea and sclera, 297–298
- E**
- Effective torsional stiffness, 274
 - Elastin fibres, 136
 - Electronic speckle pattern interferometry (ESPI), 291
 - EPCAs. *See* Epicardial coronary arteries (EPCAs)
 - Epicardial coronary arteries (EPCAs), 176, 177
 - Equal area model, fibrous tissues
 - error prediction, 341–343
 - fiber distribution, 340–341
 - structural tensors, 341
 - Equi-biaxial testing
 - finite element implementation, 354, 356
 - ventricular myocardium, 256

- Extracellular matrix (ECM), 418, 420–421
 collagen, 59, 60
 elastin, 60
 proteoglycan (PG), 60–61
 Eyring model, 304
- F**
- Fascia microcirculation
 blood flow simulation
 network, 406–407
 rat spinotrapezius muscle fascia,
 404–405
 rheology, 405–406
 spatial microhemodynamic display,
 407–408
 vessel elasticity, 405
 hemodynamics, 408–411
- Fast Fourier transformation (FFT), 18–19
- Fat biomechanics
 adipose tissue, 79–80
 cell-level structure–function–adaptation
 relationships, 86–89
 cell scale studies, 84–85
 cell stiffness properties, 90
- FEM. *See* Finite element method (FEM)
- Fiber orientation distribution
 Achilles tendon, 16–17
 applications
 annulus fibrosus, 34–36
 aortic valves, 32–33
 arterial tissue, 31, 32
 articular cartilage, 33
 biaxial tension tests, 32, 34
 bimodal distribution, 21
 density function, 21
 FFT, 18–19
 imaginary error function, 22
 modeling fiber mechanics, 22
 MRI methods, 20
 normal and von Mises distribution, 21
 orthotropic symmetries, 22
 probability function, 20
 quantitative polarized light, 18
 SALS, 17
 second harmonic generation, 19–20
 tissue anisotropy, 16
 transversely isotropic, 21
 von Mises distribution, 21, 22
- Fiber waviness, 253–254, 258–259
- Fibrous tissues
 equal area model
 error prediction, 341–343
 fiber distribution, 340–341
 structural tensors, 341
- icosahedron model
 anisotropic response, 333–335
 Flynn model, 343
 isochoric extension, 335–337
 isotropic response, 334
 refined model, 337–340
 sketch of, 331
 strain energy function, 333
 symmetric structural tensors, 331–332
 undesirable anisotropy, 337–340
 undulation distributions, 329–330
- Finite element implemented structural model
 biaxial test simulations, 354, 355, 361
 clamped boundary conditions, 359
 sutured boundary conditions, 358
 flexural simulations, 358
 material parameters, 353–354
 membrane inflation simulations, 354, 360
 post-processing procedures, 356–357
 uniaxial tension simulation, 354, 355, 357,
 361
- Finite element method (FEM)
 active normal stresses, 451, 452
 active stress-coupling model, 449
 equi-biaxial stretch, 449
 fiber and cross-fiber stresses, 450, 451
 myocardial microstructure, 250, 259,
 260
- Finite-strain micromechanics model
 geometrical and mechanical features
 collagen fibers, geometry and material
 property, 231–232
 matrix, material property, 231
 homogenization approach, 232–233
 modeling predictions, comparison,
 235–237
 second-order microstructural model,
 233–234
- Flexural simulations, FEM structural model,
 358
- Flow analysis computational platform
 dynamic flow analysis, 206–207
 in situ vessel mechanics, 205–206
 MVI, 207
 network anatomy, 204
- Fractional ensemble fiber recruitment (FEFR),
 357, 358
- Fully integrated distributed fiber model,
 298–303
- Fung-type model, 275, 278, 279

G

- Generalized icosahedron model
 - advantage and disadvantage, 344
 - formulation, 343–344
- Generalized structure tensors, 25–26
- Genetic algorithm method, 266, 274
- Glaucoma, 288
 - characteristics, 94
 - human eye anatomy, 94
 - lamina cribrosa, macro- and mesostructure, 95
 - pathophysiology, 95
- Glycosaminoglycans (GAGs), 421
- Green-Cauchy strain tensor, 23
- Green-Lagrange strain tensor, 351
- Growth and remodeling theories
 - constrained mixture theory, 129
 - microstructurally motivated approach, 129–130
 - rule-of-mixtures approach, 129–130
 - stress–strain relations
 - hyperelastic constitutive relations, 125
 - Lagrange multiplier, 126
 - myocytes and the collagen fibers, 127
 - strain energy function, 125

H

- Helical fiber energy function, 272
- Hemodynamics, 226
- Histomechanical modeling, AAAs. *See*
 - Abdominal aortic aneurysm (AAAs)
- Holzapfel semi-structural model, 276, 277
- Hyperemic stenosis resistance (HSR), xiii

I

- Icosahedron-based method, 24
- Icosahedron model, fibrous tissues
 - anisotropic response, 333–335
 - Flynn model, 343
 - isochoric extension, 335–337
 - isotropic response, 334
 - refined model, 337–340
 - sketch of, 331
 - strain energy function, 333
 - symmetric structural tensors, 331–332
 - undesirable anisotropy, 337–340
- Indentation tests, 322
- Inflation testing, cornea and sclera
 - development, 311–312
 - experimental setup, 290–293
 - strain analysis, 293–295

- stress analysis, 295–297
 - vs. uniaxial strip testing, 289
- In situ deformation, elastin and collagen fibers, 241–243
- In situ tests, skin mechanics, 319–320
- Interlamellar fiber energy function, 271
- Intramural artery athero-protection, 220
- Inverse finite element analysis (IFEA), 291, 300–301, 311–312
- Inverse methods, skin mechanics
 - advantage and disadvantage, 318
 - displacement fields, 320
 - schematic diagram, 320
 - strain distribution, 318, 319
- In vitro biaxial testing
 - identification strategy, 161–162
 - results and identifiability issues, 162–163
- In vitro experiments
 - skin mechanics, 322–323
 - of skin properties, 167–169
 - ventricular myocardium, 259–261
- Ischemic heart disease, 203

K

- Kassab, Ghassan S.
 - agricultural engineering, v
 - bi-component theory, x–xi
 - BME, v, vi
 - constitutive formulation, x
 - coronary circulation functions, xi
 - efficient microstructure representation, xv–xvi
 - experimental tissue-structure characterization, xv
 - interstitial negatively charged proteoglycans, x
 - Kibbutz, Israel, v
 - micromechanical analysis in the myocardium, xii
 - microstructural approach, viii
 - osmotic swelling and residual stress, xi
 - pressure-induced myogenic control, xiv
 - quantitative prediction and design, xiv
 - soft tissues growth and remodeling (G&R), xiv
 - strain energies, viii
 - “swelling stress,” xi
 - theory of constitutive characterization, ix
 - tissue biomechanics, vii, x
 - University of California at San Diego (UCSD), vi
 - water system engineer, v

L

- Lagrange strain tensor, 294
- Lamina Cribrosa
 - collagen structures, 95
 - constitutive models, 96
 - coupled two-scale analysis (*see* Computationally coupled two-scale analysis)
 - eye macrostructure, 95
 - higher order element formulations, 115
 - macroscopic factors, 95
 - multi-layer shell element, 115
 - orthotropic material properties, 95
 - remodeling rule, computational model, 96
- Lanir's Angular Integration formulation are, 24
- Left anterior descending (LAD) coronary media, 266, 271, 272, 280
- Left ventricle (LV) remodeling, 249–250, 259–260

M

- Magnetic resonance imaging (MRI)
 - methods, 20
 - myocardial microstructure, 259, 260
- Maxwellian fluids, vi
- Mechanical failure of soft tissues
 - capillary failure, 418
 - failure
 - of cells and tissues, 421–422
 - of ECM components, 420–421
 - of molecules, 419–420
 - homogeneous network models
 - mechanical forces, effects of, 423–425
 - percolation, 422–423
 - network repair, 432–433
 - two-phase networks
 - analytical modeling, 430–431
 - non-percolating constituents, 427–430
 - percolating constituents, 426–427
- Membrane inflation simulations, FEM
 - structural model, 354, 360
- Membranous tissues
 - biaxial rig hardware, 154–156
 - connective tissues
 - model-based approach, 148
 - phenomenological models, 149
 - structural models (*see* Structural models)
 - constitutive parameter identification
 - in vitro biaxial testing, 161–163
 - in vivo identification, skin properties, 167–169
 - modelling, 163–164

- parameter estimates and improving
 - identifiability, uniqueness, 166–167
 - results, 164–166
 - mechanical response, characterising and comparing, 154
 - planar soft tissue, 153
 - three-dimensional testing, 157–159
 - tissue structure quantification
 - conceptual fibre distribution model, 146–148
 - extended-volume CLSM, 139–142
 - fitting fibre orientations, 144–146
 - structure tensor approach, 143–144
- Micromechanical models, 301
- Microstructurally based multi-scale constitutive model. *See* Active myocardial mechanics
- Microstructure-based constitutive model, 227–228
- Mitral valve (MV)
 - components, 367
 - constitutive models
 - chordae tendineae, 372
 - simplified structural model (SSM), 370
 - strain energy function (SEF), 370–371
 - definition, 365–366
 - FE model
 - computational framework, 367
 - MVAL and MVPL, 374–375
 - specifications, 373
 - fiber microstructural mapping, 375
 - load-controlled biaxial testing protocols, 372
 - micro-CT images, 368
 - modeling fidelity level, 374
 - NOI values at transvalvular pressure levels, 377
 - quantification and mapping
 - affine fiber kinematics, 369
 - MV leaflets, 370
 - SALS, 368
 - simulations, 378
 - SSM, 372
 - stress–strain relationship, 375–376
- Modeling fiber mechanics
 - angular integration, 23–24
 - generalized structure tensors, 25–26
- Monolayer stress microscopy (MSM), 44, 45
- MPM. *See* Multi-photon microscopy (MPM)
- MSM and intercellular stresses, 44
- Multi-photon microscopy (MPM), 229
- MVI. *See* Myocardium/vessel interaction (MVI)

- Myocardial ischemia
 clinical implications, 213–215
 methodological approach, 213
 result summary, 213
- Myocardium/vessel interaction (MVI), xii
 coronary autoregulation, 219
 coronary vascular stiffness, 218–219
 intramural artery athero-protection,
 determinants, 220
 model-based predictions, 221
 myocardial ischemia
 clinical implications, 213–215
 methodological approach, 213
 result summary, 213
 physical mechanisms
 biophysical implications, 210–211
 methodological approach, 208–209
 result summary, 209–210
 physics-based analysis, 220
 stenosis severity indices, consistency, 215
 clinical implications, 217–218
 methodological approach, 216
 result summary, 216, 217
- N**
- Netafim, vi
- Neural tissue mechanics
 CNS tissues (*see* CNS tissues)
 constitutive models, 9–10
 nerve sheath, 2
 peripheral nervous system tissues, 4
 structure–function relationships, 7–9
- Numerical integration method, 24
- O**
- OMTC. *See* Optical magnetic twisting
 cytometry (OMTC)
- Optical magnetic twisting cytometry (OMTC),
 45–46
- Orientation distribution function (ODF), 352,
 368
- P**
- Peak Wall Rupture Risk (PWRR), 58
 Peak Wall Stress (PWS), 58
 Peripheral nervous system tissues, 4, 7
 Phenomenological models, 149, 226–227, 278,
 279, 347
 disadvantage, 266
 ventricular myocardium, 250, 257
- Piola–Kirchhoff stress tensor, 23, 150, 151,
 300, 352
- Plithotaxis
 biochemical signaling, 48
 cellular migration, 49, 50
 oogenesis, 49
- Porcine coronary vasculature, 192–195
 Porcine skin mechanics, 324, 325
 Pries model, 405–406
 Probability density function (PDF), 297–298
- Pulmonary artery
 collagen fiber moduli, 398–399
 considerations and assumptions, 386–387
 constitutive model
 for collagen, 390–391
 for elastin, 388–389
 effects of age, 397–398
 equivalent quality fits, 396
 mechanical and structural data, 386
 mechanical properties, 384, 399
 model parameter estimation
 fiber ensemble responses, 392–394
 Karush–Kuhn–Tucker conditions, 395
 post-processed structural and mechanical
 data, 395
 regional differences, 396–397
 spatial growth, 384–385
 tissue level strain energy function, 387–388
- Q**
- Quantitative polarized light-mechanical testing
 system, 18
- R**
- Rabbit skin mechanics, 324, 325
 Realistic distributive coronary flow analysis,
 xiii
- S**
- SALS technique. *See* Small angle light
 scattering (SALS) technique
- Second harmonic generated (SHG)
 measurements, 311
- Second harmonic generation, 19–20
 Second-order microstructural model, 233–234
 Semi-structural model, coronary arterial media,
 275–276, 279
- SGM, 50
- Shortening-induced intracellular pressure
 (SIP), 208, 209

- SIP. *See* Shortening-induced intracellular pressure (SIP)
- Skeletal muscle fascia, microvascular model analysis, 403
- blood rheology, 405–406
- capillary
- endothelium pseudopod formation, 413
 - rheological control, 413–414
 - velocity distribution in, 411–413
- hemodynamics, 408–411
- network simulation, 406–407
- rat spinotrapezius muscle fascia, 404–405
- spatial microhemodynamic display, implementation of, 407–408
- vessel elasticity, 405
- Skin mechanics
- biaxial testing, 317, 318
 - epidermis, 322–325
 - in situ tests, 319–320
 - in vitro experiments, 322–323
 - inverse methods
 - advantage and disadvantage, 318
 - displacement fields, 320
 - schematic diagram, 320
 - strain distribution, 318, 319
 - micro-indentation experiments, 323
 - microstructural models, 317
 - shear tests, 323–325
 - stratum corneum, 321
- Small angle light scattering (SALS) technique, 17, 138, 139, 359, 361, 368
- Spatial density distribution function, 23
- Sprinkle irrigation, vi
- Stenosis severity indices
- clinical implications, 217–218
 - methodological approach, 216
 - result summary, 216, 217
- Strain dependence, angle distributions
- active stress tensor, 456, 459
 - actual standard deviation *vs.* predicted values, 456, 457
 - biaxial strains, 456, 458
 - continuum mechanics principles, 454–455
 - fiber dispersion functions, 455
 - on fiber distribution, 455, 456
- Stress–strain relationship, 253–254
- Structural models, 266, 278–280
- discretised fibre model, 152–153
 - fibre networks, geometric arrangement, 149
 - fibre orientations with continuous distributions, 150–152
 - in vitro uniaxial response, 150
- Structure–function–adaptation relationships, cell-level
- adipogenesis, 86
 - continuum-scale stiffening, 87
 - cyclic stretching/vibration, 86
 - differentiation and growth process, 87
 - ERK/MEK pathway, 86
 - lipid mechanotransduction, 86
 - physiological equilibrium, 87
 - signaling pathways, 86
 - 3T3-L1 adipocytes
 - in culture, differentiation, 87, 88
 - optical path delay, 87, 89
- T**
- 3D conceptual model, 146, 195–199
- Three-dimensional testing, 157–159
- Tissue-scale studies
- confined compression, 80
 - continuous relaxation function, 82
 - deformation loading, 82
 - elastic moduli, 82–83
 - 5-parameter Maxwell solid model, 82
 - inter-specie differences, 83
 - measurement techniques and protocols, 83
 - plastic reconstructive surgeries, 80
 - swift indentations techniques, 80
- Torsional stiffness, 272–274
- Total fiber angular distribution function, 353
- Total fiber recruitment (TFR), 357
- Tropoelastin, 420
- U**
- Uniaxial strip testing, cornea and sclera, 289
- Uniaxial tension simulation, FEM, 354, 355, 357, 361
- V**
- Vascular biomechanics, 265
- AAAs (*see* Abdominal aortic aneurysm (AAAs))
 - computational methods, 58
 - computer technology, 58
 - constitutive modeling, 59
 - diabetes, 58
 - FEM, 58
 - life expectancy, 58
 - macroscopic mechanical properties, 59
 - obesity, 58
 - PWRR, 58
- Ventricular myocardium
- in-vivo characterization, 259–261

- remodeling, 258
 - structural-based constitutive models
 - biaxial testing, 257
 - cardiac muscle, 251–252
 - fiber distribution, 255–256
 - fiber waviness, 253–254, 258–259
 - validation, 256–257
 - ventricular wall, 251
 - Ventricular wall stress, 249–250
 - Viscoelastic distributed fiber model
 - developments, 303–304
 - evolution equation, 304–305
 - time-dependent behavior, 305, 306
 - von Mises distribution function, 298–299
- W**
- Wall shear stress, 184
 - Wide-angle X-ray scattering (WAXS), sclera and cornea, 286–288, 300–302, 309
- Z**
- Zipper Network Model (ZNM), 427–430