

Index

A

- ACCP. *See* American College of Chest Physicians (ACCP)
- Adverse drug events (ADEs)
 - CPOE, 57
 - critical care pharmacist, 44–45
 - SBAR, 96
- Affiliate providers, 45–46
- Agency for Healthcare Research and Quality (AHRQ), 92, 94, 96, 98, 198–199
- American Association of Cardiovascular Nurses (AACN), 16, 42
- American Association of Critical Care Nurses (AACN), 16, 99, 138–139
- American Board of Internal Medicine (ABIM), 77
- American College of Chest Physicians (ACCP), 100, 139, 262
- American Thoracic Society (ATS), 19–20, 100
- Antisepsis, 12–13
- Asia Pacific Association of Critical Care Medicine (APACCM), 19
- Australia–New Zealand Intensive Care Society (ANZICS), 19
- Aviation safety
 - checklists
 - The Checklist Manifesto*, 94
 - commercial jet mishap rate, 93
 - Keystone ICU project, 94
 - NATOPS program, 94
 - protocols and order sets, 95
 - Surgical Safety Checklist, 93–94
 - crew resource management, 95–96
 - Swiss cheese model, 91–92

B

- Blood gas analysis, 43
- Bradley thermodilution catheter, 14

C

- Cardiac intensive care unit (CICU), 73–74, 77, 78
- Cardiopulmonary resuscitation (CPR), 180–181, 185
- CCI. *See* Chronically critically ill (CCI)
- CCM. *See* Critical care medicine (CCM)
- Centers for Medicare and Medicaid Services (CMS), 96, 98
- CESAR. *See* Conventional ventilator support versus ECMO for severe adult respiratory failure (CESAR)
- The Checklist Manifesto*, 91, 94
- Chronically critically ill (CCI)
 - Agency for Healthcare Research and Quality (AHRQ), 198–199
 - care delivery
 - hospitals-within-hospitals, 209
 - initial care site, 207
 - LTCH (*see* Long-term care hospitals (LTCHs))
 - specialized PMV units, 208
 - sub-acute care, 207
 - clinical challenges
 - indirect calorimetry, 200
 - infectious complications, 200
 - mechanical ventilation, 199
 - tracheostomy, 199–200
 - communication and prognosis, 212–213

- Chronically critically ill (CCI) (*cont.*)
- comorbidities and multiorgan failure, 198
 - continuity of care, 211–212
 - costs analysis/resource use
 - diagnosis-related group (DRG), 204
 - LTCH, 205–206
 - mechanical ventilation, 206–207
 - Medicare program, 204–207
 - tracheostomy, 203–205
 - mechanical ventilator weaning, 198
 - outcomes assessment
 - discharge disposition codes, 200–201
 - functional independence, 202–203
 - LTAC hospital study, 203
 - LTCHs, 201
 - Medicare program, 201, 202
 - mortality rate, 202
 - skilled nursing facility, 201–202
 - patients requirement, 198
 - prognosis, 212–213
- CICU. *See* Cardiac intensive care unit (CICU)
- CIS. *See* Clinical information systems (CIS)
- Classification and regression tree (CART)
 - analysis, 170
- Clinical information systems (CIS)
 - definition of, 54
 - disadvantages, 55
 - electronic reminders, 54
 - EMR Adoption Model, 55
 - financial benefits, 60–61
 - financial limitations, 61
 - ICU CIS
 - commercial systems, 56
 - CPOE system, 57–58
 - Critical Care CIS, 56
 - data warehousing, 60
 - decision support, 58–59
 - electronic access, 56
 - functions, 56
 - interfaces, 59–60
 - PACS system, 56
 - interoperability, 61
 - LIS, Pharmacy System, RIS, 55
 - quality improvement, 60
 - remote ICU care
 - management models, 64–65
 - outcomes data, 66
 - remote intensivists interventions, 65–66
 - technological requirements for, 65
 - telemedicine, 64
 - ubiquitous/pervasive computing
 - artificial intelligence, 61
 - context-aware services, 62
 - mobile computing, 62–63
 - software-agent-based paradigm, 61
 - user acceptance and data security, 61
- Communication
 - CCI patients, 212–213
 - cognitive and sharing processes, 112–114
 - definition, 110
 - electronic systems, 121
 - environmental influences on, 113–115
 - in healthcare
 - case discussions, 118
 - multidisciplinary rounds, 118, 120
 - on/off-site communication, 117
 - orders, 119–120
 - synchronous/asynchronous, 117
 - transitions of care, 119
 - verbal/written communication, 117
 - language, style, and form, 122–123
 - memory, effects of, 116–117
 - protocols, 121–122
 - SBAR, 146, 147
 - social influences on, 115–116
 - social interactions, 109, 110
 - standardization and templates, 121
 - stimulus
 - degree of information, 111–112
 - meaning, formation of, 111
 - team communication, 129–130
- Compressed oxygen tanks, 264–265
- Computerized provider order entry (CPOE), 57–58
- Computer on wheels (CoW), 62
- Computer systems
 - clinical information systems (*see* Clinical information systems (CIS))
 - EHR, definition of, 54–55
 - EMR, definition of, 54
- Context-aware network, 62
- Continuous positive airway pressure (CPAP)
 - ventilation, 10–11
- Conventional ventilator support versus ECMO
 - for severe adult respiratory failure (CESAR), 225
- Coronary care units (CCUs), 16, 72
- CPOE. *See* Computerized provider order entry (CPOE)
- CPR. *See* Cardiopulmonary resuscitation (CPR)
- Crew resource management (CRM), 95–96, 146
- Critical care
 - definition, 3–4
 - health professionals in

- affiliate providers, 45–46
 - cost and business model, 49
 - dietitians, 46
 - intensivist-led multiprofessional team, value of, 48–49
 - nurses, 42–43
 - perfusionists, 47–48
 - pharmacist (*see* Pharmacist)
 - physiotherapists, 47
 - respiratory therapists (*see* Respiratory therapists)
- organizational change in, 5–7
- outcome improvements, 4–5
- quality improvement (*see* Quality improvement (QI))
- regional, national/international comparisons of
 - critical care delivery, 238–239
 - delayed admissions, 241–242
 - denominator, 240
 - end-of-life practices, 243
 - locations, 242
 - patient discharge, 242–243
 - patient selection, 240–241
- Critical Care Assembly, 19–20
- Critical care medicine (CCM)
 - antisepsis, 12–13
 - education and board certification, 20–21
 - evolution of, 10, 11
 - fellowship training program, 15
 - hemodynamic monitoring, 13–14
 - intensive care unit (*see* Intensive care unit (ICU))
 - mechanical ventilation
 - CPAP, 10–11
 - Drinker tank ventilator, 11
 - INPV, 12
 - IPNPV, 10
 - IPPV, 10
 - mouth-to-mouth resuscitation, 10
 - piston ventilator, 12
 - rhythmic insufflation, 10, 12
 - research, 21–22
 - societies and congresses, 18–20
- Critical care registered nurse (CCRN), 16, 42

- D**
- Dietitians, 46
- Digital Imaging and Communication in Medicine (DICOM), 56

- Disaster planning
 - all-hazards approach, 262
 - evacuation, 270–271, 273
 - guidance, 262
 - hazard-vulnerability analysis, 262–263
 - resource allocation
 - guidelines, published protocols, 272
 - inclusion and exclusion criteria, 272
 - prioritization tool, 272
 - scarce resource allocation plan, 271–272
 - triage team structure, 272–273
 - surge capability plans
 - contingency, 263
 - conventional capability, 263
 - crisis, 263
 - critical care space, 263–264
 - equipment availability, 264–266
 - nonrespiratory medical equipment, 267–269
 - personnel, 266, 270
 - task force, 262
- Drinker, Cecil, 11

- E**
- ECMO. *See* Extracorporeal membrane oxygenation (ECMO)
- Electronic health record (EHR), 54–55, 228
- Electronic medical records (EMRs), 54, 264
- European Society for Intensive Care Medicine (ESICM)
 - certification approach, 20
 - CoBaTriCE, 20–21
 - membership and annual meeting, 19
 - PACT program, 21
- Extracorporeal life support (ECLS), 47–48
- Extracorporeal membrane oxygenation (ECMO), 218, 225, 230

- F**
- Fogarty embolectomy catheter, 14

- G**
- Ganz, William, 13, 14

- H**
- Handheld devices, 63
- Hazard-vulnerability analysis (HVA), 262–263

Healthcare disaster planning. *See* Disaster planning

Healthcare Information and Management Systems Society (HIMSS), 55

Healthy work environment (HWE)

- AACN standards, 138–139
- clinical assessment, 142–143, 145
- clinical guidelines, 139, 143
- conflicts, 138
- medical staff code of conduct, 139–141
- nursing code of conduct, 139, 142
- resources, 139, 144, 145

Hemodynamic monitoring, 13–14

Human Factors Analysis and Classification System (HFACS), 92

HVA. *See* Hazard-vulnerability analysis (HVA)

HWE. *See* Healthy work environment (HWE)

I

ICU. *See* Intensive care unit (ICU)

ICU care providers

- burnout and moral distress, 148–149
- healthy work environment
 - AACN standards, 138–139
 - clinical guideline, 139, 143
 - conflicts, 138
 - medical staff code of conduct, 139–141
 - nursing code of conduct, 139, 142
 - resources, 139, 144, 145
- ICU caregivers, 149
- Schwartz Center Rounds, 149–150
- strategies for
 - clinical assessment, 142–143, 145
 - crew resource management, 146
 - CREW training session, 146–147
 - SBAR communication tool, 146, 147
 - team performance framework, 145, 146
 - TeamSTEPPS™, 148

Infectious disease (ID), 79, 249

Institute for Health Care Improvement (IHI)

- aim of, 101
- QI project, tools and resources
 - Adopt an Engaging Style, 104
 - data, 103
 - development of common purpose, 101–102
 - engagement plan, 103
 - PDSA cycle, 104–105
 - reconciliation process, 103
 - Reframe Values and Beliefs, 102
 - standard, 103

Intensive care medicine (ICM)

- team leadership (*see* Team leadership)
- teamwork, 127–129

Intensive care unit (ICU)

- in Boston, 25
- computers in (*see* Computer systems)
- contemporary environment, 72
- critically ill patient/ICU bed,
 - definition of, 238
- definition, 15
- disaster planning (*see* Disaster planning)
- health care quality improvement (*see* Quality improvement (QI))
- medical (MICU), 16, 17
- MET, 17–18
- nurses (*see* Nurses)
- patient flow (*see* Patient flow, ICU)
- pediatric ICUs, 16–17
- respiratory ICU services, 15
- respiratory therapist (*see* Respiratory therapists)
- RRS (*see* Rapid response system (RRS))
- in short-term acute care hospitals, 17
- staffing (*see* Staffing)
- subspecialty expertise (*see* Subspecialty ICU model)
- team leadership (*see* Team leadership)

Intensivists

- definition of, 26–27
- high intensity *vs.* low intensity, 27–28
- multiprofessional team, value of, 48–49
- nighttime intensivist/nocturnalist, 28–29
- open *vs.* closed ICU model, 27
- rapid response/medical emergency teams, 30, 31
- responsibilities, 33
- scheduling, 29–30
- subspecialty intensivists, training of, 77–78
- teleICU, 31
- workload of, 29–30

Intermittent negative-pressure ventilation (INPV), 12

Intermittent positive-negative pressure ventilation (IPNPV), 10

Intermittent positive-pressure ventilation (IPPV), 10

International Symposium of Intensive Care and Emergency Medicine (ISICEM), 19

J

Joint Commission (JCAHO), 96, 98

K

Key performance indicators (KPIs), 186
 Keystone ICU project, 94

L

Laboratory Information System (LIS), 55
 Leadership
 social and cognitive skills, 128
 team leadership (*see* Team leadership)
 Lean/Toyota Production System
 discharge process—patients, 157, 165, 166
 non-value-added waste, 163–165
 process mapping, 162
 value-stream mapping, 162–163
 Leapfrog Group, 60, 96, 97, 101
 Lister, Joseph, 13
 Little's Law, 167–168
 Long-term acute care facilities (LTAC),
 242–243
 Long-term care hospitals (LTCHs)
 care delivery
 comparative effectiveness/
 cost-effectiveness, 211
 critical care physicians, 210
 hospitals-within-hospitals, 209
 licensed acute care hospitals, 208
 rehabilitation and recovery, 209
 single-institution study, 211
 definition, 201
 Medicare program payments, 205–207
 Low-resource settings
 critical care
 clinical research, 256–257
 costs and resources for, 253–256
 critical illness
 causes of death, 249–250
 estimation, 248
 high-income country epidemiology, 249
 urban and rural population, 250–252
 health system design, 248

M

Malnutrition, 46
 Mass Critical Care Task Force project, 265
 Mechanical ventilation
 CCI patients, 198, 202–203
 CPAP, 10–11
 Drinker tank ventilator, 11
 INPV, 12
 IPNPV, 10
 IPPV, 10

 mouth-to-mouth resuscitation, 10
 piston ventilator, 12
 rhythmic insufflation, 10, 12
 Medical emergency team (MET), 17–18,
 30, 181

Mobile computing, 62–63
 Multiprofessional team care, 48–49

N

National Quality Forum (NQF), 99
 Naval Air Training and Operating Procedures
 Standardization (NATOPS)
 program, 94
 Neuroscience ICU, 74, 75
 Nighttime intensivist/nocturnalist, 28–29
 Nurse practitioners (NPs), 32–33, 212
 Nurses
 AACN, 42
 ACCN, 16
 critical care registered nurse, 42
 ICU and coronary care nurses, 15–16
 1 nurse:2 patient model, 43
 standard 1:1 model, 43
 therapeutic intervention scoring system, 42
 Nutritional defects, 46
 Nutrition support specialists. *See* Dietitians

O

Orders, 119–120
 Outliers, 95
 Oxygen concentrators, 265

P

Patient-Centered Advance Care Training
 (PACT) program, 21
 Patient flow, ICU
 definition, 156
 hypothetical ICU, 156–157, 161–162
 ICU length of stay, 171, 172
 Lean/Toyota Production System
 discharge process—patients, 157,
 165, 166
 non-value-added waste, 163–166
 process mapping, 162
 value-stream mapping, 162–163
 movement of patient, 158
 operations research
 “Building a Better Delivery System: A
 New Engineering/Health Care
 Partnership,” 166

Little's Law, 167–168
 queuing theory, 168–169
 simulation, 170–171
 patient-level consequences
 mortality, 158–159
 registered nurse staffing, 159
 risk assessment, 159–160
 patient vs. bed capacity, 171, 172
 provider-level consequences, 160–161
 statistical study, 155–156
 throughput and mortality, 171–172
 PDSA. *See* Plan-Do-Study-Act (PDSA) cycle
 Pediatric intensive care unit, 16–17, 32
 Percutaneous transluminal coronary
 angioplasty (PTCA), 223
 Perfusionists, 47–48
 Pharmaceuticals, 265
 Pharmacist
 adverse drug events, reduction in, 44–45
 CREW training session, 147
 as critical care safety officer, 44
 multidisciplinary rounds and case
 discussions, 118
 pharmaceutical supply, 265
 as pharmacokinetic consultant, 44
 as steward of resources, 44
 supply limitation, 45
 Physician assistants (PAs), 32–33, 45
 Physiotherapists, 47
 Physiotherapy, 47
 Picture Archiving and Communication
 System (PACS), 56
 Plan-Do-Study-Act (PDSA) cycle, 89, 104–105
 Polio vaccine, 12
 Politeness theory, 122
 Post-anesthesia care units (PACU), 263, 264
 Pre-printed orders (PPOs), 117, 121–122
 Prontosil, 7
 PTCA. *See* Percutaneous transluminal
 coronary angioplasty (PTCA)
 Pulmonary artery catheter (PAC), 13–14

Q

Quality improvement (QI)
 aviation safety
 checklists, 93–95
 crew resource management, 95–96
 Swiss cheese model, 91–92
 computerized clinical information
 systems, 60

IHI (*see* Institute for Health Care
 Improvement (IHI))
 industrial management practices
 Plan-Do-Study-Act cycle, 89
 Statistical Process Control, 89
 Structure–Process–Outcome approach,
 90–91
 TPS, 89
 medical errors, 88, 105–106
 North American organizations, 96–101
 preoperative checklist, surgical outcomes, 5
 Surviving Sepsis Campaign, 4
 Queuing theory, 168–169

R

Radiology Information System (RIS), 55, 56
 Rapid response system (RRS), 18
 artificial ventilation, 178
 calling criteria, 181–182
 cardiopulmonary resuscitation,
 180–181, 185
 hospital mortality rates, 179
 implementation of
 clinical data, 188
 crude death rates, 187
 death audits, 188
 education, 185–186
 governance, 186
 hospital outcome indicators, 186
 placement failure, 187
 safety net, 186–187
 standardized patient vital signs
 chart, 185
 standard response, 185
 medical emergency team, 181
 patient-centered approach, 189–190
 rapid response team, 184–185
 scoring systems, 183
 seriously ill
 early intervention, 180
 patient management, 190–191
 silo delivered health care, 181
 single criterion triggers, 183
 specialist care, 178–179
 system change, acceptance of, 188–189
 vital signs, patient safety, 182–183
 Rapid response team (RRT), 184–185
 Read-back orders, 122
 Regionalized critical care
 benefits of

- acceleration of innovation, 220
 - economies of scale, 220–221
 - resource scarcity, 219–220
 - social recognition, 221
 - complementary strategy
 - community outreach, 229
 - ICU telemedicine, 228–229
 - evidence
 - analogous clinical fields, 224–225
 - CESAR trial, 225
 - key elements of, 225
 - performance monitoring, 228
 - regional center, identification of, 226
 - safe and effective interhospital transport, 227–228
 - triage of patients, 226–227
 - regionalization, definition of, 218–219
 - risk factors
 - cascade iatrogenesis, 223
 - crowding, 222
 - distance and quality tradeoffs, 222–223
 - referring centers, skill loss, 224
 - transport, adverse events, 221
 - Registered respiratory therapists (RRTs), 16
 - Respiratory therapists, 16
 - CREW training session, 147
 - LTCH sites, 210
 - multidisciplinary rounds and case discussions, 118
 - registered respiratory therapists, 16
 - respiratory care, 16
 - role of, 43–44
 - work hours, 44
 - RRS. *See* Rapid response system (RRS)
- S**
- SCCM. *See* Society of Critical Care Medicine (SCCM)
 - Schwartz Center Rounds, 149–150
 - Sequential Organ Failure Assessment (SOFA), 272
 - Situation awareness (SA), 130
 - Situation–Background–Assessment–Recommendation (SBAR), 95, 96, 121, 146–147
 - SNF. *See* Sub-acute nursing facilities (SNF)
 - Society of Critical Care Medicine (SCCM), 19, 26, 99, 101
 - Spiropulsator, 12
 - Staffing, 34
 - disaster planning, 266, 270
 - intensivists
 - definition of, 26–27
 - high intensity vs. low intensity, 27–28
 - nighttime intensivist/nocturnalist, 28–29
 - open vs. closed ICU model, 27
 - rapid response/medical emergency teams, 30, 31
 - responsibilities, 33
 - scheduling, 29–30
 - teleICU, 31
 - workload of, 29–30
 - non-intensivist care providers
 - non-intensivist physicians, 32
 - non-physician providers, 32–33
 - subspecialty expertise, 76–77
 - Statistical Process Control, 89
 - Strategic National Stockpile (SNS), 265
 - Structure–Process–Outcome approach, 90–91
 - ST-segment elevation myocardial infarction (STEMI), 73
 - Sub-acute nursing facilities (SNF), 242–243
 - Subspecialty ICU model
 - of burn patient, 74
 - cardiac ICU, 73–74
 - cardiothoracic surgical ICUs, 74
 - consultation, 79–80
 - intensivists, training, 77–78
 - neuroscience ICU, 74
 - nursing and multidisciplinary care, 78
 - patient outcomes, 74, 76
 - selected evidence, 75
 - staffing, 76–77
 - Sulfamidochrysoidine, 7
 - Surgical Safety Checklist, 93–94
 - Surviving Sepsis Campaign, 4
 - Swan, H.J.C., 13, 14
 - Swiss cheese model, 91–92
 - Systemized Nomenclature of Medicine—Clinical Terms (SNOMED CT), 60
- T**
- Team communication, 129
 - Team leadership
 - adaptive leadership, 132–133
 - emergencies situations,
 - management of, 131
 - flow and type of work, 131
 - of ICU specialists, 129
 - leader inclusiveness, 129
 - in organisational settings, 133
 - senior trainee physicians and nurses, 129
 - shared SA, 130
 - situation awareness, 130
 - team communication, 129–130
 - team situation awareness, 130
 - trainees, senior leadership support for, 132

- TeamSTEPPS™, 148
- Teamwork
- communication, 128
 - decision-making, 128
 - emergencies situations,
 - management of, 131
 - flow and type of work, 131
 - group norms and behaviours, 127–128
 - group processes, 128
 - medical error research, 128
 - multidisciplinary teams, problems in, 128
 - non-technical skills, problems in, 128
 - and organisational outcomes, 127
 - positive patient outcomes, 128
 - situation awareness, 128
 - social and cognitive skills, 128
 - “synchronised” output, 128
 - and team leadership (*see* Team leadership)
 - team training/attitudes, 128
 - trainees, senior leadership support for, 132
- Telemedicine, 31, 64, 228–229
- Textbook of Critical Care*, 21
- Therapeutic intervention scoring system (TISS), 42
- Tiered staffing model, 266
- To Err Is Human* report, 88, 106
- Toyota Production System (TPS), 89. *See also* Lean/Toyota Production System
- Tracheostomy, 203–205
- U**
- United Council of Neurologic Subspecialties (UCNS), 77
- V**
- Verbal communication, 117, 120, 128
- Viral syndrome, 88
- W**
- Washington State Hospital Association, 92
- Western Pacific Association of Critical Care Medicine (WPACCM), 19
- Wireless devices, 62–63
- Work Life Committee, 139
- World Federation of Societies of Intensive and Critical Care Medicine (WFSICCM), 19
- Written communication, 117, 128