

Index

A

- Aberration
 constant, 105, 116–118, 121, 122, 133, 135, 199, 203, 205, 217
 correction, 100–102, 104–106, 119, 126, 130–134, 136, 154, 163, 203, 204, 208, 209, 217–221, 224, 225, 296, 473
- Absorption edge, 54, 57, 62, 284, 309, 317, 318, 383, 430
- Accelerating lens, 105, 113, 138
- Acceleration field, 4–6, 120–123, 190, 191
- Accumulation, 296, 300, 350, 443
- Actinic inspection, 389
- Activation energy, 234, 236, 237, 243, 245, 248, 253, 256, 261, 276, 282, 289, 292, 305
- Activator, 270
- Activity, 269, 358
- Adaption lens, 131
- Adatom, 78, 237, 238, 243–245, 248, 252–255, 274, 302
- Adsorbate, 37, 145, 264–267, 271–278, 283, 284, 291, 293, 310, 319, 365, 447
- AEM. *See* Auger electron microscopy (AEM)
- AES. *See* Auger electron spectroscopy (AES)
- AFC. *See* Antiferromagnetic coupling (AFC)
- AFM. *See* Atomic force microscopy (AFM)
- Agglomeration, 285, 365, 385, 441
- Airlock, 6, 163–173
- Airy (pattern), 192
- Alloying, 146, 166, 264, 270, 275–277, 291, 302, 303, 356
- Amorphous, 67, 145, 256, 280, 304, 305, 312, 383, 388, 419, 466, 471, 472
- Amplitude contrast, 170, 204, 205, 208, 221
- AN. *See* Auger neutralization (AN)
- Angle-limiting aperture, 6, 54, 90, 92–94, 96, 107, 119, 122, 164, 189
- Angle-resolved photoelectron spectroscopy (ARPES, ARUPS), 30, 31, 33, 41, 348–350, 352–357, 359, 360, 364
- Angular distribution, 23, 28, 31, 45, 47, 66, 67, 90, 91, 93, 94, 114, 116, 159, 190, 198, 217, 349, 377, 381, 387, 393, 435
- Angular momentum, 58–60, 159, 160, 416
- Angular transmission, 54, 77
- Anisotropy, 39, 62–64, 239, 243, 245, 250, 252, 254, 261, 273, 282, 283, 311, 362, 394, 415, 416, 418, 421–428, 431, 437–443, 451
- Annealing, 4, 170, 230, 237, 240, 249, 252, 255, 260, 262, 274, 276, 287, 289, 293, 296, 298, 300–305, 307, 308, 314, 315, 318, 355, 358, 359, 361, 365, 366, 382, 385, 387, 388, 392, 429–431, 434, 439, 440, 444
- Antiferromagnetic, 37, 59, 63, 64, 301, 390, 419, 422–425, 427, 429, 431–432, 439, 448–451
- Antiferromagnetic coupling (AFC), 423–425
- Antiphase domains, 77, 353
- Aperture, 4–8, 11, 30, 33, 34, 41, 54, 64, 74, 78, 89–94, 96–98, 100, 103, 107, 108, 113–124, 133, 139, 141, 145, 163, 164, 173, 189, 190, 192, 194, 196–198, 202, 206, 208, 209, 217–224, 268, 271, 352, 381, 387, 468, 473, 474
- Aperture lens, 116, 117
- Apex, 159, 292
- Archard-Mulvey, 125
- Area selection aperture, 91
- Aromatic, 309

- Aspect ratio, 43, 254, 255, 257, 281, 394, 437, 438, 446
- Asperities, 367, 368, 375
- Astigmatism, 10, 11, 89, 91, 95, 98, 125, 127, 129, 136, 164, 166, 167, 197, 201
- Atomic force microscopy (AFM), 296–299, 309, 315–318, 353, 375, 382, 385, 429, 432, 433, 435, 438, 439, 444, 449, 450
- Atomic quantum number, 48
- Atom-specific, 57, 58, 62
- Attachment, 90, 171, 234, 244, 245, 247–249, 251, 252, 261, 475
- Attachment–detachment, 244, 247, 249, 252, 261
- Attenuation, 33, 52–54, 67, 274, 375, 413, 420
- Auger electron microscopy (AEM), 64, 126, 470–471
- Auger electron spectroscopy (AES), 10, 90, 272, 385
- Auger neutralization (AN), 152
- Auger yield, 52
- Autocorrelation function, 193, 258
- Average power, 146, 374, 381, 382
- Azimuthal angle of incidence, 30
- B**
- Back focal plane, 4, 5, 11, 90–94, 96, 98, 116, 153, 192, 194–196, 198, 201, 215, 349, 468
- Background subtraction, 50
- Back-illuminated, 161–163, 169
- Backscattered, 64, 67, 410, 472
- Backscattered electron image, 472
- Backscattering, 64–67, 275, 386, 387, 415, 472
- Bakeout, 9, 172
- Band gap, 24, 31, 56, 72, 73, 75, 159–163, 260, 351, 385, 386, 389
- Band pass, 90, 106, 107, 136, 143, 152, 470
- Band structure, 23, 27, 30–37, 39, 41, 45, 59, 60, 65, 66, 72–76, 94, 109, 139, 160, 216, 299, 300, 348, 349, 355, 356, 360, 361, 384, 412, 419, 420
- Beamline, 57, 150–152, 225, 318, 470
- Beam separator, 10–12, 74, 94–104, 108, 110, 125–127, 129, 133, 136, 140, 141, 163, 164, 194, 214, 470
- Beating pattern, 374
- BFC model. *See* Burton-Cabrera-Frank (BFC)
- Bilayer, 172, 259, 261–262, 293, 348, 350, 352–357, 361, 362, 414, 415, 418, 421–424, 441
- Binding energy, 47–49, 52, 57, 248, 302, 304, 356, 358–361, 363, 386
- Biological, 9, 30, 64, 92, 97, 100, 317, 389, 390, 392
- Biom mineralization, 391
- Biprism, 8, 12, 129, 190
- Biquadratic, 423, 438
- Bistability, 271
- Bloch wall, 422, 430, 431
- Boersch, 4, 5, 8, 116, 140, 201
- Bond breaking, 351
- Boundary element method, 117
- Bright field, 194, 263, 265, 274, 280, 360
- Brightness, 23, 33, 34, 94, 112, 142, 153–158, 161, 162, 306, 352, 426
- Brilliance, 37
- Brillouin zone, 31–33
- Buffer, 259, 260, 351–357, 385, 472
- Burton-Cabrera-Frank (BFC) model, 231, 249
- C**
- Canted, 421
- Capped, 296, 422, 431
- Carbon film, 384
- Carbon nanotube, 157, 158, 384, 474
- Carpet-like, 362
- Carrier mobility, 312, 366
- Cascading process, 48
- Castaing-Henry, 9, 106, 107, 129, 214
- Catalysis, 267–272, 304–307
- Catalytic activity, 358
- Cathode, 1–7, 23, 76, 78, 91, 96, 100, 105, 108, 110, 112, 114, 115, 117, 119, 120, 123, 141, 155, 157, 159–163, 173, 201, 214, 218, 219, 303, 309, 315–318, 347–352, 354, 358, 365, 367, 382, 384, 387–389, 392, 395, 409, 410, 429, 432, 436, 437, 445, 447, 448, 451, 465–467, 470, 475
- Cathode lens, 76, 91, 114, 115, 117, 119, 120, 123, 141, 201, 218, 219, 303, 309, 315–318, 347–352, 354, 358, 365, 367, 382, 384, 387–389, 392, 395, 409, 410, 429, 436, 437, 445, 447, 448, 451, 465–467, 470, 475
- CCD. *See* Charge-coupled device (CCD)
- Cesiation, 419
- CFE. *See* Cold field emitter (CFE)
- CHA. *See* Concentric hemispherical analyzer (CHA)
- Channeltron, 8, 473
- Charge-coupled device (CCD), 107, 147, 168–170, 172, 221–224, 230
- Charge density method, 117, 119
- Charge density wave, 41
- Charge transport, 309, 310

- Charging, 7, 49, 50, 99, 101, 201, 257, 260, 304, 389, 390, 466
- Chemical imaging, 390, 391, 428, 430, 470
- Chemical potential, 22, 244, 252, 253, 298
- Chemical shift, 49, 52, 54, 280, 354
- Chemical vapor deposition (CVD), 361, 384, 387
- Chirality, 56, 422, 445, 446
- Chromatic aberration, 4, 11, 92, 101, 102, 105, 108, 116, 119, 122, 130, 131, 134, 140, 143, 148, 164, 194, 196, 197, 199, 200, 219, 220
- Circular dichroism, 301
- Circular polarized light, 37, 40, 56, 58–61, 159, 160, 377, 379, 432
- Close-packed layer, 417
- Close-packed prism array, 96, 126
- Closure domain, 430, 431, 436, 439
- Cluster, 54, 230, 243, 256, 276, 279, 292, 305, 351, 374, 375, 377, 390, 444
- CMOS. *See* Complementary metal oxide semiconductor (CMOS)
- Coadsorption, 267–272
- Coalescence, 287, 297
- Coarsening, 267
- Coercivity, 430, 440
- Coexistence, 241–244, 255, 257, 261, 313
- Coherent, 150, 192, 197, 199, 201, 206, 215, 216, 219, 222, 368, 374, 380, 432
- Coincidence, 74, 359, 361
- Cold field emitter (CFE), 153, 154, 156–158
- Collimator, 125
- Collinear, 435, 439
- Complementary metal oxide semiconductor (CMOS), 168, 169, 221
- Composition, 51, 52, 237, 256, 268, 269, 275, 281, 282, 291, 307, 318, 319, 382, 387, 392–394, 430, 451, 474, 475
- Compositional analysis, 51
- Compound, 48, 52, 56, 58, 129, 160, 199, 230, 239, 260–263, 283, 304–308, 392, 394, 414, 427–429, 431
- Computer control, 94, 134, 165, 173, 378
- Concave, 242, 294
- Concentration, 24, 236, 237, 245, 253, 255, 258, 259, 261, 276, 277, 290, 312, 353, 361, 379, 380, 386, 387, 390
- Concentric hemispherical analyzer (CHA), 107, 109, 113, 137, 138, 141
- Conduction
 - band, 24, 73, 159, 160, 295, 296
 - path, 312
- Congruent, 259, 298
- Contamination, 8, 57, 163, 295, 385, 468
- Continuous emission, 144, 145
- Continuous wave (CW) laser, 40, 144, 145, 147, 148, 382
- Contrast aperture, 7, 8, 11, 30, 33, 34, 54, 64, 89, 91, 164, 189, 194, 220, 271, 381, 387, 468
- Contrast transfer function (CTF), 190, 192–218, 220, 222, 224, 225
- Convection, 280
- Convergent, 194, 199, 219, 469
- Convolution, 78, 153, 192, 193, 205
- Cooling, 9, 124, 140, 166, 172, 230, 239–241, 243, 249, 250, 259, 262, 263, 267, 279, 283, 286, 314, 361, 362, 430–432, 434, 451, 471–473
- Coplanar, 443
- Co-polymers, 57, 318
- Core level, 47, 48, 52, 57, 74, 279, 296–298, 305, 357, 360, 388, 390
- Correlation, 26, 28, 31, 32, 48, 67, 70, 74, 219, 233, 234, 252, 258, 296, 376, 382, 384, 387, 410–412, 423, 425, 432, 434, 445, 446, 449, 450, 472
- Correspondence principle, 58
- Corrosion, 260, 304, 436
- Corrugation, 308
- Coupling, 31, 33, 34, 37, 39, 42, 46, 48, 50, 76, 113, 128, 171, 370–372, 412, 421–427, 429, 431, 433, 434, 437–439, 441, 443, 445, 446, 448–451, 472
- Critical exponents, 258
- Critical fluctuations, 258
- Critical nucleus, 248, 253, 310
- Critical scattering, 239
- Cross-coefficient, 194
- Cross correlation, 219
- Cross-linked, 319
- Cross section, 30, 47, 52, 53, 57, 63, 65–67, 93, 99, 100, 111, 125, 132, 140, 141, 143, 151, 153, 267, 275, 284, 286, 295, 298, 381, 428
- Crystal field, 48, 59, 63, 435
- Crystallization, 146, 286
- CTF. *See* Contrast transfer function (CTF)
- Curie temperature, 159, 394, 395, 417, 418, 421, 425, 430, 441, 447, 448
- Current density, 22, 27, 28, 153, 155, 157, 191, 212, 237, 388, 442–444
- CVD. *See* Chemical vapor deposition (CVD)
- CW laser. *See* Continuous wave (CW) laser
- Cylinder lens, 129, 468

- D**
- Damage, 153, 230, 260, 266, 308–310, 318, 386, 387
- Dangling bond, 310, 354
- Dark current, 168
- Dark field imaging, 6, 194, 239, 259, 268, 278
- Dealloying, 275
- Decay
 exponent, 244, 245, 313
 length, 43, 46, 306, 374
 time, 162, 163, 168, 169, 244, 246, 247
- Decelerated, 90, 107, 242
- Decomposition, 259, 297, 302, 308, 317, 319, 350, 352, 358, 362, 363, 385
- Deconstruction, 289
- Deconvolution, 78, 225
- Decorate, 220, 230, 231, 245, 246, 265, 281, 293, 314
- DEEM. *See* Dual emission electron microscope (DEEM)
- Defect, 77, 78, 231, 237, 239, 240, 251, 254, 257, 261, 264, 268, 294, 295, 302, 307, 308, 311, 350, 363, 365, 374, 375, 384, 388, 389, 414, 437
- Deflection coil, 94, 96
- Deflector, 11, 91–94, 96–98, 101, 103, 107, 108, 110–113, 125–130, 133, 136, 139, 140, 142, 163, 173
- Defocus, 194, 196, 197, 202–211, 214, 215, 218–220, 305, 468
- Defocus-modulation, 218, 220
- Delay line detector (DLD), 107, 171
- Delay time, 147, 369, 372, 374, 443, 444, 448
- Delocalization, 60, 216
- Dendritic, 291, 310, 311, 313, 362, 364
- Densely packed, 70, 71, 275, 302
- Density functional theory (DFT), 48, 282, 358, 359, 361
- Density of states, 33, 43, 45, 60, 69, 73, 153, 216, 306
- Denuded, 275, 312
- Deposition, 40, 148, 165, 237, 251, 252, 254, 255, 262, 275, 280, 281, 285–289, 292, 299, 302–304, 309, 311, 312, 315, 316, 358, 359, 364, 366, 369, 373, 376, 384, 388, 392, 417, 418, 421, 423, 427, 434, 439, 440, 445, 446, 450, 469
- Deprotonation, 314
- Depth of focus, 219
- Depth profiling, 356
- Desorption, 154, 247, 253, 263, 266, 267, 274, 279, 280, 282, 293, 294, 297, 298, 304, 307, 308, 351, 355
- Detachment, 234, 243–245, 247, 249, 252, 261
- Detective quantum efficiency (DQE), 168–170, 172, 222–224
- Detector, 25, 78, 89, 90, 92, 94, 99, 102, 103, 105–107, 112, 113, 163–173, 191, 221–224, 419, 465, 467–471
- Detector envelope function, 221
- Device inspection, 388
- Dewetting, 256, 257, 301, 302, 315
- DFT. *See* Density functional theory (DFT)
- Diamondoid, 37
- Dielectric constant, 34, 44, 69, 372, 374, 385
- Dielectric function, 41, 67, 68, 369
- Difference image, 168, 411
- Diffraction pattern, 33, 54, 55, 94, 96, 98, 102, 109, 110, 113, 128, 138, 194, 214, 215
- Diffractionmeter, 230, 239
- Diffuse background, 219, 225
- Diffuse scattering, 64, 274, 466, 471
- Diffusion
 barrier, 314
 coefficient, 234, 235, 253, 266, 276, 278, 279
- Dimer, 244, 249, 253, 258, 282, 290, 366
- Diode, 6, 7, 93, 94, 96, 119, 120, 134, 135, 308
- Dipolar, 424, 442, 446
- Dipole, 32, 149, 150, 267, 356, 372, 380, 446, 447
- Dirac cone, 348, 352, 355, 356, 360, 361
- Dirac equation, 26
- Dirac point, 348, 350, 352, 354, 356, 364
- Dirac string, 446
- Direct electron detection, 172, 222
- Discharge, 2, 143–145, 259, 267, 293–295, 470, 474, 475
- Disc of confusion, 122
- Discontinuous, 303
- Dislocation loop, 237, 261, 262
- Disordering, 266, 418, 470
- Dispersion, 41, 42, 68, 74, 107, 108, 110, 126–128, 136–139, 164, 348, 349, 352, 413
- Dispersion relation, 41, 42, 68
- Dispersive plane, 129, 137, 138, 473
- Displacement, 107, 197, 266, 278, 280, 282, 432, 442–444
- Dissociate, 284, 293
- Dissolution, 279, 289, 361–363, 384
- DLD. *See* Delay line detector (DLD)
- Domain boundary, 243, 295, 417
- Domain wall, 39, 147, 167, 220, 248, 258, 265, 293, 411, 415, 416, 422, 425–427, 429–432, 436–438, 440, 441, 443, 444

- Domain wall velocity, 443, 444
Doping, 142, 256, 297, 349, 351, 354, 357, 385–387
Double deflector, 127, 129
DQE. *See* Detective quantum efficiency (DQE)
Drift, 106, 107, 124, 155, 165, 166, 194, 201
Drift tube, 107
Droplet phase, 276
Dual beam, 100, 101
Dual emission electron microscope (DEEM), 108, 139
Dynamic aberration correction, 106
Dynamical LEED, 260, 275, 301, 410
Dynamical theory, 77, 275, 300
Dynamic focusing, 469
Dynamic range, 168, 169
Dynamics, 94, 106, 113, 167–169, 230, 237, 250, 251, 257, 268, 276, 281, 351, 367, 369, 372, 440, 469
Dzyaloshinskii-Moriya, 422
- E**
EAL. *See* Effective attenuation length (EAL)
Edge dislocation, 233
EDX. *See* Energy-dispersive X-ray spectroscopy (EDX)
EELS. *See* Electron energy loss spectroscopy (EELS)
Effective attenuation length (EAL), 52, 54
Ehrlich-Schwoebel barrier, 237, 247, 285
Einzel lens, 4, 107, 117, 129
Elastic interaction, 240–243, 450
Elastic peak electron spectroscopy, 68
Elastic scattering, 28, 54, 56, 64–67, 69, 72, 73, 410, 413
Electrode, 3–5, 73, 89–91, 98, 100, 102, 105, 114, 117, 121, 123, 124, 129, 131, 133–135, 141, 143, 154, 157, 161, 214, 309, 312
Electrolytic tank, 2, 117
Electromigration, 166, 230
Electron affinity, 24, 37, 56, 109, 142, 144, 148, 160, 163, 447
Electron beam inspection, 99, 100
Electron beam lithography, 43, 298, 319, 372, 373, 375, 376, 378, 436, 439, 445, 446
Electron bombardment, 3, 5–7, 364, 383
Electron channeling, 472
Electron configuration, 48, 365
Electronegativity, 354
Electron–electron interactions, 26, 27, 31, 201, 410
Electron energy loss spectroscopy (EELS), 41, 64
Electronic growth, 302
Electronics, 34, 72, 73, 106, 153, 163–173, 189, 216, 224, 225, 259, 260, 284, 290, 293, 300, 302, 304, 318, 347, 351, 363, 382, 384–389, 418, 420, 431, 444
Electronic structure, 33, 68, 70, 72, 74, 264, 299
Electron mirror, 4, 9, 12, 101, 102, 105, 106, 129–131
Electron-optical bench, 97, 117, 134
Electron optics, 5, 6, 8, 23, 93, 117, 121, 131, 133, 134, 138, 153, 164, 165, 168, 190, 221, 224, 467, 472
Electron source, 37, 94, 109, 152–163, 171, 215
Electron spectroscopy for chemical analysis (ESCA), 109
Electron-stimulated desorption (ESD), 154, 263
Electron trajectories, 117, 142, 212
Electrostatic interaction, 241, 319
Electrostatic lens, 97, 117, 124, 127, 196, 199
Elliptical mirror, 150
Elliptical polarization, 378
Ellipticity, 378
Emission angle, 6, 30, 33, 34, 90, 106, 115, 118, 149
Emission current, 6, 30, 33, 34, 90, 106, 115, 118, 149
Energy
 distribution, 4, 8, 23, 24, 37, 43–45, 54, 56, 96, 106, 115, 116, 122, 136, 152, 153, 156, 162, 170, 190, 199, 200, 213, 215–218, 368, 374, 377, 380, 381, 386, 388
 filter, 30, 37, 47, 55, 58, 74, 77, 90, 94, 97, 102, 103, 106–110, 113, 131, 136–142, 163, 164, 168, 192, 194, 215, 217, 221, 225, 268, 315, 349, 368, 386, 470
 gap, 70
 level, 26, 27, 48, 59
 selection slit, 96, 102, 103, 107, 138, 164
 width, 6, 44, 49, 99, 116, 119–121, 131, 144, 148, 153, 154, 157, 158, 199, 206–208, 214, 215, 217
Energy-dispersive X-ray spectroscopy (EDX), 298, 392
Enhancement, 22, 42–46, 172, 211, 367, 368, 375, 377, 380
Entropy, 242, 314, 451

- Envelope function, 199–201, 206, 209, 218–221
- Epitaxial, 39, 40, 54, 230, 261, 295, 296, 307, 308, 310, 313, 315, 350, 353, 359, 362–364, 373, 388, 391, 392, 419, 428–430, 432–434, 437–440, 443, 444, 448–451, 472
- Equilibrium, 24, 59, 231, 232, 241–245, 247, 251, 252, 254, 282, 295, 305, 351, 365, 470, 471
- Equilibrium face, 470
- ESCA. *See* Electron spectroscopy for chemical analysis (ESCA)
- Escape depth, 52, 53
- ESD. *See* Electron-stimulated desorption (ESD)
- Eucentric, 95, 164
- Eutectic, 284, 285, 289, 298
- EUV lithography. *See* Extreme ultraviolet (EUV) lithography
- Evanescent wave, 43, 72, 74
- EXAFS. *See* Extended X-ray absorption fine structure (EXAFS)
- Exchange bias, 429, 433, 437, 441
- Exchange-correlation, 26, 32, 48
- Exchange-correlation potential, 26, 70, 410–412, 432
- Exchange coupling, 424, 427, 433, 434, 439, 446, 449, 450, 472
- Exchange energy, 423
- Exchange interaction, 37, 59, 76, 422, 424, 432
- Exchange scattering asymmetry, 410
- Exchange-split, 38, 39, 51
- Excitation, 25, 28, 30, 31, 34, 35, 39, 41–46, 59, 60, 67–69, 73, 74, 125, 138, 142, 146, 152, 160, 282, 309, 313, 317, 367, 369–381, 412, 420
- Excitation cross section, 30
- Exciton, 73, 313
- Exfoliated, 350
- Expansion, 199–201, 266, 353, 361, 425
- Extended X-ray absorption fine structure (EXAFS), 445
- Extreme high vacuum (XHV), 159, 160, 172
- Extreme ultraviolet (XUV), 380, 389
- Extreme ultraviolet (EUV) lithography, 389
- F**
- Fabry-Perot etalon, 75
- Faceting, 158, 230, 264, 274, 275, 280–282, 293, 364, 417
- FE. *See* Field emission (FE)
- FEL. *See* Free electron laser (FEL)
- FELPEEM. *See* Free electron laser PEEM (FELPEEM)
- Fermi energy, 22, 45, 48, 70, 74, 348, 349
- Fermi level, 24, 27, 33, 40, 59–61, 69, 306, 348, 349, 354, 386, 412, 413, 431
- Fermi's golden rule, 25, 31
- Ferroelectric, 11, 409, 447–451
- Ferromagnetic (FM), 6, 37, 58, 59, 63, 64, 76, 159, 273, 299, 410, 414–431, 436, 439, 445, 450, 451, 472
- FET. *See* Field-effect transistor (FET)
- Fiber optics window, 9, 169
- Field distortion, 387, 470, 474
- Field-effect transistor (FET), 361
- Field emission (FE), 5, 8, 12, 21, 22, 43, 94, 124, 153, 154, 157, 274, 377, 384
- Field emission gun, 12, 94–96, 116, 154, 199, 219, 410, 466, 467
- Field emitter, 154, 155, 367
- Field enhancement, 22, 43–46, 367, 368, 375, 380
- Field lens, 98, 103, 126, 128, 132
- Field-limiting aperture, 41, 94, 98, 164, 268, 352, 473
- Field penetration, 45
- Field strength, 4, 5, 12, 22, 23, 41, 43, 46, 47, 116, 119–121, 126, 131, 132, 148, 149, 156, 164, 172, 191, 212, 214, 222, 223, 368, 371, 375, 377, 379
- Figure of merit, 419
- Final state, 25, 31, 32, 34, 39, 48, 61, 317, 384
- Finite size effect, 415
- First principles calculations, 361
- Fitting, 30, 33, 49, 72, 74, 78, 135, 233, 248, 254, 307, 392, 393
- Flange-on, 91, 97–100, 110, 129, 139
- Flight time, 105, 107
- Floating, 124, 383
- Fluctuation, 43, 44, 124, 170, 199, 231–237, 242, 244, 245, 251, 252, 254, 258, 260, 277, 284, 351, 353, 372, 415
- Fluorescence radiation, 52
- Fluorescent screen, 3, 5, 7, 8, 89, 90, 92, 94, 103, 168–172, 221–224, 472
- Flux density, 146, 147, 318
- FN. *See* Fowler-Nordheim (FN)
- Focal length, 114, 131, 133, 199, 467
- Focal plane, 4, 6, 11, 90–94, 96, 98, 116, 118, 153, 192, 194–196, 198, 201, 215, 349, 468
- Foreshortening, 239, 467–469
- Forward scattering, 33
- Four-electrode mirror, 133, 134

Four-electrode objective, 91
 Fourier optics, 211
 Fourier space, 192, 212
 Fourier transformation, 78, 192, 224
 Fowler-DuBridge, 22–24, 27, 28, 34
 Fowler fit, 390
 Fowler function, 29–31
 Fowler-Nordheim (FN), 22, 156, 377
 Fractal, 311, 313
 Frank-van der Merwe, 287, 299, 302
 Free electron, 1, 27–31, 41, 45, 47, 69, 71
 Free electron laser (FEL), 30, 148, 149, 163, 289, 295, 386, 390, 447
 Free electron laser PEEM (FELPEEM), 390
 Frequency-doubling, 146
 Frequency filter, 220
 Frequency multiplication, 146, 147
 Fresnel diffraction, 191, 215, 230, 368, 374
 Fresnel fringe, 214
 Friction, 165, 383
 Fringing field, 126, 130, 140, 368
 Frustration, 445, 446
 Full width at half maximum (FWHM), 23, 44, 144, 150, 156, 200, 208, 381

G

Gas discharge, 2, 144, 293, 294
 Gating, 443
 Gaussian distribution, 198, 200
 Gaussian image, 119, 122, 130, 196
 Gaussian plane, 130
 General thermal field theory, 22
 Geometrical optics, 11, 189, 191, 196, 210, 212
 Gibbs free energy, 314
 Gibbs-Thomson equation, 252
 Glancing angle, 93, 150, 416, 435, 437, 467
 Graphite, 68, 74, 267, 309, 311, 347, 356, 357, 374, 384
 Grating, 42, 45, 149–152, 214, 215, 222, 368–372, 388
 Group velocity, 43, 372
 Growth front, 314, 362

H

Half-metallic, 428, 431
 Hamiltonian, 25–28, 31, 32
 Handedness, 422, 437, 442
 Harmonic generation, 145, 146
 Hartree potential, 412
 Heating, 43, 159, 166, 173, 230, 239, 241, 262, 283, 286, 298, 304, 351, 356, 362, 374, 394, 422, 431, 447, 471, 472

He gas discharge lamp, 144
 He II radiation, 349, 354
 Heisenberg, 422
 Helicity, 40, 62, 160, 377
 Helmholtz coil, 94
 Hemispherical analyzer, 107, 109, 137, 138, 474
 Herringbone, 273, 277
 Heterogeneity, 259, 275, 373
 Heterostructure, 297
 Heusler alloy/compound, 437
 Hexapole, 91, 92
 Hg (high pressure) arc lamp, 30, 39, 142, 144, 220, 231, 365, 369, 370, 372, 373, 375, 376, 378, 379, 381, 382
 High energy reflection electron microscopy (HREM), 232
 High pass, 9, 106, 136, 386
 High resolution transmission electron microscopy (HRTEM), 194, 392
 Homoepitaxy, 259
 Homogeneous field, 115, 116, 119, 121
 Honeycomb, 356
 Hot spot, 37, 45, 146, 367–369, 376, 377, 379, 381
 HREM. *See* High energy reflection electron microscopy (HREM)
 HRTEM. *See* High resolution transmission electron microscopy (HRTEM)
 Hund's rule, 59
 Hybrid device, 171
 Hybridization, 360, 418
 Hydrocarbon, 9, 172, 317, 358, 359, 363, 385
 Hyperbolic mirror, 101, 131, 134, 135
 Hyperthermal NH₃, 295
 Hysteresis, 140, 241, 259, 419, 428–430, 433, 441, 445, 447

I

IDEA. *See* Imaging double energy analyzer (IDEA)
 Image
 acquisition, 47, 106, 113, 147–149, 151, 162, 168, 169, 171, 189, 190, 221–224, 234, 268, 276, 381, 387, 388, 415, 416, 443, 467, 469, 471
 charge, 69, 70
 detection, 91, 164, 168, 170, 172, 191, 194, 222, 224, 441
 distortion, 10, 381
 potential, 45, 69–72
 potential state, 35–37, 41
 rotation, 124, 468

- Imaginary potential, 33, 72
 Imaging double energy analyzer (IDEA), 107, 109, 139, 140
 Imaging spin-filter, 39
 IMFP. *See* Inelastic mean free path (IMFP)
 Immersion lens, 3–6, 114, 118, 199
 Immiscible, 317, 318, 450
 Implantation, 385–387
 Impulse response function, 192, 193
 Impurity-stabilized, 279
 Inactive, catalytically, 271
 Inchworm, 96, 98, 165
 Incoherent, 193, 197, 199, 201, 215, 216, 219, 220, 222, 368
 Incommensurate, 360
 Indium tin oxide (ITO), 376, 378
 Inelastic mean free path (IMFP), 34, 52–54, 57, 58, 67–69, 72, 73, 75, 216, 285, 387, 393, 412, 413, 420, 427
 Inelastic scattering, 28, 52, 64, 67–69, 72, 73, 410, 413
 Information
 depth, 52, 54
 limit, 205, 218
 transfer, 192–194, 215, 221–224
 Infrared spectroscopy, 316
 Inhibitor, 270
 Initial state, 25, 31, 35, 45, 475
 Inorganic compounds, 260–263
 Inorganic films, 304–308
 Insertion device, 149, 150
 Instrument response function, 77
 Insulating, 7, 8, 23, 28, 74, 99, 304, 318, 353, 366, 450
 Interatomic Auger transition, 293, 304
 Interband transitions, 33, 37
 Intercalation, 349, 350, 353–358, 364–367
 Interconnected, 243, 277, 377
 Interface anisotropy, 39, 418, 423, 426,
 Interfactant, 287, 288
 Interference, 12, 54, 75, 76, 129, 149, 190, 191, 194, 372, 374, 380, 420
 Interferometric time-resolved (ITR), 369, 372
 Intermediate lens, 90–93, 96, 97, 138, 215
 Intermediate state, 25, 39
 Intermixing, 280, 290, 291, 296
 Inversion, 75, 295, 386, 422, 444
 Ion beam milling, 300, 372, 376, 385, 439, 446
 Ion bombardment, 6–9, 106, 235, 237, 385
 Ionization
 cross section, 47, 52, 57, 151, 267, 381
 energy, 48, 56
 Iris, 91, 164
 Island decay/shrinking, 236, 237, 244–247, 257, 261, 277, 314
 Island density, 291
 Island growth, 236
 Isoplanatic, 194
 ITO. *See* Indium tin oxide (ITO)
 ITR. *See* Interferometric time-resolved (ITR)
 $I(V)$ curve, 239, 260, 263, 266, 275, 304, 350, 355–357, 361
- J**
 Jellium, 67, 69, 70
 Jet source, 295
 Joint density of states, 33
- K**
 Kagomé, 446
 Keldysh parameter, 43
 Kikuchi pattern, 469
 Kinematic theory, 77
 Kinetically limited, 365
 Kinetic coefficient, 244, 249
 Kinetic length, 244, 245, 247
 Kinetics, 27, 48, 49, 54, 234, 236, 238, 239, 241, 243–245, 247, 249, 252, 256, 257, 262, 274, 276, 293, 298, 301, 302, 305, 313, 316, 383
 Kink, 252, 441
 Koster-Kronig, 299
- L**
 LaB₆ emitter, 96
 Lamellar, 269, 270, 382, 446
 Langmuir-Blodgett (LB) film, 153, 317
 Langmuir evaporation, 298
 Laser-driven discharge light, 143–144
 Laser-induced thermal desorption (LITD), 266, 280
 Lattice factor, 77
 Layer-by-layer growth, 263, 301, 303
 LDA. *See* Local density approximation (LDA)
 Least confusion, 122, 130
 LEED. *See* Low energy electron diffraction (LEED)
 LEEM. *See* Low energy electron microscopy (LEEM)
 LEETS. *See* Low energy electron transmission spectroscopy (LEETS)
 Lens equation, 114
 Lifetime, 43, 112, 154, 157, 160, 247, 254, 372, 387, 388
 Ligand field, 48, 59, 60
 Light line, 41, 42
 Linear dichroism, 39, 55, 63, 391, 432, 435

- Linear polarization, 63
 Line tension, 232
 Liquid crystal, 317
 LITD. *See* Laser-induced thermal desorption (LITD)
 Lithography, 43, 167, 298, 319, 372, 373, 375, 376, 378, 388, 389, 436, 439, 445, 446
 Local density approximation (LDA), 70
 Localized surface plasmon (LSP), 41, 42, 368–371, 373, 376, 381
 Lochkeim formation, 250
 LODREM, 468
 Loeffler effect, 201
 Lorentz factor, 149
 Lorentz force, 137, 140, 142
 Lorentzian tails, 78
 Low energy electron diffraction (LEED), 10, 31, 90, 196, 230, 349, 410, 467
 Low energy electron microscopy (LEEM),
 Low energy electron transmission spectroscopy (LEETS), 72–75
 Low pass filter, 106, 107, 222
 LSP. *See* Localized surface plasmon (LSP)
 Lubricant, 383
- M**
- Magnetic anisotropy, 62, 415, 421, 422, 424–426, 428, 431, 437, 438, 451
 Magnetic circular dichroism (MCD), 9, 40, 55, 59, 475
 Magnetic circular dichroism PEEM, 40, 113, 419
 Magnetic deflection field, 10
 Magnetic diode, 6, 7, 94, 96, 119, 120
 Magnetic domain, 39, 147, 167, 426, 430, 434, 441, 442, 450, 451, 475
 Magnetic force microscopy (MFM), 437, 441, 450
 Magnetic linear dichroism (MLD), 39, 55, 435, 475
 Magnetic moment, 61, 62, 409, 410, 413, 414, 445, 450
 Magnetic phase transition, 415, 423
 Magnetic recording, 383, 388
 Magnetic shielding, 94, 96, 98
 Magnetization, 39, 40, 51, 61–63, 76, 123, 124, 162, 166, 167, 394, 409, 410, 412, 415–419, 421–427, 429–431, 433, 436–447, 449–451, 472, 473
 Magnetocaloric effects, 451
 Magnetocrystalline anisotropy, 39, 64, 428, 437, 438, 443
 Magnetoelastic, 39, 418, 439
 Magnetoelectric, 448, 450
 Magneto-optic Kerr effect (MOKE), 423, 429
 Magnetostatic, 425, 426, 445, 446
 Magnification, 3, 52, 89–91, 96–98, 108, 116, 118, 119, 124, 126, 131, 133–135, 144, 148, 151, 170, 171, 192, 196, 221, 232, 276, 365, 389, 427, 468
 Majority band, 62
 Majority spin, 39, 412, 413
 Martensitic phase, 383
 Mass absorption coefficient, 57
 Mass transfer, 237
 Material analysis, 395
 Matrix element, 31, 32
 Maxwell-Boltzmann equation, 367
 Maxwell distribution, 23, 191
 MCD. *See* Magnetic circular dichroism (MCD)
 Mean inner potential, 36, 74
 Medium energy electron diffraction (MEED), 467
 Medium energy ion scattering (MEIS), 280, 282, 356
 MEIS. *See* Medium energy ion scattering (MEIS)
 Melting point, 233, 238, 260, 299, 470, 471
 MEM. *See* Mirror electron microscopy (MEM)
 Memory, 117, 383, 426, 441, 447
 Mesoscopic, 288, 367
 μ -Metal, 98, 99
 Metal–insulator–metal (MIM), 23
 Metallurgy, 383
 Metastable impact electron emission microscopy (MIEEM), 97, 152, 153, 229, 256, 267, 304, 309, 387, 388
 Metastable impact electron spectroscopy (MIES), 304, 388
 MFM. *See* Magnetic force microscopy (MFM)
 Microfield, 214
 Micromagnetic simulation, 425, 428, 429, 437, 439, 472
 Microprobe, 469, 470
 Microspectroscopy, 74, 473–475
 Microstructure, 31, 74, 77, 229–263, 268, 275, 299, 350–353, 358–364, 382, 415, 423, 430, 435, 436, 442, 443, 475
 MIEEM. *See* Metastable impact electron emission microscopy (MIEEM)
 MIES. *See* Metastable impact electron spectroscopy (MIES)
 Migration, 285, 286, 289, 297, 301, 383
 Milling, 300, 372, 376, 383, 385, 439, 446
 Mineral, 382–383
 Mini-Mott detector, 112, 113

- Minority band, 410, 413
 Minority spin, 39, 60, 412
 Mirror electron microscopy (MEM), 4, 64, 97,
 99, 100, 125, 153, 154, 164, 192, 194,
 202, 212–215, 219, 259, 260, 267, 269,
 270, 283, 297, 298, 304, 308, 358, 385,
 386, 388, 390, 410, 447, 448, 470, 475
 Mirror field, 213
 Misalignment, 77, 201, 352, 445
 Miscible, 275
 Misfit, 231, 272, 280, 283, 288, 289, 302,
 311, 353, 358, 364, 418, 449
 phase transition, 283
 strain, 39, 293
 MLD. *See* Magnetic linear dichroism (MLD)
 Mobility, 252, 261, 303, 304, 312, 318, 351,
 361, 364, 366
 Modulation, 70, 150, 214, 218, 220, 222, 223,
 272, 363, 368, 369, 372
 Modulation transfer function (MFT), 222, 223
 Modulator, 149
 MOKE. *See* Magneto-optic Kerr effect
 (MOKE)
 Molecular orientation, 309, 315, 317
 Molecular structure, 311, 316
 Momentum transfer, 28, 42
 Monochromatic, 30, 106, 148, 151, 192, 194,
 213, 380, 474
 Monochromator, 100, 140, 143, 150, 152, 154
 Monolithic device, 171
 Monopole, 446, 447
 Monte Carlo simulation, 67, 257, 422, 424, 427
 Morphology, 251, 280, 282, 297, 309, 313,
 318, 358, 362, 384, 417, 474
 Mott detector, 112, 113
 Moving focus method, 136
 Muffin tin, 65–67, 74
 Multichannel plate (MCP), 9, 89–92, 94, 103,
 107, 168–172, 221–224
 Multicomponent system, 269
 Multiferroic(s), 64, 447–451, 472
 Multilayer, 148, 262, 301, 302, 361, 363,
 389, 414, 426–427, 446
 Multimethod, 90, 392–395
 Multiphoton photoemission, 35, 39, 41, 43
 Multiple scattering, 25, 33, 54, 55, 67, 73, 77
 Multiplet, 48, 49, 51, 474
 Multipole, 107, 132, 136

N
 Nanodot, 298, 375, 444–447
 Nanodroplet, 298
 NanoESCA, 107, 109, 113, 139, 441
 Nanofacetting, 157, 256
 Nanoimprint lithography, 388
 Nanooptics, 41, 46, 380
 Nanoparticle, 219, 296, 368, 370, 375, 377,
 436, 441, 446
 Nanopattern, 298, 378, 380, 440, 445
 Nanoplasmonic field microscopy, 380
 Nanopyramid emitter, 158
 Nanorod, 375
 Nanostructure, 146, 168, 273, 284, 290,
 296–300, 372–378, 380, 384, 427, 429,
 436–447, 475
 Nanowire, 273, 284, 285, 289, 297, 298, 373,
 374, 382, 384, 392–394, 440, 443, 444
 Near edge X-ray absorption fine structure
 (NEXAFS), 55, 56, 215, 308, 309, 313,
 317, 318, 383, 390
 Néel temperature, 63, 432–434, 448
 Néel wall, 416, 422
 Negative electron affinity, 37, 109, 163
 NEXAFS. *See* Near edge X-ray absorption fine
 structure (NEXAFS)
 Nitridation, 293, 298
 Noise, 51, 57, 106, 158, 168, 170, 171, 191,
 221–223, 225, 233, 387, 419, 444, 467
 Noise power spectrum (NPS), 222, 223
 Non-collinear, 414, 416, 417
 Nonlinear optical crystal, 146, 147
 Nonreflecting barrier, 72
 Non-relativistic, 25, 26
 N-photon photoelectron emission (*n*PPE),
 35–37, 43, 45, 47, 374
*n*PPEEM, 37, 145
 Nucleation, 237, 239, 241–243, 247–249, 251,
 253, 254, 257, 262, 263, 273, 278, 279,
 281, 284, 287, 288, 290–292, 294, 295,
 300–302, 304, 310–314, 361, 362, 364,
 392, 419, 425, 442, 445
 Nyquist, 222

O
 Octopole, 91, 92, 140, 142
 Oersted field, 444
 OFET. *See* Organic field effect transistor
 (OFET)
 Omega filter, 107, 136, 137
 One-step model, 25, 32, 33
 Optical axis, 4, 90, 94, 106, 117, 119, 129, 131,
 137, 141, 143, 164, 193, 194, 196, 440,
 466, 468, 469
 Optical potential, 74

- Optical sectioning, 219
- Optimum aperture, 119, 120, 122, 133, 217, 218
- Optoelectronics, 290
- Orbital, 59–63, 313, 317, 418, 421, 445
- Organic field effect transistor (OFET), 308, 312, 388
- Organic–mineral system, 391
- Organometallic, 153
- Orientation, 34, 37, 39, 54, 56, 64, 76, 77, 230, 233, 239, 248, 249, 256, 261, 264, 269, 271–273, 285, 289, 290, 293, 294, 301–303, 305, 307–318, 353, 361–364, 367, 376, 378, 387, 390–392, 394, 416, 423, 426, 431–435, 437, 439, 446, 471
- Oscillating charge, 42
- Oscillatory, 201, 425
- Ostwald ripening, 252, 255, 289
- Outgassing, 8, 173, 351
- Overheating, 241
- Oxidation, 262, 263, 265–267, 269, 271, 272, 296, 297, 304–306, 312, 356, 365, 367, 383, 384, 390, 431, 474, 475
- Oxidation states, 49, 51, 54, 386, 474
- P**
- Packing density, 276, 283
- Parallel momentum, 28
- Paramagnetic (PM), 422, 424, 451
- Parasitic aberrations, 201
- Paraxial, 119, 194
- Pass energy, 9, 90, 106, 107, 136, 138, 141, 386, 470
- Passivating, 310
- Path difference, 146, 194–197
- Pattern formation, 243, 255, 270, 273, 277, 319
- Pauli-Schrödinger equation, 26, 27, 32
- Peak fitting, 49
- Peak height, 52, 359
- PED. *See* Photoelectron diffraction (PED)
- Penetration, 45, 54, 67, 366
- Pentacene, 69, 310–313, 418
- Pentode mirror, 105
- Percolating, 266
- Periodicity, 28, 31, 64, 77, 169, 214, 254, 273, 274, 276, 280, 282, 292, 301, 308, 352, 361, 371, 388
- Permanent, 429, 430
- Permeability, 124, 247, 261, 440, 446
- Perpendicular anisotropy, 416
- PFM. *See* Piezoelectric force microscopy (PFM)
- Phase
- accumulation model, 300, 350
 - change, 75, 198, 204, 421
 - diagram, 243, 279, 280, 302, 305, 394, 421, 425, 444, 471
 - field method, 244
 - separation, 270, 305
 - shift, 76, 191, 194, 197, 213, 214, 379, 420, 432
 - transfer function, 213, 214
 - transitions, 94, 166, 239, 241, 244, 247–249, 257, 258, 262, 278, 283, 383, 392, 415, 423, 424, 451
- Phonon, 43, 67
- Photocathode, 109, 159–162, 172
- Photoelectron diffraction (PED), 25, 30, 33, 54, 90, 94, 139, 216
- Photo electron emission microscopy (PEEM), 7, 25, 90, 190, 230, 349, 410, 470
- Photoelectron yield, 29, 35, 36
- Photoemission, 7, 21, 142, 190, 267, 349, 419, 473
- Photoemission yield, 29, 145
- Photoexcitation, 24, 25, 35
- Photoionization, 53, 57, 151, 267
- Photoluminescence spectroscopy, 296
- Photon source, 142–153
- Photon-stimulated desorption (PSD), 263, 297, 304, 467
- Photoyield spectromicroscopy, 89
- Piezoelectric drive, 165
- Piezoelectric force microscopy (PFM), 448–450
- Piezomotor, 165
- Piezoresponse, 448
- Pinhole, 302
- Pinning, 250, 386, 433, 442, 444
- Pixel, 39, 170, 172, 221, 222, 467, 468
- Plasma, 44, 46, 47, 144, 295, 310
- Plasmon, 34, 41–47, 68, 109, 146, 347, 356, 367–382
- field, 42, 43, 367, 368, 376, 377
 - loss, 109
 - mediated, 45
 - radiation, 367
 - resonance, 45, 367, 368, 374, 376, 377
- Plasmonics, 41, 43, 46, 376, 377, 380, 381
- Platelet, 315, 391
- PM. *See* Paramagnetic (PM)
- P–n junction, 11, 357, 387
- Point defect, 237, 261
- Point resolution, 6–8, 205, 221, 225
- Point source, 192, 196, 197, 207, 212
- Point spread function (PSF), 192, 193, 205, 224

- Poisson distribution, 170
Polar angle of incidence, 34, 62
Polarizabilities, 43
Polarization, 33–35, 37, 39, 43, 45, 47, 49, 51, 60, 61, 63, 76, 142, 147, 150–152, 159–163, 282, 313, 315, 348, 354, 371, 373–380, 390, 409, 410, 413–415, 420, 426, 427, 431, 432, 435, 440, 448–450, 473
Polarization pulse shaping, 378
Pole piece, 118, 119, 123, 125, 126, 129
Polycrystalline, 4, 34, 39, 56, 62, 67, 68, 73, 76, 145, 264, 269, 271, 272, 305, 311–313, 362, 363, 371, 384, 387, 388, 431, 433, 436, 438, 444, 465, 471
Polymer, 64, 317–319
Polytype, 259, 260, 350, 352, 391
Ponderomotive force, 44
Position sensitive detector (PSD), 467
Power supplies, 164, 173, 221, 470
Recovered, 312
Preparation chamber, 163–173
Prepatterned GaAs surface, 296
Pressure, 9, 39, 90, 92, 144, 146, 154, 157, 158, 165, 172, 173, 220, 231, 238, 261, 267, 270–272, 287, 294, 295, 304, 305, 307, 317, 351, 354, 361–363, 365, 366, 369, 370, 372, 373, 379, 384, 444, 475
Pressure gap, 272
Principle plane, 114
Prism, 42, 96, 100, 104, 106, 125, 126, 147, 214, 376, 379
Profile, 45, 170, 206–209, 211, 217, 220, 266, 280, 302, 369, 385, 387
Projective lens, 7, 11, 89–91, 93, 94, 96–98, 102, 107, 138, 139, 214
Promoter, 270
Propagating surface plasmon (PSP), 41, 368, 371, 382
Protein, 318, 319, 390
PSD. *See* Photon-stimulated desorption (PSD)
Pseudomorphic, 159, 283, 301, 302, 305, 417, 420, 426, 431
Pseudopotential, 71
Pseudo-spin, 348
PSF. *See* Point spread function (PSF)
PSP. *See* Propagating surface plasmon (PSP)
Pulse, 6, 37, 100, 192, 266, 368, 409
duration, 45, 146, 147, 369, 374, 442, 443
power, 146
width, 47, 146
Pulsed beam, 100, 105, 107
Pulsed laser, 40, 41, 100, 145, 146, 148, 149, 151, 162, 381, 382, 448
Pump-probe, 101, 145–148, 162, 163, 167, 368, 369, 374, 425, 436, 440–443
- Q**
QE. *See* Quantum efficiency (QE)
QSE. *See* Quantum size effect (QSE)
Quadrupole, 95, 127, 136
Quadrupole lens, 469
Quantum dot, 284, 296
Quantum efficiency (QE), 24, 34, 35, 161, 162, 168, 169, 222
Quantum size effect (QSE), 75, 192, 299, 301–303, 306, 313, 352, 417, 419–421, 427, 439, 466
Quantum well, 39, 41, 75–76, 350, 419–421, 423, 425
Quantum yield, 23, 161
Quasi-crystal, 237
Quasi-liquid layer, 471
Quasi-liquid phase epitaxy, 295
Quasi-monolayer-by-monolayer growth, 290, 300, 302, 306, 310
Quenching, 240, 253, 262, 363, 429
- R**
Radiance, 144
Radiation
damage, 230, 260, 308–310, 318
field, 42, 46
Radiofrequency (RF) discharge, 259
Raleigh criterion, 124, 207
Raman spectroscopy, 354, 388
Ramified, 314
Random orientation, 34
Rashba effect, 41
Ratio image, 383, 386, 391
Ray tracing, 218, 224
Reactive deposition, 304
Reactive ion etching, 298
Read-out time, 168
Realignment, 271
Reciprocal space, 30, 41, 90, 136, 139, 140, 164, 192, 193, 216, 221, 348
Recknagel, 4–6, 10, 115, 116
Reconstruction, 230, 257, 258, 264, 274, 282, 292, 293, 316
Redistribution, 60, 262, 270, 354
Reduced zone, 31

- Reduction, 4, 5, 63, 93, 160, 194, 220, 246, 256, 262, 269, 307, 351, 367, 386, 425
- Reentrant, 302
- Reflection electron microscopy (REM), 215, 232, 239, 467–469
- Reflection high energy electron diffraction (RHEED), 10, 75, 298, 468, 469, 472
- Reflectivity, 3, 12, 42, 71–73, 76, 77, 123, 205, 208, 209, 211, 224, 266, 269, 275, 299, 350, 419–421, 423
- Refocusing mirror, 96, 103
- Refractory compound, 260
- Relativistic, 25, 26, 31–33, 37, 41, 149
- Relaxation, 25, 48–50, 59, 72, 233–235, 254, 258, 284, 285, 358, 443
- REM. *See* Reflection electron microscopy (REM)
- Remanent state, 445
- Reorientation, 311, 415, 416, 435
- Repetition rate, 47, 145–149, 380–382
- Repulsion, 261, 275, 276
- Residual gas, 9, 154, 158, 160, 172
- Resistance network, 117, 118
- Resistivity, 392
- Resolution, 1, 23, 90, 189, 230, 349, 415, 465
- Resolving power, 150
- Resonance, 28, 34, 35, 39, 45, 47, 71, 152, 224, 309, 313, 317, 319, 367, 368, 371, 374–377, 384, 391
- Resonator, 375
- Response function, 77, 192, 193, 212
- Retarding grid, 315
- Retarding lens (RL), 105, 113, 138
- RHEED. *See* Reflection high energy electron diffraction (RHEED)
- Richardson constant, 23, 29
- Richardson-Dushman equation, 367
- Richardson-Laue-Dushman (RLD), 22, 23, 27
- Rings, 41, 126, 148–151, 245, 279, 296, 437
- Ripple, 431
- RL. *See* Retarding lens (RL)
- RLD. *See* Richardson-Laue-Dushman (RLD)
- Rotation, 97, 110–112, 117, 124, 128, 142, 143, 237, 268, 366, 393, 413, 414, 416, 425, 435, 445, 451, 468
- Roughness, 12, 41, 212, 215, 249, 250, 260, 290, 353, 368, 369, 375, 465, 468
- S**
- Sampling depth, 52, 54, 420, 424, 445
- Satellite, 360
- Saturation, 30, 54, 62, 123, 124, 168, 171, 265, 276, 282, 293, 304, 307, 354
- Scalar-relativistic, 33
- Scanning electron microscopy (SEM), 46, 112, 141, 142, 154, 157, 171, 190, 290, 298, 299, 363, 369, 370, 372, 375, 376, 378, 379, 382, 384, 386, 388, 391, 441, 444, 465–467, 470, 471
- Scanning electron microscopy with spin analysis (SEMPA), 112, 409, 416, 437, 471–473, 475
- Scanning low energy electron diffraction microscopy, 467
- Scanning low energy electron microscopy (SLEEM), 386, 465–466
- Scanning photo emission microscopy (SPEM), 383, 473–475
- Scanning reflection electron microscopy (SREM), 469
- Scanning transmission electron microscopy (STEM), 140, 219, 225, 469
- Scanning transmission X-ray microscopy (STXM), 318
- Scanning tunneling luminescence, 382
- Scanning tunneling microscopy (STM), 211, 230, 251, 261, 274, 276, 279, 280, 293, 294, 298, 299, 301, 302, 305, 308, 309, 315, 316, 347, 351, 358–360, 363, 365, 374, 375, 382, 423
- Scattering cross section, 65, 66
- Scattering potential, 65, 72
- Scherzer focus, 204, 205, 211, 218
- Schottky emitter, 156, 158, 163
- Schottky equation, 22, 156
- Schrödinger equation, 6, 26, 27, 45
- Schwarzschild optics, 121, 389, 473
- Screening, 448
- Screw dislocation, 230, 249, 250, 259, 261, 262
- SE. *See* Secondary electron (SE)
- Searchlight, 432
- Secondary electron (SE), 3, 5–9, 21, 47, 54–64, 92, 99, 106, 122, 131, 133, 157, 158, 169, 217, 268, 296, 297, 381, 387, 388, 420, 448, 466, 469, 470, 475
- Secondary electron emission microscopy (SEEM), 3
- Sector field, 108, 110, 125
- Seeding, 148, 149
- Segregation, 254, 256, 266, 271, 358, 359, 361, 362, 367, 387, 388, 428, 430
- Selection rule, 30, 33, 47
- Selectivity, 269, 426
- Self-amplified spontaneous emission (SASE), 148
- Self-assembled, 73, 310, 312, 377, 445
- Self-consistent potential, 71

- Self-convolution, 153, 193
 Self-energy, 33, 70, 72, 412, 414, 419
 Self-organized, 256, 440, 445, 450
 SEM. *See* Scanning electron microscopy (SEM)
 III–V Semiconductor, 109, 159
 Semiconductor–insulator–metal (SIM), 23
 SEMPA. *See* Scanning electron microscopy with spin analysis (SEMPA)
 Sensor, 169, 171, 172, 380, 387
 Sextupole, 136
 Shadow effects, 470
 Shake-down, 48
 Shake-up, 48
 Shape anisotropy, 39, 394, 416, 426, 439, 440
 Shape oscillation, 285
 Shape transition, 255, 277, 285
 Sharp cut-off approximation (SCOFF), 126
 Shunt, 129, 130
 Signal to noise ratio S/N, 191
 Silicide, 279, 284, 286, 287, 289, 366, 385
 Silicon-on-oxide (SIO), 257, 385, 418
 Sink, 305
 SIO. *See* Silicon-on-oxide (SIO)
 Slater potential, 411
 SLEEM. *See* Scanning low energy electron microscopy (SLEEM)
 Slit, 96, 98, 102, 103, 107–110, 129, 137–140, 150–152, 164, 372
 Smoothing, 236, 304
 Solar cell, 153, 259, 388
 Soliton, 267
 Solubility, 358, 359, 361, 363
 Space charge, 145–149, 151, 156, 157, 170, 296, 381, 382
 Spacer, 423–425, 438
 Spatial frequency, 192, 195, 196, 198, 214, 218–223, 225, 232
 Spatiotemporal, 267
 Specimen exchange, 164, 165
 Specimen manipulator, 11, 62, 89, 90, 95, 97, 163–166
 Spectral radiance, 144
 Spectromicroscopy, 89, 317, 384, 390, 475
 Spectroscopic, 31, 37, 41, 49, 64, 96, 97, 103, 106–109, 112, 113, 129, 137–139, 141, 151, 153, 168, 279–281, 308, 309, 367, 381, 384, 386, 390
 Spectroscopic Photo Emission and Low Energy Electrons Microscopy (SPELEEM), 31, 107, 150, 151, 157, 221, 278, 281, 287, 291, 296, 300, 305, 308, 349, 350, 354, 356, 357, 359, 361, 367, 392
 Specular reflection, 76, 113
 Specular reflectivity, 71, 420
 SPEEM. *See* Spin-resolved PEEM (SPEEM)
 SPELEEM. *See* Spectroscopic Photo Emission and Low Energy Electrons Microscopy (SPELEEM)
 SPEM. *See* Scanning photo emission microscopy (SPEM)
 Spherical aberration, 4, 5, 105, 116, 119, 122, 123, 130, 131, 138, 153, 164, 202, 219, 220, 296
 Spin analysis, 112, 113, 471–473
 Spin analyzer (polarimeter), 471
 Spin angular momentum, 59
 Spin average, 51, 113, 420
 Spin current, 39, 167, 414, 433, 436, 443
 Spin-down, 51, 59, 160, 392, 422, 423
 Spin filter, 39, 113
 Spin ice, 446, 447
 Spin manipulator, 109, 110, 140, 413
 Spinodal, 240
 Spinor, 26
 Spin-orbit doublet, 49
 Spin-orbit interaction, 26, 37, 59, 63, 77, 159
 Spin-orbit scattering, 471
 Spin-orbit splitting, 28, 37, 51
 Spin polarization, 39, 60, 76, 142, 161–163, 431, 432
 Spin-polarized, 37, 69, 76, 77, 98, 109, 110, 112, 142, 143, 159–163, 166, 172, 410, 411, 413, 422
 electron gun, 98, 410
 field emission, 157
 LEED, 76, 77, 411, 412, 415, 419
 photoemission, 37
 Spin-polarized low energy electron diffraction (SPLEED), 76, 166, 411, 412, 415, 419
 Spin-polarized low energy electron microscopy (SPLEEM), 64, 109–111, 142, 159, 161–163, 409–419, 421, 423, 424, 426, 427, 429, 431, 436, 439, 440, 444, 471–473
 Spin-polarized scanning electron microscopy (spin-SEM), 112
 Spin polarizer, 37, 39, 60, 69, 76, 77, 98, 109, 110, 112, 142, 143, 159–163, 166, 172, 410, 411, 413, 422, 431, 432
 Spin reorientation transition (SRT), 415–419, 421–426
 Spin-resolved PEEM (SPEEM), 39, 112, 113
 Spin rotation, 111, 112, 142, 143
 Spin selector, 109
 Spin separation, 109, 112
 Spin splitting, 37, 419
 Spin transfer torque, 414, 441
 Spin-up, 51, 59, 160, 392, 422, 423
 Spin valve, 423, 433, 442, 443

- Spiral, 237, 249, 259, 261, 267, 268, 271, 421, 445, 467
- SPLEED. *See* Spin-polarized low energy electron diffraction (SPLEED)
- SPLEEM. *See* Spin-polarized low energy electron microscopy (SPLEEM)
- Spontaneous, 148, 149, 240, 295, 312, 386, 390, 447
- Spot profile, 302
- SPP. *See* Surface plasmon polariton (SPP)
- Spreading, 170, 222, 223, 279, 282, 317
- Sputtering, 8, 9, 173, 231, 358, 374, 385, 390
- SPW. *See* Surface plasmon wave (SPW)
- Square wave, 211
- SRT. *See* Spin reorientation transition (SRT)
- Stacking, 244, 259, 260, 295, 300, 301, 350–353, 361, 388, 389, 417
- Stacking fault, 244, 260, 295, 388, 389
- Staining, 390
- Standard deviation, 198, 200
- Standing wave, 350, 375
- Static, 267, 436–440, 442
- Steady state, 237
- STEM. *See* Scanning transmission electron microscopy (STEM)
- Step bunching, 260, 281, 294
- Step decoration, 245, 272, 305
- Step dynamics, 230, 250, 251
- Step-edge mobility, 252
- Step energy, 250, 251, 254, 256, 258, 261
- Step faceting, 275
- Step flow, 237, 247, 248, 263, 272, 277, 287, 293, 302, 311
- Step fluctuations, 231, 232, 235, 237, 242, 245, 251, 252, 254
- Step fluctuation spectroscopy, 231, 232, 235, 237, 242, 245, 251, 252, 254
- Step free energy, 232, 236, 250, 252, 254, 255
- Step permeability, 247, 261
- Step pinning, 250
- Step roughening, 260, 272
- Step stiffness, 232–234, 236, 238, 245, 246, 252, 254, 257, 258
- Step structure, 230, 231, 250, 251, 254, 265, 283
- Step undulations, 251
- Stigmatic, 126, 136, 140, 142
- STM. *See* Scanning tunneling microscopy (STM)
- Stochastic electron–electron interactions, 201
- Stoichiometry, 262
- Strain, 37, 39, 63, 160–162, 256, 264, 266, 285, 291, 293, 302, 353, 358, 359, 429, 430, 432, 434, 437, 439, 449–451, 472
- Stranski-Krastanov, 287, 288, 296, 299–302, 313, 439
- Stray field, 6, 11, 124, 425, 429–431, 436, 439
- Stress domain, 251, 273
- Stripe domain, 255, 418, 421, 422, 430
- Striped phase, 254, 255, 272, 273, 276, 277
- Stripline, 167
- Structure analysis, 77, 264, 274, 275, 349
- Sublimation, 9, 172, 230, 237, 247, 249, 250, 254–256, 261, 287, 309, 314, 353, 385
- Submonolayer, 272, 273, 276, 277, 300, 302, 311, 313, 314
- Subsurface, 267, 358, 387
- Sum rules, 62, 64
- Supercell, 358, 363
- Superheated, 243, 247
- Superlattice, 110, 112, 161–163, 256, 426, 427, 435
- Superparamagnetic, 436, 446
- Supersaturation, 253, 363
- Supersonic, 295
- Superstructure, 266, 275, 278, 279, 281, 282, 294, 295, 307, 308, 351, 352, 358, 360, 392
- Surface anisotropy, 418
- Surface barrier, 25, 43, 70–72
- Surface excitation, 34
- Surface grating, 42
- Surface melting, 470
- Surface net, 311, 312
- Surface photoelectric effect, 28
- Surface plasmon, 34, 41–47, 367–369, 371, 374–382
- Surface plasmon polariton (SPP), 34, 41, 367–372, 374
- Surface plasmon wave (SPW), 42, 374
- Surface potential, 71, 72, 212, 215, 350, 352, 369, 414, 419, 448
- Surface profile, 211
- Surface-projected band structure, 34, 35
- Surface relaxation, 72
- Surface resonance, 28, 34, 35, 39
- Surface roughening, 293, 470
- Surface sensitivity, 49, 52, 58, 153, 264
- Surface state, 28, 34–36, 45, 374, 386
- Surface state spectroscopy, 374
- Surface stress, 241, 242, 254, 255, 266, 273, 277, 283, 284
- Surface stress anisotropy, 254, 283
- Surface termination, 259, 260, 262, 310, 354
- Surfactant, 153, 248, 282, 285, 290, 291, 317
- Susceptibility, 440–442
- Switching, 96, 105, 124, 138–140, 378, 379, 409, 416, 419, 425, 441, 449, 450

- Symmetry, 31–33, 39, 40, 63, 101, 126–128,
130, 133, 134, 136, 139, 140, 142,
160, 163, 164, 197, 201, 207, 233,
244, 249, 257, 259, 266, 308, 348,
359, 374, 376
- Symmetry axis, 63
- Synchrotron
light source, 149, 150
radiation, 30, 37, 49, 51, 52, 57, 89, 92–94,
96, 102, 103, 107, 113, 148–152, 157,
201, 221, 263, 308, 349, 354, 368, 374,
390, 391, 416, 441
- T**
- Take-off angle, 49, 50
- Taylor series, 193, 198, 199
- TCS. *See* Total current spectroscopy (TCS)
- TE. *See* Thermionic emission (TE)
- TEEM. *See* Thermionic electron emission
microscopy (TEEM)
- TEM. *See* Transmission electron microscopy
(TEM)
- Temperature measurement, 166, 241
- Template, 259, 351, 388
- Tensile strain, 254
- Termination, 34, 130, 237, 259, 260, 262, 263,
295, 296, 310, 350
- Terrace, 220, 236–238, 240–243, 246–251,
254, 256, 257, 259, 260, 262, 263, 275,
278–284, 287, 290, 294, 299, 302, 305,
314, 351, 353, 415, 425
- Tetrode, 6, 89–92, 96–98, 102, 119–121, 123,
131, 135, 218
- Tetrode mirror, 131, 135
- Thermal diffuse background, 225
- Thermal diffuse scattering, 64
- Thermal vibrations, 72, 77
- Thermionic electron emission microscopy
(TEEM), 384, 388
- Thermionic emission (TE), 5–7, 21, 22, 24, 27,
153, 154, 367, 384
- Thermodynamic equilibrium, 365
- Three-dimensional features, 52, 212
- Three-electrode objective, 3
- Three-step model, 25, 32, 33
- Threshold, 29, 33, 34, 36, 39, 40, 46, 60, 73, 78,
142, 144, 148, 190, 268, 352, 377, 386,
387, 390, 412
- Through-focus series, 218–221
- Tilt angle, 292, 309, 468
- Tilted illumination, 198, 249
- Time correlation function, 234
- Time-of-flight (TOF), 107, 368, 473
PEEM, 107
spectrometer, 473
- Time resolution, 107, 146, 148, 162, 163, 369
- Time-resolved, 100, 101, 145–148, 167, 168,
171, 369, 425
- Time-resolved PEEM (TR-PEEM), 145
- Ti:sapphire laser, 36, 46, 47, 146, 147, 149,
162, 263, 368, 370, 372–374, 376, 378,
382, 419, 473
- TOF. *See* Time-of-flight (TOF)
- Tolerances, 127
- Topography, 11, 25, 194, 281, 389, 425, 431,
439, 450, 469, 471
- Toroidal, 107, 150
- Toroidal mirror, 150
- Total current spectroscopy (TCS), 72, 74
- Transfer function, 190, 192–206, 209,
211–214, 216, 218–220, 222–225
- Transfer lens, 93, 94, 96, 98, 103, 104, 107,
109, 111, 128, 132, 134, 138–140
- Transient, 374
- Transition
metal, 48, 63, 69, 279, 385
probability, 25, 32, 59–63, 160
- Transmission, 2, 4–6, 25, 44, 54, 66, 72, 73, 75,
77, 92, 106–108, 114, 120, 122–124,
127, 130–133, 136, 172, 190, 193, 194,
199, 217, 218, 293, 318, 350, 381, 384,
392, 393, 413, 414, 467, 469
- Transmission electron microscopy (TEM), 2, 6,
66, 106–108, 136, 140, 154, 168, 193,
194, 199, 204, 205, 218, 220, 225,
295, 296, 298, 299, 363, 382, 384,
390–392, 469
- Transmission x-ray microscopy, 92, 318
- Transmission x-ray secondary-electron
conversion microscopy, 92
- Transport, 25, 52, 67, 162, 234, 236, 245, 255,
260–263, 277, 280, 298, 300, 309, 310,
348, 354, 362
- Trapping site, 312
- Tribochemical, 383
- Tribology, 383, 384
- Trilayer, 305, 353, 361, 362, 414, 423–426,
435, 437, 438, 442, 443
- Triode, 3, 5, 6, 89, 93–96, 116, 117, 119, 120,
134, 135
- Triode mirror, 134, 135
- Trochoidal, 72, 73, 75
- TR-PEEM. *See* Time-resolved PEEM
(TR-PEEM)
- Tunable, 30, 40, 47, 146, 309, 317, 390, 447

Tunneling, 8, 46, 156, 230, 382, 426
 Tunneling microscopy, 8230
 Tunnel junction, 421, 423, 426, 433, 435
 Turbulent, 267
 Twinning, 256, 395
 Two-dimensional gas, 64, 230, 252, 273, 279, 301, 313

U

Ultraviolet MCDPEEM, 145
 Ultraviolet PEEM, 27, 28, 30, 32, 34, 39, 94, 106, 135, 171, 215, 263, 264, 268, 271, 272, 284, 303, 305, 309, 310, 312, 313, 315, 318, 366, 377, 383–390, 429, 432, 470, 475
 Ultraviolet photoelectron spectroscopy (UPS), 303, 309, 315, 316
 Uncompensated, 433–435
 Undercooling, 239, 241, 243
 Undulator, 148–151, 318, 470
 Uniaxial, 425, 428
 Unipotential, 117
 Universal curve, 52
 UPS. *See* Ultraviolet photoelectron spectroscopy (UPS)

V

Vacancy, 207, 236–238, 241, 243, 244, 246, 247, 255, 256, 261, 276, 277, 302, 304
 Vacuum level, 27, 35, 52, 57, 65, 66, 68, 75, 160, 300, 413, 419
 Vacuum ultraviolet (VUV), 148, 473
 Valence, 47, 48, 52, 109, 159, 216, 295, 300, 301, 305–307, 357, 419
 band, 47, 52, 109, 159, 216, 295, 300, 301, 305–307, 357, 419
 electron, 48
 Valve, 98, 99, 423, 435, 443
 Vapor-liquid-solid mechanism, 297
 Vector potential *A*, 33, 214
 Verwey transition, 431
 Very low energy electron diffraction (VLEED), 72–74
 Vicinal, 77, 239, 281
 Video camera, 230
 Virgin state, 437
 Virtual image, 115, 116, 118, 119, 121, 203
 Virtual object, 115, 194
 Virtual source, 154, 155
 Virtual state, 25

VLEED. *See* Very low energy electron diffraction (VLEED)
 Vogel mount, 154, 155
 Volmer-Weber, 287, 303, 307, 312
 Vortex, 436–438, 442–445
 VUV. *See* Vacuum ultraviolet (VUV)

W

Wafer, 312, 317, 364, 390
 Wannier functions, 48
 Wave aberration function, 197, 202–206, 213, 218, 219
 Wavelength, 32, 34, 41–44, 47, 75, 119, 145, 146, 149, 150, 169, 191, 212, 224, 230, 232, 370–372, 374, 376–378, 380, 381, 389
 Wave optics, 4, 123, 189–191, 209, 212
 Wedge, 139, 421, 423–425, 438
 Wehnelt, 7, 78, 157, 173
 Weighting, 218, 220–221
 Wetting, 280, 284, 285, 287, 288, 292–294, 296, 298–302, 306, 310–313, 315, 373, 374, 421, 439, 444
 White line, 62, 360
 White radiation, 149
 Wien filter, 89, 97, 100, 108, 112, 136, 137, 140–142
 Window, 5, 11, 95, 105, 107, 136, 143, 144, 166–169, 217, 267, 362, 388, 430, 441, 467, 472, 474
 Window frame, 166, 167, 430, 441
 Wire, 154–156, 286, 289, 437, 439–443
 Work function, 12, 19, 22–24, 27, 28, 30, 34, 36, 37, 40, 41, 43, 45–48, 56, 99, 142, 144, 145, 148, 156, 157, 212, 217, 230, 241, 264, 266, 269–271, 274, 278, 282, 299, 309, 316, 318, 352, 361, 366, 367, 372, 383, 387, 388, 448, 466, 470, 473, 475
 Wrinkling, 362

X

XANES. *See* X-ray absorption near edge structure (XANES)
 XANES-PEEM, 268
 XAS. *See* X-ray absorption spectroscopy (XAS)
 XHV. *See* Extreme high vacuum (XHV)
 XMCD. *See* X-ray magnetic circular dichroism (XMCD)

- XMCDPEEM, 62, 166, 394, 395, 409, 410, 415, 416, 418, 419, 421–426, 428–434, 436–447, 450, 451
- XMLD. *See* X-ray magnetic linear dichroism (XMLD)
- XMLDPEEM, 63, 390, 409, 410, 428–430, 433, 439, 450
- XNLD. *See* X-ray natural linear dichroism (XNLD)
- XNLDPEEM, 390–392
- XPd. *See* X-ray photoelectron diffraction (XPd)
- XPEEM. *See* X-ray photoemission electron microscopy (XPEEM)
- XPS. *See* X-ray photoelectron spectroscopy (XPS)
- X-ray absorption near edge structure (XANES), 55–58, 215, 268, 382–384
- X-ray absorption spectroscopy (XAS), 54, 56–58, 61, 215, 298, 311, 383
- X-ray magnetic circular dichroism (XMCD), 55, 58–64, 306, 307, 394, 419, 421, 428, 432, 434, 435, 444, 445, 450
- X-ray magnetic linear dichroism (XMLD), 55, 63, 64, 429, 432, 433, 435, 449
- X-ray natural linear dichroism (XNLD), 55, 63, 64
- X-ray photoelectron diffraction (XPd), 54, 55, 298
- X-ray photoelectron spectroscopy (XPS), 48, 50–52, 54, 55, 57, 58, 137, 284, 287, 291, 298, 300, 301, 303, 305–309, 317, 350, 353–357, 359–361, 363, 366, 384, 385, 388, 447
- X-ray photoemission electron microscopy (XPEEM), 25, 47, 51, 52, 54, 55, 107, 108, 122, 131, 135, 149, 150, 218, 221, 222, 224, 229, 267–270, 272, 278, 284, 290, 291, 296–299, 305–307, 309, 313, 317–319, 348, 350, 352, 356, 357, 359, 360, 383–388, 390–392, 394, 418, 430, 448, 450, 451, 470, 473–475
- X-ray scanning photoemission microscopy (XSPEM), 474
- XUV. *See* Extreme ultraviolet (XUV)
- Y**
- YAG, 91, 145, 146, 172, 465
- Yoke, 166, 441
- Z**
- Zeeman, 26, 424
- Zone
 boundary, 37, 39
 plate, 389, 473, 474