

Index

A

ABC format, functional behavioral
assessment, 18
ABC model, Ellis, 232
ABC recording, 25
Acceptance and commitment therapy (ACT),
124, 126
Access to care, problems, 288
ACTION intervention, 93
Activating event, REBT, 233
Activity scheduling, depression, 90. *See also*
Behavioral activation
Adaptation for implementation, school
settings, 296
Adapting CBT, school settings, 296
ADIS Parent and Child Versions, 56
Administrative supervision, 312
Affordable Care Act (ACA), 6
role expansion, 8
Agoraphobia, 48, 49
Anger Coping program, 168
Anger, externalizing disorders, 165, 166
Anhedonia, 85, 90
Antecedents, 18
Anxiety, 45, 102–104, 110, 114, 119, 123,
287, 289
anticipatory, 46
Anxiety disorders, comorbidity, 49
Anxiety Disorders Interview Schedule, 52, 55,
56, 123, 130
Anxiety hierarchy, exposure, 258
Applied behavioral analysis, 183
Apps, 328–331
CBT, 328

Assertion

conceptual model, 262
interventions, 266
research, 263, 264
Assertive behavior, definition, 262
Assertiveness, 263–267
training, implementation, 265
Assessment. *See also* Social skills
analogue, 28
anxiety, 48, 103, 258
attention deficit hyperactivity disorder, 140
autism spectrum disorder, 185
depression, 86
feasibility, 20
modifications, autism spectrum disorder, 187
obsessive compulsive disorder, 123
parent measures, 23
pediatric elimination disorder, 202
posttraumatic stress disorder, 74
secondary trauma, 74
self-monitoring, 33
trauma, 73
Attention deficit hyperactivity disorder,
122, 137, 287, 289
Autism spectrum disorders, 132, 187, 188, 287
Automatic irrational thoughts, 275
Automatic thoughts, 222–224
questionnaire, 87
Avoidance, 46, 48, 50

B

Baseline, 16, 18, 23, 25, 27, 28, 33, 35, 39
B-C connection, in REBT, 233

- Beck anxiety inventory, 21
- Beck depression inventory, 22, 57, 87
for youth, 87
- Beck youth inventory, 22
- Behavioral activation
depression, 95
group therapy, 104
- Behavioral assertiveness test for children, 29
- Behavioral avoidance tests, 28, 252
- Behavioral Interventions for Anxiety in
Children with Autism (BIACA)
program, 185
- Behavior Assessment System for Children,
20, 141, 166, 203
- Behavior management strategies
teacher skill, 171
- Behavior modification
attention deficit hyperactivity disorder, 142
- Behavior Rating Inventory of Executive
Functioning, 22, 141
- Behavior Youth Inventory-II, 141
- Biofeedback, 204
- Biological factors
aggression, 164
antisocial behavior, 164
- Biopsychobehavioral model, 211
retentive encopresis, 201
- Blueprint for Training and Practice, 7
- Blues program, 97
- Brief Impairment Scale, 87
- Building Confidence CBT Program, 185
- C**
- Case conceptualization. *See* Anxiety
- Catastrophizing, 241
- CBT. *See* Cognitive behavioral therapy (CBT)
- Center for Epidemiologic Studies Depression
Scale (CES-D), 55, 87
- Child Behavior Checklist, 56, 87, 130, 166,
203, 213
- Children's Attributional Style
Questionnaire-Revised, 88
- Children's daily logbook, 37
- Children's Depression Inventory, 2, 56, 131, 141
- Children's Depression Rating Scale, Revised, 88
- Children's Global Assessment Scale, 56
- Children's Impairment Rating Scale, 167
- Children's Yale-Brown Obsessive-Compulsive
Scale, 124
- Classroom Strategies Scale, 148
- Clinical competency, 308
- Clinical Global Impressions Scale-
Improvement, 57
- Clinical supervision, 308, 310
- Clinical utility, 21
- Clomipramine, 127
- Cognitive behavioral play therapy, 204
- Cognitive behavioral therapy (CBT), 124
modification, autism spectrum disorder, 188
in school setting, autism spectrum
disorder, 190
trauma, 77
- Cognitive distortions, 121, 131, 223, 224
- Cognitive errors, Beck, 223
- Cognitive restructuring. *See also* Stress
inoculation training
Beck, 221
behavioral approaches, 236
empirical support, 226
reframing, 240
techniques, 222
uses, 222
- Comorbidity
attention deficit hyperactivity disorder, 138
autism spectrum disorder, 182
conduct disorder, 165
obsessive-compulsive disorder, 120, 122
oppositional defiant disorder, 165
pediatric elimination disorders, 213
- Competencies in professional psychology,
foundational, 309
- Compliance Test, 31
- Computer-assisted models, 325
therapy, 324
- Concentration difficulty, anxiety, 47
- Conduct disorder, 289
- Conduct problems
family factors, 163
- Confidentiality, 313, 318
- Conners 3, 141
- Connors Teacher Behavior Rating Scale
(BRS), 55
- Consequences, 18
- Contamination, 119
- Contextual social-cognitive model
conduct disorders, 163
- Contextual variables
implications for implementation, 295
- Co-occurrence
anxiety (*see* Comorbidity)
depression (*see* Comorbidity)
- Cool Kids Program, 185
- Coping Cat, 58, 185, 257, 261, 298
- Coping Cat-Cool Kids, 58
- Coping Power program, 169
- Coping with Depression for Adolescents, 90
- Coping with Stress program, 97

- Counterconditioning, 273
- Countoons, 33
- Covert conditioning, 237
 - empirical support, 239
 - procedures, 238
 - steps, 238
 - underlying assumptions, 237
- Credentialing, school psychology, 313
- Critical incident analysis, 19
- Cultural differences
 - obsessive compulsive disorders, 132

- D**
- Daily behavior rating, 27
- Daily report card, 27, 148
- Depression, 85, 93, 94, 103, 123, 131, 287, 289
 - anxiety, 50
- Developing alternative thoughts, 242
- Developmental considerations
 - cognitive restructuring, 227
 - depression, 93
 - obsessive compulsive disorder, 128
 - REBT, 236
 - transdiagnostic therapy, 110
- Developmental issues, anxiety, 47
- Diagnostic and Statistical Manual of Mental Disorders, 119, 288
- Diagnostic and Statistical Manual of Mental Disorders (5th ed; DSM-5), 48
 - encopresis, 200
 - enuresis, 200
 - oppositional defiant disorder, 165
 - post-traumatic stress disorder, 67
- Diagnostic Interview for Children and Adolescents-Revised, 17
- Dialectical behavior therapy, 257
- Diet, etiology of encopresis, 204
- Discrete Trial (DT) Training, 183
- Disimpaction, 205
- Disputation techniques, in REBT, 233, 234
- Disruptive Behavior Diagnostic Observation Schedule, 30
- Disruptive behavior disorders, 289, 290, 293
- Disruptive Behavior Rating Scale, 21
- Dissemination, 294
 - challenges, 291
 - of interventions, school setting, 292
 - psychological procedures, 290
 - in schools, considerations, 294
- Distress, 48
 - anxiety, 45
- Dominance/revenge oriented goals
 - conduct disorder, 164

- Duration, 25, 33
- Dysfunctional Attitude Scale, 88

- E**
- Early intervention, depression, 86
- Eating disorders, anxiety, 50
- Effective instructions
 - classroom management, 174
- Effectiveness, 291
 - research, 291
- Efficacy, 291, 292, 295
- Emotional Stroop, 75
- Emotion awareness
 - conduct disorder, 170
- Emotion thermometer, 170
- Empirical disputation, in REBT, 234
- Empirically based interventions, 46
- Empirically supported treatments
 - evaluate (*see* Evidence based treatments)
 - extent of use, 288
- Empirical support
 - transdiagnostic therapy, 105
- Encopresis, 199, 202, 211, 213, 215
 - non-retentive, 200, 208
 - primary, 200
 - retentive, 200, 208
 - secondary, 200
- Enemas, 205, 211
- Entry to school settings, 314
- Enuresis
 - diurnal, 200, 201
 - nocturnal, 200
 - primary, 200
 - secondary, 200
- Epidemiology
 - post-traumatic stress disorder, 69
- Ethics
 - covert conditioning, 239
 - systematic desensitization, 275
- Etiology
 - diurnal enuresis, 201
 - pediatric elimination disorders, 201
- Event sampling, 25
- Evidence based treatments
 - conduct disorder, 168
 - enuresis, 208
 - oppositional defiant disorder, 168
- Evidence based practices, anxiety, 53
- Examine evidence, Beck, 224
- Executive functioning, 141
- Exposure
 - anxiety, 51, 257
 - empirical support, 261

- Exposure (*cont.*)
 imaginal, 259
 post-intervention procedures, 261
 procedures, 251
 theoretical /research underpinnings, 257
 therapy, trauma, 77
 for trauma, 70
 virtual reality, 259
 in vivo, 259, 275
- Externalizing behaviors, 140
- Externalizing disorders
 conduct disorder, 161
 oppositional defiant disorder, 161
 school setting, 162
- Eyberg Child Behavior Inventory, 166
- Eye Movement Desensitization
 and Reprocessing, 79
 virtual reality, 79
- F**
- Facing-Your Fears (FYF), 185
- Family Accommodation Scale., 124
- Fears, 119
 hierarchy, development of, 273
 ladder (*see* Subjective units of distress scales)
- Fear Survey Schedule for Children-II, 252
- Feasibility, 58, 59, 227
 Group Behavioral Activation Therapy, 113
 school settings, 292
- Feelings chart, 37
- Flooding, 257
- Food and Drug Administration, 127
- Frequency, 25, 27, 29, 33
- Functional analysis, 17, 19
- Functional bladder capacity, 201
- Functional impairment
 obsessive compulsive disorder, 121
- G**
- Generalizability, 294
- Generalized anxiety disorder, 48, 50
- Graded exposure, 125
- Group behavioral activation therapy
 bullying, 109
 development and evaluation, 112
 empirical support, 110
- Group intervention, anxiety, 58
- Group manualized treatments
 anxiety, 54
- Group therapy, 316
 clinical settings, 317
 obsessive compulsive disorder, 126
 school settings, 318
- Guided discovery & empiricism
 Beck, 225
- H**
- Happening, Thinking, Feeling, and Behavior,
 265
- Hassle Log, 35, 170
- Hierarchy, 131, 253
 anxiety, 250
 construction, procedures, 251
 development
 psychoeducation, 251
 roles, 250
 empirical support, 253
 obsessive compulsive disorder, 130
 theoretical/research underpinnings, 250
- High stakes testing, 4
- Historical roots, trauma, 72
- Homework assignments
 assertion training, 266
- Hopelessness Scale for Children, 88
- Hypersensitivity, 132
- I**
- Identified patient, 240
- Imagery, 257, 259, 260
- Impairment, 46, 58
- Implementation
 anxiety treatment, 59
 barriers to, 292
 group behavioral activation therapy, 113
 of interventions, school setting, 292
 obstacles, 292
 depression, 92
 organizational factors, 295
 research, school setting, 295
 in schools, considerations, 294
 supervision of, 310
- Incredible Years Program, 168
- Individual manualized treatments
 anxiety, 58
- Individuals with Disabilities Education Act, 122
- Instructional and behavioral management
 practices
 attention deficit hyperactivity disorder, 147
- Intensity, 33
- Internalizing disorders, 288, 290
- Internalizing problems, 140
- International Classification of Diseases, 288
- International OCD Foundation, 122

- Internet
 - cognitive behavior therapy, 327
- Interpersonal Therapy for adolescents (IPT-A), 97
- Intervention modifications
 - autism spectrum disorder, 187
- Interventions
 - attention deficit hyperactivity disorder, 141
 - autism spectrum disorder, 183, 185
 - encopresis, 204
 - externalizing disorders, 167
 - strategies
 - transdiagnostic therapy, 107
- Interviews
 - parent, 19
 - semi-structured, 17
- Interview Schedule for Children and Adolescents, 17
- Intervention, trauma, 76
- In vivo experiences, 257
- Irrational beliefs, 236, 237
 - description (*see* Rational Emotive Behavior Therapy)
 - types, 233 (*see also* Rational Emotive Behavior Therapy)

- K**
- Kegel exercises, 209
- Kiddie-Schedule for Affective Disorders and Schizophrenia, 124

- L**
- Learning theory, 120
- Liebowitz Social Anxiety Scale for Children and Adolescents, 56
- Logical disputation, in REBT, 235
- Luvox, 127

- M**
- Managing encopresis, 206
- Measures, depression, 87
- Mental status exam, 17
- Metacognitive skills, 149
- mHealth apps
 - school settings, 329
- Mind over Mood Workbook, 185
- Mind reading, 241
- Mobile health apps, privacy, 331
- Mobile technology
 - for counseling, 329
- Modular interventions
 - anxiety, 58
 - Modular treatment, 299
 - paradigm shift, 299
- Montreal Delinquency Prevention Program, 168
- Mood and Feelings Questionnaire, 88
- Multi-Component Integrated Treatment (MCIT), 185
- Multidimensional Anxiety Scale for Children, 56, 258
- Multi-method, multi-informant approach, 123, 133

- N**
- National Comorbidity Survey, 46
- Neurotransmitter theories
 - obsessive compulsive disorder, 120

- O**
- Obsessions, 119, 126, 127
- Obsessive compulsive disorder, 49, 50, 119
- Operant conditioning, 237
- Oppositional, 46, 58
- Oppositional/defiant behavior, 141
- Oppositional defiant disorder, 123, 289
- Oral laxatives, 206
- Oral lubricants, 206
- Oral stool softeners, 206

- P**
- Panic disorder, 48
- Paradoxical instruction, 204
- Parent-Adolescent Interaction Coding System, 31
- Parent and Adolescent Clinical Global Impressions, 57
- Parenting Confidence Assessment, 24
- Parenting Scale, 24
- Parenting Sense of Competence Scale, 24
- Parenting Stress Index, 24
- Parent training
 - attention deficit hyperactivity disorder, 147, 150, 153
 - conduct disorder, 168
 - oppositional defiant disorder, 168
- PASCET, 90, 91
- Paxil, 127
- Pediatric elimination disorders, 199
- Penn-State Worry Questionnaire, 131
- Personal meaning, 223
- Pharmacotherapy, 120
 - obsessive compulsive disorder, 127
- Phobic, 46
- Planned ignoring, 174

- Pleasant event scheduling
 - depression, 95
 - Positive attending, 173
 - Positive opposite
 - in reframing, 241
 - Positive reinforcement, 173
 - Positive Thoughts and Action (PTA)
 - Program, 97
 - Post-traumatic stress disorder, 50, 67
 - PracticeWise, 53
 - Pragmatic disputation
 - in REBT, 235
 - Preschool Observation Scale of Anxiety, 29
 - Prevention, depression, 86
 - Privacy, 318, 319
 - Problem solving
 - conduct disorder, 168
 - for depression, 91
 - oppositional defiant disorder, 168
 - skills
 - conduct disorder, 169
 - Professional issues, 307
 - Professional practice standards, 308
 - Programmed flexibility
 - in modular treatment, 299
 - Progressive muscle relaxation
 - anger, aggression, 269
 - anxiety, 269
 - depression, 269
 - literature, 268
 - procedures, 270
 - school settings, 270
 - sleep disturbance, pain, 270
 - Prozac, 127
 - Psychoeducation
 - anxiety, 51
 - assessment
 - obsessive compulsive disorder, 122
 - depression, 90
 - exposure, 258
 - pediatric elimination disorders, 205
 - Psychopharmacological treatment
 - post-traumatic stress disorder, 80
 - Psychosocial treatments, 120
- R**
- Rape trauma syndrome, 72
 - Rational beliefs, description. *See* Rational Emotive Behavior Therapy
 - Rational Emotive Behavior Therapy (REBT), 232
 - conceptual model, 232
 - Reassurance, 46, 48
 - Reciprocal inhibition, 273
 - Recording, anecdotal, 25
 - Reframing
 - alternative cognitive information processing, 242
 - research support, 242
 - steps, 241
 - uses, 240
 - Rehearsal, stress inoculation training, 231
 - Relapse prevention, depression, 91
 - Relationship between thoughts and feelings, Beck, 222
 - Relaxation training, 267
 - Repetitive behaviors, 119
 - Research
 - anxiety, 55
 - behavioral activation, 104
 - CBT for autism, 184
 - depression, 96
 - pediatric elimination disorders, 215
 - physical exercise for trauma, 78
 - Response prevention, 124, 125, 128, 257
 - Response to Intervention (RTI), 3
 - Restricted Academic Task, 29
 - Revised Behavior Problem Checklist, 166
 - Revised Children's Anxiety and Depression Scale, 57
 - Revised Children's Manifest Anxiety Scale, 2nd ed, 141, 258
 - Revised Hamilton Rating Scale for Depression, 88
 - Reynolds Adolescent Depression Scale, 88
 - Rigidity, 132
 - Rituals
 - checking, 121
 - contamination, 121
 - Role and function, school psychology, 10
- S**
- Schedule for Affective Disorders and Schizophrenia for School-Aged Children (K-SADS), 17, 88
 - School based mental health intervention
 - advantages of, 293
 - School mental health services, rationale, 289
 - Screening measures assessment, 20
 - Secondary trauma, 68, 70, 72, 76, 77
 - Selective mutism, 48
 - Selective serotonin reuptake inhibitors, 120, 127
 - Self-doubts, 119
 - Self-monitoring
 - conduct disorder, 170
 - depression, 91
 - feasibility, 36
 - utility, 36

- Self-Report Coping Scale, 88
 - Self-Report for Childhood Anxiety Related Emotional Disorders, 55
 - Self-talk, 317
 - Semantic disputation, in REBT, 235
 - Separation anxiety disorder, 48
 - Serotonin, 120
 - Session scheduling
 - school setting, 296
 - Shame attacks, in REBT, 236
 - Shell shock, 72
 - Shyness, 46
 - Skill acquisition
 - stress inoculation training, 231
 - Skills acronym, 107
 - Skills for Academic and Social Success, 54
 - Sleep disturbance, anxiety, 47
 - Social anxiety disorder, 48, 58
 - Social Anxiety Scale for Adolescents, 55, 56
 - Social cognition, aggression, 164
 - Social Effectiveness Therapy for Children, 54
 - Social inhibition, 46
 - Social Phobia and Anxiety Inventory for Children, 56
 - Social Phobic Disorders Severity and Change Form, 56
 - Social skills
 - assertion, 265
 - definition, 263
 - Somatic complaints, anxiety, 47
 - Spider Phobia Questionnaire for Children, 252
 - State-Trait Anxiety Inventory for Children, 57
 - Strengths and Difficulties Questionnaire, 21
 - Stress, 47
 - Stress inoculation training
 - empirical support, 231
 - procedures, 229
 - theoretical underpinnings, 228
 - Structural family therapy, 240
 - Subjective units of distress, 252, 258
 - Subjective units of distress scales, 273
 - Substance abuse, 45
 - Suicidal Ideation Questionnaire, 88
 - Suicidality, 45
 - Suicidal thoughts, 127
 - Supervision
 - in cognitive and behavioral practice, 310
 - developing multicultural competencies, 313
 - process, 309
 - school settings, 311, 312
 - supervisor qualities, 311
 - Suppositorie, 206
 - Sustainability, 316
 - Symptom Check List (SCL-90), 55
 - Systematic desensitization
 - components, 273
 - empirical support, 253, 276–277
 - procedures, 252, 274
 - Systemic family therapy, 240
- T**
- Teacher consultation
 - behavior management, 172
 - Teacher training
 - attention deficit hyperactivity disorder, 150
 - Technology, 323
 - Tell Me a Story; TEMAS, 55
 - Theory of Mind, 185, 190
 - Thoughts as irrational, 120
 - Tic disorders, 122
 - Time sampling, 25
 - Time-series measurement, 27
 - TRAC skills, 107
 - Transdiagnostic treatment, 102, 103
 - Transportability, 290–292, 298, 299
 - barriers to, 292
 - TRAP skills, 107
 - Trauma, 68, 71, 78, 81
 - Treatment
 - approaches, attention deficit hyperactivity disorder, 143
 - resistance, 120
 - Treatments That Work, 37
 - Two-factor theory, 120
- U**
- Underlying assumptions, Beck, 223
 - Urine alarm, 209
 - vibrating, 211
- V**
- Virginia Encopresis-Constipation Apperception Test, 203, 210
 - Virtual reality therapy, 79
- W**
- Wearable tech, 332
 - Worry record, 37
- Y**
- Yale-Brown Obsessive-Compulsive Scale, 252
 - Youth Self Report, 131
- Z**
- Zolof, 127