
Index

A

- Acquired immunodeficiency syndrome (AIDS), 54, 72
- Acute fibrinous and organizing pneumonia (AFOP), 33
- Acute interstitial pneumonia (AIP)
 - clinical presentation, 45–46
 - idiopathic form, DAD, 34
 - pathologic findings, 46
- Acute lung injury pattern, 29–30
- Acute pneumonias, 29, 30
- Acute respiratory distress syndrome (ARDS), 29, 30, 32, 60
- Adenocarcinoma
 - atypical adenomatous hyperplasia (AAH), 94
 - abrupt transition, 92
 - diagnosis, 93
 - EGFR, 94
 - electromagnetic navigational biopsy, 91
 - imaging, 91
 - immunohistochemistry, 94
 - invasive, 92
 - lepidic pattern, 92
 - mucinous, 93
 - pleural surface/puckering, 91
 - types, 91
- Adenocarcinoma minimal invasion (AMI), 92
- AFOP. *See* Acute fibrinous and organizing pneumonia (AFOP)
- AIDS. *See* Acquired immunodeficiency syndrome (AIDS)
- Airspace disease, 14
- Air trapping, 14–15
- Alveolar adenoma (AA), 84
- AMI. *See* Adenocarcinoma minimal invasion (AMI)
- Architectural distortion, 15
- ARDS. *See* Acute respiratory distress syndrome (ARDS)
- Artifacts and nonspecific findings
 - bronchial cartilage, 26
 - carcinoid tumorlets, 25
 - chemodectoma, 25, 26
 - corpora amylacea, 25
 - fresh blood, 24
 - intra-alveolar macrophages, 24
 - megakaryocytes, 26
 - minute meningothelial-like nodules, 25, 26

- peribronchial fibrosis and chronic inflammation, 23, 24
- practical approach, 27
- pseudo-atelectasis, 24
- pseudolipoid, 24–25
- Aspergillosis
 - clinical and radiologic findings, 60
 - histologic findings, 60
- Aspiration pneumonia
 - BOOP, 30
 - clinical and radiologic findings, 73–74
 - histologic findings, 74–76
- Atelectasis, 15, 16, 94
- Atypical adenomatous hyperplasia (AAH), 94
- Azzopardi effect, 96

B

- Basaloid squamous cell carcinoma, 94, 95
- Benign tumors
 - alveolar adenoma (AA), 84
 - clear cell tumor, 86–87
 - endobronchial wall-related tumors, 81
 - granular cell tumor, 82–83
 - inflammatory myofibroblastic tumor, 87
 - mucinous cystadenoma, 87–88
 - PA, 82
 - papillary adenoma, 84
 - parenchymatous tumors, 83
 - pneumocytoma “sclerosing hemangioma”, 84–86
 - pulmonary hamartoma, 83–84
 - schwannoma, 82
 - solitary fibrous tumor, 86
 - squamous papilloma, 81–82
- Blastomycosis
 - clinical and radiologic findings, 60
 - histologic findings, 60
- BOOP. *See* Bronchiolitis obliterans/organizing pneumonia (BOOP)
- Bronchial cartilage, 26
- Bronchiectasis, 15, 16
- Bronchiolitis obliterans/organizing pneumonia (BOOP)
 - air spaces, 30, 31
 - alveolar space, 31
 - bronchioloalveolar carcinoma, 32, 93

- Bronchiolitis obliterans/organizing pneumonia (BOOP) (*cont.*)
 DAD, 31–32
 description, 30
 etiology, 31
 lung transplant community, 32
 Bronchioloalveolar carcinoma, 32
 Bronchopneumonia, 14, 62, 73, 74
- C**
 Carcinoid tumorlets, 25
 Carcinoid tumors
 atypical, 98
 differential diagnoses, 99
 large cell neuroendocrine carcinoma, 98
 nesting/organoid pattern, 97, 98
 neuroendocrine, 97, 98
 spindle cell, 98
 Caseating granuloma, 56
 Caseous necrosis, 53
 Cavitation, 18
 Centrilobular nodules, 16
 Chemodectoma, 25, 26
 Chest radiograph, 13
 Chronic beryllium disease (berylliosis)
 clinical and radiologic findings, 71
 histologic findings, 72
 Churg–Strauss syndrome
 clinical and radiologic findings, 62
 histologic findings, 62
 Clear cell tumor, 86–87
 Coccidioidomycosis
 differential diagnosis, 59–60
 fungal infection, 58
 necrotizing granulomas, 59
 needle biopsy, 59
 spherules, 59
 Computed tomography (CT)
 airspace disease, 14
 branching endobronchial nodules, 17
 “crazy-paving” pattern, 35
 cystic fibrosis, 15
 description, 13
 18F-FDG PET/CT, 14
 ground-glass opacification, 9
 high-resolution, 13, 40, 41
 honeycomb changes, 41
 needle aspiration and core biopsy, 92
 smooth interlobular, 16
 solitary lung nodule, 56
 subpleural/perilymphatic nodules, 17
 TSCT, 14
 Consolidation, 16
 COP. *See* Cryptogenic organizing pneumonia (COP)
 Core biopsy, 1, 22, 84, 92
 Corpora amylacea, 25
 Crazy-paving pattern, 16
 Cryobiopsy, 7–8, 22–23, 41, 48
- Cryptococcosis
 clinical and radiologic findings, 72
 clusters, 72
 differential diagnosis, 72–73
 fibroblasts, 72
 fungal organisms, 72
 granulomatous rim and necrosis, 72, 74
 histiocytes and giant cells, 72, 73
 immunocompromised patients, 72
 mucicarmine and Fontana–Masson staining, 72, 75
 Cryptogenic organizing pneumonia (COP),
 9, 30, 32, 40
 CT. *See* Computed tomography (CT)
- D**
 DAD. *See* Diffuse alveolar damage (DAD)
 Desquamative interstitial pneumonia (DIP)
 histopathologic findings, 44–45
 peribronchial pattern, fibrosis, 43
 post-obstructive pneumonia, 45
 RB, 43
 smoking history, 43
 smoking-related diseases, 45
 Diffuse alveolar damage (DAD)
 and AIP, 30, 45–46
 and ARDS, 30, 32
 histopathologic features, 32–34
 interstitial pattern, 31–32
 DIP. *See* Desquamative interstitial pneumonia (DIP)
- E**
 EBUS. *See* Endobronchial ultrasound (EBUS)
 EGFR. *See* Epithelial growth factor receptor (EGFR)
 Emphysema, 16
 Endobronchial ultrasound (EBUS), 6, 7, 22, 64
 Endobronchial wall-related tumors, 81
 Endogenous pneumoconiosis, 35
 Epithelial growth factor receptor (EGFR), 23, 94, 95
- F**
 Fiberoptic bronchoscopy (FOB), 1–2
 Fibroblastic plugs, 30
 Fine needle aspiration biopsy, 22
 Flexible fiberoptic bronchoscopy, 1–2
 Flow cytometry, 23
 FOB. *See* Fiberoptic bronchoscopy (FOB)
 Focal and diffuse infiltrative diseases
 COP, 9
 cryobiopsy, 7–8
 endobronchial cryotherapy, 7
 extrinsic allergic alveolitis, 7
 granulomatous lung diseases, 6
 hypersensitivity pneumonitis (HP), 7
 HRCT, 8
 IPF, 8
 NSIP, 8

- organizing pneumonia, 9
- pulmonary function testing, 8–9
- routine transbronchial lung biopsy, 6
- sarcoidosis, 7
- smoking-related inflammatory reaction, 8–9
- surgical lung biopsy, 6–7
- transbronchial lung biopsy, 6, 7
- VATS, 8
- Focal solid parenchymal lesions
 - lung masses, 5
 - lymphangitic metastases, 6
 - metastatic malignancies, 6
 - solitary pulmonary nodules, 6
- Fungal infections
 - blastomycosis, 60
 - coccidioidomycosis, 58–60
 - granulomatous mycobacterial, 53
 - histoplasmosis, 54–58
 - mycobacterial, 51
- G**
- Goodpasture syndrome
 - clinical and radiologic findings, 75
 - histologic findings, 75–76
- Granular cell tumor
 - cytoplasm, 83
 - endobronchial wall, 83
 - microscopic examination, 82–83
 - pedunculated masses, 82
- Granulomas. *See* Pulmonary granulomas
- Granulomatosis with polyangiitis (GPA). *See* Wegener’s granulomatosis
- Granulomatous inflammation
 - aspergillosis, 60
 - aspiration pneumonia, 73–75
 - blastomycosis, 60
 - Churg–Strauss syndrome, 62
 - coccidioidomycosis, 58–60
 - cryptococcosis, 72–73
 - diagnostic approach, 51
 - histoplasmosis, 54–58
 - necrotizing granulomas, 63
 - non-tubercular mycobacterial infection, 54
 - pathologic finding, 51
 - pulmonary granulomas, 63
 - rheumatoid nodule, 62–63
 - tuberculosis, 52–53
 - Wegener’s granulomatosis, 60–62
- Granulomatous lung diseases
 - HP, 7
 - sarcoidosis, 7
- Ground-glass nodule, 18
- Ground-glass opacity, 16
- H**
- Halo sign, 18
- Hamartoma. *See* Pulmonary hamartoma
- Hamman–Rich disease, 30, 34
- High-resolution computed tomography (HRCT), 8
- Histoplasmosis
 - caseating granuloma, 56
 - characterization, 56
 - chest CT and core needle biopsy, 55, 56
 - disseminated, 58
 - endemic fungal infection, 54
 - histologic features, 57
 - Histoplasma* organisms, 57
 - solitary lung nodule, 55
 - surgical pathologists, 55
 - transbronchial/needle biopsy, 56
- Honeycombing, 16
- Horner’s syndrome, 94
- Hot tub lung
 - clinical and radiologic findings, 68
 - histologic findings, 68–69
- HRCT. *See* High-resolution computed tomography (HRCT)
- Hypersensitivity pneumonitis (HP)
 - cholesterol crystals/clefts, 67
 - clinical and radiologic findings, 66
 - clinical presentation, 47
 - diffuse interstitial chronic inflammation, 66–67
 - extrinsic allergic alveolitis, 46
 - foamy macrophages, 67
 - granulomatous inflammation, 66
 - histologic triad, 67–68
 - histopathologic findings, 47, 48
 - lymphocyte, 66
 - lymphoid interstitial pneumonia, 47–48
 - transbronchial lung biopsy, 67, 68
- I**
- Idiopathic pulmonary fibrosis (IPF), 8
- Immunohistochemical staining, 23
- Inflammatory myofibroblastic tumor
 - anaplastic lymphoma, 87
 - characterization, 87
 - neoplastic process, 87
 - paraneoplastic syndrome, 87
 - small biopsies, 87
 - spindle cell neoplasms, 87
- Interlobular septal thickening, 16–17
- Interstitial lung diseases
 - AIP, 45–46
 - autoimmune, 8
 - classification, 39, 40
 - DIP, 39, 43–45
 - HP, 46–48
 - NSIP, 42–43
 - RB-ILD, 43–45
 - UIP (*see* Usual interstitial pneumonia (UIP))
- Intra-alveolar hemorrhage, 34–35
- Intra-alveolar macrophages, 24
- IPF. *See* Idiopathic pulmonary fibrosis (IPF)

L

- Large cell carcinoma, 97
- Lipoid pneumonia, 24–25
- Lung biopsy
 - endobronchial diseases diagnose, 2–4
 - FOB, 1–2
 - nonsurgical approaches, 1, 9
 - parenchymal diseases diagnosis, 4–9
- Lymphoid interstitial pneumonia (LIP), 47–48

M

- Malignant tumors
 - adenocarcinoma, 91–94
 - carcinoid, 97–99
 - histopathologic diagnosis, 91
 - large cell carcinoma, 97
 - metastatic, 99
 - sarcomatoid carcinoma, 99
 - small cell carcinoma, 95–97
 - squamous cell carcinoma, 94–95
- Masson's bodies, 31
- Mediastinum
 - anterior, 19
 - middle, 19
 - posterior, 19
 - pulmonary interstitium, 19
- Megakaryocytes, 26
- Metastatic tumors, 99
- Microbiology studies, 22–23
- Miliary pattern, 17
- Minute meningothelial-like nodules, 25, 26
- Molecular testing, 23
- Mosaic attenuation, 17
- Mucinous adenocarcinoma, 93
- Mucinous cystadenoma, 87–88
- Mycobacterial. *See* Non-tubercular mycobacterial infection

N

- Navigational bronchoscopy, 2, 6
- Needle core biopsies, 22
- Neurilemmoma, 82
- Non-necrotizing granulomatous inflammation
 - chronic beryllium disease (berylliosis), 71–72
 - hot tub lung, 68–69
 - hypersensitivity pneumonitis, 66–68
 - sarcoidosis, 63–66
 - talc granulomatosis, 69–71
- Nonspecific interstitial pneumonia (NSIP)
 - cellular, mixed and fibrotic, 42
 - cellular interstitial chronic inflammation, 43
 - clinical and radiological findings, 42
 - clinical course, 43
 - ground-glass opacification, 8
 - histopathologic features, 42–43

- idiopathic form, 8
- and UIP, 47
- uniform fibrosis, 42, 43
- Non-tubercular mycobacterial infection
 - AIDS, 54
 - histologic findings, 54, 55
 - multifocal bronchiectasis, 54
- NSIP. *See* Nonspecific interstitial pneumonia (NSIP)

P

- PA. *See* Pleomorphic adenoma (PA)
- Pancoast tumor, 94
- PAP. *See* Pulmonary alveolar proteinosis (PAP)
- Papillary adenoma
 - fibrovascular cores, 84, 85
 - immunohistochemical stains, 84
 - microscopic examination, 84
- Papilloma. *See* Squamous papilloma
- Parenchymal diseases
 - categorization, 4, 5
 - focal and diffuse infiltrative diseases, 6–9
 - focal solid parenchymal lesions, 5–6
- Parenchymatous tumors, 83
- Part-solid nodule, 18
- Peribronchovascular nodule, 17
- Perilymphatic nodule, 17
- PFTs. *See* Pulmonary function tests (PFTs)
- Pleomorphic adenoma (PA)
 - benign mixed tumor, 82
 - chondroid matrix, 82
 - differential diagnosis, 82
 - histopathologic examination, 82
 - salivary gland tumors, 82
- Pleura, 19–20, 41, 86, 91
- Pneumoconiosis, 37, 39
- Pneumocytoma
 - blood lakes and hemosiderin, 84
 - clusters, 85
 - frozen section, 85
 - polygonal/cuboidal, 85
 - stroma/interstitium, 85
 - types, cells, 85, 86
- Practical approach, 27
- Pseudo atelectasis, 24
- Pseudolipoid artifact, 24–25
- Pulmonary alveolar proteinosis (PAP), 35–36
- Pulmonary edema, 25, 32, 37
- Pulmonary function tests (PFTs), 39, 42–44
- Pulmonary granulomas, 54, 57, 63
- Pulmonary hamartoma
 - benign neoplasm, 83
 - cartilage and intervening fat, 83
 - small biopsies, 84
 - soap bubble/popcorn, 83
- Pulmonary interstitium. *See also* Pulmonary parenchyma
 - mediastinum, 19
 - structure, 18

Pulmonary nodule

- bronchoscopy, 6
- cavitation, 18
- definition, 17–18
- ground-glass nodule, 18
- halo sign, 18
- part-solid nodule, 18
- reversed halo sign, 18
- solid nodule, 18

Pulmonary parenchyma

- airspace disease, 14
- air trapping, 14–15
- architectural distortion, 15
- atelectasis, 15
- bronchiectasis, 15, 16
- centrilobular nodules, 16
- consolidation, 16
- crazy-paving pattern, 16
- emphysema, 16
- ground-glass opacity, 16
- honeycombing, 16
- infiltrate, 16
- interlobular septal thickening, 16–17
- miliary pattern, 17
- mosaic attenuation, 17
- opacity, 17
- peribronchovascular nodule, 17
- perilymphatic nodule, 17
- traction bronchiectasis, 16
- tree-in-bud opacities, 17

Pulmonary vasculitis

- Goodpasture syndrome, 75–76
- Wegener's granulomatosis, 76

R

Respiratory bronchiolitis-interstitial lung disease (RB-ILD)

- clinical presentation, 44
- description, 43
- histopathologic findings, 44–45

Reversed halo sign, 18

Rheumatoid nodule

- clinical and radiologic findings, 62
- histologic findings, 62–63

S

Sarcoidosis

- clinical and radiologic findings, 63–64
- conservative approach, 66
- EBUS, 64
- granulomas, 65
- histologic features, 65
- histologic hallmark, 64
- microorganisms, 65
- transbronchial lung biopsy, 64, 65

Sarcomatoid carcinoma, 99

Schwannoma

- cellular loose and myxoid areas, 82
- immunohistochemical stains, 82
- neurilemmoma, 82

Sclerosing hemangioma, 84–86

Secondary pulmonary lobule, 16

Small cell carcinoma

- Azzopardi effect, 96
- characterization, 95
- chromatin, 96
- cytologic features, 96
- extensive areas, necrosis, 95
- imaging, 95
- immunohistochemistry, 96
- neuroendocrine tumors, 96

Solid nodule, 6, 18

Solitary fibrous tumor

- fibroblastic proliferation, 86
- immunostains, 86
- lung parenchyma, 86
- mesothelioma, 86
- vascular tumor markers, 86

Spindle cell carcinoma, 98

Squamous cell carcinoma

- basaloid, 94, 95
- characterization, 94
- clear cell pattern, 95
- imaging, 94
- immunohistochemistry, 95
- keratin formation, 94
- metaplasia and dysplasia, 94
- pancoast tumor, 94
- small cell variant, 95

Squamous papilloma

- characteristics, 81
- cytologic atypia, 81, 82
- dysplasia, 81, 82
- microscopic examination, 81

Sugar tumor, 86–87

T

Talc granulomatosis

- clinical and radiologic findings, 69–70
- crospovidone, 71
- foreign material, 70, 71
- microcrystalline cellulose stains, 71
- movat pentachrome stain, 71
- transbronchial lung biopsy, 70

Thin section CT (TSCT), 14–16, 18

Traction bronchiectasis, 16

Transbronchial biopsy, 5–7, 21–23, 41

Tree-in-bud opacities, 17

TSCT. *See* Thinsection CT (TSCT)

Tuberculosis

- acid-fast stains, 53
- caseating, 52
- clinical and radiologic findings, 52

Tuberculosis (*cont.*)

- mycobacteria, 53
- screening, 53
- transbronchial lung biopsy, 53

U**Usual interstitial pneumonia (UIP)**

- accelerated phase, 34
- clinical course, 41–42
- ground-glass opacities, 40
- histopathologic findings, 40–41
- HRCT findings, 8
- PFTs, 39

V

- Video-assisted thoracoscopy (VATS), 8

W**Wedge biopsy, 21, 23, 25****Wegener's granulomatosis**

- capillaritis, 62
- clinical and radiologic findings, 60–61
- multinucleated giant cells, 62
- polyangiitis, 61
- transbronchial lung biopsies, 62