

INDEX

A

- Agroinfiltration
 co-infiltration110
 floral dip287–288
 syringe 57, 104, 108, 123
 vacuum57, 59, 61–63, 99, 108, 117
 Alfalfa, *Medicago sativa*..... 89–93, 95–96
 Algae69–81
 Aminoglycoside 3' adenylyl transferase (*aadA*) 5, 8, 9,
 11, 15, 21, 23, 70, 150
 3'-Aminoglycoside phosphotransferase type VI
 (*aphA-6*).....70, 71, 78, 79, 82
 Antibiotic marker-free selection89–97
 Antibodies
 generation of.....274, 280
 recombinant production 69–81, 161, 163–171
 Antifungal peptides (AFPs).....274, 285
 Aprotinin..... 116, 117, 121–123
 Aqueous two-phase system (ATPS)189, 190, 192–194
Arabidopsis thaliana 174, 177, 185, 274, 278,
 285–288

B

- Bacterial artificial chromosome (BIBAC) 29, 30,
 32, 33, 35, 36
 Binary vector29, 40, 51, 91, 95, 101–103,
 105, 106, 110, 117
 Biolistic transformation. *See* Bombardment
 Bioreactor55, 99, 150, 151, 155, 161,
 163–165, 167–171
 Bombardment.....11–13, 22, 23, 69,
 75–78, 83, 93–94
Borrelia outer surface protein A (OspA).....150
 Bradford assay 7, 17, 25, 26, 64, 79, 118,
 120, 143, 145, 152, 155
 BY-2 cells 161, 163, 165–167, 171, 190, 192–194

C

- Callus..... 32–33, 91, 96, 151, 154, 155, 159
 regeneration of..... 32–33, 151, 154
Carthamus tinctorius (*see* Safflower)
 Cell culture55, 162, 189, 190, 192–194, 196
Chlamydomonas reinhardtii69–81

- Chloroplast transformation4, 70, 71, 73, 78
 Cholera toxin B (CTB)129–137
 Chromatography
 ceramic hydroxyapatite (CHT)..... 130, 132,
 133, 135, 137
 expanded bed adsorption (EBA)..... 162, 164,
 167, 169
 immobilized metal affinity chromatography
 (IMAC).....130–132, 135–137
 liquid chromatography electrospray ionization mass
 spectrometry (LC-ESI-MS).....112
 Cloning
 gateway recombination3–26, 40, 43, 46, 47
 GoldenBraid110
 Golden Gate.....110
 restriction enzyme-based 8, 14, 21, 43,
 46, 103, 105, 110
 Confocal microscopy 41, 224, 233, 235
 Containment of transgenes.....150
 Contamination (with bacteria, fungi) 119, 150, 267
 Coomassie Brilliant Blue staining19, 79, 109, 144,
 146, 152, 157, 158, 165, 169, 227
 Copy number..... 201, 204, 219,
 250, 253, 255
 CPMV-*HT* expression system.....40, 44
 Crude extract.....51, 116, 136, 142, 190,
 261, 263, 267
 Cystatin 116–119, 121–123
- ## D
- Dicots
Alfalfa, Medicago sativa89
Arabidopsis thaliana174, 177, 185, 274,
 278, 285, 287, 288
Lettuce, Lactuca sativa58
Nicotiana benthamiana.....99–110, 116,
 119, 121, 122
 safflower, *Carthamus tinctorius*174, 184
 soybean, *Glycine max* 184
 Tobacco, *Nicotiana tabacum*..... 161, 163, 165, 166
 Digestibility assay 228–229, 240, 241
 Disease-resistant. *See* Pathogen resistance
 DNA extraction.....45, 253
 Durum wheat, *Triticum turgidum*90

E

ELISA..... 64, 121, 124, 171, 267, 289
Endoplasmic reticulum (ER)..... 116, 224
European corn borer, *Ostrinia nubilalis*..... 260, 263

F

Fall army worm, *Spodoptera frugiperda*..... 260
FLAG tag..... 70
Flowers..... 51, 141
Fungi..... 278, 288
Fusarium..... 274, 278, 290

G

Gabaculine..... 89, 90, 96, 97
Gateway recombination..... 3–26, 40, 46
Gemiviral vector..... 57, 58, 65
GENEWARE vector..... 129–137
Germination..... 64, 151, 153, 184, 288
Glutamate 1-semialdehyde aminotransferase
(*GSA*)..... 89–97
Glutelins..... 224, 245
Glycine max (see Soybean)
Glycosylation
glycoengineering..... 99–114
N-glycosylation..... 99–110, 130
glycosylation enzymes..... 100
glycosylation mutant..... 101, 103
sialylated glycoproteins..... 100
GMO detection..... 249–257
GMO regulations..... 149
GoldenBraid cloning..... 110
Golden Gate cloning..... 110
Green fluorescent protein (GFP)..... 20, 51, 61, 63,
65, 70, 75, 78, 81
GSA. See Glutamate 1-semialdehyde aminotransferase
GUS assay..... 31

H

His tag..... 21, 44–46
Hydrophobin fusions..... 189, 190, 192–194, 196
Hygromycin..... 30, 31, 33, 35, 36

I

Immunoblot. See Western blot
Insecticidal bioassay..... 264
Insect pests
European corn borer, *Ostrinia nubilalis*..... 260, 263
Fall army worm, *Spodoptera frugiperda*..... 260

K

Kanamycin..... 5, 9–11, 30, 31, 33, 42, 44,
46–49, 58, 59, 70, 72, 78, 118, 276–278, 283, 286

L

Lactuca sativa. See Lettuce
Large-scale production..... 56, 57
Larval bioassay..... 259
Leaves..... 11, 22, 23, 26, 34, 40, 49–51, 53,
62, 63, 76, 77, 99, 103, 107–109, 111, 118–123, 133,
134, 137, 142, 154–156, 167, 233, 261, 287, 288
Lepidoptera..... 259–269
Lethal Concentration (LC)..... 260
Lettuce, *Lactuca sativa*..... 58
Locus..... 29, 201–203, 219

M

MagnICON vector..... 106
Medicago sativa (see Alfalfa)
Microparticle bombardment. See Bombardment
Micropropagation, *in vitro*..... 150–152
Monocots
rice, *Oryza sativa*..... 30
wheat (durum), *Triticum turgidum*..... 90
Multiple genes, recombinant expression of..... 41, 110

N

Nicotiana benthamiana..... 40, 49–51, 99–110,
116, 119, 121, 122, 130
Nicotiana tabacum (see Tobacco)
Nuclear transformation..... 69

O

Oil body..... 173–186
Oleosin..... 173, 174, 178–181, 183
Organogenesis..... 153, 156
OspA. See Borrelia outer surface protein A

P

p19 suppressor of gene silencing..... 51, 117, 119
Particle bombardment. See Bombardment
Pathogen resistance..... 273, 274
pEAQ-vector..... 40, 41, 43–45, 47–49, 51, 103, 117
Peptide linkers..... 121, 122
Phage display..... 275, 276, 280–282, 285
Phase separation..... 173–186
Phenol extraction..... 140
Phenolics..... 120, 139, 141
Plastid transformation..... 3, 5, 8–10, 25
Post-translational modifications..... 99, 121–122,
140, 225
Prolamins..... 224–226, 229, 231, 237–240, 244, 245
Protease..... 116, 118, 123, 139–142, 146
Protease inhibitors..... 7, 64, 116–118, 121,
140, 143, 152, 158, 159, 267
Protein bodies..... 116, 190, 223–225
Protein extraction/purification..... 29

- aqueous two-phase system (ATPS) 189, 190, 192, 193
- chromatography (*see* Chromatography)
- crude extract 51, 116, 136, 142, 190, 261, 263, 267
- fungus proteins 189
- heat treatment 142
- monoclonal antibodies 58
- oil body proteins 173
- phenol extraction 140
- root proteins 141
- secreted recombinant proteins 55–58, 61, 64, 69–81, 108, 109, 130, 139, 140
- seed storage proteins 224–226, 238, 239, 245
- total protein (TP) 17, 26, 140, 205
- total soluble protein (TSP) 17, 25, 139–146, 152
- trichloroacetic acid (TCA)-acetone precipitation 140
- tris-buffer extraction 140
- Proteomics 139, 140, 143
- Purification. *See* Protein extraction/purification
- ## R
- Real-time PCR 215, 216, 229, 250, 251, 253–255
- Real-time RT-PCR 201, 204, 205, 214
- Red fluorescent protein *Discosoma* sp. (DsRed) 61
- Regeneration 5, 11–15, 23, 31, 33–36, 90–92, 94, 96, 151, 154, 158–159
- Regulatory concerns 149
- Restriction enzyme-based cloning 8, 14, 21, 43, 45, 103, 105, 110
- Rice, *Oryza sativa* 30, 123, 131, 141, 223–227, 230, 231, 233–235, 237, 238, 240–242, 244, 246, 286
- RITA temporary immersion system 150
- RNA extraction 208, 214, 229, 280, 281, 289
- Roots 22, 31, 34, 36, 51, 64, 91, 94, 96, 139–146
- Roundup Ready soybean 250–252
- ## S
- Safflower, *Carthamus tinctorius* 174
- Scale-up 23, 149
- Secreted proteins 108, 109, 111, 112, 123
- Secretory pathway (SP) 106, 110, 116, 123
- Seedlings 52, 105, 107, 111, 140, 145, 153, 154
- Seeds 5, 11, 14, 30, 32–34, 51, 56, 58, 59, 61, 93, 103, 105, 107, 111, 141, 151, 153, 173–186, 205, 223–227, 230, 233, 237, 238, 240–244, 246, 277, 278, 282, 283, 286–288
- Seed storage proteins 224–226, 238, 239, 245
- Selectable markers
- aminoglycoside 3' adenylyl transferase (aadA) 5, 8, 9, 11, 15, 21, 23, 70, 150
- 3'-aminoglycoside phosphotransferase type VI (*aphA-6*) 70, 78, 79, 82
- glutamate 1-semialdehyde aminotransferase (GSA) 89–97
- 16S rRNA gene mutation 23, 70
- Selection
- gabaculine 89–92, 94, 96, 97
- hygromycin 30
- kanamycin 5, 10, 30, 45, 47, 70, 72, 78
- spectinomycin 5, 10, 13, 23, 70, 72, 150
- Serpins 117, 122
- Shoots 13, 14, 23, 34, 36, 94, 96, 151, 154–155
- Signal peptides 106, 110, 117, 131, 224–226
- 16S rRNA gene mutation 23, 70
- Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) 18, 64, 104, 109, 112, 117–121, 133, 135–137, 144, 146, 152, 192, 195, 205
- Southern blot 6, 13–16, 18, 32, 201–204, 212
- Soybean, *Glycine max.* 123, 184, 225
- Spectinomycin 5, 6, 9–11, 13, 15, 23, 70, 72, 150
- Stable transformation 29, 285, 286
- Sterilization of plant material 11, 163, 166, 171
- Stress responses 227, 242
- ## T
- Tags
- FLAG 70
- His 21, 44–46
- Targeting sequences
- chloroplast 5, 70, 71
- endoplasmic reticulum (ER) 173, 224
- oil bodies 174, 178–180
- secretory pathway/signal peptide 123
- vacuole 110, 224
- Temporary immersion bioreactor 149–160
- Tetanus toxin fragment C (TetC) 150, 158
- Tobacco, *Nicotiana tabacum* 5, 89, 90, 150, 151, 153, 154, 161, 163, 166
- Total protein (TP) 17, 25, 140, 205, 227, 229, 230, 240, 241, 244, 246
- Total soluble protein (TSP) 17, 25, 26, 139–146, 152
- Transgene containment 150
- Transgene copy number 201, 204, 219
- Transgenic locus 201, 202
- Transient expression 55–64, 99–110, 120, 204, 217, 277, 278, 285
- Transplastomic 3, 4, 11–14, 24, 150, 153
- Trichloroacetic acid (TCA)-acetone precipitation 140
- Tris-buffer protein extraction 140
- Triticum turgidum* 90 (*see* Wheat)

V

Vaccine antigens 99, 150
 Vacuole 110, 224

Vectors

 bacterial artificial chromosome
 (BIBAC) 29, 30, 32, 33, 35, 36
 binary vector 29, 40, 51, 101–103, 105,
 106, 110, 117
 CPMV-*HT* expression system 40, 44
 geminiviral vector 57
 GENEWARE vector 130, 131, 133

 magnICON vector 57, 101, 106
 pEAQ vector 40, 43, 45, 47–49, 51, 103, 117
 Virus-like particles (VLPs) 49, 58

W

Western blot 7, 17, 19, 20, 64, 152, 153,
 183, 201, 205, 208–210, 217, 218
 Wheat (durum), *Triticum turgidum* 90–91

Y

Yellow fluorescent protein (YFP) 41, 150