

INDEX

A

Acceleration factor.....50, 51, 84–89, 465, 476, 477, 479, 877, 881, 882

Activation maps.....139, 143, 326, 430, 534, 651, 748, 805, 808, 856

Active noise cancellation (ANC).....55, 575, 579

Active tasks.....138, 140, 524, 645

Adjacency matrix.....297

Alzheimer's disease (AD).....121, 266, 271, 437, 700–705, 707, 709–711, 713–718, 721–727, 818, 819, 823, 824, 862, 864, 899–901

Amnesic syndrome.....742, 753

Amyotrophic lateral sclerosis (ALS).....700, 709, 712, 716, 717, 719, 720, 900

ANALYZE.....156, 157

Anatomical connectivity.....243, 293, 545, 546

Anterior temporal lobe.....363, 365, 437, 687, 741, 858

resection (ATLR).....741, 743, 744, 750, 751, 753, 754, 756, 757, 761

Anxiety disorders.....658, 659, 661, 677–686

Arterial spin labeling (ASL).....41, 44, 64, 88, 122, 334, 335, 347, 515, 657–659, 724, 782, 820, 828

Ascending sensory pathways.....389, 390

Attention

- nonselective.....389
- preparatory.....400–404
- reflexive.....388
- selective.....389–397
- spatial.....343, 388, 392–400, 403, 406–411, 548
- spatial selective.....392, 393, 400, 402
- visual.....336, 387–413, 595, 704, 707, 710, 716
- voluntary.....388, 407, 411–413
- voluntary visual.....388, 407, 411–413

Attentional control mechanisms

- EEG-fMRI.....407–412
- top-down control.....400

Attention control network.....397, 403

Auditory system.....360, 390, 573–602

Automated anatomical labelling (AAL).....290

Automated normalization process.....884

Average artefact subtraction (AAS).....765, 768, 770

B

Bayesian inference.....242, 244–247

Behaviourally relevant coding.....601–602

Between-group comparison.....142, 144

Biomarkers.....345–348, 666, 699–702, 711, 717, 721–722, 726–727, 823, 827, 837

Biophysical models.....209, 211, 241, 242, 250–252

Bipolar disorder (BD).....659, 660, 671, 672, 674–677, 687, 688, 862

Block design.....70, 758

Blood oxygen level dependent (BOLD)

- effect.....22, 114, 146
- initial dip.....25, 26, 128, 130, 326, 642
- response.....25, 26, 63, 130, 146–147, 323, 460, 469, 470, 483

Brain activation.....25, 74, 76, 98, 121, 125, 126, 129, 133, 138–140, 142, 331, 332, 342, 347, 368, 375, 394, 440, 457–459, 482, 483, 486, 501, 503, 511, 512, 524, 547, 574, 626, 647, 651, 667, 676, 703–705, 709

Brain atlases

- deformation atlases.....268–270
- density-based.....268
- disease-specific.....266, 268, 270–271, 785
- genetic atlases.....271
- label-based.....268–269
- Montreal Neurological Institute (MNI).....157, 273, 289, 463, 719
- Talairach & Tournoux (T&T).....57

Brain-behavior relationships.....317, 318, 327, 335, 340, 348, 728

Brain imaging data

- functional and structural MRI.....861–862, 864
- joint ICA (jICA).....856, 858
- multimodal CCA.....859–861
- multimodal MRI data.....854–857
- multivariate approaches.....856–857
- physiological or behavioral features.....853–854
- Partial Least Squares (PLS).....860

Brain networks

- graph projections.....298
- topological properties.....300–308

Brain plasticity.....vii, 609, 612, 616, 626, 836, 838, 839, 842, 843

Brain systems.....253, 278, 344, 355, 366, 396

Button response box34
 Button response unit (BRU).....53, 55
See also Button response box

C

Cardiac monitoring56–57
 Cerebral blood flow (CBF)..... 25, 26, 115, 122, 128, 252, 333, 334, 468, 514, 515, 640, 658, 659, 678, 686, 782
 Cerebral blood volume (CBV) 25, 26, 115
 Cerebrovascular reactivity 641, 642
 Classical inference242, 244–246
 Clinical endpoints817–818
 Clinical high risk (CHR)666
 Cluster-wise inference223–225, 230, 231, 233, 236
 CNS vasculitides629
 Cochlear partition590
 Cognitive conjunctions.....745, 746
 Cognitive deficits.....318, 319, 617, 662, 897
 Cognitive subtraction 327–329, 745, 746
 design745
 Comparison task.....138, 745
 Compensatory hyperactivation705, 714–717
 Compensatory responses525, 714, 715, 750, 835
 Computerized tomography (CT) 37, 122, 159, 318
 Conceptual combination364
 Conjunction analysis 141, 144, 530
 Connectivity 89, 121, 169, 242–244, 252–259, 261, 272, 278, 283–308, 323, 337, 338, 346, 408, 412, 426, 427, 452, 457, 470, 484, 486, 506, 507, 510, 525, 528, 530, 537, 546, 618–621, 624, 627, 628, 632, 651–652, 677, 703, 705–707, 709–713, 717–721, 723–726, 728, 741, 747, 754, 756, 774, 781, 811, 822–825, 836, 843, 854, 856, 858, 860–862, 864, 884–887, 893–898, 900–902
 analysis.....292, 298–300, 426–427, 506, 510, 618, 781
 effective.....242, 252–254, 258, 285, 293, 296, 297, 337, 338, 426, 457, 484, 619, 706, 741, 884
 functional..... 89, 121, 242, 252–254, 285, 288, 291, 294–297, 299–301, 307, 308, 337, 338, 346, 412, 426, 452, 457, 470, 486, 506, 507, 525, 530, 537, 618, 620, 621, 624, 627, 628, 632, 707, 709–714, 718–720, 723–726, 741, 774, 781, 822–825, 858, 862, 885, 894–896, 898, 900–902
 Connectomes283, 288, 902
 Connector hubs306
 Contrast-to-noise ratio (CNR) 99, 116, 476, 874
 Cortical structure..... 129, 421, 502, 511
 cortical columns..... 120, 129, 130
 layers.....129–130, 260
 Cortical thickness mapping271
 Cryo-coolers.....39
 Cytoarchitecture275, 276, 289, 290, 292, 506, 507, 554, 557

D

Default mode network (DMN)..... 141, 291, 407, 410, 411, 413, 470, 616, 632, 709–713, 718, 719, 721, 724, 774, 781, 823, 862, 894, 895, 897, 900
 Deformation models.....170–175, 277
 Demyelination 126, 613, 628
 Deoxyhemoglobin25, 26, 116, 250, 251, 326, 640, 658, 819
 Depression..... 452, 630, 659, 667–674, 678, 823, 824
 Descending modulation.....508, 510, 511, 871, 872, 878, 887, 888
 Diaschisis.....319
 Diffeomorphism171–175, 270
 Diffusion anisotropy.....294
 Digital imaging and communication in medicine (DICOM).....155–158, 887
 Dorsal anterior cingulate cortex (dACC) 411, 412, 668
 Drug development.....727, 817, 818, 821, 823, 828
 patient stratification.....823–825
 pharmacodynamics818, 825–827
 target validation821–823
 Dry magnet38
 3D shape perceptions565–566
 Dynamic causal modelling (DCM).....241–263, 296, 337, 406–408, 412, 457, 484, 537, 651, 706, 856, 857
 Dynamic models.....247–250, 252, 253

E

Echo-planar imaging (EPI).....20–22, 26–28, 79–81, 83, 86–89, 91–94, 96, 99, 101, 102, 105, 116, 119, 120, 123–124, 127, 128, 131–133, 158, 159, 212, 464–467, 470, 473–480, 484, 515, 586, 658, 744, 764, 768–770, 776, 786, 803, 819, 875–877, 880–883
 Echo-time (TE)..... 23–24, 26–28, 71–74, 78, 80, 83, 84, 87, 93, 97, 99, 101–103, 105, 106, 118, 119, 122, 123, 127, 129, 325, 463, 465, 466, 471, 473–479, 563–565, 803, 810, 874–877, 879–882
 Edges
 effective connectivity252–254, 258, 285, 296, 297, 337, 338, 619, 706
 functional connectivity 89, 121, 254, 285, 288, 291, 294–295, 299–301, 337, 338, 426, 457, 507, 618, 620, 621, 628, 826
 structural connectivity.....121, 285, 292–295, 297, 487, 713, 854
 EEG-fMRI 60, 62, 65, 407–412, 762–764, 768, 770–785
 continuous 768, 770, 772, 776
 Effective transverse relaxation time (T_2^*)23
 Electrical stimulation.....242, 243, 497, 502, 505, 526, 801–803, 811
 Electrocranial stimulation (ECS)748–750
 Electrodermal activity (EDA)457

- Electroencephalography (EEG) 6, 59–61, 242, 259–262, 278, 288, 319, 322, 323, 408, 409, 412, 496, 513, 643, 753, 761–785, 820, 844, 855, 857, 860, 863
- Electromagnetic noise sources 33
- Electro-oculograms (EOG) 393
- Eloquent cortex 741, 801, 802, 809
- Emotion
discrete (primary) 454
measurement 453, 454, 457, 483, 484
processing 452, 462, 463, 480, 484, 486, 504, 507, 508, 512, 616, 665, 666, 669, 675–677, 687, 895
secondary 454
- Emotional activation 451, 453–455, 458, 459, 482
- Epilepsy syndromes 780–781
- Epileptogenic network 761
- Episodic memory (EM) 427–436, 616, 664, 665, 689, 713, 756
encoding 430, 436
retrieval 428, 430–432, 436
- Erdős-Rényi model 5, 286, 287
- Event-related fMRI 70, 98–101, 138, 149, 150, 249, 252, 329, 397, 401, 422, 423, 425, 426, 429, 431, 439, 501, 528, 714, 756
- Event-related potentials (ERP) 242, 259, 261, 262, 322, 340, 344, 348, 391–394, 397, 405, 408, 483, 756
- Experimental design 70, 76, 98–101, 106, 107, 137–152, 163, 202, 241, 254, 279, 324, 327–330, 335, 348, 412, 426, 595, 640, 644–647, 745, 755–757, 828, 860
analytic issues 146–151
block 70, 98–101, 145, 327, 589, 745, 755, 756
event-related 70, 98, 101, 138, 329
participant-response related 138, 140, 141
practical issues 143–146
- Experimental medicine 818, 823
- Explanatory variables (EV) 191–194, 196, 197, 200–208, 212–214, 221, 222, 245, 252, 253
- Eye tracking 55, 59
- F**
- Factorial design 457, 680, 745, 746
- False discovery rate (FDR) 226–228, 234, 299, 560, 896
- Family-wise error (FWE) 226–234, 484
- Fast Fourier transform (FFT) 77, 82, 83
- Field gradients 7–11, 18, 22, 23, 25, 27, 36, 42, 45–47, 69, 71, 73, 77, 132, 463, 464, 466, 468, 469, 472–475, 479
- Field homogeneity 25, 42, 44, 87, 91, 93, 127
- Field inhomogeneity 40, 41, 71, 79, 89, 116, 123, 126, 158, 213, 325, 465, 470, 509–510, 515, 819
- Field of view (FOV) 42, 60, 83–89, 102–105, 167, 467, 474, 673, 763, 764, 810, 876, 880
- Field strength 5, 7–10, 23, 33, 35, 40, 41, 43, 47, 70, 71, 87, 97, 101–105, 107, 114, 117–119, 121, 122, 124, 129, 131, 133, 144, 325, 463, 466, 467, 470–471, 473, 474, 477, 484, 505, 514, 578, 763, 766, 785, 802, 876
- Fixed-effects model 217, 218
- Flip angle 42, 74, 102, 106, 133, 476, 860
- Focal epilepsy 744–747, 761–762, 766, 771
- Fractional anisotropy (FA) 294, 855, 862
- Frequency representations 593–597
- Frontotemporal dementia (FTD) 700, 701, 709, 712, 719–720, 900
- F-statistics 198, 200–201, 212, 223, 228, 245
- Functional integration 242–244, 252–261, 288, 303, 306, 317, 335, 337–339, 754, 898
- Functional localization 243, 273
- Functional magnetic resonance adaptation (fMR-A) 326
- Functional mapping 121, 130, 752, 809
- Functional near-infrared spectroscopy (fNIRS) 60–61
brain stimulation 30, 62–65
- Functional neuronavigation 802
- Functional performance 126
- Functional segregation 243–244, 257
- Functional specialization 121, 242–244, 252, 266, 303, 306, 316, 335–337, 529, 546
- Functional variation 273
- G**
- Gadolinium 75, 611, 612
- Galvanic skin response (GSR) 55, 57–59
- Generalised epilepsy 774, 778, 781–782, 785
- Generalized autocalibrating partially parallel acquisitions (GRAPPA) 49, 84–88, 465, 877
- General linear model (GLM) 98, 145, 147, 148, 151, 184, 189–206, 210–214, 217, 219, 221–224, 229, 235, 242, 244–249, 251, 252, 256, 295, 550, 641, 645, 771, 783, 784, 854, 887, 888
- Generative model 162, 169, 177
- Genetic determinants 701
- Geodesic approaches 268
- Gliomas 812
- Gradient coils 35–36, 45–47, 83, 91, 92, 130–132, 470–472, 475, 477, 478, 574, 578, 580
- Gradient-echo (GE) methods 55, 56, 58, 79, 102, 119, 123, 128, 325, 326, 465, 473–477, 479, 480, 874–877, 880–883, 885
- Gradient recalled echo (GRE) 72–74, 77, 78, 80, 81, 101, 102, 105, 133, 464, 875
- Graph theory
basic processing pipeline, MRI data 285
brain graph 284–286, 289, 290, 293, 295
brain networks 121, 283–308
complex systems 288, 525
connectivity matrix 285, 296–299
connectomes 283, 288, 902

Graph theory (*cont.*)
 information-processing and integrating diverse network elements.....288
 matrix and graph-based representations, brain networks284
 MRI..... 30, 242, 248, 249
 network growth models308
 network topology..... 300, 307, 594, 902
 probabilistic random graphs286
 Gray matter (GM).....23, 24, 74, 75, 115, 119, 124, 168, 193, 246, 285, 293, 464, 573, 620, 632, 709, 714, 720, 854, 855, 858, 872, 875, 886
 Group analysis..... 184, 185, 210, 219, 221, 234

H

Haemodynamic response function (HRF) 26, 146, 149, 150, 188–190, 206–211, 247, 248, 250–252, 333, 334, 481, 496, 497, 499, 641, 642, 644, 767, 773, 776–778, 784
 Haemoglobin.....25, 76, 97–98, 114, 640, 642, 657, 658
 Head motion 37, 55, 59, 70, 95–97, 162, 212–215, 467–469, 702, 765, 767, 769, 770, 776, 777
 Hierarchical observation model.....246–247
 High-level motion regions.....562
 Huntington disease (HD)..... 707, 713, 716, 717, 720–721

I

Image matrix 103–105, 467
 Image registration.....155, 159–161, 164, 165, 167, 170, 175, 268, 884
 Independent component analysis (ICA)..... 212, 213, 254, 291, 464, 469, 709, 712, 713
 Inference..... 144, 177, 210, 211, 216, 218–220, 222–237, 242, 244–247, 252–254, 256, 258, 263, 265–279, 305, 318–321, 329, 421, 537, 723, 755, 771
 Initial dip..... 25, 26, 128, 130, 326, 642
 Interictal activity..... 771, 776, 785
 Interictal epileptiform discharges (IED) 766, 767, 771–785
 Intermodule connectivity.....306
 Intracarotid amygdala test (IAT)..... 742, 746–751, 753, 757, 761, 741742
 Intra-modular connectivity.....306
 Isolated spinal cord injury.....628

K

k-space..... 13–17, 20–22, 27, 36, 77–88, 91–93, 116, 119, 123, 124, 133, 158, 186, 466, 467, 473, 474, 476, 477, 480, 484, 580

L

Language lateralization743, 745–749, 751, 753, 803
 Language mapping paradigms
 naming tasks.....368

orthographic decision tasks.....368
 phonetic decision tasks366
 phonological decision tasks..... 368, 373
 retrieval, selection and maintenance365–366
 semantic decision tasks 368, 372–374
 sensory discrimination tasks 368, 372, 374
 word generation tasks 362, 368, 372
 Larmor frequency 4–12, 18, 19, 22, 71, 115
 Long-term memory..... 320, 420, 422, 427, 429, 742
 Lower motor neuron (LMN)709
 Low-level motion regions.....559–562

M

Magnetic field gradients 38, 42, 45–47, 69, 71, 462–464
 Magnetic resonance imaging (MRI). *See also* Graph theory
 diffusion tensor (DT)713
 magnetization transfer (MT).....620
 Magnetic susceptibility.....41, 114, 115, 117, 118, 122, 124–126, 128, 158, 462, 764, 872
 Magnetoencephalography (MEG) 6, 288, 319, 405, 496, 643, 761, 802
 Major depressive disorder.....660, 667, 669–673, 676, 677, 687–689
 Malformations of cortical development (MCD)747, 780, 782, 783
 Matched-trial analysis142
 Mean diffusivity (MD).....294
 Medical image registration toolbox (MIRT)884
 MEG-MRI762
 Memory encoding705, 710, 719, 723, 753–760
 Metabolic rate of oxygen consumption (CMR₂)25, 26, 115, 333
 Migraine629–632
 Mild cognitive impairment (MCI)..... 271, 701, 704, 705, 707, 708, 711–716, 718, 721–723, 725, 862–864
 Mirror-neuron system (MNS)..... 533–536, 622
 Mixed-effects model.....217–220
 Modularity..... 304–306, 897, 901
 Mood disorders 660, 665, 667–677
 Motion artifacts..... 96, 160, 162, 163, 468–469, 483, 872
 Motor deficits..... 833–834, 837, 838, 840, 843
 Motor evoked potentials (MEP)63
 Motor homunculus 805, 806
 Motor imagery 525, 532, 533, 716, 842, 843
 Motor impairment..... 629, 639, 651
 Motor skill learning.....532–533
 Motor system after stroke
 post-stroke motor networks.....651–652
 residual functional architecture647–651
 Multichannel receive coils50–51
 Multiple linear regression 147, 836, 856, 857
 Multiple receive coils.....83
 Multiple sclerosis (MS)
 benign.....614, 618
 CIS suggestive of..... 613–616, 620

- primary progressive (PP) 614
relapsing-remitting (RR) 615, 839
secondary progressive (SP) 614
structural damage 897
Multi-subject statistics 216–222
Multivoxel pattern analysis (MVPA) 547, 549, 550
Myeloarchitecture 292
- N**
- Navigation microscope 804
n-back test 617
Negative bold response (NBR) 130, 326, 780, 887
Neuroanatomy 139, 141, 358–366, 390, 421, 452, 500–510, 678, 683, 873, 875
Neurodegenerative diseases 117–118, 699–728, 894
resting state fMRI 709–714
Neuronal activity 59, 63, 114–116, 120, 122, 127, 128, 130, 183, 250, 252, 255, 258, 296, 410, 550, 616, 641, 658, 762, 778, 782, 785, 819, 827, 856, 872, 874, 877
Newman-Girvan *Q*-statistic 304
Nociceptive processing 495–499, 502, 510, 513
Nociceptors 498, 500, 503, 510
Nodes
anatomical atlases 271, 290–291, 884
brain network organization 8, 283, 287–289, 295, 306, 346
cytoarchitectonic regions 289
data-driven parcellation 291–292
extrinsic heterogeneity 289, 290
functional parcellation 285, 291
intrinsic homogeneity 289, 290, 292
quantitative parcellations 292
random parcellation 285, 291
spatial embedding 289, 290
voxel-based parcellation 290
Nonfluent aphasia 318
Normal-appearing brain tissue (NABT) 620
- O**
- Obsessive-compulsive disorder (OCD) 659, 661, 667–685
Orthography 356, 357, 360–361, 363, 366–368, 373
Oxidative metabolism 128
- P**
- Paced Auditory Serial Addition Test (PASAT) 616, 617
Paced Visual Serial Addition Test (PVSAT) 616
Pain
assessment 498–500
chronic 496–498, 506, 508, 510–512, 514, 515, 826
empathy 512–513, 824
modulation 507–508, 510, 511, 515, 630, 886
pathways 510, 631
sharp pricking 500
slow burning 500
thresholds 497, 498, 501, 509
Parallel imaging techniques 49, 79, 103
Parametric manipulation 139, 141, 142, 565, 596, 659
Parkinson's disease (PD) 322, 700, 706, 708, 824
Paroxysmal activity 761–786
Partial least squares (PLS) 856, 860
Passive tasks 524, 645
Penetration panel 34, 35, 64
Perceptually relevant coding 598–601
Performance confounds 644–645
Perfusion-based fMRI 122
Peripheral nerve stimulation (PNS) 46, 123
Permutation testing 231, 233, 237
Pharmacological MRI 817–828
Pharmacological studies 344–345
Phased-array coils 47–50
Phase encoding 16, 77, 80, 84, 86, 88, 119, 123, 158, 188, 477, 551
Phase encoding gradient 16, 88, 119, 477
Phoneme perception 356–360, 362, 369, 371, 372
Phonological representations 359, 361, 362
Phonology 356, 361, 363
Physiological monitoring 55, 56, 481, 803
Positron emission tomography (PET) 122, 164, 273, 321, 391, 421
Posterior probability maps (PPM) 244–248, 616, 620, 621
Posttraumatic stress disorder (PTSD) 468, 659, 661, 679, 682–686
Predictive biomarkers 721–722
Pre-surgical assessment 741, 742, 776, 778
Principal component analysis (PCA) 60, 209, 253, 254, 711, 768–770, 856, 857, 864
Principal diffusion direction (PDD) 712–713
Projection systems 37
Proprioceptive stimulation 616, 807
Proton magnetic resonance spectroscopy (¹H-MRS) 810, 813
Provincial hubs 302, 306
Psychiatric disorders 657–690, 716, 717, 726, 727, 821
Psychophysiological interaction (PPI) 295
P-values 195–197, 200, 203, 223, 224, 226, 228–234, 237, 244–246
- Q**
- Quantitative relaxometry 70–74
Quenching 39
- R**
- Radiofrequency (RF)
coils 47, 48, 54, 103, 104, 115–117, 126, 130, 131, 133
pulse 19, 820
Random field theory (RFT) 221, 224, 227–231, 244–246
Random noise 167, 212, 872
Real time fMRI (rt-fMRI) 613, 614, 837

Receiver bandwidth (RBW)..... 102, 103, 107, 127, 131, 132, 474

Regional borders..... 74, 76

Registration algorithms 161, 164, 171, 268

Regression 138, 147, 191, 192, 194–198, 201–208, 210, 215, 218–220, 245, 249, 255, 258, 458, 836, 856, 864

Regressor(s) 138, 140, 141, 145, 147–150, 191, 192, 202, 212–215, 219–222, 245, 248, 249, 295, 296, 468, 481, 499, 887, 888

Rehabilitation, viii 346, 628, 640, 724, 725, 833–844

Repetition time (TR) 71, 72, 90, 106, 123, 188, 325, 468, 480, 768, 877, 880

Respiratory monitoring 57

Resting state 129, 138, 140, 141, 169, 295, 357, 375

Resting state network (RSN)..... 464, 469–470, 610, 624, 781, 782

Restorative therapy 834–836, 842

Retinotopic organization 545, 546, 550–559, 566

Retrograde trans-synaptic degeneration 319

Reverse inference 320

Rich-club organization 301

S

Sample size 143, 144, 273, 277, 675, 749, 758

SAR. *See* Specific absorption rate (SAR)

Scanner synchronization..... 55

Scan plane 93, 102, 103

Schizophrenia..... viii, 121, 269, 270, 279, 363, 468, 659, 660, 662–667, 673, 677, 687–689, 716, 821, 822, 824, 858, 861–863, 894, 900, 902

SCI. *See* Spinal cord injury (SCI)

SE. *See* Spin echo (SE)

SEM. *See* Structural equation modelling (SEM)

Semantic decision task..... 368, 372, 373, 743, 749, 758

Semantic memory
 category specificity..... 437–440
 modality specificity..... 441
 taxonomic categories..... 437

Semantic processing 341, 357, 359, 362–364, 368, 371–373, 375, 438, 441, 664, 747

Semantics 340–342, 356–359, 362–375, 389, 420, 422, 427, 429, 431, 436–442, 564, 663–666, 689, 703, 704, 706, 711, 714, 715, 743, 747, 749, 755–756, 758

SENSE. *See* Sensitivity encoding (SENSE)

Sensitivity encoding (SENSE) 49, 84–87, 123, 132, 876

Sensorimotor paradigms
 force..... 524, 525
 hemispheric dominance 525
 movement complexity..... 525
 movement rate 524

Sensorimotor system 523–537

Sentence processing..... 358, 364

Sequences
 conventional 77, 79, 107, 133
 pulse..... 45, 50, 55, 57, 64, 69–108, 114, 581, 584
 single shot..... 20, 79, 101

Shape sensitive regions 563–565

Shielding 31–34, 47, 50, 53–55, 60, 64, 132, 809

Signal loss 12, 18, 22, 27, 40, 50, 51, 83, 87, 89, 93–94, 123, 127, 132, 158, 459, 463–466, 471–478, 484, 515, 576, 754, 785, 786

Signal-to-noise ratio (SNR)..... 40, 41, 47–49, 76, 79, 83, 85–88, 94, 100–107, 114, 117, 118, 122, 124–130, 133, 146, 325, 332, 333, 335, 347, 470, 471, 473, 474, 477, 478, 514, 578, 581, 582, 584, 586, 593, 643, 785, 786, 880–882

Single-channel coils..... 47, 48

Slice thickness 19, 20, 89, 93, 102, 107, 127, 133, 472, 805, 810, 880

Smoothing..... 51, 156, 175–177, 187, 194, 224, 228, 229, 234, 236, 237, 471, 478, 480–481, 887

sMRI. *See* Structural MRI (sMRI)

SNR. *See* Signal-to-noise ratio (SNR)

Sound presentation system 574–576

Spatial normalisation 163–175, 273, 276, 884, 887

Spatial resolution..... vii, 3, 4, 6, 12, 14, 16–19, 45, 59, 61, 87, 89, 102, 104, 105, 107, 119, 121, 129–132, 146, 273, 277, 318, 325–327, 340–342, 344, 348, 483, 496, 514, 546, 548, 549, 591, 593, 658

Specific absorption rate (SAR)..... 49, 131

Speech articulation 356, 366, 368, 371, 372

Spin 3, 9, 12, 18, 22, 23, 25, 41, 44, 70, 76, 96, 106, 116, 122, 123, 127, 131, 132, 162, 465, 468, 724

Spinal cord injury (SCI) 498, 528, 532, 628, 833, 840–844, 878–880, 886, 888

Spinal fMRI 498, 871–880, 882–888
 anatomy..... 872–874
 BOLD theory..... 874
 data acquisition and analysis methods 886–888
 gradient-echo methods..... 874, 877–880
 spin-echo methods 875–877

Spin echo (SE) 72–73, 78–81, 93, 101, 102, 119, 122, 127, 128, 325, 612, 874–875, 877–885, 887

Spiral imaging 70, 79, 81–83, 93–95, 102–103

SPM. *See* Statistical parametric mapping (SPM)

Statistical parametric mapping (SPM) 155, 157, 161, 171, 244–248, 256, 273, 277, 347, 560, 561, 612, 615, 625, 887

Statistical techniques
 multivariate..... 337
 univariate 337

Statistical thresholding..... 760, 881

Stereotaxy
 frame-based 802
 frameless 802

Stimulus presentation hardware..... 53

- Stroke viii, 333–335, 614, 639–644, 646–652, 706, 747, 819, 833–839, 841, 843
- Stroop effect 357
- Structural equation modelling (SEM) 255, 256, 258–259, 337–339, 457, 484, 534, 856, 857, 864, 884–886
- Structural MRI (sMRI) 126, 440, 611, 621, 669, 704, 727, 747, 761, 766, 818, 821, 824, 854, 855, 857, 858, 860–864
- Structural variation 266, 269, 270
- Subjects at ultra-high risk (UHR) 666
- Summary statistics approach 217, 219, 220
- Surrogate markers 345, 727
- Susceptibility artefacts 41, 107, 117, 118, 124, 335, 437, 471, 477, 481, 515, 754, 785
- Susceptibility factors 701, 717
- Syntax 356, 358, 364–365, 367, 373
- T**
- T₁ 40–42, 70–72, 74, 75, 95, 97, 106, 116, 119, 122, 163, 167, 169, 175, 176, 273, 277, 285, 292, 476, 526, 534, 554, 587, 615, 620, 625, 626, 650, 658, 767, 880
- T₂ 22–23, 40, 70–76, 81, 97, 98, 102, 104, 105, 116, 119, 127, 128, 159, 199, 292, 534, 554, 619, 620, 624, 810, 877, 879–882
- T₂* 36, 40–42, 71, 74–76, 81, 97, 104, 105, 640–642, 657–658, 877, 880
- Tactile stimulation 512, 616, 803
- Task complexity 527, 528, 618, 646, 840
- Task frequency 151, 645–646
- Task monitoring 646–647
- TBM. *See* Tensor-based morphometry (TBM)
- Temporal autocorrelation 192–194, 231
- Temporal filtering 145, 888
- Temporal lobe epilepsy (TLE) 741–743, 746–752, 754, 756–761, 773, 777, 779–783
- Tensor-based morphometry (TBM) 271
- Theory of mind (ToM) 667
- Tissue classification algorithms 267, 269, 271
- Tissue segmentation 168, 169
- 3 T MRI scanners 51
- TMS. *See* Transcranial magnetic stimulation (TMS)
- Tonotopy 591–593
- Topological analysis
- cost and efficiency 303–304
 - hub dominance 287, 300–301
 - robustness to damage 301–303, 305
 - small-worldness 303
- Tractography seeds 285, 293, 294, 620, 751–752
- Transcranial direct current stimulation (TDCS) 30, 64–65
- Transcranial magnetic stimulation (TMS) 59, 62–65, 323, 342–343, 348, 405, 484, 512, 523, 528, 529, 643, 648, 650, 722, 835, 836, 840, 844
- Transverse relaxation 10, 22, 26, 40, 880
- Transverse relaxation time (T₂) 22–23, 465, 880
- Traumatic brain injury 716, 833
- T-statistics 144, 195–198, 200, 214, 222, 223, 231, 234, 236, 480, 643
- Tumor location 803–805
- Type I error 330–332, 760
- Type II error 99, 100, 330–332, 760
- U**
- UMN. *See* Upper motor neuron (UMN)
- Upper motor neuron (UMN) 709
- V**
- VBM. *See* Voxel-based morphometry (VBM)
- Ventral attention network 404–407
- Verbal fluency task 743, 744, 749–751
- Verbal memory 346, 742, 744, 747, 753–754, 756, 760
- Verbal working memory 139, 141, 142, 359, 362, 368, 666
- Visual analog scale (VAS) 499
- Visual system 130, 339, 372, 392, 410, 422, 535, 545–566, 611–613, 782
- Visual tasks
- discrimination tasks 372, 547
 - passive viewing 336, 373
- Voxel-based morphometry (VBM) 231, 276, 861
- Voxel-wise inference 223–225, 230
- W**
- Wada test 369, 748, 808, 812
- Warping 45, 51, 87, 93, 102, 107, 155, 156, 159, 163, 164, 166–175, 267, 269, 273, 276
- Wernicke–Lichtheim model of language 355
- White matter, viii 22, 74, 75, 119, 129, 271, 272, 283, 291, 293, 294, 319, 360, 480, 481, 573, 609, 610, 751, 810, 839, 844, 854, 893
- White matter disorders (WMD) 609–633
- Working memory (WM) network 119, 139, 141, 142, 319–321, 324, 328, 338, 339, 345, 347, 359, 361–363, 365, 368, 370–373, 375, 401, 420–427, 442, 505, 610, 616–618, 624, 626, 662, 663, 665, 666, 669, 671, 672, 675, 677, 681, 688, 707, 708, 720, 722, 723, 726, 742, 756, 820, 823
- Written word recognition 360
- Z**
- Z-statistics 200–201, 216, 223, 224, 229, 230, 235