

INDEX

A

- Allele 9, 45, 52, 54, 55, 64, 119–121, 127, 142, 143, 145, 147–149, 151–153, 155–157, 238, 308, 311, 315, 316, 322, 325, 334, 410, 414, 442, 443, 445–447, 460, 462, 463, 465, 466, 493
- Anamorph 3, 5–7, 16
- Apicomplexa 8, 97, 99
- Apicoplast 8, 97–102
- Apis mellifera* 514, 519–522, 526, 528–530, 534, 535, 538–541, 543, 548, 550–552
- Apollo annotation platform 514–515
- Arthropods 2, 16, 557–576
- Ascomycete Phenotype Ontology (APO) 22, 27, 32

B

- Bacterial artificial chromosome (BAC) 275, 313, 314, 353, 356, 364, 367
- BioMart search 116–118, 130, 133, 136, 333, 412, 472, 477, 483–486
- BLAST-like alignment tool (BLAT) 81, 105, 118, 400, 402, 464–465
- BLAST search 36, 212, 215, 272, 312, 333, 356, 376, 516, 569, 574
- Bos taurus* 211, 230–231
- Bovine, *see* *Bos taurus*
- BovineMine 211–213, 215–245
- Brittle star, *see* *Ophiotrix spiculata*
- Budding yeast, *see* *Saccharomyces cerevisiae*

C

- Caenorhabditis elegans* 1, 10, 399–414, 416–419, 421–468
- Candida* 31–46
- Cattle, *see* *Bos taurus*
- Chaos Game Representation (CGR) 7, 9
- Chordate 115, 349
- Chromosome 7, 8, 12, 13, 36–38, 45, 50, 85, 101, 133, 150–152, 156, 157, 168, 171, 174, 187, 188, 191, 193, 194, 198, 200–205, 212, 214, 240, 252, 258, 271, 275, 302, 413, 414, 448, 477, 481–483, 520, 531, 538–540, 546, 552
- Comparative genomics v, 115, 116, 122, 131, 188, 389, 415–417, 477–479, 557

- Congenetic strain 191, 193

D

- Danio rerio* 307
- Data mining 69, 70, 72, 90, 92, 95, 97–99, 101, 104, 105, 211, 212, 215, 258, 308, 333, 400, 402, 455, 466, 513, 515, 516
- Developmental stage 142, 146, 153, 259, 262, 263, 277, 286–289, 321, 326, 384
- Disease model 141, 142, 147, 151–153, 178, 179, 316, 323, 325, 328, 337, 339, 400
- Disease ontology (DO) 142, 143, 147, 149, 155, 170, 191, 312, 326, 328–329, 334, 337, 418, 449–451, 453
- Drosophila* 1, 253, 340, 493–511, 541, 552, 564, 570, 576
- Drosophila melanogaster* 1, 523, 541, 552, 570, 576

E

- Echinoderm 349–368
- Embryonic stage 257, 260–261, 276, 277, 295, 343, 355
- Enrichment analysis 105, 108, 142, 157, 222, 224, 234, 244, 400, 402, 426, 435, 438, 465
- Epigenetic mark 115
- Eukaryote 1, 2, 5, 49, 58
- Expressed sequence tag (EST) 10–11, 16, 71, 105, 106, 259, 313, 314, 325, 341, 364, 376, 388, 390, 465
- Expression analysis 31

F

- False Discovery Rate (FDR) 42, 224
- FASTA format 7, 77, 87, 129, 219, 258, 263, 271, 272, 277, 278, 463, 465, 519, 534, 568
- Fission yeast, *see* *Schizosaccharomyces pombe*
- Fragments Per Kilobase of transcript per Million mapped reads (FPKM) 225, 245, 431–434, 519, 551
- Frequency Chaos Game Representation (FCGR) 7, 9
- Functional annotation 36, 43, 107, 194, 211, 356, 373, 379–388, 417, 472, 476, 518, 519, 575
- Functional genomics 294, 365
- Fungi v, 1, 3, 58, 70, 109, 110, 116

G

- Galaxy workspace 72, 107, 109, 111

Gametocyte 90, 91, 95–98, 107
 Gbrowse (Generic Genome Browser) 12, 35–37, 45, 72, 101, 104, 105, 109, 110, 253, 254, 256, 258, 260–261, 271, 273–276, 292, 293, 303, 312, 316, 318, 319, 333, 343–345, 378, 379, 381, 400, 402, 412–414
 Gene expression 27, 44, 51, 87, 115, 121, 142, 153, 157, 159, 211, 215, 222, 253–255, 260–261, 278, 280–281, 284–285, 308, 311, 316, 317, 319, 321, 325, 326, 333, 335, 336, 339–342, 344, 353, 355, 359, 361, 365, 367, 384, 399, 400, 426–438, 441, 465, 476, 479, 496, 511, 519, 523, 551, 552
 Gene ontology (GO) v, 22, 23, 25, 27, 32–35, 41–43, 51–53, 63, 65, 81, 90, 92, 107, 108, 122, 142, 143, 145–146, 149, 151, 159, 166, 178, 191, 207, 215, 216, 219, 222, 224, 227, 253, 258, 269, 308, 312, 326, 328, 333, 334, 356–358, 373, 384, 392, 399, 400, 417–419, 421–426, 443, 465, 472, 474, 476–477, 484, 494, 495, 497–502, 504–511, 517, 519, 523, 532, 541, 544, 548, 550
 Gene regulatory network (GRN) 267, 350
 Genetic marker 339
 Genome annotation v, 91, 116, 117, 202, 211, 258, 463, 464, 487, 513, 514
 Genome assembly 1, 2, 7, 9, 10, 12, 116, 118, 187, 200, 207, 211, 212, 215, 216, 245, 252, 344, 351, 355, 363, 473, 474, 487, 516, 538, 551, 558–563, 566, 570, 572, 573
 Genome database 1, 2, 21–29, 31, 163–204, 211, 254, 264, 350, 356, 513, 514, 516–519, 522–524, 526–527, 537–538, 540, 542, 543, 545–547, 549, 550, 557, 559
 Genomicsv, 5, 31, 71, 115, 164, 211, 251, 307, 350, 372, 400, 472, 493, 515, 557
 Genomic scaffold 354, 355
 Genotype 52, 54, 55, 121, 145, 147–149, 151, 155, 156, 158, 308, 316, 317, 320, 338–340, 441, 446, 447, 479, 480
 GO slim 22, 27, 41, 43, 46, 52, 53, 58–60
 GO term 22, 23, 25–27, 35, 41, 42, 46, 64, 81, 91, 92, 94, 95, 105, 107, 122–123, 135, 151, 177, 244, 257, 258, 260–261, 263, 269, 270, 290, 298, 303, 328, 356, 373, 374, 384, 419–426, 438, 476, 484, 494, 495, 497, 499, 501, 504–507, 541, 548, 550

H

Haplotype 39, 45, 46, 126, 128
 Helminth 371–373, 380, 389–394, 471–488
 High-throughput sequencing 33
 Holomorph 3
 Homology 142, 144, 215, 218, 219, 254, 336, 364, 392, 399, 400, 416–417, 521, 576
 Human Disease Ontology 147, 155, 418
 Human diseases 141, 142, 145, 147, 155, 156, 269, 316, 326, 337, 338, 449–453
 Hymenoptera 513, 514, 516–519, 522–524, 526–527, 537–538, 540, 542, 543, 545–547, 549, 550, 558, 565

HymenopteraMine 513, 514, 516–519, 522–524, 526–527, 537–538, 540, 542, 543, 545–547, 549, 550

I

Insects v, 2, 88, 513–552, 558
 InterMine v, 156, 188, 215, 336, 400, 429, 454, 455, 516
 InterPro domain 75, 219, 417, 494, 505, 506, 508, 510
 Intron–exon structure 36, 116
 Isogenic strain 50, 52

J

Jbrowse (JavaScript-based Genome Browser) v, 12, 22, 36, 38–41, 46, 65, 144, 171, 175, 183–188, 212–215, 219, 254, 276, 303, 353, 355, 356, 358, 362–365, 400, 412–415, 434, 435, 481–483, 515, 516, 519, 552, 559, 569, 573, 574

K

KEGG pathways 226, 243, 380, 383, 529, 535
 Kinetoplastida 90

M

Mammalia 12, 90, 99, 102
 Mammalian Phenotype (MP) Ontology .. 142, 145, 155, 166, 191, 203
 Metabolome 71
 Metagenome 394
 Microarray data 33, 109, 298, 431
 MicroRNA (miRNA) 131, 146, 216, 254, 285, 290, 388, 531
 Minor allele frequency (MAF) 120, 121
 Model organism 1, 10–12, 16, 38, 49, 51, 160, 186, 188, 252, 254, 256, 258, 265, 301, 317, 333, 343, 389, 412, 448, 455, 477, 482, 504, 519
 Morpholino (MO) 258, 259, 269–271, 273, 290–294, 297, 308, 311, 317, 318, 322, 325, 339, 358
 Mouse 5, 10–12, 16, 28, 33, 54, 101, 115, 141–160, 168, 171, 174, 185, 186–188, 190, 194, 203, 205, 240, 253, 254, 258, 262, 264, 269, 272, 275, 279, 284–287, 289, 314, 334, 340, 381, 383, 413, 439, 443, 455, 483, 573
 MouseMine 142, 156–159, 455

N

Nematode v, 2, 255, 371–394, 399–414, 416–419, 421–468, 471–473, 478, 486

O

Online Mendelian Inheritance in Man (OMIM) 143, 155, 252, 255, 257, 258, 269, 294, 297, 303, 312, 328, 449–451
Ophiotrix spiculata 350
 Ortholog 35, 45, 58, 60, 61, 81, 99, 102, 175, 202, 294, 312, 314, 328, 358, 389, 391–394, 417, 450, 504

Orthology 32, 50, 56, 71, 81, 85–88, 90, 92, 97, 98,
 100–102, 107, 257–261, 308, 312, 314, 325, 340,
 356–357, 373, 417, 449–451, 552

P

Paralog 85, 87, 477, 478, 552
 Parasite 69, 96, 98, 389, 412, 416, 471–488
Parastichopus parvimensis 350, 354, 362, 364
 Pathogen 69–80, 82–111, 448
 Pathway 55–57, 71, 76, 81, 87, 89, 90, 107, 122,
 164, 166, 173, 174, 177, 180–185, 190, 191, 207, 208, 211,
 215, 222, 224, 234, 242, 244, 294, 313, 379–381, 383–385,
 436, 441, 448, 494, 497, 509, 519, 526, 529, 530, 532, 534,
 535, 544, 546–549
Patiria miniata 350, 354, 362–364, 367
 Phenotype v, 22, 32, 51, 71, 118, 141, 164, 258, 308,
 399, 494
Plasmodium falciparum 91, 92, 95–99
 Platyhelminth 371, 416, 478, 486
 Polyploid genome 251
 Population data 69
 Population genomics v, 371
 Protein domain 32, 81, 92, 124, 143, 312, 423,
 472, 474, 476, 479, 484, 494, 495, 501–502, 505, 506, 509,
 511, 519
 Proteomics 71, 77, 81, 83, 104, 253, 263, 388, 434, 435

Q

Quantitative real-time PCR (qPCR) 358, 361, 426, 435
 Quantitative trait loci (QTL) 150, 163, 166–168,
 171, 173, 179, 186, 197, 211, 212, 215, 229–234, 244

R

Rat, *see Rattus norvegicus*
 RatMine 185, 188, 189
Rattus norvegicus 227–228
 RNA-seq 38, 39, 71, 81, 82, 91, 95–97, 104–106,
 109–111, 160, 187, 212–215, 219, 225, 245, 258–262,
 273–276, 285, 303, 356, 359, 361, 362, 364, 368, 384,
 411, 426, 431–435, 465, 472, 481, 574, 576

S

Saccharomyces cerevisiae 10, 21, 35, 45, 55, 58, 61
Schizosaccharomyces pombe 35, 45, 49, 50, 56, 58, 65
 Sea cucumber, *see Parastichopus parvimensis*
 Sea star, *see Patiria miniata*
 Sea urchin, *see Strongylocentrotus purpuratus*
 Sequence analysis 36, 81, 105, 314, 318

Sequenced genome 3–5, 7, 16, 513
 Simple sequence length polymorphisms (SSLPs) 163, 166
 Single nucleotide polymorphism (SNP) 71, 109,
 120, 200, 235–240, 243, 245, 339, 379, 381, 536–539,
 544, 548, 552
 Strain 3, 5, 7, 9, 10, 12, 31, 35, 45,
 50, 52, 70, 85, 98, 115, 142, 147, 149, 158, 163, 166–168,
 169, 173, 174, 176–180, 191, 193, 194, 196–198, 200,
 202, 206, 207, 301, 302, 318, 379, 400, 406, 411,
 446–448, 479, 480, 562
Strongylocentrotus purpuratus 350–356, 358, 359, 362–367
 Synteny 81, 85–87, 99, 104, 174, 187, 188, 257, 264

T

Taxonomy 3, 5–7, 12, 14–17, 81, 560
 Teleomorph 3
 Textpresso 270, 295, 296, 298, 353
 Transcript isoform 214, 225, 368, 412, 434, 476, 551
 Transcriptome assembly 2, 3, 5–10, 12, 18, 362
 Transcriptomics v, 64, 71, 77, 81, 82, 95, 104, 105,
 253, 355, 371, 379, 384–388, 481
 Trematode 371, 372, 374, 375, 377, 378, 380–383,
 385–387, 389–391, 393

V

Variant 22, 72, 116–122, 124, 126–128, 130, 135,
 136, 143, 157, 159, 160, 173, 185, 187, 194, 200–203, 215,
 218, 228, 234, 245, 365, 378, 379, 453, 455, 460, 476,
 479–481, 486–487, 523, 536, 551, 552

W

WormMine 400, 402, 429, 454–463

X

XenMine 255, 258
Xenopus 85, 251–303
 Xenopus Anatomy Ontology (XAO) 256, 259, 267, 268,
 277–285, 287–288, 290, 291, 297, 303

Y

Yeast, *see Saccharomyces cerevisiae*
 YeastMine 22, 27

Z

Zebrafish Information Network (ZFIN) 255, 307
 ZebrafishMine 308, 331, 333, 336–338, 345
 Zygosity 200, 316