

INDEX

A

- A2A receptors356
- Acetylcholine (ACh) 166, 210, 269, 353, 398, 528–530, 536
- Acetylcholinesterase (AChE) 271, 353, 354
- Actin..... 54, 346, 359, 407, 472, 539, 554, 558, 563, 564, 567
- Action potentials48–50, 54, 172
- Activin.....47, 49, 585–589, 591, 597, 605
- Actiwatch226–229
- Adeno-associated virus (AAV)..... 171, 173, 198, 199, 273, 277, 467, 473, 478, 525, 531, 533–535, 537–540, 542
- Adenosine diphosphate (ADP)54, 290, 291, 417, 422, 424, 425, 427, 430, 433, 437, 566
- Adenosine triphosphate (ATP)18, 54, 168, 270, 288, 290–292, 420, 424, 426, 427, 432, 438, 564, 568, 569
- Adenovirus (AV).....44, 531, 533–535, 537, 538, 540
- Adrenocorticotrophic hormone (ACTH).....374
- Advanced Therapeutic Medicinal Product (ATMP)608, 609, 611, 613–617
- Adventitious pathogen 607, 612, 616, 619, 620
- Aggregates v, vi, 17, 18, 25, 31–33, 35–38, 51, 54, 55, 78, 88, 100, 101, 104, 182, 183, 186, 225, 268, 273, 274, 279, 285, 505, 509, 543, 604, 625
- Akt549, 553, 557, 561–563, 566, 567
- Albumin 350, 418, 590
- Allogeneic transplantation..... 607, 609, 616, 618
- Alzheimer's disease (AD) 17, 32, 38, 57, 75–76, 294, 339, 342, 363, 399, 404, 526, 536
- Amphetamine..... 529, 530
- Amplex Red..... 417, 433, 439
- Amyloidogenesis31–33, 35, 36, 38
- Amyotrophic lateral sclerosis 57, 339
- Animal models vi, 51, 62, 75, 97, 105, 121, 143, 144, 163, 179, 180, 202, 209, 221, 222, 237, 241–244, 261–264, 267, 268, 279, 285, 287, 298, 363, 404, 415, 476, 477, 483, 497, 499, 501, 505, 506, 508, 516, 518, 525, 527, 541, 549, 551, 552, 574, 588, 597, 601, 603, 613, 615, 622
- Antibiotic resistance488
- Antibiotics.....174, 353, 468, 621
- Antibodies..... 3–6, 13, 20, 21, 23, 25–27, 32, 34–38, 58–59, 196, 225, 276, 277, 279, 333, 343, 540, 553, 554, 557–561, 565, 567, 591, 599, 621, 623, 624
- Antimycin.....417, 422–426, 435–437, 440
- Antioxidants 197–201, 366, 398, 432, 440
- Antisense oligonucleotides (ASOs)..... 57, 61, 80, 197, 277, 278, 334, 465, 467, 497–513, 516–518
- Anxiety101, 144, 181, 192, 195, 199, 252, 262, 268, 311, 501
- Apomorphine 49, 269, 270, 273, 532
- Arginine 104, 226
- Artefacts 228, 236, 237, 306, 310–313, 486
- Ascorbate.....417, 422, 423, 425
- Aspiny interneurons 182, 278
- Assisted reproductive technology53
- Astrocytes..... 46, 47, 50, 54, 55, 62, 63, 106, 189, 198, 201, 270, 274, 278, 280, 287–289, 336, 342, 401, 403, 527, 536, 538, 539
- Atrophyv, 2, 42, 97, 101, 185, 190, 199–201, 209, 210, 225, 233, 243, 257, 268, 271, 285, 298, 307, 333, 335, 340, 341, 370, 504, 505, 514, 517, 526, 533, 541, 542, 552
- Autologous transplantation 44, 56, 607, 609, 616, 618, 619, 622
- Autophagy..... 17, 18, 21, 24, 25, 42, 51, 54, 75, 76, 108, 187, 197–201, 271, 279, 526

B

- Baboon 269–271, 276
- Baby hamster kidney (BHK) cells532
- BAC97 strain.....105
- BACHD strain 99, 101, 102, 105, 107, 166, 184, 185, 189, 192, 193, 198, 199, 291, 292, 477, 492, 509
- Bacteria..... 488, 489
- Bacterial artificial chromosomes (BACs)..... 98–102, 105–108, 184
- Bafilomycin A₁ (BAF) 17–19, 21–24, 26, 27
- Balance102, 121, 123–125, 127, 131, 136, 137, 246, 306, 399, 470, 512, 615, 616
- Base excision repair.....491–493
- Bio-distribution.....273, 277, 278, 615
- Bioenergetics 51, 54, 415

Biomarkers vi, 174, 232, 243, 245, 275,
278, 285–287, 292–294, 329–332, 335, 336, 341–343,
351–353, 358–360, 363, 364, 370–372, 381, 385, 386,
454, 497, 499, 508, 513–516, 518

Blood 58, 216, 225, 309, 329, 331, 332, 339,
343, 358, 359, 361, 363, 364, 372, 381, 578, 611

Blood-brain barrier (BBB) 62, 277, 279, 342,
363, 403, 504, 517, 528, 536

Body weight (BW) 149, 157, 191, 193,
199–201, 262, 277

BOLD contrast imaging 309, 312, 318

Bone marrow 619

Bovine serum albumin (BSA) 20, 22, 114, 418,
423, 431, 437, 557, 567, 591

Bovine spongiform encephalopathy (BSE) 221

Bovine viruses 620

Brain-derived neurotrophic factor (BDNF) 42, 45–47,
49, 51, 54, 55, 200, 201, 276, 358, 371, 377, 525, 527–530,
533–535, 591

Brainstem 210, 223, 576

Breeding 98, 108, 109, 191, 192, 241, 242

Buffers

- blocking buffer 20, 25, 557, 560, 565, 567
- Detloff buffer 113
- Dulbecco's Modified Eagle's Medium
(DMEM) 19, 21, 24, 49, 418, 425, 426,
438, 469, 556–560, 564, 575, 590, 593, 594, 601, 603
- Dulbecco's phosphate-buffered saline (DPBS) 590,
593–599, 601, 604
- flexi buffer 112, 113
- HEPES 36, 168, 418, 469
- homogenization buffer 33, 34, 37
- immunobuffer 4–6
- laemmli buffer 19, 22, 27
- lysis buffer 36, 37, 111
- mitochondrial assay solution (MAS) 417, 418,
422, 423, 437
- mitochondrial dilution buffer (MDB) 418
- mitochondrial isolation buffer (MIB) 418, 419
- mitochondrial reaction buffer (MB) 418
- mitochondria washing buffer (MWB) 418, 420
- odyssey blocking buffer 557, 558, 560,
565, 567
- permeabilization solution 560, 565, 567
- phosphate buffer 3, 4, 6, 13, 591
- phosphate-buffered saline 3–6, 13, 20, 21,
23–26, 28, 33, 35, 36, 38, 89, 92, 212, 213, 406, 557,
559, 560, 565, 567, 591, 599
- RIPA buffer 19, 22, 27, 418, 420
- running buffer 20, 23, 26
- transfer buffer 20, 23, 26
- triton 3–5, 25, 418, 555, 557,
560, 565, 567, 591
- washing buffer 33, 34, 567

C

Caenorhabditis elegans, see Nematode

CAG repeats v, 31–33, 41–43, 51–53, 56–58,
60, 63–65, 75–80, 88, 97–106, 109, 115, 163, 179–189,
191, 193, 198–201, 209, 224, 237, 242, 248, 264, 267,
268, 271, 272, 278, 279, 285, 331, 340, 341, 444–448,
455, 465–467, 472, 483–485, 487–490, 493, 497–500,
506–509, 514, 525, 543, 585

CAG140 strain 103, 104, 164, 166, 167, 186, 187, 200

Calbindin 48, 532, 534, 536, 592

Calcium and calmodulin-dependent protein kinase-II α
(CAMK-II α) 105

Calcium (Ca)²⁺ 13, 51, 54, 105, 146, 156, 163,
164, 166, 167, 169, 173–175, 415, 416, 430–432, 590

Calcium imaging 146, 156, 163, 164, 167, 175, 431

Callithrix jacchus, see Marmoset

CAMP response element binding protein
(CREB) 530, 549, 556, 557, 561–563, 566, 567

Camptothecin 492

Canada 333, 339, 342, 558

Candidate gene 443, 447, 448, 450

Cannabigerol (CBG) 201

Cannabinoid receptor

- CB1 549–555, 558, 559, 562–568
- CB2 550, 551

Cannabinoids 549–552, 556, 566, 567

Carli task 150, 155

See also Choice reaction time

Caspase activity 54, 279

- caspase 3 54, 107
- caspase 6 107, 279
- caspase 7 54

Caspase inhibitors 279

Cat 217

Cattle 221

Caudate nucleus 45, 182, 210, 223, 225,
256, 258, 268–274, 278, 285, 286, 306, 314, 333, 353,
364, 526, 532, 536, 538, 539

Cavalieri's principle 2

Cell-based models 41, 56, 58, 483, 488, 489

Cell counting 3, 13, 14, 196, 604, 625

Cell culture 19, 24, 33, 44–47, 49, 50, 56,
57, 59, 62, 63, 65, 106, 108, 416, 425, 428, 434, 437,
469, 473, 485, 487, 549, 550, 552, 555–559, 564, 568,
573, 575, 581, 585, 587–591, 593–599, 601–604, 613,
615, 618–625

Cell freezing, *see* Cryopreservation

Cell stimulation assay 559, 563, 564

Cell therapy 276, 535, 537, 574, 585, 586,
607–618, 620–626

Cell transplantation 44, 48, 56, 63, 98,
156, 197, 276, 280, 573–576, 578, 580, 581, 585, 594,
596, 601, 603, 607, 608, 611

- Centrifuge 22, 33, 34, 37, 111, 419, 420, 423,
558, 578, 593, 596, 598, 601–603
- Cerebellum v, 182, 223, 225, 255, 257, 505, 526
- Cerebrospinal fluid (CSF) 164, 168, 169, 256,
258, 264, 275, 304, 308, 314, 316, 324, 329–341, 343,
352–355, 357–361, 363, 364, 371, 372, 374, 376, 381,
385, 386, 504, 509, 511, 513, 514, 518
- Channelrhodopsin 171
- CHDI Foundation 104, 116, 175, 193, 264, 404, 516
- CHL2 strain 102, 186, 187
- Choice reaction time 146, 150, 155
- 5-Choice serial reaction time test (5-CSRTT) 148, 153
- Cholera toxin 566
- Cholesterol 199, 382, 384
- Choline acetyl transferase (ChAT) 532–536
- Choline (Cho) 174, 258, 259, 296, 331,
353, 354, 529, 530
- Chorea v, 15, 121, 138, 144, 180, 181,
230, 270–273, 353, 500, 501, 536, 543, 549
- Choroid plexus 276, 576, 577
- Chromosomal stability 59, 625, 626
- Chromosomes
 chromosome 1 242
 chromosome 2 447
 chromosome 4 v, 179, 209, 331, 500, 525
 chromosome 6 447
- Ciliary neurotrophic factor (CNTF) 276, 527–530,
532–537, 540–542
- Clean room 575, 580, 611, 616
- Climbing test 82–86, 90, 91, 104, 194
- cMyc 52
- Co-aggregation 31
- Coefficient of error (CE) 3, 12, 15, 16
- Coenzyme Q10 184, 279, 363, 426
- Cognitive impairment v, 42, 97, 100,
101, 104, 109, 110, 121, 143–147, 149, 150, 155–158,
163, 179–181, 188, 192–195, 209–212, 221, 226, 229,
230, 241, 243, 244, 250, 251, 259, 268–270, 272, 273,
276, 277, 285, 292, 310, 322, 323, 330, 337, 339–341,
343, 500, 513, 514, 516, 517, 525, 526, 532, 536, 543,
549, 551
- Conditional expression 42, 105, 106, 185,
188, 189, 407
- Consent 575, 578, 581, 611, 613
- Contamination 110, 216, 296, 485, 581,
613, 616, 621, 622
- Contrast weighting 318, 324
- Copy number 59, 272, 273
- Coriell 53
- Cortex, *see* Neocortex
- Cortical interneurons 13, 101
- Cortical pyramidal neurons 101, 164, 165, 526, 538, 588
- Cortical thickness 306, 316, 320
- Corticostriatal projections 100, 166, 167, 211,
269, 292, 538, 541
- Cortisol 374
- Creatine 184, 258, 259, 279, 287,
288, 290–292, 363, 364
- Cre-LoxP 44, 188, 407
- Creutzfeldt–Jacob disease 235, 613
- Cryopreservation 417, 585, 587, 590, 591,
593, 602, 609, 611, 616, 619, 625
- CTIP2 45, 47–51, 58, 586, 589, 600
- CX I–IV activity 424, 425
- Cynomolgus monkey 271, 510, 536
- Cysteamine 276, 279, 352
- D**
- Danio rerio*, *see* Zebra fish
- DARPP-32 45–51, 54, 58, 59, 63,
198, 218, 271–273, 277, 528, 532–535, 540, 541, 585,
586, 589, 592, 600
- Data acquisition 11, 152, 170, 174, 246, 311
- Data analysis 126, 131–136, 157, 193,
246, 303, 314, 318, 322, 432, 558, 561, 568
- Delayed alternation task 150, 154, 155, 158
- Delayed matching/non-matching tasks 148, 150,
154, 155, 270
- Depression 101, 144, 145, 181, 195, 201,
226, 252, 268, 322, 371, 407, 456, 501
- Design-based stereology, *see* Stereology
- Development 44–47, 51, 61, 80, 180, 184,
189, 211, 406, 407, 444
- DHEA, DHEA-sulphate 374, 375, 380
- Differentiation 41, 44, 46–51, 54–56, 58–60,
62–65, 155, 276, 526, 559, 574, 581, 585–588, 590, 591,
593–598, 601–604, 609, 617, 619, 623, 625
- Diffusion spectroscopy 285, 287
- Diffusion tensor imaging (DTI) 256, 257, 261,
286, 308, 312, 313, 317, 321
- Diffusion-weighted imaging, *see* Diffusion tensor imaging
- DigiGait test 138
- Dihydroxyphenylacetic acid (DOPAC) 356
- Dimethyl sulfoxide (DMSO) 19, 21, 22, 111,
113, 406, 417, 418, 439, 559, 591, 602, 605
- Discrimination learning 148, 250
- Disease modeling 32, 41, 44, 77, 78, 103, 180,
188, 542, 585
- Disease onset v, 42, 64, 100, 115, 121, 182,
184, 243, 244, 267, 286, 333, 335, 340, 415, 484, 485,
499, 501, 517
- Dissection 6, 12, 13, 88, 115, 416,
573–578, 580, 581
- Dissociation 145, 573–575, 578, 580, 587,
590, 594, 601, 604, 605
- DNA repair vi, 453, 483–485, 487, 489–493
- Dominance test 252, 254
- Dopamine 50, 155, 197–201, 269, 331,
353, 358, 527, 528, 532–535, 550, 585, 586
- Dopamine- β -hydroxylase (DBH) 355, 357

Dose 136, 183, 185, 218, 278, 340, 406,
498, 499, 501–504, 506, 507, 510–512, 517, 518, 528,
535, 540, 613, 615, 617–619, 625

Double-strand break repair 491, 492

Drill 169, 173, 175, 213–216

Drosophila melanogaster, *see* Fruit fly

Drug vi, 21–25, 61, 62, 64, 76–78, 127,
136, 137, 168, 170, 171, 180, 190, 191, 197, 221, 235,
278, 279, 329–331, 342, 371, 397, 403, 406, 440, 444,
497–499, 501, 503, 504, 506, 511, 512, 514–516, 518,
549, 550, 554, 555, 557, 559, 585

Drug discovery 38, 61, 62, 64, 78, 180, 444, 585

Dynorphin 529, 530

Dyskinesia 121, 138, 270, 271, 275

Dystonia 180, 181, 230, 268–270, 272, 275, 543

E

Electro encephalography (EEG) 138, 167, 172,
221, 235–237

Electromyography (EMG) 138

Electron microscopy 103

Electrophysiology 49, 61, 63, 100, 101,
163, 164, 166, 171, 174, 188, 235, 280, 404

EM48 101, 196, 273, 274

Emax 345, 553, 561, 562, 566

Embryonic stem cells (ESCs) 41, 43, 45–47,
49–51, 53–60, 108, 407, 585–587, 589, 593, 607, 618

Encapsulation 276, 525, 529–532, 535–537, 542

Endotoxin 28, 619–622

Enkephalin 5, 11, 14, 529, 530, 592

Environmental enrichment 77, 110

Enzyme-linked immunosorbent assay (ELISA) 332,
333, 336, 337, 339, 342, 343, 359, 364, 381

Epigenetic factors 42, 44, 50, 54–57, 64, 464

Epigenetic instability 54, 55

Epinephrine 355

Episomal delivery 44, 52, 53

ESCs, *see* Embryonic stem cells (ESCs)

Estradiol 375

Ethovision 126

European Medicines Agency (EMA) 386, 511,
608, 609, 611

Excitotoxicity 61, 183, 189, 192, 197, 209,
217, 269, 292, 360, 403, 505

Executive function 145, 229, 268, 500

Exon 1 v, 17, 18, 90, 98, 100, 101, 103–108,
113, 121, 181, 183, 185–189, 267, 272, 466, 467, 471,
483, 497–499, 508, 509, 543

Extracellular signal-regulated kinase (ERK) 200,
549, 553, 554, 557, 559, 561–563, 566, 567

F

Fetal bovine serum (FBS) 19, 21, 24, 469, 556

Fetal tissue 46, 47, 58, 276, 280, 573–579, 581, 582, 607

Fibroblasts 43, 50–53, 57, 58, 60, 62–65, 532, 536, 586

Fibronectin 589, 595, 596, 604

Fiji software 419, 429, 435, 437

Filter retardation assay (FRA) 31–38

Fixed ratio schedule 150, 152

Flow cytometry 332, 334, 434, 489, 623–625

Fluorescent activated cell sorting (FACS) 50, 473, 477

Fluorescence microscopy 25, 419, 427, 434,
439, 470, 593

Fluorescence resonance energy transfer
(FRET) 173, 196, 332–333

Food and Drug Administration (FDA, US) 386,
514, 515, 608–610

Food and water intake 110, 127, 139, 198–201, 211

Forced swim test 195, 201

Forceps 28, 173, 213, 416, 419, 575, 576, 581

FOXP1 46, 47, 50, 586, 588, 592

FOXP2 45, 48, 592

FOXP2 47, 48, 586, 592, 600

France 255

Freezing behaviour 124, 138

Freezing microtome 3, 4, 13, 591

Frontotemporal dementia 339

Fruit fly 32–36, 75–79, 81–92, 97, 268,
398–400, 403–406

Functional magnetic resonance imaging (fMRI) 286,
309, 310, 312, 314, 317–319, 322–325

G

GABA (γ -aminobutyric acid) 42, 46, 47, 49, 50,
54, 55, 63, 164, 166, 268–271, 331, 353, 526, 529, 530,
532–536, 551, 573, 585, 592

Gain-of-function effects 17, 42, 497–499,
504, 505, 516

Gait 49, 102, 104, 121, 122, 127–129, 134, 136,
138, 180, 186, 198–200, 230–232, 245–248, 254, 500

GAITRite 230, 231, 245–247, 254

Ganglionic eminence 45, 573, 577, 586

lateral (LGE) 45–47, 574, 585–588, 590, 591, 594,
596–598, 601–605

medial (MGE) 574

whole (WGE) 574–576, 578–581

Gas chromatography 225, 362, 363, 384

Gene editing vi, 57, 464, 465, 467, 468, 470, 477, 626
See also CRISPR/Cas9

Gene expression 51, 59, 187, 195, 196,
199, 201, 360, 454, 456, 464, 487, 497, 509, 531, 542,
550, 574, 575, 586, 623

Gene silencing 55, 277, 278, 285, 406,
465, 467, 497, 506, 507

Gene therapy 221, 241, 245, 263–264,
276, 463, 467, 477, 525, 531, 532, 537–541

Genetic analysis software 81, 457

Genetic anticipation 54

Genetic background 26, 56–58, 98, 99,
101–104, 107–109, 149, 156, 157, 180, 183, 185, 189,
192, 195, 196, 242, 407

Genetic instability 54, 55, 59, 101, 191, 488, 489, 492

Genetic modifiers 77, 182, 342, 443–444,
448, 456, 483, 493

Genetic relatedness 449–451

Genetic stratification 449–451

Genome 78, 79, 98, 144, 180, 182,
183, 188, 224, 273, 278, 279, 443, 446–449, 451, 452,
463–465, 470, 474–477, 483, 484, 487, 506, 508, 516,
537, 538, 623, 625, 626

Genome editing 279, 463–478, 516

Genome imputation 452, 454

Genome sequencing 447, 454, 457, 467,
474–476, 483, 484, 625, 626

1000 Genomes project 467

Genome-wide association studies (GWAS) 182,
443, 445, 447–453, 456, 484

George Huntington v, 121, 179

Germany 38, 123, 215, 242,
255, 256, 265, 419

Germ-line instability 101

Ghrelin 376

Glatiramer acetate (GA) 200

Glia 50, 56, 89, 90, 92, 105, 106, 175, 189,
280, 287, 293, 296–298, 401, 504, 505, 529, 530, 550

Glial cell line-derived neurotrophic factor
(GDNF) 279, 378, 527–531, 533–535,
537, 541, 591

Glial fibrillary acidic protein (GFAP) 47, 105,
106, 189, 198–201, 270, 274, 278

Globus pallidus 5, 9, 11, 14, 45, 211, 276, 525,
526, 529, 530, 532, 536, 540

Glucagon 379

GluCEST imaging 285, 287, 292, 294–296, 298

Glucose 168, 215, 217, 287, 288, 290, 293,
296, 378, 418, 425, 556

Glutamate 49–51, 54, 98, 104, 164, 183,
197–201, 258, 259, 269, 272, 279, 287–289, 292–296,
398, 417, 427, 430, 432, 433, 505, 526

Glutamic acid decarboxylase (GAD) 532, 592, 600

Glutamine v, 18, 24, 285, 287–289,
292, 425, 428

Glycine 20, 26, 358, 398

Good Manufacturing Practice (GMP) 573–576,
578, 580, 581, 587, 607–612, 614, 616, 618, 622

G protein coupled-receptor (GPCR) 549, 550,
553, 554

Gram stain 618, 621

GraphPad Prism software 401, 561

Green fluorescent protein (GFP) 37, 63, 171,
173, 473, 477, 487, 533–535, 538, 539

Grip strength 102, 198, 199

Guinea pig 217

H

Haematopoietic stem cells 608, 609

Haemocytometer 558, 578

Halorhodopsin 171

HD94 strain 105, 188

HDAC inhibitors 79

HDClarity study 386, 513

Hdh (human huntingtin) knock-in strains

 HdhQ50 strain 103, 186

 HdhQ92 strain 153, 186, 196

 HdhQ100 strain 103

 HdhQ111 cells 428, 435, 436, 555–559,
562–564, 566, 568

 HdhQ111 strain 104, 153, 186, 200, 201,
291, 292, 455, 491, 492

 HdhQ150 strain 102, 103, 107, 110,
113–115, 196, 491, 492

 HdhQ200 strain 103

 HdhQ250 strain 103

 HdhQ315 strain 103

Heat shock protein HSP70 80

HEK293 cells 36, 37, 489, 553, 554

Hemocytometer 558, 578

HeLa cells 18–21, 24–26

Hereditary chorea v, 179

Heritability 443, 445, 451–453, 456

Hibernate E hibernation medium 575, 576, 578–581

High-performance liquid chromatography
(HPLC) 352–357, 360–362, 364,
368, 369, 378

Hippocampus 100, 182, 189, 195, 196,
199, 210, 211, 223, 225, 270, 407, 505, 526

Histamine 357

Histidine 201

Histone deacetylase (HDAC) 76, 85, 111–113

9-Hole box 143, 147–149, 155

Homocarnosine 353, 354

Homovanillic acid (HVA) 331, 355, 357, 358

Horizontal ladder task 200

Horseradish peroxidase (HRP) 26, 34, 35,
417, 433, 439

Housing cages 109, 127, 130, 138, 139,
144, 191, 192, 198–201, 223, 241, 244, 262

Htt (mouse huntingtin) knock-in strains

 HttQ74 strain 25

 Htt160Q strain 105

 HttQ200 strain 186, 187

Human brain 1–16, 257, 401, 408,
454, 499, 573, 575

Human cells 43–60, 63–65, 573,
585–589, 593, 607, 618

Human Fertilization and Embryology Authority
(HFEA) 620

Human immunodeficiency virus (HIV) 613, 619, 620, 622

- Human Tissue Authority (HTA) 575, 578, 611, 620
- Huntingtin (HTT) 31, 32, 34–36, 38, 41–43, 57, 58, 60, 75–81, 85, 88–90, 97–108, 113, 163, 179–189, 195–201, 209, 224, 242, 246, 264, 267, 268, 272, 273, 277–279, 286, 297, 330–334, 337, 343, 360, 397, 398, 403, 405, 444, 465–467, 471, 476, 477, 483–485, 489, 497–500, 504–513, 516–518, 526–528, 543, 585
- Huntington, George v, 121, 179
- Huntington's disease (HD) v, vi, 1, 11, 14, 15, 17, 31, 41, 42, 51, 75, 97, 115, 121, 143, 150, 163, 179–182, 198–201, 209, 221, 224, 244, 267, 271, 285, 303, 322, 329, 331–334, 337, 338, 341, 343, 353, 358, 359, 361, 364, 372, 381, 385, 397, 415, 443, 463, 465, 483, 497, 498, 501, 504, 525, 549, 573, 585
- Huntington's Disease Collaborative Research Group v
- Hurdle test 247, 248, 254
- Hydrochloric acid 212
- Hydrogen peroxide (H₂O₂) 3–6, 13, 14, 51, 60, 416, 432–434, 436, 437, 439, 440, 490
- 5-Hydro xyindolacetic acid (5-HIAA) 331, 356, 357
- 3-Hydroxykynurenine (3-HK) 360, 361, 397–401, 405–408
- Hyperkinetic movement 194, 268–270, 500, 552
- Hypocretin 377
- Hypothalamus 210, 226, 268, 526
- I**
- Iba1 198, 199, 278
- Ibotenic acid 210, 269, 276, 528–530
- Image analysis 126, 138, 257, 419, 435–437
- image co-registration 317
- image normalization 315, 318
- image segmentation 257, 314, 315
- image smoothing 315, 318
- Immunoassay 332–334, 338, 343–345, 354, 380, 385, 557–561, 563, 564
- Immunoblotting 18, 36, 37, 346, 359
- Immunomodulation 197, 201, 342
- Implicit learning 150, 153–154
- Impurities 615, 624
- Imputation 452, 454
- Induced pluripotent stem cells (iPSCs) 41, 43–60, 63–65, 78, 198–201, 585–587, 607, 618, 624
- Inflammation 268, 278, 341–343, 399, 407, 408, 510, 538, 540, 552
- Insoluble aggregation 31, 106, 182
- Instability, *see* Chromosomal; Epigenetic; Genetic; Germ-line; Microsatellite; Repeat or Somatic instability
- Insulin growth factor (IGF1) 372, 373
- Interferon- γ (IFN- γ) 351
- Interleukins
- IL-1 343
- IL-2 343
- IL-4 343, 351
- IL-5 343, 351
- IL-6 342, 344, 351
- IL-8 351
- IL-10 344, 351
- IL-12 344, 351
- IL-13 344, 351
- IL-16 344
- IL-18 344
- IL-23 344
- International Conference on Harmonisation (ICH) 608
- Interneurons 166
- See also* Striatal interneurons; Cortical interneurons; Large cholinergic interneurons (LCIs)
- Investigational medicinal product (IMP) 611
- In vitro fertilization (IVF) 43, 53, 56, 57
- In vivo recording 163, 166, 168
- iPS cells, *see* Induced pluripotent stem cells (iPSCs)
- Iron 80, 81
- J**
- Juvenile HD 115, 179–181, 183, 224, 235, 237, 500
- K**
- Kainic acid 183, 210, 269, 357
- Kanamycin 468
- Karyotyping 57, 59, 625, 626
- Klf4 43, 52
- Knock-in models vi, 97, 98, 100, 102–104, 107, 108, 110, 121, 143, 164, 166, 167, 180, 186–188, 190, 192, 245, 264, 272, 291, 294, 455, 476, 489, 491, 492, 499, 508
- See also* Hdh and Htt knock-in strains
- Knockout models 26, 42, 46, 102, 107, 108, 188, 407, 408, 467, 487, 490, 499, 587
- Kynurenic acid 331, 360, 397–400, 403–408
- Kynureninase 400, 401, 406–408
- Kynurenine 78, 269, 360, 361, 363, 397–400, 403, 404, 406, 407
- Kynurenine 3-monoxygenase (KMO) 78, 397, 399–401, 403–408
- Kynurenine pathway 78, 269, 360, 363, 397–408
- L**
- Laminin 589, 597, 602, 604
- Laquinimod (LAQ) 201
- Large cholinergic interneurons (LCIs) 166, 269
- Lateral ganglionic eminence (LGE), *see* Ganglionic eminence
- Lateral ventricle 45, 256, 258, 259, 537
- LC3-I 18, 27
- LC3-II 17, 18, 21–24, 27

- Lentivirus (LV)43, 52, 171, 173, 242, 243,
272–274, 294, 463, 467–469, 471, 478, 531, 533–535
- Libechov minipig, *see* Minipig
- Lifespan79, 88, 110, 121, 190, 196,
223, 405, 406, 489
- Lin2843, 52
- Lineage44–47, 60, 75, 607
- Linkage analysis179, 443, 446–447
- Lipopolysaccharides621
- Liquid chromatography352, 353, 361,
364, 370, 372
- Locomotor activity121, 122, 125–127, 133,
139, 140, 193, 226, 228, 277, 529, 530
- Longitudinal assessment156, 158, 232, 233,
236, 243, 244, 246, 259, 261, 264, 273, 275, 285, 289,
298, 303, 304, 307, 334, 513, 514
- Long-tailed macaque271
- Loss-of-function80, 497, 499
- M**
- Macaque217, 221, 223, 269, 270,
272–274, 276, 277, 291
Macaca fascicularis (*see* Long-tailed macaque)
Macaca mulatta (*see* Rhesus monkey)
- Magnesium382, 590
- Magnetic resonance imaging (MRI)198, 210, 224,
232–235, 241, 243, 244, 246, 255–257, 259–262,
264, 270, 273, 275, 285–290, 293, 296, 298,
303–306, 309–318, 322, 323
- Magnetic resonance spectroscopy (MRS)198, 241,
243, 244, 258–261, 275, 285, 287–294, 296–298
- Malonate269
- Manhattan plot448, 449
- Marmoset217, 269, 271, 276
- Mass spectrometry225, 343, 353, 359,
361, 363, 364, 370, 381
- Master cell bank (MCB)618–621
- Matrigel589, 593, 594, 596, 604
- mCherry171
- Medial ganglionic eminence (MGE), *see* Ganglionic
eminence
- Medicines & Healthcare Products Regulatory Agency
(MHRA)609, 611
- Medium spiny neurons (MSNs)42, 44–48, 54,
55, 58, 60–64, 101, 104, 164–166, 182, 183, 209–211,
218, 268–270, 276, 278, 353, 360, 485, 505, 526, 533,
540, 551–553, 573–575, 585–590, 597, 602, 603
- Melatonin371, 379
- Memantine279
- Memory44, 50, 144, 150, 154, 155, 157, 158,
181, 195, 221, 268–270, 292, 322, 405, 407, 500, 536
- Meninges576, 577, 581
- Mercaptoethanol590
- Metabolism42, 51, 54, 62, 102, 181, 197–201, 290–292,
358, 360, 397, 399–401, 404–408, 504, 510, 617
- Metalloprotease inhibitors80, 81
- Metenkephalin529, 530
- Methamphetamine226
- Methoxy-hydroxyphenylglycol (MHPG)356, 357
- Microglia62, 63, 198, 199, 287, 342, 401,
403, 513, 538, 539
- Microsatellite instability484, 493
- Microscope4, 6, 7, 13, 15, 21, 25, 28, 164,
167–171, 174, 213, 216, 417, 419, 423, 429, 434, 437,
438, 440, 470, 558, 575, 593–596, 599, 601
- Microsoft Excel software4, 11, 13, 86, 87, 122,
133, 136, 423, 426, 430, 561
- Microwell plate3–6, 13, 21, 22, 24, 112,
114, 421, 428, 430, 433, 487, 559, 593–601
- Minipigvi, 97, 231, 241–265, 272, 536, 537
- Minipump528–530
- Minocycline279
- Mismatch repair491–493
- Mitochondria51, 54, 58, 62, 76, 78, 103,
183, 198–201, 269, 279, 285, 287–290, 292, 358, 403,
415–440, 504
- MitoTracker418, 435, 439
- Monoamine oxidase356, 358
- Monoclonal antibodies58, 354, 621
See also Antibodies
- Motivation150, 152, 211, 212
- Motor coordination61, 88, 100, 121, 123,
194, 243, 246–248, 250, 533, 574
- Motor impairmentv, 4, 42, 61, 75, 78, 80–82,
87–92, 97, 100–102, 104, 109, 110, 121–123, 129,
139, 143–147, 158, 167, 179–181, 185–195,
209–212, 223, 225, 226, 230, 237, 241–250, 259,
268, 270–273, 276, 277, 280, 285, 310, 322, 324,
333, 336, 339–342, 443–446, 449, 450, 456, 483,
484, 490, 499–501, 505, 509, 514, 516, 525, 526,
528, 532–534, 536, 538, 540–543, 551
- Motor onset145, 210, 333, 443, 445, 484
See also Disease onset
- Motor tests121, 198–201, 246
- Mouse31–34, 37, 42–46, 49, 50, 59–61,
76, 77, 80, 97–116, 121–140, 143–159, 163–175,
179–202, 209, 213–217, 222–224, 226, 228, 229,
235, 262, 273, 279, 280, 285–298, 334, 351, 360,
398, 399, 403, 404, 407, 408, 416, 419, 420, 425,
428, 431, 447, 455, 456, 476, 477, 483–485, 487,
489, 490, 499, 505, 508–511, 517, 527–530, 533,
538–542, 551, 552, 557, 558, 560
- Multiple comparisons307, 319, 321, 322, 401, 402
- Mutagenesis406
- Mutant allele57, 60, 115, 182, 445,
471, 472, 484, 499, 506–508, 517
- Mutant huntingtin (mHTT)v, 17–21, 23–28, 31–38,
41–43, 51, 54, 57, 61, 75–80, 88, 89, 100–107, 182,
185–188, 195–201, 242, 243, 264, 331–337, 339, 342,
343, 351, 360, 370, 385, 415, 436, 526, 527, 540, 541, 543

Myc 43, 52
Myocarditis..... 407

N

N-acetyl-aspartate (NAA)..... 258, 259, 273, 287, 293, 294, 296
N-acetyl-cysteine (NAC) 201, 440
Nanog..... 43, 52, 59
Nematode 32, 76, 78, 79, 97, 399, 404, 406
Neocortex.....v, 1, 5, 12, 13, 42, 45, 49, 58, 62, 63, 97, 101, 104, 106, 164, 165, 167, 175, 182, 185, 187, 189, 196, 198–201, 210, 211, 223, 225, 233, 256, 268, 271, 275, 278, 285, 290, 306, 315, 316, 320, 321, 335, 400, 415, 416, 419, 420, 425, 431, 434, 505, 517, 525–527, 529, 530, 533, 534, 536, 538–542, 576–578, 581, 588
Neomycin 188
Neonatal mice..... 198
Nerve growth factor (NGF) 276, 378, 380, 527, 529, 530, 536, 537
NeuN..... 48, 218, 270, 273, 274, 277, 532–534, 536, 539, 541, 592
Neural development 44–47, 51, 61, 80, 224, 574, 586, 607
Neurodegeneration..... v, 2, 17, 18, 31, 32, 41, 42, 57, 61, 75, 78–80, 97, 101, 106, 107, 144, 163, 179, 180, 182, 184, 185, 188, 190, 194, 209, 221, 225, 226, 267, 272, 278, 280, 285, 298, 329, 330, 335, 336, 339, 341, 342, 363, 370, 385, 398–406, 416, 430, 457, 465, 483, 497, 498, 505, 513, 514, 518, 525, 527, 537, 538, 540, 551
Neurofilament light chain (NFL)..... 332, 334, 335, 337–341, 350, 385, 386
Neuron specific enolase (NSE)..... 99
Neuronsv, 9–11, 14, 32, 41–51, 54–65, 75, 79–81, 88, 89, 92, 97, 101–107, 163–167, 171–175, 182–187, 196–201, 209, 210, 218, 233, 259, 268–277, 280, 285–289, 292–294, 296, 298, 309, 310, 323–325, 329, 334–342, 352, 353, 370, 371, 385, 386, 397, 401, 405, 406, 415, 416, 419, 429–431, 434, 437, 483, 485, 487, 489, 490, 504, 505, 513, 517, 525–528, 530, 533–543, 550, 551, 573, 585, 586, 588–590, 597, 598, 604, 605
Neuropathology..... v, 1, 15, 64, 101, 102, 106–108, 182, 184–190, 195, 198–201, 209, 210, 224, 268, 271, 273, 276, 285, 292, 363, 385, 397, 400, 401, 491, 492, 509, 517, 526
Neuropeptide Y 210, 354
Neurotoxins 180, 209–213, 269, 397–399, 403, 408, 540, 541, 543
Neurotrophic factors..... 46, 49, 277, 525–528, 530, 531, 541–543
Neurotrophin-3 (NT-3) 46, 527–530
Neurotrophin 4/5 (NT-4/5) 46, 532
Neurturin (NTN)..... 525, 527, 528, 533–535, 538, 541

Neurulation 81
Next-generation sequencing (NGS)..... 467, 474, 485, 486
Nicotinamide adenine dinucleotide phosphate (NADPh) 210, 532–535
Nissl stain 11, 14, 532, 533
Nitric oxide..... 226, 368
3-Nitropropionic acid (3-NP) 183, 269, 289, 528–530, 532–536, 540, 541
NMDA receptor..... 183, 210, 360, 397
N-methyl-D-aspartate (NMDA) 49, 61, 166, 183, 189, 397
NOLZ1 50, 586, 592, 600
Non-expanded (normal) allele 57, 102, 467, 507
Non-mammalian models..... vi, 75–92
Norepinephrine 355
N118-82Q strain 105
N171-82Q strain 98–100, 106, 107, 183, 184, 199, 200, 476, 533, 541
Nucleotide excision repair 491, 492
Nucleus accumbens 211
Nv:Vref method..... 1, 2, 12

O

Object retrieval detour task (ORDT)..... 269, 270, 273
Oct4 47, 52, 59
Odyssey imager 20, 23, 561
Olfaction 158, 275
Olfactory bulb 255
Olfactory tubercle..... 102
Oligodendrocytes 63, 536, 539
Oligomycin..... 290, 417, 422, 424–432, 437
Oligonucleotides 473, 503, 624
See also Antisense oligonucleotides
Open field..... 49, 101, 104, 122, 125–127, 132–133, 136, 137, 192, 194, 198–200, 232
Operant tests 143–159, 229, 245
Operational model..... 552, 553, 561, 562, 568
Optical fractionator 1–3, 6–12, 15, 16
Optogenetics 146, 156, 163–166, 168, 171–172
Orexin 377
Osmolality 378
Osmosis..... 438, 528–530
Oxygen consumption..... 415, 420, 437

P

Pancreatitis 404, 407
Papio papio, *Papio anubis*, *see* Baboon
Parkinson's disease (PD)..... 17, 32, 57, 76, 399, 404, 526, 542, 574, 575
Parvalbumin 210, 528, 534
Passage numbers 58, 59, 619
Patch clamp recording..... 163–165, 168, 169
Paternal transmission..... 60, 109, 181–182, 484

Pathogenesisv, 31, 32, 56, 78–81, 106, 107, 115, 180, 183, 184, 186, 188–190, 194, 195, 202, 286, 341, 397, 400, 408, 415, 416, 433, 483, 485, 489, 490, 508, 525, 612

Penicillin.....19, 21, 24, 469, 556, 557, 590

Perseveration errors 144, 146, 155, 269, 270

Pharmacodynamics.....244, 261, 262, 330, 332, 334, 342, 371, 385, 497, 499, 503, 511, 512, 614, 615

Pharmacokinetics 262, 499, 500, 503, 504, 510, 511, 614, 617

Pharmacopeia 612, 624

Pharmacovigilance..... 611, 614, 617

Phosphocreatine 168, 287, 290

Phosphodiester bond503

Phosphorothioate bond503

Pigvi, 97, 143, 231, 241–265, 272, 536, 537

Piloerection199

Pipette 14, 28, 35, 82, 111, 170, 438, 557–560, 578, 593, 594, 596, 598, 601, 603

Plasma 226, 332, 333, 336, 339–343, 351, 353, 360, 371, 404, 407, 427, 511, 513, 564, 565, 568

Pluripotent stem cells (PSCs).....v, 41–65, 276, 416, 487, 492, 574, 585, 586, 607, 608, 612

Pole test199

Polkinghorne report.....575

Polyclonal antibodies58
See also Antibodies

Polygenic risk score..... 446, 453

Polyglutamine repeats, *see* CAG repeats

Polymerase chain reaction (PCR)..... 49, 111–115, 196, 273, 358, 474, 475, 477, 485–493, 497, 499, 501, 503, 508, 513, 530, 537, 549–569, 585, 588, 591–600, 604, 620, 621, 623–625

Polymorphisms 447, 467, 474, 484, 499, 506, 507, 551

PolyQ, *see* CAG repeats

Pons505

Porcine viruses620

Positron emission tomography (PET) imaging.....235, 275

Post mortem studies 44, 218, 224, 225, 270, 274, 277, 289, 400, 454

Post-translational modification 513, 553

Potency.....511, 624

Power analysis.....6–8, 81, 121, 167, 174, 193, 198, 229, 311, 323, 330, 429, 443, 445–448, 451–454, 456, 457, 514

Preclinical studies98, 104, 109, 115, 185, 187, 188, 190–193, 195–202, 209, 210, 241, 243–245, 259, 261–264, 267, 285–287, 289, 291, 293, 296, 299, 371, 407, 497, 499, 501, 506, 508–512, 516, 518, 536, 574, 611–615, 617, 621

PREDICT-HD 243, 261, 335

Pre-implantation genetic diagnosis (PGD) 43, 53, 56, 57

Premanifest disease..... 243, 244, 246, 248, 287, 306–308, 329, 332–336, 339–342, 350, 353, 357–362, 369, 371, 384, 385, 513, 514

Pridopidine200

Primate vi, 97, 143, 148, 154, 197, 213, 217, 221, 223, 241, 244, 256, 263, 267–280, 289, 291, 505, 508, 510, 511, 532, 536–539, 541–543

Primers111–114, 242, 486, 592, 600, 601

Primer sequence 112–114, 242, 600, 601

Prions 32, 80, 100, 105, 107, 221, 279, 505, 612, 622

Progenitor cells..... 45–47, 49, 50, 54, 55, 280, 574, 585–588, 590, 594–598, 601–605, 607

Progressive ratio schedule 150, 152, 153, 212

Progressive supranuclear palsy339

Prolactin373

Propidium iodide.....625

Proteasomal degradation197

Protein aggregationvi, 24, 25, 31, 32, 54, 55, 78, 80, 88, 102, 108, 182, 197–201, 297, 351, 427, 543

Protein misfolding..... 31, 32, 38, 499, 505, 518

Proteinuria.....407

Psychiatric impairments v, 42, 97, 101, 121, 143–146, 163, 179–181, 193–195, 211, 226, 268, 272, 285, 408, 500

Purity..... 619, 624

Puromycin473

Putamen 45, 182, 223, 225, 258, 268–274, 277, 278, 286, 306, 353, 526, 527, 532, 536–539

Pyruvate..... 287, 289, 418, 421, 423, 425, 430–432, 556

Q

q-q plot..... 449, 450

Quality assurance (QA)..... 607, 610, 612

Quality control (QC) 43, 59, 60, 80, 256, 311, 312, 607–610, 613

Quality of life (QoL) test 145, 280, 501

Quenching.....427–429

Quinolinic acid (QA) 48, 49, 156, 183, 209–212, 217, 269, 270, 276, 331, 360, 361, 397, 400, 528–530, 532–536, 540

R

Rabies virus (RV)171

Radioenzymatic assays..... 361, 385

Radioimmunoassay354, 366, 373–380, 382

Raised beam test..... 122, 124

Rapamycin..... 19, 24, 25

Rare variations..... 443, 453–454

Rat48–50, 61, 97, 130, 139, 143, 147, 148, 153–156, 158, 169, 209, 212–217, 223, 262, 269, 275, 291, 292, 297, 401, 403, 404, 528–530, 532–536, 539–542, 574, 585

Reactive oxygen species (ROS)..... 415, 416, 432–437, 439, 440

Rearing test 133, 138, 194, 198, 212

Recombinant proteins44, 62, 551, 553, 591, 621

Regeneration 56, 80, 615, 617, 624

- Region of interest (ROI) 1–9, 12–15, 171, 258, 295, 321, 322, 324, 429, 430, 432, 435, 436, 470
- REGISTRY 444, 446, 514
- Regulation 213, 218, 263, 499, 500, 515, 578, 608–611, 613, 616, 620
- Repair-HD 276, 582
- Repeat instability 60, 109, 181, 191, 483, 484, 487, 489, 490
- Repeat length 52, 53
- Reporter gene 277, 477, 488, 489
- Reprogramming 44, 51–53, 55, 57, 59, 63, 64, 624
- Research and development (R&D) 77, 81, 138, 209, 211, 221, 329, 397, 497, 607, 608
- Resorufin 433, 439
- Response bias 150
- Retrovirus 43, 52, 53, 537, 620
- Reversal learning 144, 145, 148, 150, 154, 212, 229, 251, 252
- Rhesus monkey 143, 223, 272, 543
- Rhodamine 417
- Riluzole 279
- Risk assessment 122, 611, 612
- Rosa strain 105–107
- Rosette formation 46, 47, 54, 81, 588, 590
- Rotarod 49, 101, 102, 104, 121–124, 130–131, 136, 137, 139, 158, 187, 193, 194, 198, 529, 530, 533, 534
- Rotation 37, 49, 123, 124, 199, 529, 532
- Rotenone 417, 421–426, 431, 437
- R6/1 strain 60, 98–108, 110, 111, 183, 191, 196, 201, 491, 492, 528, 530, 533, 540
- R6/2 strain 37, 60, 98–100, 102, 107, 109–113, 128, 148, 164, 166, 167, 183, 191, 193, 194, 198, 199, 201, 226, 289–292, 476, 492, 509, 528, 530, 533, 541, 551
- S**
- Safety 122, 124, 241–245, 259, 261, 263, 264, 275–279, 311, 330, 465, 470, 477, 499, 500, 503, 505, 507, 510–512, 517, 531, 535, 537, 538, 540–542, 574, 575, 580, 603, 607–609, 613–615, 617, 620–622, 624
- Sanger sequencing 486
- Scalpel 213, 215
- Screening 78–81, 184, 185, 277, 467, 526, 568, 585, 612, 613, 619, 622
- Seeding 27, 31, 32, 423, 425, 587, 594–597, 602–604
- Selectable reporter gene 488, 489
- Sendai virus 44
- Serotonin 355
- Sensorimotor gaiting 144
- Sequence learning 153
- Set shifting task 144, 145, 147, 269
- Sex differences 192, 193, 223, 322, 454
- Sheep vi, 97, 143, 221–237, 263, 272
- Single nucleotide polymorphisms (SNPs) 59, 182, 447–453, 466, 467, 471, 472, 474, 477, 506–508, 623, 625, 626
- Single photon emission computed tomography (SPECT) 275
- Single-strand break repair 491, 492
- Skilled limb use 121
- Skinner box 143, 147, 149, 154, 155
- Sleep 144, 181, 221, 226, 235, 236, 371, 500
- Slice recordings 163
- SMAD inhibition 47, 586–588
- Social interaction test 232, 252
- Sodium 212
- Sodium azide 3
- Sodium bicarbonate 438, 556
- Sodium dodecyl sulfate 418
- Sodium hydroxide 212
- Sodium pyruvate 425, 556
- Somatic instability 60, 101, 191, 485
- Southern blot analysis 485, 486
- Sox2 43, 52, 59
- Spatial resolution 275, 289, 293–295, 303, 306, 309, 318, 319
- Spinal cord 234, 243, 294, 505, 576
- Spinal cord injury 234, 243
- Stability 23, 60, 483–485, 487, 489, 490, 493, 503, 531, 551, 611, 613, 618, 626
- Staircase test 49, 121, 122, 129, 130, 135, 136, 138, 140, 532
- Standard operating procedure 190
- Startbox back and forth test 251, 252, 254
- Statistical analysis 122, 136, 157, 193, 196, 318, 321, 322, 443
- StereoInvestigator 1, 4, 8, 11, 13, 15, 16
- Stereology vi, 1–16
- Stereotactic frame 213–216, 218
- Stereotaxic surgery 213–216, 218, 235, 271, 463, 470, 531, 535, 540
- Sterility 191, 610, 613, 615, 619–621, 626
- Streptomycin 21, 24, 469, 556, 557, 590
- Striatal interneurons 63, 166, 182, 210, 269, 278, 528, 534
- Striatal lesions 48, 49, 61, 156, 183, 189, 269, 270, 360, 397, 528–530, 532–536, 540
- Striatum v, 41–50, 53–55, 58, 60–63, 97, 100–102, 104, 106, 107, 121, 129, 136, 144, 154–156, 164–167, 180, 182–185, 187–190, 194–196, 198–201, 209–213, 216–218, 223, 225, 256, 258, 259, 268–273, 275–277, 286, 287, 289, 290, 292, 294, 306, 335, 353, 360, 371, 399–402, 415, 416, 419, 420, 428, 434, 435, 456, 485, 490, 505, 509, 517, 525–530, 532–543, 551, 552, 573–575, 585–588, 590

Stroop test 334, 336
 Substance P 5, 11, 271, 529, 530, 592
 Substantia nigra 45, 49, 182, 211, 268, 353, 525, 526,
 528–530, 532–536, 538
 Subthalamic nucleus (STN) 167, 182, 211
 Succinate 289, 292, 417,
 421–427, 430, 433
 Succinate dehydrogenase 289, 292, 426
 SUMOylation 199
 Superoxide anion 416, 432
 Superoxide dismutase 365, 432
 Superoxide dismutase (SOD1) mutation 504
 Survival 193, 198–201
 Synaptophysin 49, 199
 α -Synuclein 17, 406
 Syphilis 613, 619
 Systematic random sampling (SRS) 2, 4, 5, 7

T

Tau 17, 332, 334, 335, 337–340,
 346, 513, 514
 Temporal resolution 164, 167, 288, 289
 Testosterone 375
 Δ^9 -Tetrahydrocannabinol (THC) 552
 Thalamostriatal projections 166
 Thalamus 45, 49, 164, 182, 210, 211, 268, 526,
 576, 577, 581
 Therapeutics v, vi, 17, 18, 56, 61, 62, 77–81,
 88, 97, 98, 101, 104, 115, 122, 143, 145, 146, 156, 163,
 179, 180, 184, 185, 188–190, 192–197, 202, 209, 210,
 236, 237, 241, 244, 245, 261, 267, 268, 275–277, 279,
 280, 285, 286, 325, 329, 335, 342, 352, 360, 371, 385,
 386, 399, 408, 415, 416, 444, 455, 465, 476, 477, 493,
 498, 499, 503, 506, 509, 512–516, 518, 526, 531, 535,
 536, 542, 543, 549, 607, 608, 617, 621
 Tolerability 500, 503, 508, 512, 540, 617
 Tongue test 248, 249, 254
 Touch screen 143, 147–149, 270
 Toxicity 17, 18, 27, 32, 78–80,
 267, 272, 278, 279, 292, 351, 360, 397, 398, 404, 405,
 439, 510, 516, 538, 615
 Traceability 611, 613, 614, 617
 TRACK-HD 243, 248, 261, 335,
 339, 386, 514
 Tract-based spatial statistics (TBSS) 308, 321
 Tractography 308, 317, 321, 322
 Transforming growth factor β (TGF β) 46, 47, 54,
 345, 586
 Transgenic mice 32, 33, 97–116, 121–140, 143–159,
 163–175, 179–202, 226, 273, 293, 351, 476, 508, 511,
 517, 527, 529, 530, 533, 540–542, 551
 Transgenic monkeys 273
 Transgenic pigs 241–265
 Transgenic sheep 221–237

Translation 44, 108, 148, 197, 241, 243,
 245, 261, 267, 274, 275, 277, 286, 287, 315, 466, 487,
 497–499, 502, 506, 508, 513, 516, 518, 553, 573, 574,
 608, 612, 616
 Transmissible Spongiform Encephalopathies (TSE) 612
 Tremor 100, 138
 Trial design 149, 191, 500, 574
 Trinucleotide repeats, *see* CAG repeats
 Trypan blue 578, 601, 603, 604, 625
 Tryptophan 210, 360, 363, 397–399, 405, 406, 437
 β III-Tubulin 54
 Tuj1 54
 Tumorigenicity 44, 50, 611, 615, 625
 Tumour necrosis factor α (TNF α) 345, 351
 Tumor suppressor genes 626
 T1 weighting 255–258, 289, 303–306, 312, 317
 T2 weighting 198, 255–259, 289,
 291, 304, 305, 312

U

Ubiquitin 18, 32, 80, 182, 196, 199, 201, 225,
 268, 273, 279, 332
 Ubiquitin-proteasome system 18, 32, 51, 54, 55, 279
 Unified Huntington Disease Rating Scale
 (UHDRS) 244, 246–248, 333, 334,
 337–338, 350, 369, 380, 384
 United Kingdom 100, 127, 130, 136,
 143, 158, 209, 215, 218, 219, 221, 223, 232, 234–236,
 303, 329, 333, 339, 397, 443, 483, 573, 575, 585, 607,
 609–611, 620
 Urea 225, 226
 Urine 130, 131, 329–331, 355–358,
 360, 361, 363–367, 374, 382
 United States of America (USA) 5–7, 43, 123,
 130, 242, 408, 416, 419, 429, 430, 514, 609, 610

V

Vaccine 621
 Vascular endothelial growth factor (VEGF) 345, 358
 Vasopressin 378
 Ventral pallidum 5, 11, 211
 Vibrissae 275
 Vision 158, 223, 275
 Vitamins
 vitamin A 590, 591, 597
 vitamin B12 382
 Voltage clamp 171
 Voxel-based morphometry (VBM) 315, 316,
 320, 322, 324

W

Water maze 137, 194, 195
 Western blot analysis 19–24, 59, 196, 359, 384,
 549, 552–556, 559, 562–564, 566, 567, 620

Whole ganglionic eminence (WGE), *see* Ganglionic eminence
 Working cell bank (WCB) 618–621
 Working memory 150, 154, 158, 322

Y

Yeast 18, 32, 75, 76, 78, 97, 98, 184,
 398, 399, 404, 487–489, 620
 Yeast artificial chromosomes (YACs)..... 98, 100–102,
 107, 184, 185, 190, 477
 YAC18 strain 99, 102, 105, 189, 477

YAC46 strain 184
 YAC72 strain 184, 185, 533, 540
 YAC128 strain 99, 101, 102, 105, 109, 164,
 165, 167, 184, 185, 192–194, 196, 201, 477, 509

Z

Zebra fish 75, 76, 78, 80, 81, 97, 217
 Zinc finger (ZF) 56, 197, 198, 279, 463, 492
 zQ175 strain 103, 104, 110, 112–114, 164,
 167, 187, 188, 190, 192, 196, 198