
Index

A

- Abnormally methylated DNA
 - fragment characterization
 - MSRF
 - methods, 48
- Adaptor ligation
 - MCA amplicons, 104
 - RLGS, 68
- Altered methylation status
 - confirmation
 - methods
 - MSRF, 48–49
- Amplicon generation
 - DMH, 93–97
 - Cot-1 subtraction, 95–96
 - linker ligation, 94
 - methylation-sensitive restriction and amplification, 97
 - MseI digestion, 93
- Amplicons
 - DMH, 88–89
 - DNA
 - testing steps, 99
 - MCA, 104–105
 - ovary, 89
 - tumor, 89
- Array hybridization
 - DMH, 97–98

B

- Binding buffer
 - Cot-1 subtraction, 96

BioRex 70

- Xenopus laevis* extract
 - fractionation, 137
- Biotech-grade membranes, 168
- Bisulfite-induced deamination
 - cytosines, 29
- Bisulfite mapping, 165
- Bisulfite sequencing
 - LM-PCR, 31
- Bisulfite-treated DNA
 - PCR amplification, 77
- Bisulfite treatment
 - COBRA
 - materials, 82
 - methods, 83–84
- Bisulphite-assisted genomic sequencing, 143–153
 - improvements, 144
 - materials, 145
 - embedding material, 145
 - PCR purification and cloning, 145
 - methods, 145–152
 - bisulphite reaction chemistry, 145–146
 - cell preparation, 147–149
 - cloning and sequencing, 150–152
 - drawbacks, 152
 - isolated DNA, 149
 - PCR optimization, 150
 - primer design, 150
 - principles, 146–147
 - problems, 151

- BssHII enzyme, 53
- BstUI enzyme, 99
- Buffers
 - DNA cytosine-5 methylation
 - RP-HPLC, 18
 - DNA demethylase, 158
 - extraction, 169
- C
- Cancer
 - CpG islands, 113
 - DMH, 87
 - DNA methylation, 4
- CA-RLGS, 54
- CDK6
 - gene, 54
- CGI clones
 - testing steps, 99
- CGI genomic library, 87–88
- Chart recorder
 - cytosine-5 methylation, 23–26
- Chemical DNA sequencing, 29–39
 - C reaction, 36
 - G+A reaction, 35
 - gel analysis sequencing
 - reaction products, 37–38
 - G-reaction, 35
 - LM-PCR, 36–37
 - materials, 31–34
 - methods, 34–38
 - T+C reaction, 36
- Chromatography
 - MeCp2-containing deacetylase, 135
- Chromosome-assigned RLGS (CA-RLGS), 54
- Cloned DNA digestion
 - MBD columns, 120
- Cloning
 - bisulphite-assisted genomic sequencing, 150–152
 - MSRF
 - materials, 45
- COBRA. *see* Combined bisulfite restriction analysis (COBRA)
- Colony PCR
 - CpG island array preparation
 - DMH, 90–91
 - master mix, 91
- Combined bisulfite restriction analysis (COBRA), 71–85
 - electroblotting, 81
 - experimental design, 74–82
 - PCR primer design, 75–77
 - probe design, 78
 - restriction-enzyme choice, 77–78
 - sequence manipulation, 74–75
 - hybridization, 81
 - materials, 81–83
 - bisulfite treatment, 82
 - DNA extraction, 82
 - DNA isolation, 81–82
 - electroblotting, 83
 - hybridization, 83
 - PCR, 82
 - polyacrylamide gel
 - electrophoresis, 82–83
 - restriction enzyme digestion, 82
 - methods, 83–85
 - bisulfite treatment, 83–84
 - DNA clean up, 84
 - DNA isolation, 83
 - electroblotting, 84–85
 - hybridization, 84–85
 - PCR amplification, 84
 - polyacrylamide gel
 - electrophoresis, 84

- prehybridization, 84–85
- restriction enzyme digestion, 84
- washing, 84–85
- PCR, 80
- polyacrylamide gel
 - electrophoresis, 80–81
- protocol outline, 73
- restriction enzyme digestion, 80
- restriction enzymes, 78
- sodium bisulfite techniques,
 - 72–73
- sodium bisulfite treatment, 78–80
- Computer-stimulated bisulfite
 - conversion, 74
- Contaminating RNA
 - incomplete hydrolysis, 26
- Cot-1
 - biotin labeling, 95
- Cot-1 hybridization
 - CpG island array preparation
 - DMH, 92–93
- Cot-1 subtraction
 - amplicon generation
 - DMH, 95–96
 - binding buffer, 96
 - documentation, 98
- CpG
 - percent methylation
 - estimation, 11–12
- CpG dinucleotides, 1
 - highlight, 76
- CpG island array preparation
 - DMH, 90–93
 - colony PCR, 90–91
 - Cot-1 hybridization, 92–93
 - methylation-sensitive
 - restriction digest, 91–92
- CpG island clones
 - potential analysis, 126–127
- CpG island libraries
 - genomic DNA, 121
 - large genomic clones, 121
 - MBD columns, 112–113
- CpG island promoters
 - hypermethylation, 4
- CpG islands, 2, 3, 43
 - bias, 55
 - estimated number, 127
 - MBD column
 - materials, 113–114
 - methods, 114–121
 - methylation, 4
 - methylation-free, 111–112
 - methyl-CpG binding column,
 - 111–127
 - primers, 108–109
 - restriction enzymes, 112
 - RLGS, 53
- Cyclin-dependent kinase-6 (CDK6)
 - gene, 54
- Cytosine
 - sodium bisulfite conversion, 78–79
- Cytosine-5 methylation
 - enzymes, 2
 - RP-HPLC, 17–26
 - computer analysis, 23
 - materials, 18
 - method, 18–26
 - reproducibility tests, 26
- Cytosine residue methylation
 - genomic sequencing protocol, 144
- Cytosine residues
 - methylation, 43
- Cytosines
 - bisulfite-induced deamination, 29

D

- DCMP, 17
 - computerized data acquisition, 24
- Deacetylase assay
 - MeCp2-containing deacetylase, 137
- DEAE-Sephadex slurry
 - DNA demethylase extraction, 171–172
- Demethylase
 - definition, 163
- Demethylation assay, 160
- Demethylation reaction
 - product detection, 163–165
- 2'-deoxycytidine-5'-monophosphates (dCMP), 17
- 2'-deoxyribonucleotide-5'-monophosphates (dNMPs)
 - separation, 20–22
- Deoxyribonucleotide standards, 25
- Developing tanks
 - TLC, 13
- Differentially methylated plasmid DNAs
 - MBD column calibration, 118–119
- Differential methylation
 - hybridization (DMH), 131
 - amplicons, 88–89
 - array hybridization, 97–98
 - CpG island arrays, 87–99
 - genomic DNA sequences, 87
 - materials, 89–90
 - methods, 90–98
 - amplicon generation, 93–97
 - CpG island array preparation, 90–93
 - representative results, 89
 - restriction enzymes, 88
 - schematic flowchart, 88
- DMH. *see* Differential methylation hybridization (DMH)
- DNA
 - hydrolysis, 19
 - measurement
 - first-dimension electrophoresis, 60–61
 - postreplicative methylation
 - cytosine C5 position, 143
 - preparation, 18–29
 - satellite II, 4
 - satellite III, 4
- DNA amplicons
 - testing steps, 99
- DNA-analysis program
 - restriction maps, 77
- DNA-binding proteins
 - Southwestern analysis, 132
- DNA clean up
 - COBRA
 - methods, 84
- DNA demethylase
 - in vitro measurement, 155–160
 - alternative assays, 155–156
 - demethylation assay, 160
 - materials, 156–158
 - methods, 158–160
 - solutions and buffers, 158
- DNA demethylase extraction
 - [³H]-CH₃-plasmid DNA
 - substrate, 170–171
 - mammalian cells, 163–175
 - materials, 169–170
 - methods, 170–175
 - activity determination, 173
 - DEAE-Sephadex slurry, 171–172
 - [³H]-CH₃-plasmid DNA
 - substrate, 170–171
 - nuclear extracts, 172–173

- PEG, 168
- scintillation counter, 166
- tissue sources, 166
- volatilization assay, 165–166
- DNA digests
 - MSRF
 - methods, 46–47
- DNA elution
 - MSRF
 - materials, 45
 - methods, 47–48
 - RLGS
 - methods, 66–68
- DNA extraction
 - COBRA
 - materials, 82
 - cultured cells, 50
 - MSRF
 - materials, 44
- DNA fragment cloning
 - RLGS
 - materials, 56–57
 - methods, 65–68
- DNA isolation
 - chemical DNA sequencing, 34–35
 - COBRA
 - materials, 81–82
 - methods, 83
 - MSRF
 - methods, 46
- DNA methylation
 - analysis
 - single nucleotide resolution, 29
 - indirect detection, 71
 - protein binding, 2
 - role, 3–5
- DNA methyltransferase 3a (Dnmt3a), 2
 - deletion, 3
- DNA methyltransferase 3b (Dnmt3b), 2
 - deficiency, 4
 - deletion, 3
- DNA methyltransferase 1 (Dnmt1), 2
 - targeted deletion, 3
- DNA preparation
 - MBD columns, 120
- DNA strand sequences
 - COBRA, 74–75
- DNMPs
 - separation, 20–22
- Dnmt, 2–4
- Dot-blot analysis
 - MCA
 - filter preparations, 105
 - hybridization, 105
- Double-stranded oligomers
 - synthesis
 - ³²P-labeled [dC³²pdG]n, 158–159
 - ³²P-labeled [mdC³²pdG]n, 158–159
- Double-stranded plasmids
 - ³²P-labeled [dC³²pdG]n
 - synthesis, 159
 - ³²P-labeled [mdC³²pdG]n
 - synthesis, 159
- Down's syndrome, 54
- Dual channel chart recorder
 - cytosine-5 methylation, 21
- E**
- EagI enzyme, 53
- Electroblotting
 - COBRA, 81
 - materials, 83
 - methods, 84–85
- End-labeled plasmid DNAs
 - MBD column calibration, 119

- Enzyme
 - MspI, 164
- Enzyme combinations
 - RLGS, 60
- Enzymes
 - BssHII, 53
 - BstUI, 99
 - cytosine-5 methylation, 2
 - digestion
 - COBRA materials and methods, 78, 80, 82, 84
 - DNA cytosine-5 methylation
 - RP-HPLC, 18
 - EagI, 53
 - experimental design
 - COBRA, 77–78
 - HhaI, 155
 - HpaII, 155, 164
 - landmark, 53
 - methylation-sensitive restriction
 - DNA digestion, 143
- Epigenetic gene silencing, 111
- F**
- First-dimension electrophoresis
 - RLGS
 - DNA measurement, 60–61
 - materials, 56
 - methods, 60–62
- First-dimension gel
 - RLGS, 61–62
- G**
- Gel analysis sequencing
 - reaction products
 - chemical DNA sequencing, 37–38
- Gel set-up
 - RLGS
 - materials, 56
- Gene
 - CDK6, 54
- Genomic DNA
 - CpG island libraries, 121
 - digestion
 - MBD columns, 120
 - MCA amplicons, 104
 - enzymatic processing RLGS
 - materials, 56
 - methods, 59–60
 - sequences
 - DMH, 87
- Genomic sequencing protocol
 - cytosine residue methylation, 144
- Global hypomethylation, 4
- H**
- [³H]-CH₃-plasmid DNA substrate
 - DNA demethylase extraction, 170–171
- Heavy metals
 - regenerated cholesterol dialysis membranes, 168
- Heparin
 - Xenopus laevis* extract
 - fractionation, 139–140
- HhaI enzyme, 155
- High-pressure liquid chromatograph (HPLC)
 - poor performance, 26
 - solutions, 18
- High-throughput DNA array
 - technologies, 87
- Histidine-tagged proteins
 - deep-freezing and thawing, 168
 - dialyzing, 168
- Histone acetylation
 - in vitro
 - MeCp2-containing
 - deacetylase, 136–137

- Histone deacetylase assay
 - MeCp2-containing deacetylase, 135
- HMBD protein
 - nickel-agarose resin coupling
 - MBD column, 116–117
 - preparation
 - MBD column, 115
 - purification
 - MBD column, 116
- HpaII enzyme, 155, 164
- HPLC. *see* High-pressure liquid chromatograph (HPLC)
- Human cerebellum DNA
 - RLGS profile, 67
- Hybridization
 - COBRA, 81
 - materials, 83
 - methods, 84–85
- I**
- ICF syndrome, 1, 4
- Imprinted genes
 - DNA methylation, 3
- Inactive X chromosome genes
 - DNA methylation, 3
- In-gel digest
 - RLGS
 - materials, 57
 - methods, 62
- Interrogating probes
 - DMH, 88–89
- In vitro histone acetylation
 - MeCp2-containing deacetylase, 134–135
- In vivo footprinting, 31
- Isocratic reverse-phase high-pressure liquid chromatography (RP-HPLC), 20–24
 - mobile *vs.* solid phase, 20
- Isolated DNA
 - bisulphite-assisted genomic sequencing, 149
- L**
- Landmark enzymes, 53
- Large genomic clones
 - CpG island libraries, 121
- Ligation PCR
 - test gel, 98
- Linker ligation
 - amplicon generation
 - DMH, 94
- Litigation-mediated PCR (LM-PCR), 29–32
 - bisulfite sequencing, 31
- Loss of function, 4
- M**
- Mammalian cells
 - DNA demethylase activity, 163–175
- Mammalian DNA methylation, 1
- Mammalian gene
 - methylated cytosine detection, 32
- Maxam-Gilbert procedure, 35
- MBD. *see* Methyl-CpG binding domain (MBD)
- MCA. *see* Methylated CpG island amplification (MCA)
- 5mdCMP
 - computerized data acquisition, 24
 - measurement, 17
- MeCP. *see* Methyl-CpG binding activity (MeCP)
- Methylated CpG island
 - amplification (MCA), 101–103
 - advantages and disadvantages, 103
 - amplicons, 104–105
 - adapter ligation, 104

- genomic DNA digestion, 104
 - PCR amplification, 104–105
- materials, 103–104
 - oligonucleotides, 104
 - RDA and cloning PCR products, 103
- methods, 104–108
 - dot-blot analysis, 105
 - MCA amplicons, 104–105
- outline, 102
- positive and negative controls, 109
- RDA, 105–108
 - competitive hybridization, 107
 - differentially methylated sequences
 - identification, 109
 - driver amplicon adaptor removal, 106–107
 - outline, 105–106
 - second-round subtraction, 108
 - selective amplification, 107–108
 - tester amplicon adaptor change, 107
- Methylated cytosine
 - detection
 - mammalian gene, 32
- Methylated DNA binding
 - MBD column calibration, 119–120
- Methylation-sensitive restriction
 - digest
 - CpG island array preparation DMH, 91–92
- Methylation-sensitive restriction
 - enzymes
 - DNA digestion, 143
- Methylation-sensitive restriction
 - fingerprinting (MSRF), 43–50
 - banding pattern outcomes, 49
- materials, 44–46
 - cloning, 45
 - DNA elution, 45
 - DNA extraction, 44
 - PCR amplification, 44–45
 - polyacrylamide gel
 - electrophoresis, 45
 - restriction enzyme digests, 44
 - sequencing, 46
 - Southern blotting, 45
- methods, 46–50
 - abnormally methylated DNA
 - fragment
 - characterization, 48
 - altered methylation status
 - confirmation, 48–49
 - DNA digests, 46–47
 - DNA elution, 47–48
 - DNA isolation, 46
 - PCR amplification, 47
 - polyacrylamide gel
 - electrophoresis, 47
 - results interpretation, 49–50
 - Methylation-specific PCR, 72
 - Methyl-CpG binding activity (MeCP), 2
 - Methyl-CpG binding column
 - CpG islands, 111–127
 - Methyl-CpG binding domain (MBD), 2
 - Methyl-CpG binding domain 2 (MBD2), 2–3
 - Methyl-CpG binding domain 4 (MBD4), 3
 - Methyl-CpG binding domain (MBD) columns, 113–114
 - applications, 121, 125–127
 - calibration, 123–124
 - materials, 114
 - methods, 114–120

- CpG island libraries, 112–113
 - DNA preparation, 124–125
 - preparation, 122
 - materials, 113–114
 - methods, 115–117
 - running, 122–123
 - materials, 114
 - methods, 117–118
 - Methyl-CpG binding protein (MeCP), 1
 - Methyl-CpG binding protein 1 (MeCP1), 131
 - Methyl-CpG binding protein 2 (MeCP2), 2, 131
 - histone deacetylase complex, 132
 - mutations, 5
 - Methyl-CpG binding protein 2 (MeCP2)-containing deacetylase
 - histone deacetylase assay, 135
 - materials, 132–135
 - chromatography, 135
 - histone deacetylase assay, 135
 - oocyte extract preparation, 135
 - Southwestern assay, 134
 - Southwestern oligo preparation, 132–134
 - in vitro histone acetylation, 134–135
 - methods, 136–140
 - deacetylase assay, 137
 - oocyte extract fractionation, 137–140
 - oocyte extract preparation, 137
 - probe preparation, 136
 - Southwestern blotting, 136
 - in vitro histone acetylation, 136–137
 - purification
 - recombinant yeast Hat1 p, 140
 - Xenopus laevis*, 131–140
 - 5-Methylcytosine
 - hydrolytic deamination, 2
 - 5-Methyl-2'-deoxycytidine-5'-monophosphate (5mdCMP)
 - measurement, 17
 - Methyl-specific transcriptional repression, 131
 - Methyltransferase, 1
 - Molecular hybridization
 - disadvantages, 71
 - MonoQ Sepharose
 - Xenopus laevis* extract fractionation, 138
 - Msel digestion
 - amplicon generation DMH, 93
 - MspI enzyme, 164
 - MSRF. *see* Methylation-sensitive restriction fingerprinting (MSRF)
 - Ms-SNuPE, 144
- N**
- Nearest-neighbor analysis, 9–15
 - equipment, 11
 - materials, 10–11
 - methods, 11–15
 - procedure, 9–10
 - TLC, 12–15
 - Nickel-agarose resins, 122
 - Normal amplicon ovary, 89
 - NotI/EcoRV fragments
 - NotI restriction trapper, 65–66
 - NotI restriction trapper
 - NotI/EcoRV fragments, 65–66
 - Novel imprinted genes, 54
 - Nuclear extracts
 - DNA demethylase extraction, 172–173

- Nucleotide-3'-monophosphates
 - TLC, 15
- Nucleotides
 - chart recorders, 25–26
 - detection, 23
- Nucleotide standards
 - DNA cytosine-5 methylation
 - RP-HPLC, 18
- O**
- Oligomers
 - synthesis
 - ³²P-labeled [dC³²pdG]n
 - double-stranded, 158–159
 - ³²P-labeled [mdC³²pdG]n
 - double-stranded, 158–159
- Ovary
 - normal amplicon, 89
 - tumor amplicon, 89
- P**
- PCNA, 2
- PCR amplification, 143–144
 - bisulfite-treated DNA, 77
 - bisulphite-assisted genomic sequencing, 150
- COBRA, 80
 - materials, 82
 - methods, 84
- disadvantages, 71, 144
- MCA amplicons, 104–105
- MSRF
 - materials, 44–45
 - methods, 47
- RLGS, 68
- PCR-based global methylation-analysis
 - vs. RLGS-M, 55
- PCR primer design
 - COBRA, 75–77
 - PCR products
 - MCA, 103
 - PCR purification and cloning
 - bisulphite-assisted genomic sequencing, 145
 - PEG
 - DNA demethylase, 168
 - P16/INK4 gene, 54
 - ³²P-labeled [dC³²pdG]n double-stranded oligomers
 - synthesis
 - DNA demethylase, 158–159
 - ³²P-labeled [dC³²pdG]n double-stranded plasmids
 - synthesis
 - DNA demethylase, 159
 - ³²P-labeled [mdC³²pdG]n double-stranded oligomers
 - synthesis
 - DNA demethylase, 158–159
 - ³²P-labeled [mdC³²pdG]n double-stranded plasmids
 - synthesis
 - DNA demethylase, 159
- Plasmid
 - synthesis
 - ³²P-labeled [dC³²pdG]n
 - double-stranded, 159
 - ³²P-labeled [mdC³²pdG]n
 - double-stranded, 159
- Plasmid DNA
 - [³H]-CH₃
 - DNA demethylase extraction, 170–171
 - MBD column calibration
 - differentially methylated, 118–119
 - end-labeled, 119

- Polyacrylamide gel electrophoresis
 - COBRA, 80–81
 - materials, 82–83
 - methods, 84
 - MSRF
 - materials, 45
 - methods, 47
- Polythyleneglycol (PEG)
 - DNA demethylase, 168
- Prehybridization
 - COBRA
 - methods, 84–85
- Primer ligation
 - CMH
 - reaction mix, 95
- Primers
 - bisulphite-assisted genomic sequencing, 150
 - PCR amplification
 - bisulfite-treated DNA, 77
- Probe
 - design
 - COBRA, 78
 - preparation
 - MeCp2-containing deacetylase, 136
 - single-stranded
 - preparation, 38
- Proliferation cell nuclear antigen (PCNA), 2
- Purified fragments
 - two-dimensional separation
 - RLGS, 66
- R**
- Radiolabeled NotI sites, 53
- RDA
 - MCA, 103, 105–108
 - competitive hybridization, 107
 - differentially methylated sequences
 - identification, 109
 - driver amplicon adaptor
 - removal, 106–107
 - outline, 105–106
 - second-round subtraction, 108
 - selective amplification, 107–108
 - tester amplicon adaptor
 - change, 107
- Reagents
 - DNA cytosine-5 methylation
 - RP-HPLC, 18
 - nearest-neighbor analysis, 10–11
- Recombinant DNA demethylase
 - IMAC purification, 167–169
 - purification, 166
 - transiently transfected HEK cells, 173–175
- Recombinant yeast Hat1 p
 - MeCP-2 containing deacetylase
 - purification, 140
- Regenerated cholesterol dialysis
 - membranes
 - heavy metals, 168
- Restricting genomic DNA
 - DMH
 - mix, 94
- Restricting PCR-amplification tags
 - CpG island array preparation
 - master mix, 92
- Restriction enzymes
 - COBRA, 78
 - COBRA choice, 77–78
 - COBRA digestion, 80
 - materials, 82
 - methods, 84
 - CpG islands, 112
 - digests, 71
 - MSRF materials, 44

- DMH, 88
- DNA digestion, 143
- site identification, 77
- Restriction landmark genome
 - scanning (RLGS), 53–69
 - adaptor ligation, 68
 - materials, 55–58
 - DNA fragment cloning, 56–57
 - first-dimension
 - electrophoresis, 56
 - gel set-up, 56
 - genomic DNA enzymatic processing, 56
 - genomic DNA isolation, 55
 - in-gel digest, 57
 - RLG profile analysis, 56
 - second-dimension
 - electrophoresis, 57
 - methods, 58–59
 - DNA fragment cloning, 65–68
 - first-dimension
 - electrophoresis, 60–62
 - gel set-up, 60–62
 - genomic DNA enzymatic processing, 59–60
 - genomic DNA isolation, 58–59
 - in-gel digest, 62
 - RLG profile analysis, 64–65
 - second-dimension
 - electrophoresis, 63–64
 - PCR amplification, 68
 - vs. PCR-based global
 - methylation-analysis, 55
 - profile
 - human cerebellum DNA, 67
 - profiles
 - direct visual assessment, 64
- Restriction maps
 - DNA-analysis program, 77
- Rett syndrome, 1, 5
- Reverse-phase high-pressure liquid chromatography (RP-HPLC), 20–24
 - DNA cytosine-5 methylation, 17–26
- RLGS. *see* Restriction landmark genome scanning (RLGS)
- RMCA primers, 109
- RP-HPLC, 20–24
 - DNA cytosine-5 methylation, 17–26
 - mobile vs. solid phase, 20
- RXMA primers, 109
- S**
- Scintillation counter
 - DNA demethylase activity, 166
- Second-dimension electrophoresis
 - RLGS
 - materials, 57
 - methods, 63–64
- Sephadex G50 columns
 - preparation, 12
- Sequence manipulation
 - COBRA, 74–75
- Sequencing
 - bisulphite-assisted genomic sequencing, 150–152
 - MSRF
 - materials, 46
- SmaI sites
 - amplification, 101
- Sodium bisulfite
 - oxidizing, 79
 - solution concentration, 79
 - treatment
 - COBRA, 78–80
- Sodium metabisulfite, 79
- Southern-blot hybridization, 143

- Southern blotting
 - MSRF
 - materials, 45
- Southwestern analysis
 - DNA-binding proteins, 132
- Southwestern blotting
 - MeCp2-containing deacetylase
 - materials, 134
 - methods, 136
- Southwestern oligo preparation
 - MeCp2-containing deacetylase, 132–134
- Superose 6 gel filtration
 - Xenopus laevis* extract
 - fractionation, 138
- T**
- Taq Gold, 109
- TaqI
 - restriction-enzyme site, 77
- Test gel
 - ligation PCR, 98
- Thin-layer chromatography (TLC)
 - developing tanks, 13
 - nearest-neighbor analysis, 12–15
 - nucleotide-3'-monophosphates
 - position, 15
 - plate stacking, 14
- Transiently transfected HEK cells
 - recombinant DNA demethylase
 - purification, 173–175
- Trichostatin A, 131
- Tumor amplicon
 - ovary, 89
- Tumor suppressor genes
 - inactivation, 43
- U**
- Unmethylated cytosine residues
 - incomplete conversion, 79
- UV absorbance detector, 23
- V–Z**
- Vertebrate genomes
 - methylation, 111
- Volatilization assay
 - DNA demethylase activity, 165–166
- Washing
 - COBRA
 - methods, 84–85
- Xenopus laevis*
 - MeCP2-containing deacetylase, 131–140
 - oocyte extract fractionation, 137–140
 - oocyte extract preparation
 - materials, 135
 - methods, 137
- Xist RNA, 3–4
- Zetabind Membrane, 81