
Index

A

AFM, *see* Atomic force microscopy

Aminopropyltriethoxy silane (APTES),
mica functionalization, *see*
Atomic force microscopy

1-Anilino-naphthalene-8-sulfonic acid
(ANS),

competition assay for DNA binding,
advantages over intrinsic
fluorescence, 265

binding curve generation, 270–272

materials, 267, 268, 273

preliminary testing, 266, 267,
269, 270, 273

principle, 265

resonance energy transfer, 273, 274

titration, 268, 269, 273

protein binding properties, 265, 266

ANS, *see* 1-Anilino-naphthalene-8-
sulfonic acid

APTES, *see* Aminopropyltriethoxy silane

Atomic force microscopy (AFM),
advantages and limitations, 569

functionalized mica substrates,
overview, 569, 570

preparation, 571, 575

imaging in air,

contact vs tapping modes,
569, 570

sample preparation,

droplet procedure, 569, 571,
572

immersion procedure, 569,
571, 572

imaging in solution,

advantages, 570

dried samples, 570, 572

in situ, 570, 571

materials for nucleoprotein imaging,
570

multivalent cation method for
sample preparation, 571

8-Azido-adenine,

DNA incorporation,

materials, 325, 326

nick translation, 328, 332

DNA–protein crosslinking,

filter binding assay, 330

gel electrophoresis analysis,
329, 330

photocrosslinking, 328, 329,
332, 333

photoaffinity labeling overview,
323, 324

synthesis,

characterization, 327, 328, 331,
332

materials, 325

protocol, 326, 327, 330, 331

radiolabeled compound, 330

B

Biacore, *see* Surface plasmon resonance

C

Calorimetry, *see also* Differential

scanning calorimetry; Isothermal
titration calorimetry,

DNA-binding protein applications, 512

- equilibrium, 513
 - thermodynamic parameters,
 - energetics of protein–DNA interaction, 512, 513
 - overview, 511, 512
 - CD, *see* Circular dichroism
 - Circular dichroism (CD),
 - applications for DNA-binding proteins, 504, 508
 - DNA change measurement upon protein binding,
 - materials, 504, 505
 - titration, 505, 506, 508
 - wavelength selection, 504, 505
 - origin of signal, 503
 - principles, 503, 504
 - sensitivity, 504
 - Sox-5 HMG domain dissociation constant determination for DNA, 518
 - Crystallography, *see* Reconstitution, protein–DNA complexes for crystallization; Two-dimensional crystallization
- D**
- DEPC footprinting, *see* Diethyl pyrocarbonate footprinting
 - Diethyl pyrocarbonate (DEPC) footprinting,
 - advantages, 63, 64
 - applications, 64, 65
 - DNA modification,
 - detection of modified bases with piperidine cleavage, 65, 66, 68, 69, 71
 - reaction mechanism, 64
 - in vitro* experiments on linear DNA fragments,
 - binding reaction, 68, 71
 - gel electrophoresis, 69, 71
 - modification reaction and stopping, 68, 71
 - piperidine cleavage, 68, 69, 71
 - radiolabeling of probe, 68
 - materials, 67
 - Differential scanning calorimetry (DSC), *see also* Calorimetry,
 - excess molar heat capacity, 516
 - intrinsic heat capacity, 516
 - partial molar heat capacity, 515, 516
 - principle, 515, 516
 - Sox-5 HMG domain interaction with DNA,
 - concentration determinations,
 - complex, 528, 529
 - DNA, 527, 5286
 - protein, 528
 - correction of isothermal titration calorimetry-derived enthalpies, 525, 526
 - data acquisition, 524, 530, 531
 - data analysis, 525
 - instrumentation, 520
 - materials, 520, 521, 529
 - Dimethyl sulfate (DMS) footprinting,
 - combination with electrophoretic mobility shift assay, 78, 79
 - ligation-mediated polymerase chain reaction for *in vivo* footprinting,
 - advantages and limitations, 183, 187
 - cleavage for DNA sequencing products,
 - A reaction, 201
 - C reaction, 201, 202
 - G reaction, 201
 - overview, 200, 201
 - processing of samples, 202
 - reagents, 192
 - T+C reaction, 201
 - detectable DNA–protein interactions, 183
 - dimethyl sulfate treatment, 193, 202, 203, 213
 - DNA polymerase selection, 191

- DNA purification,
 - DNA extraction, 200, 213
 - materials, 191, 192
 - nuclei isolation, 200
 - quantification, 200, 213
- gel electrophoresis and electroblotting,
 - blotting, 209, 214
 - electrophoresis, 208, 209
 - materials, 196, 197
- hybridization,
 - digoxigenin-labeled probe, 197, 198, 210, 214, 215
 - materials, 197
 - radiolabeled probe, 197, 209, 214
- ligation,
 - ligation reaction, 207
 - materials, 195
- modified bases and conversion to single-strand breaks, 181, 188, 193, 205
- overview, 176, 177
- polymerase chain reaction,
 - cycles, 207, 208
 - materials, 195, 196, 213
- primer extension,
 - incubation conditions, 206, 207
 - materials, 194, 195, 212, 213
- single-stranded hybridization
 - probe preparation, amplification product purification and quantification, 198, 199, 211, 215
 - digoxigenin labeling, 199, 212, 215
 - length, 210, 215
 - materials, 198, 199, 213
 - polymerase chain reaction amplification, 198, 210, 211
 - radiolabeling, 199, 211, 212
 - methylation interference assay, *see* methylation protection/interference, dimethyl sulfate
 - principle, 78
 - sites of reaction with DNA, 79
- DMS footprinting, *see* Dimethyl sulfate footprinting
- DNA bending,
 - functions, 403
- pBend vectors for assay,
 - bending angle, 415, 416
 - cloning sites, 405
 - colony screening for clones, 408, 411
 - electrophoretic analysis of complexes, 408, 409, 412–414
 - host strains of bacteria, 409
 - materials, 405–409
 - overview, 403, 404
 - protein-binding site insertion into plasmid, 405–411, 413
 - purification of plasmid DNA, 408, 411, 412
 - restriction sites, 404–406, 414, 415
 - types of vectors, 404, 405
- DNase I footprinting,
 - applications, 31, 32
 - autoradiography, 36, 38
 - binding reaction, 35–37
 - combination with electrophoretic mobility shift assay, 78, 79
 - digestion, 36, 37
- DNA probe labeling, 34
- DNase I,
 - sequence specificity, 33, 34, 79
 - structure and function, 32, 33, 79
- gel electrophoresis, 36, 37
- ligation-mediated polymerase chain reaction for in vivo footprinting,
 - advantages and limitations, 186, 187
 - cleavage for DNA sequencing products, A reaction, 201

- C reaction, 201, 202
 - G reaction, 201
 - overview, 200, 201
 - processing of samples, 202
 - reagents, 192
 - T+C reaction, 201
 - DNA polymerase selection, 191
 - DNA purification,
 - DNA extraction, 200, 213
 - materials, 191, 192
 - nuclei isolation, 200
 - quantification, 200, 213
 - DNase I treatment, 193, 204, 205, 213, 214
 - gel electrophoresis and electroblotting, blotting, 209, 214
 - electrophoresis, 208, 209
 - materials, 196, 197
 - hybridization,
 - digoxigenin-labeled probe, 197, 198, 210, 214, 215
 - materials, 197
 - radiolabeled probe, 197, 209, 214
 - ligation,
 - ligation reaction, 207
 - materials, 195
 - modified bases and conversion to single-strand breaks, 188
 - nonspecific priming of 3'-ends, 188, 189
 - overview, 182, 186, 188
 - permeabilization of cells, 188
 - polymerase chain reaction,
 - cycles, 207, 208
 - materials, 195, 196, 213
 - primer extension,
 - incubation conditions, 206, 207
 - materials, 194, 195, 212, 213
 - single-stranded hybridization
 - probe preparation,
 - amplification product purification and quantification, 198, 199, 211, 215
 - digoxigenin labeling, 199, 212, 215
 - length, 210, 215
 - materials, 198, 199, 213
 - polymerase chain reaction amplification, 198, 210, 211
 - radiolabeling, 199, 211, 212
 - materials, 35–37
 - nonspecific competitor DNA, 34
 - principle, 31, 77, 78
 - Southwestern blotting, *see* Southwestern blot
 - titration, 34
 - DSC, *see* Differential scanning calorimetry
- ## E
- Electron microscopy, *see also* Scanning transmission electron microscopy, nucleoprotein structural repeat imaging,
 - focusing effects, 584, 585
 - materials, 571–573, 586
 - negative staining, 579, 580, 583, 584
 - overview, 579
 - specimen mounting, 583, 586, 587
 - tilted specimens,
 - applications, 580, 581
 - closer end identification, 584–586
 - Fresnel patterns, 585, 586
 - helical asymmetry identification, 584–586
 - two-dimensional crystallography, *see also* Two-dimensional crystallization,
 - crystal transfer to grid, 563, 565–567

- evaluation of specimens, 564, 567
 - negative staining, 563, 567
 - support preparation, 616–614
 - Electrophoretic mobility shift assay (EMSA),
 - advantages, 13
 - applications, 15, 16
 - buffers, 20, 26
 - combination with binding
 - interference studies, 16
 - DNA probe,
 - isolation,
 - double-stranded synthetic oligonucleotides, 23, 27
 - fragments derived from subcloned sequence, 22, 23
 - materials, 20, 21
 - labeling options, 19
 - radiolabeling,
 - double-stranded synthetic oligonucleotides, 22
 - fragments derived from subcloned sequence, 21, 22, 27
 - materials, 20, 25
 - safety, 25
 - size, 19
 - electrophoresis,
 - autoradiography, 24
 - gel matrix selection, 19, 20, 25, 26
 - gel preparation, 23, 24, 26
 - loading and electrophoresis, 24, 26
 - materials, 21, 25, 26
 - ethylation interference assay, 233–236, 240, 241
 - exonuclease III footprinting
 - optimization, 43, 45, 46
 - hydroxyl radical footprinting
 - optimization, 55
 - hydroxyl radical interference,
 - gel, 250, 252
 - optimization, 250, 252
 - 10-Phenanthroline-copper
 - footprinting coupling,
 - benefits, 83, 85, 86
 - cleavage in gel, 94, 95, 106, 107
 - competition binding assay, 92, 104
 - dissociation rate determination, 92, 104, 105
 - gel preparation, 93
 - loading of gel, 94, 106
 - materials, 86, 87
 - optimization,
 - binding reaction parameters, 103, 104
 - electrophoresis conditions, 104
 - exposure time to chemical nuclease, 92, 105, 106
 - preliminary assay, 92, 102
 - probe length, 103
 - preparative reaction, 93
 - principle, 82
 - running conditions, 94
- reconstitution of protein–DNA complexes for crystallization, 551, 554
- restriction endonuclease dissociation
 - constant determination,
 - competitive equilibrium binding, 482
 - data analysis, 482, 383
 - direct titration, 481, 482, 487, 488
 - materials, 471
- sensitivity, 13
- two-wavelength femtosecond laser
 - crosslinking optimization, 614, 615
- ELISA, *see* Enzyme-linked immunosorbent assay
- EMSA, *see* Electrophoretic mobility shift assay
- Enzyme-linked immunosorbent assay (ELISA), phage binding, 419, 423, 424, 428
- Equilibrium constant,
 - filter-binding assay determination, 5, 6

- fluorescence anisotropy
 - determination, 469, 486, 487
- Ethylation interference,
 - ethylnitrosourea,
 - modification of phosphate groups, 229
 - modification reaction, 233, 235, 239
 - secondary modifications, 229, 239
- fractionation of DNA by
 - electrophoretic mobility shift assay, 233–236, 240, 241
- materials, 230, 231, 233, 234
- MetJ methionine repressor
 - interaction with target DNA, 230, 237–239
- phosphotriester cleavage, 236
- principle, 230
- radiolabeling of DNA, 230, 231, 233–235
- recovery of DNA from gels, 236
- sequencing of DNA, 234, 236, 237, 241, 242
- Exonuclease III footprinting,
 - applications, 41
 - digestion reaction, 43–46
 - exonuclease III,
 - activities, 39
 - sequence specificity, 39
 - gels,
 - band-shift assay, 42
 - electrophoresis, 44
 - purification of binding complexes, 44, 45
 - sequencing, 42
 - interpretation, 40
 - materials, 42
 - optimization using electrophoretic mobility shift assay, 43, 45, 46
 - principle, 40
- F**
- Filter-binding assay,
 - advantages, 1
 - buffers, 3
 - equilibrium constant determination, 5, 6
 - equipment, 4
 - filters, 3
 - in vitro selection, 9, 10
 - kinetic measurements,
 - association, 7
 - dissociation, 6, 7
 - interference measurements, 7, 8
 - methionine repressor binding to operator variants, 8, 9
 - radiolabeling of DNA,
 - gel electrophoresis and band excision, 4
 - labeling reaction, 4
 - materials, 2, 3
 - plasmid digestion, 4
 - restriction endonuclease dissociation constant determination,
 - competitive equilibrium binding, 478–480, 487, 484
 - data analysis,
 - competitive titration, 481
 - direct binding, 478, 485, 486
 - direct titrations, 476, 477, 485–487
 - materials, 471
 - retention efficiency, 2
 - troubleshooting, 10
- Fluorescence anisotropy,
 - DNA–protein dissociation constant determination, 493
 - equilibrium constant determination, 469, 486, 487
 - restriction endonuclease dissociation constant determination using hexachlorofluorescein-labeled oligonucleotides,
 - data analysis, 483, 484, 488
 - fluorescence measurements, 483, 488
 - materials, 470–472
 - overview, 469, 470, 486, 487

- Footprinting, *see* Diethyl pyrocarbonate
footprinting; Dimethyl sulfate
footprinting; DNase I
footprinting; Exonuclease III
footprinting; Hydroxyl radical
footprinting; In vivo DNA
footprinting; Osmium tetroxide
footprinting; 1,10-Phenanthroline-
copper footprinting; Potassium
permanganate footprinting;
Singlet oxygen footprinting;
Ultraviolet C footprinting;
Ultraviolet-laser footprinting;
Uranyl photofootprinting
- G**
- Gel retardation assay, *see*
Electrophoretic mobility shift assay
- H**
- Histone, *see* Linker histone-Fe(II)
EDTA conjugate; Ultraviolet
laser-induced protein-DNA
crosslinking
- Hydroxyl radical footprinting,
advantages, 49
applications,
antibiotic-DNA complexes, 54
DNA structure probing, 54
protein-DNA complexes, 53, 54
RNA-protein complexes, 54
RNA structure probing, 54
binding reaction, 56, 57, 59
cutting reaction,
materials, 54, 58
mechanism, 50
optimization, 56, 59
DNA probe preparation and labeling,
56, 59
gels,
nondenaturing, 55
sequencing, 55, 58, 59
generation of radicals, 49, 50
interpretation, 51-53
optimization using electrophoretic
mobility shift assay, 55
principle, 49-51
separation of free DNA from
complex,
nitrocellulose filter filtration, 58, 59
nondenaturing gel electrophoresis,
57-59
- Hydroxyl radical interference,
advantages, 245, 246
applications,
RNA polymerase-promoter
interaction, 248, 249
transcription factors, 247, 248
cutting reaction, 249-252
electrophoretic mobility shift assay,
gel, 250, 252
optimization, 250, 252
generation of radicals, 246
interpretation, 246
materials, 249, 250, 252
principle, 245, 246
sequencing, 249-252
- Hydroxyl radical site-directed cleavage,
see Linker histone-Fe(II) EDTA
conjugate
- I**
- 1,5-IAEDANS, competition assay for
DNA binding, 274
- In vivo DNA footprinting,
dimethyl sulfate footprinting, *see*
Dimethyl sulfate footprinting
DNase I footprinting, *see* DNase I
footprinting
osmium tetroxide footprinting, *see*
Osmium tetroxide footprinting
overview, 176, 184
parameters affecting outcomes, 176

- potassium permanganate
 - footprinting, *see* Potassium permanganate footprinting,
 - ultraviolet C footprinting, *see* Ultraviolet C footprinting
- Intrinsic fluorescence,
 - applications for DNA-binding proteins, 491, 493
 - DNA binding curve determination, data analysis, 497, 498
 - dissociation constant
 - considerations for titration, 492, 490
 - materials, 494–495, 499
 - preliminary experiments, 495, 496, 499, 500
 - titration, 496, 497, 500
 - inner filter effects and correction of fluorescence, 493
 - origins, 492
 - principles of fluorescence, 491, 492
- Isothermal titration calorimetry (ITC), *see also* Calorimetry,
 - apparent heat change, 513, 514
 - dissociation constant determinations, 514, 515
 - effective heat change, 514
 - enthalpy of binding, 513–515, 518
 - principle, 513–515
 - Sox-5 HMG domain interaction with DNA,
 - concentration determinations, complex, 528, 529
 - DNA, 527, 528
 - protein, 528
 - data analysis, 522, 524, 529, 530
 - enthalpy correction using differential scanning calorimetry, 525, 527
 - instrumentation, 520
 - materials, 520, 521, 529
 - titration,
 - data acquisition, 521, 522, 529
 - range for DNA, 518
 - titration calculations, 515
 - ITC, *see* Isothermal titration calorimetry
- L**
- Ligation-mediated polymerase chain reaction (LMPCR),
 - violet C footprinting, *see* Ultraviolet C footprinting
- Linker histone-Fe(II) EDTA conjugate,
 - cysteine substituted protein
 - construction,
 - ligation and transformation of polymerase chain reaction insert, 276, 280, 288
 - materials, 276
 - overexpression and purification, 276, 280, 281, 288
 - point mutation by polymerase chain reaction, 276, 279
 - rationale, 275, 276
 - reduction and modification with EDTA-2-aminoethyl 2-pyridyl disulfide, 277, 278, 281, 282
 - linker histone function, 275
 - site-directed hydroxyl radical
 - cleavage analysis,
 - application, 286, 288
 - binding to reconstituted nucleosomes, 284, 285, 289
 - cleavage reaction, 285, 289
 - materials, 278, 279
 - Maxim–Gilbert G-specific reaction, 278, 284
 - nucleosome reconstitution, 278, 283, 284, 288
 - radiolabeling of DNA, 278, 282, 283, 289
 - sequencing gel, 279, 286
- LMPCR, *see* Ligation-mediated polymerase chain reaction
- Lysine modification,

modifying reagents, 301
rationale for DNA-binding proteins, 301
reductive methylation with sodium cyanoborohydride,
 data analysis, 310
 isotope incorporation, 302, 303
 materials, 303, 304
 overview, 301–303
 peptide mapping, 308, 309, 313, 314
 pulse–chase labeling, 306–309,
 312, 313
 quantification of modified residues, 306, 312
 sodium cyanoborohydride recrystallization, 304
 surface labeling of proteins and complexes, 305, 306, 311, 312
 tritiated formaldehyde,
 determination of effective specific activity, 304, 305,
 310, 311

M

Methionine repressor,
 ethylation interference assay with MetJ, 230, 237–239
 filter-binding assay using operator variants, 8, 9

Methylation protection/interference,
 dimethyl sulfate,
 DNA base reactivity, 221
 interference assay, 225
 materials, 222, 223
 principles,
 interference assay, 222
 protection assay, 221, 222
 protection assay, 223–226

N

Nitration, *see* Tyrosine nitration
Nucleoprotein complex, limited proteolysis,

 applications, 315, 316
 materials, 318
 overview,
 preliminary characterization of DNA-binding domains, 316
 proteolysis, 316
 purification of DNA-binding domain, 317
 sequencing of protein, 317, 318, 320
 protease selection, 316, 317
 proteolysis conditions, 319, 320
 purification of DNA-binding domain, 319–321
 rationale, 315, 316

O

Osmium tetroxide footprinting,
 advantages and limitations, 121, 122
 applications, 122, 125, 127
 safety, 128
 materials, 122, 123, 128–130
 stock solution preparation, 128–130
 mechanism of thymidine attack, 130
 reaction conditions, 123
 detection of adducts, 123, 124, 130, 131
 gel electrophoresis, 124
 interpretation, 125, 127, 131, 132
 ion effects, 125
 in vivo modifications, 127, 128

P

pBend vectors, *see* DNA bending
PCR, *see* Polymerase chain reaction
Peptide mapping,
 lysine modifications, 308, 309, 313, 314
 RNA polymerase III after photoaffinity labeling, 365, 377, 378, 380
 tyrosine nitrations, 295, 296, 298
Phage display, nucleic acid-binding proteins,

- applications, 417
- cloning into phage vector, 418, 421, 422, 426
- enzyme-linked immunosorbent assay
 - for binding, 419, 423, 424, 428
- gene cassette library construction, 418, 420, 421, 425, 426
- materials, 418, 419
- overview, 417, 418
- phage selection against nucleic acid targets, 418, 419, 422, 423, 427, 428
- phage vector preparation, 418, 419, 424, 425
- principle, 417
- 1,10-Phenanthroline-copper
 - footprinting,
 - advantages over other footprinting agents, 82, 83
 - chemistry of DNA cleavage, 79, 80, 82
 - complex isolation from free DNA,
 - direct elution from gels,
 - autoradiography, 95, 96
 - desalting, 97
 - excision, 96
 - extraction, 96, 97, 107
 - materials, 88–90
 - electrotransfer and elution from membrane,
 - electrotransfer, 98
 - elution, 99
 - materials, 90, 91
 - principle, 97, 98
 - DNA structure and reaction rates, 80, 82
 - electrophoretic mobility shift assay
 - coupling,
 - benefits, 83, 85, 86
 - cleavage in gel, 94, 95, 106, 107
 - competition binding assay, 92, 104
 - dissociation rate determination, 92, 104, 105
 - gel preparation, 93
 - loading of gel, 94, 106
 - materials, 86, 87
 - optimization,
 - binding reaction parameters, 103, 104
 - electrophoresis conditions, 104
 - exposure time to chemical nuclease, 92, 105, 106
 - preliminary assay, 92, 102
 - probe length, 103
 - preparative reaction, 93
 - principle, 82
 - running conditions, 94
 - in-gel cleavage,
 - applications, 86
 - materials, 88
 - kinetic scheme for nuclease activity, 80, 81
 - RNA-binding protein analysis, 86
 - sequencing,
 - autoradiography, 101, 102, 107, 108
 - gel loading and electrophoresis, 100, 101
 - ladder preparation, 91, 99, 100
 - reagents and equipment, 92
 - solutions, 91
 - Photoaffinity labeling, *see also*
 - 8-Azidoadenine,
 - overview of photolabeling groups, 323, 324
 - RNA polymerase II transcription
 - complex, site-specific labeling,
 - advantages and applications, 383, 384
 - materials, 384, 385
 - members of complex, 383
 - overview, 384
 - photocrosslinking, 388, 389, 391, 392
 - photoprobe preparation,
 - AB-dUMP incorporation, 385, 388

- annealing, 385
 - gel purification, 385, 387, 388, 391
 - primer extension, 385, 391
 - restriction digestion, 385
 - RNA polymerase III transcription
 - complex, site-specific labeling,
 - DNA probe synthesis, 364, 365, 371, 373, 380
 - DNA template immobilization,
 - biotinylation, 369, 379
 - materials, 364
 - streptavidin bead binding, 369, 371, 379
 - nucleotide synthesis,
 - AB-dUTP, 365–367, 378
 - dCTP analogs, 368, 369
 - materials, 364
 - varied photochemistry
 - nucleotides, 368
 - varied tether-length nucleotides, 367, 368
 - peptide mapping, 365, 377, 378, 380
 - photoaffinity labeling, 365, 373, 376, 377, 380
 - Polymerase chain reaction (PCR),
 - see also* Ligation-mediated polymerase chain reaction,
 - error-prone polymerase chain reaction for mutation
 - introduction, 433, 436, 440, 447
 - phage display gene cassette library
 - construction, 418, 420, 421, 425, 426
 - point mutation for cysteine substitution in histones, 276, 279
 - potassium permanganate footprinting
 - application, 66, 70–72
 - systematic evolution of ligands by exponential enrichment, 603–604, 608–609
 - ultraviolet-laser footprinting
 - analysis, 166–168
 - Potassium permanganate footprinting,
 - advantages, 63, 64
 - applications, 64, 65
 - DNA modification,
 - detection of modified bases,
 - piperidine cleavage, 65, 66, 68, 69, 71
 - polymerase chain reaction amplification, 66, 70–72
 - primer extension, 66, 70–72
 - reaction mechanism, 64
 - in vitro experiments on linear DNA fragments,
 - binding reaction, 68, 71
 - gel electrophoresis, 69, 71
 - modification reaction and stopping, 68, 71
 - piperidine cleavage, 68, 69, 71
 - radiolabeling of probe, 68
 - in vivo experiments, 69
 - materials, 67
 - Primer extension, *see* Polymerase chain reaction
 - Proteolysis, *see* Nucleoprotein complex, limited proteolysis
- ## R
- Reconstitution, protein–DNA
 - complexes for crystallization,
 - annealing of DNA duplex, 551, 554
 - crystallization trials, 452, 553, 555
 - electrophoretic mobility shift assay, 551, 554
 - scale-up, 551, 552, 555
 - synthetic oligomer preparation, 550, 551, 554
 - TFIIIA recombinant protein
 - purification,
 - chromatography, 549, 552, 554
 - concentration determination, 549, 552, 554

- materials, 548, 549
- overview, 547, 548
- vectors, 549
- Restriction endonuclease,
 - oligonucleotide assays,
 - association rates of reaction
 - components, 465, 484
 - dissociation constant,
 - data analysis for determination, 468, 472, 485, 486
 - direct versus competition titration, 616, 557, 614
 - electrophoretic mobility shift
 - assay for determination,
 - competitive equilibrium binding, 481
 - data analysis, 482, 483
 - direct titration, 481, 482, 487, 488
 - materials, 471
 - filter binding assay,
 - competitive equilibrium binding, 478–480, 487, 488
 - data analysis for
 - competitive titration, 481
 - data analysis for direct binding, 478, 485, 486
 - direct titrations, 476, 477, 485–487
 - materials, 471
 - fluorescence anisotropy
 - determination using
 - hexachlorofluorescein-labeled oligonucleotides,
 - data analysis, 483, 484, 488
 - fluorescence measurements, 481, 488
 - materials, 470–472
 - overview, 469, 470, 486, 487
 - measurement techniques, 615, 616
 - range of values, 467, 468
 - equilibrium constant determination
 - with fluorescence anisotropy,
 - 469, 486, 487
 - single turnover rate constant,
 - components, 465, 466
 - measurement,
 - data analysis, 471, 474, 476, 488
 - materials, 470, 471, 487
 - principle, 466, 484, 485
 - rapid-hydrolyzing enzymes, 473
 - slow-hydrolyzing enzymes, 472, 473, 484, 485, 488
 - specificity determination using
 - structural perturbation approach, 465, 466
- RNA polymerase–promoter interaction,
 - bacterial holoenzyme structure, 339
 - hydroxyl radical interference, 248, 249
 - initiation complex formation, 339, 340
- RNA polymerase II transcription
 - complex, site-specific
 - photoaffinity labeling,
 - advantages and applications, 383, 384
 - materials, 384, 385
 - members of complex, 383
 - overview, 384
 - photocrosslinking, 388, 389, 391, 392
 - photoprobe preparation,
 - AB-dUMP incorporation, 385, 388
 - annealing, 385
 - gel purification, 385, 387, 388, 391
 - primer extension, 385, 391
 - restriction digestion, 385
- RNA polymerase III transcription
 - complex, site-specific
 - photoaffinity labeling,
 - DNA probe synthesis, 364, 365, 371, 373, 380
 - DNA template immobilization,

- biotinylation, 369, 379
 - materials, 364
 - streptavidin bead binding, 369, 371, 379
 - nucleotide synthesis,
 - AB-dUTP, 365–367, 378
 - dCTP analogs, 368, 369
 - materials, 364
 - varied photochemistry
 - nucleotides, 368
 - varied tether-length
 - nucleotides, 367, 368
 - peptide mapping, 365, 377, 378, 380
 - photoaffinity labeling, 365, 373, 376, 377, 380
 - site-specific protein–DNA
 - photocrosslinking,
 - DNA preparation,
 - annealing, extension, and ligation, 348, 349, 357
 - chemical derivatization, 347, 348, 357
 - digestion and gel purification, 349, 350, 357
 - materials, 340, 342, 343, 356, 357
 - phosphorothioate oligodeoxyribonucleotide preparation, 346, 347
 - purification with reversed-phase high-performance liquid chromatography, 348, 357
 - radiolabeling, 348, 357
 - intermediate complex preparation, 354, 355, 358
 - nuclease digestion of complex and gel analysis, 356
 - open complex preparation, 355, 358
 - photocrosslinking in-gel,
 - N,N'*-bisacryloylcystamine synthesis, 353, 354
 - excision and extraction of crosslinked complex, 356, 358
 - gel preparation, 354, 358
 - irradiation, 355, 356, 358
 - materials, 345, 346
 - RNA polymerase from bacteria,
 - crude subunit and fragment preparation, 351, 352
 - histidine-tagged α -subunit preparation, 350, 351, 357
 - materials for preparation, 343–345
 - nickel affinity chromatography, 353
 - reconstitution, 352, 353
 - split derivatives, 340
 - transcription factor assays, *see* Transcription factor
- S**
- Scanning transmission electron microscopy (STEM),
 - advantages for DNA–protein complex studies, 589, 598, 599
 - complex classification, 590
 - crosslinking of DNA–protein complexes, 591, 599
 - image analysis, 595–598, 600
 - materials for DNA–protein complex imaging,
 - additives, 591, 600
 - buffers, 591, 592, 600
 - films, 592, 600,
 - grids, 592
 - water, 591, 599
 - microscope operation, 594, 595, 600
 - molecular weight determination, 589
 - resolution, 590, 599
 - specimen preparation,
 - concentrations of complexes and components, 593

- fixation, 591, 594
- polylysine-pretreated grids, 594, 600
- wet film, hanging drop method, 593, 594, 599, 600
- SELEX, *see* Systematic evolution of ligands by exponential enrichment
- Singlet oxygen footprinting,
 - detection of reaction sites, 157, 159
 - eosin-Tris complex preparation, 156
 - instrumentation, 154
 - irradiation conditions, 156, 157
 - materials, 154–156
 - nucleoprotein complex formation, 158
 - overview, 152
 - rationale and advantages, 151, 152
 - reaction with DNA,
 - diffusion, 152, 153
 - half-life of singlet oxygen, 154
 - rate of reaction and DNA structure, 153, 154
- Site-specific protein–DNA
 - photocrosslinking,
 - applications, 339
 - overview, 337, 338
 - RNA polymerase–promoter interactions,
 - DNA preparation,
 - annealing, extension, and ligation, 348, 349, 357
 - chemical derivatization, 347, 348, 357
 - digestion and gel purification, 349, 350, 357
 - materials, 340, 342, 343, 356, 357
 - phosphorothioate oligodeoxyribonucleotide preparation, 346, 347
 - purification with reversed-phase high-performance liquid chromatography, 348, 357
 - radiolabeling, 348, 357
 - intermediate complex preparation, 354, 355, 358
 - nuclease digestion of complex and gel analysis, 356
 - open complex preparation, 355, 358
 - photoaffinity labeling, *see* Photoaffinity labeling
 - photocrosslinking in-gel,
 - N,N'*-bisacryloylcystamine synthesis, 353, 354
 - excision and extraction of crosslinked complex, 356, 358
 - gel preparation, 354, 358
 - irradiation, 355, 356, 358
 - materials, 345, 346
- RNA polymerase from bacteria,
 - crude subunit and fragment preparation, 351, 352
 - histidine-tagged α -subunit preparation, 350, 351, 357
 - materials for preparation, 343–345
 - nickel affinity chromatography, 353
 - reconstitution, 352, 353
 - split derivatives, 340
 - validation with crystal structures, 339
- Sodium cyanoborohydride, *see* Lysine modification
- Southwestern blot,
 - applications, 256
 - DNase I footprinting combination, alternative cleavage agents, 137
 - blotting,
 - alignment markers, 144, 148
 - autoradiography, 144, 148
 - electroblotting, 143, 147
 - gel electrophoresis, 143, 147
 - overview, 142, 143
 - probing with DNA, 143, 147, 148
 - reagents and equipment, 140, 141, 147
 - solutions, 137–140, 146, 147

- DNase I treatment of blots,
 - extraction, 145
 - gel electrophoresis and autoradiography, 146, 148
 - reaction conditions, 144, 145, 148
 - reagents and equipment, 142
 - solutions, 141, 142
 - fidelity, 137
 - rationale and advantages, 135–137
 - identification of DNA-binding
 - proteins,
 - electroblotting, 259–261
 - extract preparation, 256, 260
 - gel electrophoresis, 258, 259, 261
 - materials, 256, 258, 260, 261
 - membrane probing, 260, 262
 - overview, 135, 255, 256
 - principle, 255
 - Sox-5 HMG domain,
 - differential scanning calorimetry of interaction with DNA,
 - concentration determinations, complex, 528, 529
 - DNA, 527, 528
 - protein, 528
 - correction of isothermal titration calorimetry-derived enthalpies, 525, 527
 - data acquisition, 524, 530, 531
 - data analysis, 525
 - instrumentation, 520
 - materials, 520, 521, 529
 - dissociation constant determination for DNA, 518
 - DNA sequence specificity, 516
 - isothermal titration calorimetry of interaction with DNA,
 - concentration determinations, complex, 528, 529
 - DNA, 527, 528
 - protein, 528
 - data analysis, 522, 524, 529, 530
 - enthalpy correction using differential scanning calorimetry, 525, 527
 - instrumentation, 520
 - materials, 520, 521, 529
 - titration,
 - data acquisition, 521, 522, 529
 - range for DNA, 518
 - structure, 512
 - ultraviolet melting curve for DNA complex, 518, 519
- SPR, *see* Surface plasmon resonance
- STEM, *see* Scanning transmission electron microscopy
- Surface plasmon resonance (SPR),
 - Biacore instrument principles, 535–537, 541
 - binding curve analysis,
 - kinetic analysis, 539–541, 544, 545
 - stoichiometry and equilibrium analysis, 538, 539
 - consistency tests, 557
- DNA immobilization,
 - immobilization reaction, 543, 544
 - overview, 537
 - streptavidin coupling, 542, 544
- materials for DNA–protein binding analysis, 541
- protein binding to immobilized DNA, 537, 538, 543, 545
- recapture, 545, 546
- refractive index relationship to mass, 535, 541, 544
- Systematic evolution of ligands by exponential enrichment (SELEX),
 - applications for nucleic acid-binding proteins, 603, 604
 - complex formation and washing, 607–609
 - DNA template and primers, 605, 608, 609
 - in vitro transcription, 606
 - materials, 605

nickel bead binding of histidine-tagged proteins, 606, 609
 overview, 603–605
 partitioning matrix preparation, 606, 608
 polymerase chain reaction, 605, 606–609
 reverse transcription of RNA samples, 607
 rounds of selection, 607, 609

T

Tetranitromethane (TNM), *see* Tyrosine nitration

TNM, *see* Tetranitromethane

Transcription factor,
 functions, 447

initiation complex formation, 339, 340

RNA polymerase II transcription complex, 383

TFIIIA recombinant protein
 purification,

chromatography, 549, 552, 554

concentration determination, 549, 550, 554

materials, 548, 549

overview, 547, 548

vectors, 549

transcriptional activation assays,

abortive initiation,

data analysis, 457, 461, 462

dinucleotide primer, 455, 461

fluorescence detection, 461

incubation conditions, 456

paper chromatography, 455–457

principal, 448

materials, 452, 454, 557, 458

overview, 451–452

transcript assays,

binding reaction, 454, 455, 457–459

electrophoretic analysis,

455, 460, 461

principle, 452

transcription reaction, 455, 459, 460

Transmission electron microscopy, *see*
 Electron microscopy

Tryptophan fluorescence, *see* Intrinsic
 fluorescence

Two-dimensional crystallization,

advantages over X-ray

crystallography, 557

crystallization conditions, 562, 563, 564, 567

electron microscopy,

crystal transfer to grid, 563, 564–567

evaluation of specimens, 564, 567

negative staining, 563, 564, 566

support preparation, 560–562

image analysis, 565, 566

lipid–protein interactions, 557–560, 564, 566

materials, 560

Two-wavelength femtosecond laser

irradiation, *see* Ultraviolet laser-induced protein–DNA crosslinking

Tyrosine fluorescence, *see* Intrinsic
 fluorescence

Tyrosine nitration,

accessibility studies, 292, 293

functional studies, 293, 296

kinetic analysis, 293

materials, 294

modifying reagents and tyrosine specificity, 291, 292

peptide mapping, 295, 296, 298

rationale for DNA-binding proteins, 291

tetranitromethane nitration reaction, 295, 296, 298

U

Ultraviolet C footprinting, ligation-mediated polymerase chain

- reaction for *in vivo* footprinting, advantages and limitations, 185, 187
- cleavage for DNA sequencing
 - products,
 - A reaction, 201
 - C reaction, 201, 202
 - G reaction, 201
 - overview, 200, 201
 - processing of samples, 202
 - reagents, 192
 - T+C reaction, 201
- DNA polymerase selection, 191
- DNA purification,
 - DNA extraction, 200, 213
 - materials, 191, 192
 - nuclei isolation, 200
 - quantification, 200, 213
- gel electrophoresis and electroblotting,
 - blotting, 209, 214
 - electrophoresis, 208, 209
 - materials, 196, 197
- hybridization,
 - digoxigenin-labeled probe, 197, 198, 210, 214, 215
 - materials, 197
 - radiolabeled probe, 197, 209, 214
- information from photofootprints, 185, 186
- instrumentation, 193
- ligation,
 - ligation reaction, 207
 - materials, 195
- modified bases and conversion to single-strand breaks, 186, 188, 194, 205, 206
- overview,
 - cyclobutane pyrimidine dimer formation, 178
 - pyrimidine (6-4) pyrimidone photoproduct, 180
- photoproduct distribution, 183, 185
- polymerase chain reaction,
 - cycles, 207, 208
 - materials, 195, 196, 213
- primer extension,
 - incubation conditions, 206, 207
 - materials, 194, 195, 212, 213
- single-stranded hybridization probe
 - preparation,
 - amplification product purification and quantification, 198, 199, 211, 215
 - digoxigenin labeling, 199, 212, 215
 - length, 210, 215
 - materials, 198, 199, 213
 - polymerase chain reaction
 - amplification, 198, 210, 211
 - radiolabeling, 199, 211, 212
 - ultraviolet irradiation, 203, 213, 214
- Ultraviolet crosslinking of DNA–protein complexes, *see* 8-Azidoadenine; Site-specific protein–DNA photocrosslinking; Ultraviolet laser-induced protein–DNA crosslinking
- Ultraviolet-laser footprinting,
 - advantages over other footprinting techniques, 161, 163
 - binding reaction, 165, 167, 168
 - disadvantages, 164
 - in vivo* footprinting, 167, 169, 172
 - instrumentation, 164
 - integration host factor/*yjbE*
 - interaction analysis, 164–167
 - kinetic analysis, 163
 - laser operation, 165–167
 - materials, 164, 165
 - photoreactions, 163
 - primer extension, 166–168
 - principle, 161–163
 - sequencing and interpretation, 166, 168, 169
 - troubleshooting, 168, 169
- Ultraviolet laser-induced protein–DNA crosslinking,
 - advantages, 395

- applications, 396
 - histone–DNA complexes,
 - DNA hybridization for sequence identification, 400, 401
 - dot immunoassay, 399
 - immunoprecipitation, 399–401
 - isolation of crosslinked complexes, 398, 399, 400
 - instrumentation, 397, 400
 - irradiation techniques, 398, 400
 - materials, 397, 398
 - mechanism, 395, 396
 - overview, 396, 397
 - two-wavelength femtosecond laser irradiation,
 - applications, 612, 615, 616
 - DNA integrity checking, 615, 616
 - electrophoretic mobility shift assay for optimization, 614, 615
 - in vitro crosslinking, 614
 - in vivo crosslinking, 614, 616
 - lasers, 616, 616
 - principal, 612
 - rationale, 611, 612
 - reagents and solutions, 613
 - yield determination for crosslinks, 615, 616
 - Uranyl photofootprinting,
 - applications, 111–113, 115
 - binding reaction, 112, 116, 117
 - cleavage reaction, 113, 117
 - comparison with other footprinting techniques, 113, 115
 - gel electrophoresis and autoradiography, 113, 117
 - hypersensitive cleavage sites, 115
 - interference probing by phosphate ethylation, 115
 - l-repressor/O_R1 complex analysis, 113
 - materials, 112, 116, 117
 - mechanism of photocleavage, 112
 - phosphate probing on DNA backbone, 113, 115
 - principle, 111
- Y**
- Yeast reporter assay of DNA–protein interactions,
 - activation domains, 433, 446
 - biochemical analysis of mutants, 444
 - error-prone polymerase chain reaction for mutation introduction, 433, 436, 440, 447
 - expression plasmid, 432, 433, 435, 438, 439, 446, 447
 - β-galactosidase assay, 437, 439, 440, 443, 444, 448
 - initial design and testing, 435, 437–440
 - materials, 435–437
 - optimization, 446
 - overview, 431–434
 - reporter plasmid, 432, 445, 435, 437, 438, 446
 - screening for mutants, 437, 441–443, 448
 - sequence analysis, 444
 - transformation and homologous recombination, 436, 437, 440, 441, 447, 448
 - yeast strains, 435, 444, 445