

---

# Index

## A

- Adenovirus, 496, 498, 514
- Adeno-associated virus, 455–457
  - adenovirus helper virus, 456, 457
  - delivery into a cell line, 463, 464
  - intramuscular administration, 465
  - mediated gene transfer, 455–469
  - production of wild-type free
    - recombinant adeno-associated virus, 455, 456, 460, 461
  - purification of recombinant adeno-associated virus, 455, 456, 461–463
- Antisense
  - oligonucleotides, 506, 507, 513
  - protein kinase, 514
  - treatment, 507
- Apoptosis, 497
- Arrays
  - cDNA, 42, 284, 285
- Automation, 162

## B

- BAC, *see* Bacterial artificial chromosome
- Bacterial artificial chromosome, 57, 66, 68, 80, 113, 123, 129, 136, 192, 206–208, 251, 259

## Bacterial artificial chromosome (*cont.*)

- DNA, 65, 207, 208, 253, 254, 258
  - preparation, 223, 224
  - library, 57, 67, 71
  - preparation, 65, 80
  - sequencing, 217–234
  - subcloning, 217, 224–226
  - vector, 57, 58, 60, 64–66
- Biotin labeling, 51
- BMD, *see* Mineral density of the bone

## C

- Cancer
  - bladder, 495
  - breast, 497
  - ovarian, 495
  - pancreatic, 283
  - prostate, 495, 497, 498
  - testicular, 495
- Cat reporter
  - assay, 512
  - plasmids, 500
- cDNA
  - arrays, 169, 284
  - hybridization screening of, 292
  - colony filters, 277
  - filters, 185
  - hybridization, 201
  - subtractive, 279–281, 284, 289, 291

- cDNA (*cont.*)
- hybridization (*cont.*)
    - subtractive suppression, 263–278
  - libraries, 156, 170, 211
    - full-length-enriched, 143–153
    - insert PCR amplification, 312
  - ligation of adapters to cDNA, 270, 279, 287, 289, 291, 295, 296, 300, 301
  - microarrays, 276, 277, 310, 323–340
  - PCR amplification, 144, 145, 150, 189, 196
  - restriction fragment partitioning, 295–297
  - selection, 189–193, 196, 201
  - sequences, 155, 201
  - synthesis, 148, 193, 210, 269, 299, 300
  - synthesis of fluorescently-labelled cDNA, 324, 325, 329, 330
- Cells
- breast cancer, 497
  - carcinoma, 508, 509
  - colon carcinoma, 497
  - embryonic stem cells, 377, 381, 382, 384, 385, 387–389, 391, 392, 394, 395, 397
    - culture, 403
    - preparation of embryonic fibroblast feeder cells, 401, 402
    - preparation of genomic DNA from, 406
  - feeder, 382, 383
  - glioblastoma, 497
  - primary embryonic fibroblasts, 382, 383
  - prostate cancer, 495, 497, 498, 509, 511
  - tumour cells,
    - isolation, 53
- Chromosome
- abnormalities, 47
  - copy number, 47
  - preparation of metaphase
    - chromosomes, 49, 51, 53, 54, 110, 115
  - resources, 131
- Chromosomal *in situ* suppression hybridization, 125
- CISS, *see* Chromosomal *in situ* suppression hybridization
- Comparative genomic hybridization, 47–55
- D
- Differential display, 277
- of cDNA restriction fragments, 295–307
- Differentially expressed genes, 263, 277, 295, 296
- enrichment for, 279, 282–284, 289, 291
- DIG labeling, 51, 179, 180, 186, 312, 313
- DNA
- BAC, 65, 207, 208, 253, 254, 258
  - biotin-labeled, 192
  - competition, 74, 78, 104
  - cosmid, 253, 254, 258
  - damage-response pathways, 496
  - DIG-labeled, 179, 180, 186
  - fibres, 109, 111, 116, 122, 123
  - filters, 170, 198
  - from tumours, 47
  - genomic, 60, 96, 159, 186, 189, 190–195, 197, 500, 512, 515
    - PCR amplification of, 30–32

DNA (*cont.*)

- genomic (*cont.*)
    - preparation from embryonic stem cells, 406
    - preparation from mouse muscle, 465, 466
    - preparation from mouse tails, 2, 4, 391, 410, 411
  - haploid, 249
  - junk, 250
  - marker, 15
  - megabase-size, 61–63
  - methylation, 37
  - PAC, 100
  - placental, 74, 78, 117, 125
  - polymerase, 73, 114, 502, 509
  - repetitive, 250
  - salmon sperm, 192
  - sequencing, 132, 155
  - yeast, 192, 193
    - preparation of plasmid DNA, 438
- DNA–DNA hybridization, 189

**E**

- Electroporation, 64, 65
  - of embryonic stem cells, 403, 404
- EST, *see* Expressed sequence tags
- Exon
  - prediction programs, 239, 240
  - trapping, 201, 202, 204, 206, 212
- Expressed sequence tags, 135, 137, 155, 156, 158, 159, 166, 201, 250, 251, 377
- Expression profiling, 295, 296, 304, 305, 309, 323, 324

**F**

- FACS, *see* Fluorescence-activated cell sorting
- Filters
  - cDNA, 42, 185
  - DNA, 170
  - Escherichia coli* cDNA colony, 277
  - high-density, 169, 170
  - hybridization screening, 171, 173
- Fingerprint data, 77, 82, 88, 92, 97
- Fingerprinting
  - fluorescent, 69, 70, 76, 81, 90, 169
  - restriction digest on agarose gel, 70, 71, 76, 82, 90
- Fingerprints
  - agarose gel, 70
  - resolution of, 71
- FISH, *see* Fluorescent *in situ* hybridization
- Fluorescence-activated cell sorting, 476, 485
- FITC, *see* Fluorescein isothiocyanate
- Fluorescein isothiocyanate, 113, 120
- Fluorescent *in situ* hybridization, 47, 48, 50–53, 109, 122, 123, 130
  - mapping, 119
  - maps, 132

**G**

- Gene
  - determination of function, 397–413
  - finding in genomic sequence, 235–247
  - growth factor–target genes, 283, 284
  - targeting, 397, 399–401, 403–406
  - transfer mediated by adeno-associated virus, 455–469
- Gene therapy, 455, 456, 495, 498, 501, 521

- Gene trap, 377, 378  
 constructs, 380–382, 385, 393  
 mutagenesis, 377  
 vectors, 377
- Genome  
*Fugu*, 250, 251  
 genome mismatch scanning, 37–46  
 hybridization of methylated and  
 unmethylated genomes, 37, 38  
 mammalian, 250  
 mouse, 3  
 scanning, 12, 14, 15, 17  
 single-stranded RNA, 472, 478
- Genome analysis  
 study of protein–protein interactions  
 on a genome scale, 416, 417,  
 439–444
- H**
- High-density gridding, 67
- Histology  
 preparation of mouse muscle sections,  
 465  
 preparation of whole mount *Xenopus*  
 embryos, 314, 315
- Homologous recombination, 397, 399–  
 401
- Hybridization, 67, 118  
 cDNA, 201  
 cDNA subtractive, 279–281, 284, 289,  
 291  
 cDNA subtractive suppression, 263–  
 278  
 chromosomal *in situ* suppression, 125  
 filter, 171, 173  
 of cDNA arrays, 285, 292
- Hybridization (*cont.*)  
 of cDNA microarrays, 324, 325, 330  
 of metaphase chromosomes, 47, 48,  
 51–53  
 oligonucleotide, 169  
 quantitative, 392  
 two color, 119
- I**
- Identical by descent, 16  
 Identity by descent, 37  
 Indexing, 295–307  
*In situ* hybridization, 111, 486  
 automated, 315–318  
 to whole mount *Xenopus* embryos,  
 309–321
- In vitro transcription  
 generating control mRNAs, 328, 329  
 labeling of cRNA with digoxigenin,  
 312, 313  
 synthesis of labeled RNA as target for  
 ribozyme cleavage, 525–527
- K**
- Karyotype  
 relative copy number karyotype, 48,  
 54
- Knockout mice, 397, 407–410
- L**
- Labeling  
 DIG-labeling, 179, 186  
 fluorescent end-labeling, 70, 71

Labeling (*cont.*)

- fluorescent labeling of cDNA, 324, 325, 329, 330
- of DNA with biotin, 51, 118, 192
- of DNA with digoxigenin, 51
- of RNA, 186
- of RNA with digoxigenin, 312, 313
- of RNA with <sup>32</sup>P UTP, 527
- random oligonucleotide-labeling, 73

## Libraries

- BAC, 57, 67, 71
- cDNA, 143–153, 156, 170, 211
- cosmid, 170
- genomic DNA, 57

## Ligation

- of adapters to cDNA, 270, 279, 287, 289, 291, 295, 296, 300, 301
- of RNA, 144

## Linkage

- analysis, 11
- conserved, 249
- maps, 9

**M**

## Mapping

- diseases, 19
- fine, 1, 19
- FISH, 119
- genetic, 37–39, 130
- high resolution, 169
- panel, 160, 162
- physical, 130
- QTL, 17, 20
- radiation hybrid, 129, 140, 155, 156, 157, 160, 165
- single gene disorders, 12
- transcript, 130

## Maps

- cytogenetic, 129
- FISH, 132
- genetic, 1, 2, 7, 129, 131
- integrated, 129, 131
- linkage, 9
- physical, 129, 131, 157
- RH, 132–134, 140, 163
- STS, 138
- transcript, 131, 132, 155, 157

## Marker

- DNA, 15
- genetic, 133
- microsatellite, 1, 3, 7, 8, 12
- STS, 131, 133, 160

## Microarrays

- cDNA, 310, 323–340
- image and data analysis, 332–340
- manufacture, 323–325, 327, 328
- oligonucleotide, 324
- scanning, 330

## Microsatellite

- markers, 1, 3, 7, 8, 12
- linkage scans, 14

## Microscopy

- fluorescence, 47, 53

## Mismatch repair enzymes, 37

## Mineral density of the bone, 14

## Modeling

- comparative molecular, 341, 366, 370, 371
- homology, 342
- protein, 345, 360, 361

**N**

## Nick translation, 110, 114, 186, 190

**O**

Oligo-capping, 144, 145  
 Open reading frame  
   prediction programs, 239

**P**

P1 artificial chromosome, 79, 99–104,  
   107, 121–123, 129, 136, 170,  
   176, 192, 206–208  
 p53, 496–498, 509, 514  
 PAC, *see* P1 artificial chromosome  
 Panel  
   G3, 158  
   GB4, 158, 160, 162, 163  
   mapping, 160, 162  
   RH, 133, 157, 158, 160, 163, 164, 166  
   TNG4, 158  
 PCR  
   amplification of adapted cDNAs,  
     287, 288, 296, 297, 301, 302  
   amplification of cDNA, 144, 145, 150  
   amplification of cDNA inserts, 312,  
     326, 327  
   amplification of differentially  
     expressed cDNAs, 279, 282,  
     289, 290  
   amplification of genomic DNA, 30,  
     31, 32  
   *Escherichia coli* cDNA colony, 273–  
     275  
   optimization of microsatellite  
     markers, 3, 5  
   rapid screening for positives in  
     interaction trap yeast two–  
     hybrid system, 436, 437  
   suppression, 264, 265, 276  
   touchdown, 7

Penetrance, 11–13

PFGE, *see* Pulsed-field gel  
 electrophoresis

**Protein**

  domain characterization, 343  
   families, 346  
   homology, 130  
   identifying protein–protein  
     interactions, 415–454  
   modeling, 345, 360, 361  
   prediction of protein–coding regions  
     in genomic DNA, 235–247  
   PRGFR1, 343, 349  
   structures, 341, 347, 360, 363, 367,  
     368, 370  
 Pulsed-field gel electrophoresis, 63, 64,  
   66, 78, 99–102, 104, 192

**Q**

QTL, *see* Quantitative trait loci  
 Quantitative trait loci, 14–17  
   mapping, 17, 20

**R**

Radiation hybrid, 129  
   maps, 132–134, 140, 163  
   panel, 133, 157, 158, 160, 163, 164,  
     166  
 Representational difference analysis,  
   279–294  
 Retrovirus, 471, 474, 478, 481  
 RH, *see* Radiation hybrid  
 Ribozyme  
   hammerhead ribozyme, 521–523  
     assay for function, 527  
     design, 522, 523  
     synthesis, 523–525

- RNA  
cleavage by ribozymes, 521–523  
labeling, 186, 312, 313, 527  
ligation of RNA, 144  
polymerase, 99, 185, 312, 527  
preparation, 147, 150, 151, 209, 267–  
269, 303, 328, 337  
RNA with catalytic properties, 521–523  
viral genomic, 472  
rRNA, 192, 193, 195, 197
- S**
- Scanning, 182  
genome, 12, 14, 15, 1  
microarrays, 330  
sequence, 249–251, 253, 259
- Sequence  
analogous, 372  
analysis tools, 30–34, 229  
assembly, 229  
cDNA, 155, 201  
coding, 250  
data, 257  
EST, 135, 137, 156, 159, 166  
genomic, 135  
homologous, 351, 372  
map, 129, 134, 135, 137  
mRNA, 135, 137, 158  
orthologous, 372  
paralogous, 372  
retrieval from databases, 235  
scanning, 249–251, 253, 259  
searching for sequence similarity, 238,  
240, 241, 245, 246
- Sequencing  
automated fluorescence, 30, 31, 228–230  
directed, 218, 229, 230  
DNA, 132, 155  
genomic DNA, 217–219
- Sequencing (*cont.*)  
preparation of sequencing templates,  
226–228, 230, 231  
shotgun, 217–219, 229
- Sequence tag sites, 129, 130, 135, 137,  
156, 160, 164  
maps, 138  
marker, 131, 133, 160
- Single nucleotide polymorphism, 12, 20,  
24  
sequence-based detection, 29–35
- SNP, *see* Single nucleotide  
polymorphism
- STS, *see* Sequence tag sites
- Subtractive suppression hybridization,  
263–278
- T**
- Tobacco acid pyrophosphatase, 144,  
145, 147
- Traits  
complex, 1, 11, 12, 16  
qualitative, 13  
quantitative, 17, 19, 20, 24
- Transient expression, 473, 475, 479,  
481, 483–485, 491
- V**
- Vector  
adeno-associated virus vector for  
gene therapy, 455, 456  
BAC, 57, 58, 60, 64–66  
for gene targeting, 399–401  
gene trap, 377  
lentiviral, 475  
plasmid, 255  
pseudotype, 478

Vector (*cont.*)

- retroviral, 471, 473, 475, 476, 478
- sequencing, 218, 219
- yeast two-hybrid system, 418, 419

**Y**YAC, *see* Yeast artificial chromosome

## Yeast

- mating of yeast strains, 431, 432
- preparation of plasmid DNA, 438
- replica plating onto selective media, 425, 427
- two-hybrid system, 415–454
- transformation with plasmid DNA, 429, 430

## Yeast artificial chromosome, 109, 125, 156, 170, 192, 193, 206

## Yeast two-hybrid system, 415–454

- genomic application, 416, 417, 439–444

Yeast two-hybrid system (*cont.*)

- interaction trap two-hybrid system, 417, 418
- construction of functional bait protein, 422, 423, 425, 427, 428
- identification of interactions
  - between bait protein and proteins expressed in cDNA library, 432, 433
  - confirmation of positive interactions, 433, 435, 436
  - rapid screening for positives by PCR, 436, 437
- making new bait plasmids, 441, 442
- mating of a bait yeast strain and a cDNA library-transformed yeast strain, 431, 432
- plasmid reagents, 418, 419
- transformation of yeast strain with cDNA library DNA, 429, 430