
Index

A

- A. laidlawii* foreign gene
 - expression, 247–259
 - α -amylase-producing colonies
 - selection, 252, 253
 - detection, 254
 - DNA library construction,
 - 250–253
 - PCR, 252–254
- pNZ18 cloning, 254
- Agarose gel electrophoresis,
 - M. mycoides* subsp. *mycoides*
 - SC PCR detection, 170, 174, 175
- AIDS, mycoplasma association,
 - 7, 12
- Amplitaq, 147
- Animal mycoplasmas recovery,
 - 37–43
 - complications, 37, 38
 - materials, 38
 - method, 39–42
 - sample collection, 39–41
 - sample isolation, 41, 42
 - sample transport, 41
 - ruminants, 37–43
- Antigenic surface proteins,
 - identification, 4
- AP-PCR protocol, RAPD
 - fingerprinting, 183
- Arginine hydrolysis, mycoplasma
 - identification, 74, 75

Arthritis

- M. agalactiae*, 18, 19
- M. bovis*, 19, 20
- M. pneumoniae*, 9
- M. synoviae*, 45
- U. urealyticum*, 11
- Automated solid-phase DNA
 - sequencing, 16sRNA genes,
 - 146
- Avian mycoplasmas, 20, 21, 45–51
 - epi-immunofluorescence test, 110
 - recovery, 45–50
 - materials, 46–48
 - methods, 48, 49
 - media preparation, 48
 - specimen collection, 48
 - specimen culturing, 48, 49
- Avidin-biotin complex (ABC)
 - procedure,
 - immunohistochemical staining,
 - 133–135

B

- Bacteriophages, 239
 - characterization, 243
 - genome structure, 244
 - isolation, 241
 - purification, 243
 - replication, 242, 243
- Biochemical characteristics,
 - mycoplasma identification,
 - 69–78
 - substrate utilization, 95–103

Bovine respiratory mycoplasmosis,
19, 20

C

Casein digestion, mycoplasma
identification, 76

Cationic lipids, mycoplasma
transformation, 231

Coagulated serum liquefaction,
mycoplasma identification, 76

Collection method

animal mycoplasmas, 39–42

lung samples, 39

milk samples, 39

nose, eye, or ear, 39

pleural fluid, 39, 41

avian mycoplasmas, 48

human mycoplasmas, 25–35, 53–59

ureaplasmas, 53–59

Colorimetric PCR detection,

M. mycoides subsp. *mycoides*

SC, 170, 172–174

Commensal mycoplasmas, 12

clinical presentation, 12

history, 12

Contagious agalactia, 18, 19

cause, 19

economics, 19

epidemiology, 19

outbreaks, 19

transmission, 19

vaccine, 19

Contagious bovine

pleuropneumonia (CPBB),

17–18, 37, 135, 167

Contagious caprine

pleuropneumonia (CCPP), 18

Crocodiles, new mycoplasma, 21

D

Desert tortoises, *M. agassizi*, 21

DIG DNA Labeling and Detection
Kit, 190

Digitonin sensitivity, 69, 73

Digoxygenin-labeled probe

preparation, insertion sequence
analysis, 201

Direct immunofluorescence test,
119, 120

Direct immunohistochemical
staining, 133

Direct solid-phase DNA sequencing,
149–150

Disk film inhibition test, serological
identification, 108

DNA binding fluorochromes

(DNAFs), 217, 218, 220, 221

DNA–DNA hybridization, 189–195

Dot-blot hybridization, 191–193

filter disk hybridization, 192, 194

hybridization rates, 189, 190

materials, 191, 192

methods, 192–194

mollicute identification, 3

DNA extraction, 141–143, 171,
181, 200

guanidium thiocyanate method,
142, 143

materials, 142

methods, 142, 143

phenol/chloroform method,
142, 143

DNA-binding fluorochromes, 217,
218, 220, 221

DNA library construction, *A.*

laidlawii foreign gene

expression, 250–253

DNA probes, *M. genitalium*
detection, 10

DNA purification, 141–144

Dot-blot hybridization

- DNA–DNA hybridization, 191–193
- DNA immobilization, 192
- DNA labeling, 192, 193
- hybridization membrane
 - immunological staining, 193
- Dot immunobinding on membrane filtration (MF DOT)
 - mycoplasma identification, 113–116
 - advantages, 114
 - materials, 114, 115
 - methods, 115
 - sensitivity, 115
- Double staining, fluorescence methods, 220–222
- E**
- Electroporation, mycoplasma transformation, 230
- Elephants, *M. elephantis*, 22
- ELISA, MAb-based sandwich, 127–131
- Emerging mycoplasmas, 21, 22
- Energy sources, *M. mycoides* subsp. *mycoides* SC, differentiation, 96
- Enzootic pneumonia
 - economics, 20
 - swine, 20
- Enzymatic characterization,
 - cell collection, 83–85
 - cell growth, 82–84
 - cell washing, 83–85
 - enzyme analysis, 79–91
 - enzyme reaction rate calculation, 88
 - extrachromosomal elements, 239–245
 - gene nucleotide sequencing, 81, 82
 - materials, 82, 83
 - malate dehydrogenase (MDH) assay, 84, 87
 - methods, 84–88
 - phosphoglycerate kinase (PGK) assay, 83, 86
 - pyruvate kinase (PK) assay, 83, 86, 87
 - spectrophotometry, 85
- Epilumination, 120
- Epimmunofluorescence test, 110
- Erythromycin,
 - M. hominis*, 12
 - M. pneumoniae*, 9
 - U. urealyticum*, 11
- Escherichia coli*
 - M. gallisepticum*, 45
 - mycoplasma gene expression, 259–264
- Eterococcus faecalis*/mycoplasma mating, transposon mutagenesis, 236, 237
- European Molecular Biology Laboratory data bank, 146, 162
- Extrachromosomal element demonstration, 239–245
 - bacteriophage characterization, 243
 - bacteriophage isolation, 241
 - bacteriophage purification, 243
 - bacteriophage replication, 242, 243
 - genome content, 243, 244
 - genome structure, 244
 - materials, 240
 - megaplaque assay, 241
 - methods, 241–244
 - PFU assay, 241, 242
 - plaque assays, 241, 242
 - plaque staining, 242

Extrachromosomal elements,
enzymatic characterization,
239–245

F

F38, *see also*

M. capricolum subsp.
capripneumoniae, 18

Film production, mycoplasma
identification, 75, 105, 106

Filter disk hybridization,
DNA–DNA hybridization,
192, 194

Fixed tissues, immunohistochemical
staining, 133–139

Fluoresceinated antibodies, 217,
218, 220, 221

Fluorescence methods, mycoplasma
detection, 217–225

Fluorometric enzyme analysis, 82

Foreign gene expression,
A. laidlawii, 247–259

Functional multienzyme proteins, 81

G

Geese, *M. anseris*, 20

GenBank, 146, 150, 162

Gene expression

foreign, *A. laidlawii*, 247–259
mollicutes, 248

mycoplasma, *E. coli*, 259–264

Gene nucleotide sequencing,
enzyme analysis, 81, 82

Genetic methods, mollicute
identification, 3

Genetics Data Environment (GDE),
150

Genital samples,
human mycoplasmas recovery,
29

ureaplasmas, 53–59

Genomic library screening,
mycoplasma gene expression,
E. coli, 261, 262

Genotypic classification, 189

Glucose fermentation, mycoplasma
identification, 74

Glycerol oxidation, *M. mycoides*
subsp. *mycoides* SC, African
vs European isolates, 95, 96

Goats

CCPP, 18

contagious agalactia, 19

M. agalactiae, 18

M. mycoides subsp. *mycoides* LC,
18

M. putrefaciens, 18

Gray seals, *M. phocidae*, 21

Growth inhibition, human
mycoplasmas recovery, 32

Growth and metabolic inhibition
tests, serological identification,
105–110

Guanidium thiocyanate method,
DNA extraction, 142, 143

H

Haemophilus somnus, 20

Harbor seals, *M. phocidae*, 21

Harp seals, *M. phocidae*, 21

Hemadsorption, mycoplasma
identification, 76, 77

HIV, *see* AIDS, 12

House finches, *M. gallisepticum*, 46

Human mycoplasmas

biochemical and biological
properties, 31

growth characteristics, 30

medical significance, 7–12

ureaplasmas, 53–59

Human mycoplasmas recovery,
25–34

biochemical and biological reactions, 30–32
 culture examination, 28, 29
 erythrocyte hemadsorption, 32
 erythrocyte hemolysis, 32
 genital samples, 28, 29
 growth inhibition, 32
 identification, 30–32
 immunofluorescent staining, 32
 materials, 25–27
 methods, 27–33
 respiratory samples, 27, 29
 staining, 30
 ureaplasmas, 53–59

I

- Immunoelectron microscopy,
M. hominis, 315
- Immunofluorescence tests
 advantages, 120
 direct vs indirect, 119, 120
 mycoplasma identification,
 119–124
 serological identification,
 119–124
- Immunofluorescent staining, human
 mycoplasmas recovery, 32
- Immunogold double labeling,
 mollicute surface antigens,
 313–315
- Immunogold staining, *M. hominis*,
 314, 316
- Immunogold staining and
 transmission electron
 microscopy
 mollicute surface antigens,
 309–317
 immunogold double labeling,
 313–315
 immunogold staining, 312, 313
 methods, 312–317
 microorganism cultivation,
 312
 negative staining, 312
- Immunohistochemical staining
 ABC procedure, 133–135
 advantages, 135
 fixed tissues, 133–139
 materials, 136, 137
 methods, 137–139
 paraffin section preparation, 137
 staining procedure, 137, 138
 PAP procedure, 133–135
- Immunological methods, mollicute
 identification, 3
- Immunoperoxidase tests,
 advantages, 120
- Indirect fluorescent antibody test,
 mycoplasma identification,
 121–123
- Indirect immunofluorescence test,
 120
- Indirect immunohistochemical
 staining, 133
- Insertion sequence analysis,
 194–204
 digoxigenin-labeled probe
 preparation, 201
 DNA purification, 200, 201
 IS element identification,
 198, 199
 materials, 199, 200
 methods, 200–203
 results interpretation, 203
 Southern-blot analysis, 201, 202
- Insertion sequences, defined, 197

L

LipofectACE, 228
 Lipofection, 228

Lipoprotein radiolabeling,
 membrane protein
 characterization, 280, 285, 286

Liposome-encapsulated DNA,
 mycoplasma transformation,
 228, 231

M

M. agalactiae, 18, 19

M. agassizi, desert tortoises, 21

M. anseris, 20

M. bovirhinalium, pneumonia, 20

M. bovirhinalis, pneumonia, 20

M. bovis, 19, 20

MAB-based sandwich ELISA,
 128

M. buteonis, 21

M. capricolum subsp. *capricolum*
 16S rRNA sequence, 146

M. capricolum subsp.
capripneumoniae
 CCPP, 18

growth media, 38

polymorphisms, 151

recovery, 37, 38

M. corogypsi, isolation, 21

M. dispar

growth media, 38

pneumonia, 20

M. elephantis, 22

M. falconis, 21

M. fermentan,

immunohistochemical staining, 135

isolation, 7

M. flocculare, 20

M. gallinaceum,

immunohistochemical staining,
 135

M. gallinarum,

immunohistochemical staining,
 135

M. gallisepticum

chickens, 20, 45

E. coli, 45

house finches, 46

immunostaining, 290

trypsin treatment, 284

turkeys, 20, 45

M. genitalium, 9, 10

clinical presentation, 10

history, 9, 10

isolation, 10

sequencing, 2

therapy, 10

vs *M. pneumoniae*, 10

M. gypsi, 21

M. hominis, 11, 12

clinical presentation, 11, 12

epidemiology, 11, 12

history, 11

immunogold staining, 314

isolation, 11

therapy, 12

transmission, 11, 12

M. hyopneumoniae, 20

M. hyorhinalis, 20

immunohistochemical staining,
 135

M. iowae, 20

M. meleagridis, 20

M. mycoides subsp. *mycoides* LC 18
 contagious agalactia, 18

M. mycoides subsp. *mycoides* SC
 CBPP, 17, 18

detection, 17

European vs African strains, 17

glycerol oxidization, European vs
 African strains, 95, 96

immunohistochemical staining,
 135, 136

pathogenicity, 17

- PCR detection, 167, 177
 - agarose gel electrophoresis, 170, 174, 175
 - colorimetric detection, 170, 172–174
 - DNA amplification, 169, 170, 172
 - materials, 168–170
 - restriction enzyme digestion, 170, 175
 - sample preparation, 169, 171, 172
 - specimen collection, 168, 169
 - recovery, 37, 38
- M. mycoides* cluster, members, 18
- MAB-based sandwich ELISA, 128
- identification, MAb, 119
- M. orale* detection, 12
- M. penetrans*, isolation, 7
- M. phocacerebrale*, isolation, 21
- M. phocarhins*, isolation, 21
- M. phocidae*, harbor seals, 21
- M. pirum*, isolation, 7
- M. pneumoniae*, 7–9
 - clinical presentation, 8, 9
 - complications, 9
 - direct detection, 26
 - epidemiology, 9
 - history, 7, 8
 - isolation, 7
 - outbreaks, 9
 - sequencing, 2
 - serological tests, 26
 - subtypes, 9
 - symptoms, 8
 - therapy, 9
 - transmission, 9
 - vs *M. genitalium*, 10
- M. primum*, isolation, 7
- M. salivarium*, detection, 12
- M. spermatophilum*
 - characteristics, 2, 3
 - isolation, 7
- M. synoviae*, 20
 - chickens, 45
 - gene expression library, 292
 - turkeys, 45
- Macrolides
 - M. genitalium* detection, 10
 - M. pneumoniae*, 9
- Malate dehydrogenase (MDH)
 - activity, 87
 - classification, 87
 - enzyme analysis, 84, 87
 - forms, 87
- Mastitis,
 - M. agalactiae*, 18, 19
 - M. bovis*, 19
- Maxam-Gilbert procedure, 146
- Megaplaque assay, 239, 240
 - extrachromosomal element demonstration, 241
- Membrane protein characterization
 - colony lifts immunoblotting, 281, 289, 290
 - immunological and biochemical, 279–295
 - library screening, 281–283, 290–293
 - lipoprotein radiolabeling, 280, 285, 286
 - materials, 280–283
 - monospecific polyclonal antisera production, 281, 287–289
 - mycoplasma strains, 280
 - triton X-114 phase partitioning, 280, 284, 285
 - trypsin, 280, 283, 384

- Membrane proteins, sequence characteristics, 293, 294
- Metabolic inhibition test, serological identification, 106, 108, 109
- Metabolism detection, substrate utilization rate determination, 97, 98–100
- Mollicutes, *see* mycoplasma
- Monoclonal antibody (MAb)-based sandwich ELISA
 - diagnostic application, 127–131
 - MAb biotinylation, 128, 129
 - MAb purification, 128, 129
 - materials, 128, 129
 - methods, 129–131
 - reagent optimization, 129, 130
- Mycoides cluster, members, 17, 18
- Mycoplasma adhesin detection, 299–306
 - materials, 302, 303
 - tissue-culture plates adherence assay, 303–305
 - Western-blot adherence assay, 302–304
- Mycoplasma characterization
 - biochemical methods, 69–78
 - enzyme analysis, 79–91
 - membrane proteins, 279–295
 - PCR and sequence analysis, universal 16S rRNA primers, 145–163
 - RAPD fingerprinting, 179–186
 - substrate utilization, 95–103
 - universal 16S rRNA primers
 - biotinylated PCR product sequence determination, 152–155
 - direct solid-phase sequence determination, 149, 150
 - materials, 147–151
 - mycoplasma cultivation, 147, 151
 - phylogenetic tree construction, 150, 151
 - seminested PCR amplification, 147–149, 151, 152
 - sequence data evaluation, 155, 158, 159
- Mycoplasma detection in cell cultures
 - cultural methods, 207–214
 - fluorescence methods, 217–225
 - DNA binding stain, 218
 - DNAF staining, 220
 - double staining, 220, 221
 - Evans blue counterstain, 219
 - fixatives, 218
 - fluoresceinated antibodies, 218
 - indicator cell inoculation, 219, 220
 - indicator cell preparation, 219
 - materials, 218, 219
 - methods, 219–224
 - microscopy, 221
 - mounting solution, 219
 - results interpretation, 221–224
- Mycoplasma Experience, 38
- Mycoplasma gene expression
 - E. coli*, 259–264
 - genomic library screening, 261, 262
 - materials, 260, 261
 - methods, 261–263
 - plasmid vectors, 263
 - recombinant phage screening, 262, 263
- Mycoplasma identification
 - avian, 46, 47
 - biochemical characteristics, 69–78

- arginine hydrolysis, 74, 75
 - casein digestion, 76
 - coagulated serum liquefaction, 76
 - digitonin sensitivity, 73
 - film production, 75
 - glucose fermentation, 74
 - growth media cell adaptation, 72, 73
 - hemadsorption, 76, 77
 - materials, 70–72
 - methods, 73–76
 - phosphatase activity, 75
 - spot production, 75
 - tetrazolium reduction, 75, 76
 - urea hydrolysis, 73, 74
 - immunofluorescence, 119–124
 - materials, 121
 - methods, 121–123
 - indirect fluorescent antibody test, 121–123
 - MF Dot, 113–116
 - materials, 114, 115
 - methods, 115
 - serological, 105–113
 - growth and metabolic inhibition tests, 105–110
 - substrate utilization, 95–103
 - Mycoplasma medium, quality control testing, 61–67
 - Mycoplasma transformation, 227–232
 - cationic lipids, 231
 - electroporation, 230
 - liposome-encapsulated DNA, 231
 - materials, 228, 229
 - methods, 229–232
 - PEG transformation, 229, 230
 - rationale, 227
- N**
- NBT reduction, substrate metabolism detection, 97, 100
 - Negative staining, mollicute surface antigens, 312
 - Neonatal ureaplasma infection, erythromycin, 11
- O**
- Orphan enzymes, 80, 81
 - Osmotic lysis, enzyme analysis, 89
 - Oxygen uptake, substrate metabolism detection, 97, 98, 99
- P**
- PAGE, whole cell protein separation, 267–277
 - Pasteurella haemolytica*, 20
 - Pasteurella multocida*, 20
 - PCR
 - A. laidlawii* foreign gene expression, 252–254
 - contamination, 168
 - M. genitalium* isolation, 10
 - M. hyopneumoniae*, 20
 - M. mycoides* subsp. *mycoides* SC, 17
 - mollicute identification, 3
 - detection,
 - M. mycoides* subsp. *mycoides* SC, 167–174
 - sequence analysis,
 - mycoplasma characterization, universal 16S rRNA primers, 145–163
 - PEG transformation, 229, 230
 - Peroxidase-antiperoxidase (PAP) complex procedure, immunohistochemical staining, 133–135

- PFU assay, extrachromosomal element demonstration, 241, 242
- Phosphoglycerate kinase (PGK) assay, enzyme analysis, 83, 86
- pH change, substrate metabolism detection, 97, 99, 100
- Phenol/chloroform method, DNA extraction, 142, 143
- Phosphatase activity
 mycoplasma identification, 75
 ureaplasmas, 70
- Phosphoglycerate kinase (PGK), enzyme analysis, 83, 86
- Phylogenetic analysis using Parsimony, 151
- Phylogenetic groups, mycoplasmas, 146
- Phylogenetic tree, 16S rRNA sequences, 150
- Plaque assays, extrachromosomal element demonstration, 241, 242
- Plasmids, 239
 restriction maps, 248, 249
- Plasmid vectors, mycoplasma gene expression, *E. coli*, 263
- PleuroTRAP assay, 172
- Polyacrylamide gel electrophoresis, whole cell protein separation, 267–277
- Polymorphisms, *M. capricolum* subsp. *capripneumoniae*, 151
- Primary atypical pneumonia (PAP), 7, 8
- Protein separation
 PAGE, 267–277
 materials, 268–271
 mycoplasma strains, 268
- SDS polyacrylamide gels, 268, 269, 271–273
 two-dimensional gel electrophoresis, 270, 271, 275, 276
- Western-blot probes with antibodies, 269, 270, 274
- Western-blotting
 polyacrylamide gels, 269, 273, 274
- Proteolytic activity, ureaplasmas, 70
- Pyruvate kinase (PK), enzyme analysis, 83, 86, 87
- Q**
- Quality control testing
 of media, 61–67
 materials, 63
 media incubation, 66
 media inoculation, 65
 media inspection, 66
 methods, 63–67
 QC test assessment, 66, 67
 test set selection, 65
 test strain dilution, 64, 65
 test strain preparation, 63, 64
- R**
- RAPD fingerprinting
 amplification parameters optimization, 182, 183
 AP-PCR protocol, 183
 DNA purification, 181
 materials, 180, 181
 methods, 181–183
 mollicute identification, 3
 mycoplasma characterization, 179–186
 primer set assessment, 181, 182
- Red blood cells, mollicutes interaction, 70

- Restriction enzyme digestion, *M. mycoides* subsp. *mycoides* SC
PCR detection, 170, 175
- Ribotyping, 197
- rRNA, phylogenetic studies, 145
- rRNA sequence analysis, mollicute identification, 3
- rRNA sequences, data banks, 146
- S**
- Sandwich ELISA
false-positive results, 131
MAB-based, 127–131
- SDS-polyacrylamide gels, whole cell protein separation, PAGE, 268, 269, 271–273
- Sea mammal mycoplasmas, 21
- Seminested PCR, universal PCR primers, 16S rRNA genes, 148
- Seminested PCR amplification, 16S rRNA, 147–149, 151, 152
- Sequence characteristics, membrane proteins, 293, 294
- Serological identification, *see* Mycoplasma identification
- Sodium polyethanol sulfonate, mollicutes identification, 69
- Southern-blot analysis, insertion sequence analysis, 201, 202
- Spiroplasma, MI test, 106
- Spot production, mycoplasma identification, 75
- Staining, immunohistochemical staining, fixed tissues, 137, 138
- Sterol requirement, mollicutes identification, 69
- Substrate utilization rate determination, 95–103
- Surface antigens, mollicute, characterization, 279–295
- Swine mycoplasmas, 20
epi-immunofluorescence test, 110
- T**
- Tetrazolium reduction, mycoplasma identification, 75, 76
substrate utilization, 95–103
- Tissue-culture cell adherence assay, mycoplasma adhesin detection, 303–305
- Transmission electron microscopy and immunogold staining, mollicute surface antigens, 309–317
- Transport media
animal mycoplasmas recovery, 38
ureaplasmas cultivation, 54
- Transposon mutagenesis, 235–237
E. faecalis/mycoplasma mating, 236, 237
materials, 236
methods, 236, 237
tetracycline concentration determination, 236
- T (tiny) strain mycoplasmas, 10, 53
- Turkeys, 20, 21
M. gallisepticum, 20, 45
M. meleagridis, 20, 45
M. synoviae, 45
- Two-dimensional gel electrophoresis, whole cell protein separation, PAGE, 270, 271, 275
- U**
- U. urealyticum*, 10, 11
clinical presentation, 11
detection, 10

- epidemiology, 10, 11
- history, 10
- MI test, 106
- sequencing, 2
- therapy, 11
- Universal 16S rRNA primers,
 - mycoplasma characterization, PCR and sequence analysis, 145–163
- Universal PCR primers, 16S rRNA genes, seminested PCR, 148
- Universal sequencing primers, 16S rRNA genes, 149
- Urea hydrolysis, mycoplasma identification, 73, 74
- Ureaplasma infection, neonatal, erythromycin, 11
- Ureaplasmas cultivation, 53–59
 - growth media, 54, 55
 - materials, 54, 55
 - methods, 55–57
 - agar plate inoculation, 56
 - isolation, 56
 - sample storage, 55, 56
 - sample transport, 55, 56
 - stock culture preparation, 56, 57
 - viable cell number estimation, 56, 57
- specimens, 54
- transport media, 54
- transport media selection, 53
- Urease activity
 - mycoplasma identification, 74
 - ureaplasmas, 70
- W**
- Western-blot adherence assay,
 - mycoplasma adhesin detection, 302–304
- Western-blotting polyacrylamide gels, whole cell protein separation, PAGE, 269, 273, 274