

Index

- 3-Amino-9-ethylcarbazole (AEC), 205
- 3-Aminopropyl triethoxysilane (TESPA), 201
- A23187, 17–19, 24, 27, 177
- A β -transgenic mice, 189
- ABC method, 38, 146, 147, 167, 204, 205, 208
- Acetylcholine (Ach), 59
- Acquired immunodeficiency syndrome (AIDS), 183
- Acridine orange, 223
- Actinomycin D, 51, 54, 55, 57
- Adrenalectomy (ADX), 89, 92, 93
- AEC (3-Amino-9-ethylcarbazole), 209
- AEC staining, 205
- Agarose gels, 142, 244, 246, 252
- Alzheimer's disease (AD), 1, 13, 14, 47, 68, 85, 95, 162, 163, 168, 169, 174, 176, 183, 186, 187, 190–194, 218, 270
- Amygdala, 87, 187
- Amyotrophic lateral sclerosis, 218
- Antidigoxigenin-peroxidase solution, 55
- Antimetabolites, 218
- Apopain, 262
- Apoptosis,
 - β -Amyloid-induced neuronal cell death, 183–194
 - Apoptosis-associated DNA fragmentation, 133–155
- C. elegans* as a model system to study neuronal cell death, 255–271
- Cultured cerebellar granule neurons as a model, 47–63
- Detection in neural tissue and cell culture, 33–45
- Gene tools to study 1–8
- Ischemia in the CNS, 99–125
- Methods for detection in the CNS, 217–231
- p53 induction as a marker of, 85–95
- RT-PCR to analyze gene expression during apoptosis, 67–82
- Statin as a marker for cell cycle arrest, 161–178
- Techniques for distinguishing from necrosis, 237–253
- TUNEL method to measure, 197–211
- Astrocytes, 163
- Autoradiography, 73, 89, 90
- Avidin, 38, 40, 167, 204, 205, 209, 228
- Avidin peroxidase, 199, 206
- β -Actin, 263
- β -Amyloid (A β), 13–15, 17–21, 24, 26, 183–194, 270
- β -Amyloid precursor proteins (β -APPs), 13, 187

- β -APP gene, 14
 β -Galactosidase, 3, 121, 122
 B104 cells, 16–20, 23, 25–27
 Bacophilin cytoplasm, 193
 Baculoviruses, 220
 Bad, 4, 262, 264
 Bak, 4, 5, 262
Bax, 4, 5, 190, 220, 262, 264, 265
Bcl, 3–8, 69, 118, 119, 122, 125,
 190, 198, 210, 220, 262, 264,
 265, 270
 BH1, 4, 264
 BH2, 4, 264
 Bilirubin, 62, 63
 Biotin, 221
 Biotinylated dUTP, 33, 37, 38,
 40, 44, 113, 147, 199, 202,
 204, 247
 Bluescript plasmid, 269
 Bouin's fixative, 147
 Bovine serum albumin (BSA),
 208, 228
 Brain-derived neurotrophic
 factor (BDNF), 3, 197
 Bromodeoxyuridine, 162, 209
 Bulbectomy, 141, 151, 152
c-fos, 86, 140, 161, 162, 177, 178,
 219, 220
c-jun, 86, 161, 219
c-myc, 69, 86, 161, 162, 190
C briggsae, 267
C. vulgariensis, 267
 CA1, 101, 102, 106, 113, 121, 162,
 169–177, 187
 CA2, 187
 Ca^{2+} , 134, 166, 177, 219, 220, 270
 CA3, 164, 168, 170, 175, 176, 187
Caenorhabditis elegans, 5, 123,
 125, 257–261, 265, 267,
 269–271
 Calcium ionophores, 177, 270
 Calmodulin, 72
 Carotid arteries, 102
 Carotid occlusion, 119
 Cdc 2, 5
 cDNA, 2, 6, 70–77, 261, 264–268
Ced, 123, 125, 259–271
 Cerebellar granule cell neurons,
 47, 53–59, 63, 240–250
 Cerebral artery, 118, 162
 Cerebral artery occlusion, 162
 Cerebral cortex, 187, 189
Ces, 260
 Chemical mutagenesis, 257
 Cholera toxin (CTX), 61
 Chromatin, 93, 99, 242, 260
 Chromatin condensation, 133,
 224
 CHX, *see* Cycloheximide
 Ciliary neurotrophic factor
 (CNTF), 4, 198
 Circle of Willis, 124
 cLK, 53, 55, 58
 Clusterin, 218
 Cobalt chloride, 207
 Collagen, 24
 Collagen R, 16
 Confocal laser scanning
 microscopy, 242
 Confocal microscopy, 42, 43,
 239–243, 249, 250
 Corticosterone (CORT), 93
 CPP 32, 5, 6, 262, 263
 Cresyl violet, 155, 172
 CrmA, 5, 8
 Cultured cerebellar granule
 cells, 47, 48, 50, 54, 55, 60,
 61, 221

- 6-Cyano-7-nitroquinoxaline-2,3-dione (CNQX), 58
Cyclin D1, 5, 86, 140
Cycloheximide (CHX), 51, 54, 55, 57, 90
Cyclophilin, 71, 77
Cytokines, 217, 218, 221
Cytomegalovirus (CMV), 2
Cytostatic therapy, 218
Cytotoxicity assays, 135
4-DAMP, 59
D. melanogaster, 125, 267
DAB reaction, 44, 229
Deg-1, 270
Degenerate oligonucleotides design, 268
Dentate gyrus, 87, 93, 172, 177, 187
Deoxynucleotidyl transferase, 247
Dexamethasone, 53, 238
Dextran-FITC, 3
Diamidinophenylindole [DAPI], 258
Diaminobenzidine (DAB), 205, 228
Digoxigenin, 113, 221, 228
Digoxigenin-marked deoxynucleotides (dNTPs), 228
Dihydro- β -erythroidine, 59
Diphenylhydantoin (DPH), 61
DMSO, 205
DNA (see also cDNA), 3, 8, 15, 19, 22, 24–28, 34, 52, 53, 67, 85, 87–92, 94, 103, 107–115, 139–143, 183, 190, 199, 201–203, 221, 223, 224, 228, 230, 231, 237, 239, 246, 247, 269
DNA breaks, 135, 138, 185
DNA fragmentation, 99, 102, 105, 107, 110, 112, 114, 133–155, 191, 193, 210, 218, 226, 230, 244, 245, 252
DNA laddering, 25, 34, 110, 135–145, 150, 151, 153, 199, 221, 230, 238, 244, 248
DNA polymerases, 90, 92, 137, 144, 145, 185, 221, 230
DNase, 134, 200, 202–204, 206, 208, 248
Dorsal pontine nuclei, 48, 58
DPH, 62
DPX mounting medium, 38
Drosophila, 69
Dulbecco's modified Eagle's medium (DMEM), 15, 166
E1A, 5
E1B19kD, 4, 5
E1B55K, 5
EcoRI, 267
EDTA, 25, 51, 52, 150, 246
Egl-1, 260
Electron microscopy, 106, 135, 242, 252
Electrophoresis, 25, 110, 111, 135, 142, 221, 230
Encephalitis, 224
Endonucleases, 110
Enolase promoter, 6
Entorhinal cortex, 174, 175
Entorhinal cortex lesion, 164, 165, 171–177
Entorhinal cortex-lesioned (ECL) rats, 164, 171–177
Enzyme-linked immunoadsorbent assay (ELISA), 245, 248, 252
Eosin, 121, 222

- Ependymal cells, 118
Epilepsy, 217
Epithelial cells, 163
Epoxy resin, 222
Escherichia coli, 137, 144, 257
Ethidium bromide, 80, 108, 109, 140, 141
Ethyl methane-sulfonate, 257
Facial nucleus, 7
FAS, 8, 238
Fas, 190
3T3 Fibroblasts, 162
Fibroblast growth factor, 198
Fibroblasts, 69, 162, 163, 198
Field inversion gel electrophoresis (FIGE), 245
Flow cytometry, 114–116
Fluorescein, 38, 40, 49, 57, 166, 228
Fluorescein diacetate, 166
Fluorescence, 239, 241, 249
Fluorescence microscopy, 2, 19, 23, 42, 205
Fluorescent nuclear dyes, 59, 62, 238, 249, 252
Focal ischemia, 103, 104, 107, 110, 112, 120, 121
 α -Fodrin, 263
Formaldehyde, 53, 55, 115, 201
Formalin, 115
Formazan, 21
Fos, 72
Free radicals, 253
Fura-2, 59
G proteins, 60, 61
G1-S interphase, 86
Gallamine, 59
GAP43, 42
Gel electrophoresis, 52, 76, 107, 141
Gel shift (EMSA) analysis, 63
Glaucoma, 198, 199
Glioma cell lines, 163
Global ischemia, 121, 122
Glucocorticoids, 105
Glutamate, 47, 48, 57–60, 176, 219, 241, 244, 249–251, 253, 270
Glutaraldehyde, 147, 222, 225
Glycerol-gelatin, 205
Glycogen, 75
Go phase, 167, 218
GP120, 220
H₂O₂, *see* Hydrogen Peroxide
Hank's solution, 166
Heat-shock protein 70 (HS70), 161
Heat-shock proteins, 160, 161, 218, 220
Hematopoietic cells, 3
Hematoxylin, 121, 222, 228, 229
Hepatocytes, 110, 163
Herpes simplex virus, 220
Heterochromatin, 23
HindIII, 267
Hippocampus, 87, 89, 101, 120, 121, 163–177, 187, 189, 219
Histological stains, 36
HIV, 220
HK medium, 49, 50, 52, 53, 57
Hoechst 33258, 22, 28, 33, 53, 55, 62, 242, 258
Hoechst fluorescent dye, 153
Hoechst staining, 2
Horseradish peroxidase, 167, 205
HSC73, 72, 77
HSP70, 72, 77, 81
HSV, 230

- Huntington's disease, 1, 89, 95
Hydrogen peroxide (H_2O_2), 38,
44, 147, 166, 167, 185, 209,
226, 227
6-Hydroxydopamine, 219
ICE, *see* Interleukin-converting
enzyme
ICE proteases, 8
ICE-Lap3, 6
ICE_{rel}-II, 262
ICE_{rel}-III, 262
ICH-1, 262
Ich-2, 6
Ich-1, 6
IFN-g, 221
IL, *see* Interleukins
Immediate-early genes (*see also*
the individual early-
immediate genes), 219
Immunocytochemistry, 43, 45,
230
Immunohistochemical, 79, 197
Immunoreactivity, 169, 170
IMR32 cells, 16, 17, 20, 23–27
In situ detection of apoptotic
nuclei, 143
In situ hybridization, 79, 89, 90,
120, 197
Insulin-like growth factor I
(IGF-1), 60
Interleukins (IL), 3, 4, 118, 123,
260
Interleukin-converting enzyme
(ICE), 5, 6, 123, 190, 261, 263
Ipsilateral cerebral hemisphere,
101
Ischemia, 8, 99, 101–104, 107,
110–112, 120, 121, 219
J-aggregates, 249
JC-1, 249, 250
Jun, 69, 140
jun-b, 162
jun-d, 162
Kainic acid (KA), 87–90, 164,
170, 175, 218
Keratin, 42
Klenow fragment, 138
Klenow polymerase, 143
Krypton argon laser, 238
Lactate dehydrogenase (LDH),
16, 18, 20, 21, 27
Laddering (*see* DNA laddering)
Lamin B1, 263
Laser doppler flowmetry, 124
LDH, *see* Lactate dehydrogenase
Leukocyte, 140
Light microscopy, 135, 144, 221,
225
LK medium, 49–57, 60
Low stringency hybridization,
265
Lymphocytes, 113
Lysosomal enzymes, 107
Manduca sexta, 104, 105
Mch-2, 6, 262
Mch-3, 262
MCL-1, 262
Mec-4, 266, 270
Membrane blebbing, 133
Mg²⁺, 134, 166
Middle cerebral artery occlusion
(MCAO), 8
Missense mutations, 14
Mitochondrial membrane
potential, 248, 250
MK-801, 50, 51, 57
Moloney murine leukemia virus
reverse transcriptase, 71

- MPP⁺, 219
 mRNA, 33, 71, 72, 95, 117, 120
 MTT reduction assay, 21, 22
 Muscarinic-cholinergic receptors
 (mAChR), 59, 60
 MyoD gene family, 267
 N-Methyl-D-aspartate (NMDA),
 47, 49, 50, 57, 59, 88, 95,
 166, 172–177
 Naturally occurring cell death
 (NOCD), 1, 6, 7
 NB2a, 16–18, 20, 23–27
 Necrosis, 13, 104, 105, 107, 217,
 237, 239, 241, 252, 259
 Nedd, 2, 5, 6
 NEDD-2, 262
 Nematodes, 260
 Nerve growth factor (NGF), 2, 3, 5,
 6, 69, 70, 73, 77, 102, 198, 270
 Neuroblastoma B104, 15
 Neuroblastoma IMR32, 15
 Neuroblastoma NB2a, 15
 Neurofilament-M (NF-M), 71, 74
 Neurofilament-light (NF-L)
 promoter, 187
 Neurotrophins, 3, 5, 198
 NF- κ B, 63
 NF-M, 75
 NGF, *see* Nerve growth factor
 Nick translation, 90, 144, 145,
 185, 221
 (-) Nicotine, 59
 Nicotinic cholinergic receptor
 (nAChR), 59
 Nitric oxide/superoxide, 244
 Nomarski differential interference
 contrast (DIC), 258
 Nomarski optics, 53, 56, 258
 Nonidet P-40, 140
 Northern blot analysis, 81, 266
 Nuc-1 (nuclease) gene, 260
 Nucleic acids extraction, 139
 Olfactory bulb, 149, 151, 152
 Olfactory bulbectomy, 141, 151,
 152
 Olfactory epithelium, 42, 44,
 148–150, 153
 Olfactory marker protein
 (OMP), 42
 Olfactory mucosa, 151–153
 Olfactory sensory neurons, 136,
 155
 Olfactory system, 133–155
 Olfactory turbinates, 154
 Oligo-dT priming, 74
 Oligonucleosomal fragments,
 107, 109, 110, 142
 Oligonucleosomal ladder
 pattern, 107, 108
 Olivary neurons, 7
 OMP neuron, 43, 44
 Oncor method, 113
 Organotypic hippocampal slice
 cultures (OHC), 88
 p53, 5, 85–91, 93–95, 162, 189–
 191, 219, 220
 PAGE, 78
 Paraffin embedding, 223
 Paraformaldehyde, 90, 145, 200,
 222, 225
 Parkinson's disease, 1, 219
 PBS, *see* Phosphate-buffered saline
 PC12 cells, 16, 20, 23–27, 60, 75,
 110, 125
 PCD, *see* Programmed cell death
 PCR, *see* Polymerase chain reaction
 Pentobarbital, 164
 Peripheral olfactory system, 133

- Peroxidase, 113, 167, 185, 201, 202, 205, 209, 228
- Pertussis toxin (PTX), 61
- Phase-contrast microscopy, 17
- Pheochromocytoma, 15
- Phosphate-buffered saline (PBS), 22, 24, 40, 42, 49, 52, 53, 55, 90, 108, 115, 146, 167, 206, 208, 226, 242
- Pineal cells, 163
- Pirenzepine, 59
- Piriform cortex, 87
- Plexus choroideus, 224
- PND8, 51
- Pol I, 138
- Poly (ADP-ribose) polymerase (PARP), 263
- Poly-D-lysine, 166
- Poly-L-lysine, 55, 58, 147, 206, 207, 225, 249
- PolyA, 74
- PolyA⁺ RNA, 71, 75, 78
- Polymerase chain reaction (PCR) (*see also* Reverse transcription polymerase chain reaction), 140, 261, 265, 271
- Pontine sky blue, 119
- PrICE (protease resembling ICE), 263
- Prion disease, 218
- Proapoptotic proteins, 4
- Programmed cell death (PCD), 1, 4, 6, 13, 34, 47, 68, 99, 102, 105, 134, 197, 256–265, 269, 271
- Promoters, 2, 117
- Propidium iodide, 166, 223, 238, 239, 241, 243, 250, 251
- Protein-43 expression, 209
- Proteinase K, 108, 146, 147, 201, 207, 226, 246
- Purkinje cells, 7, 48, 60, 63
- Pyknosis, 237
- Random hexamers, 74–76
- Ras, 161, 162
- Respiratory syncytialvirus (RSV), 2
- Restriction enzymes, 267
- Retina, 7
- Retinal ganglion cells, 197, 200, 201, 210
- Retinoblastoma gene, 5
- Rhodamine, 38, 40
- RNA, 2, 14, 51, 54, 63, 68, 69–71, 74–77, 108, 139, 140, 143, 189, 239, 268
- RNase, 25, 108, 116
- RNase protection assay, 120
- RPS, 33
- Reverse transcription-polymerase chain reaction (RT-PCR), 67, 72, 73, 75–79, 81, 82, 266–268
- S-44, 167, 169
- S100 β , 71
- Saccharomyces cerevisiae*, 257, 267
- SCG, 70
- Schiff-staining, 222
- SDS polyacrylamide gel, 167
- SDS-PAGE, 167, 168
- Sea urchin, 267
- Serine/threonine kinase, 163
- SH rat model, 119
- Solution hybridization, 120
- Spinal cord, 35
- Statin, 161, 163, 165, 166, 168–174, 176, 178

- Striatal neurons, 34
 Stroke, 99, 105–107, 116, 118
 Stroke model, 104, 118
 Substantia nigra, 34
 Superior cervical ganglia, 102
 SV40 promoters, 2
 SV40 T intron, 7
 Sympathetic neurons, 2, 5
 Synaptic ablation, 150
 Synaptogenesis, 136
 SYTO-13, 238, 239, 241
 T-cells, 4, 134, 220, 237, 238
 Taq DNA polymerase, 71, 268, 269
 Tat protein, 220
 TBE buffer, 52
 Terminal deoxynucleotidyl transferase (TdT), 38, 59, 137, 138, 146, 147, 202–208, 221, 226, 230
 TESP, 206
 5,5',6,6'-Tetrachloro-1,1',3,3'-tetra-ethylbenzimidazolo-carbocyanide iodide (JC-1), 249
 TGF β 1, 72, 77
 Thalamus, 87, 187
 Thanatins, 69
 Thymocytes, 39, 41, 52, 110, 133, 162
 TIA 40, 5
 Tissue fixation, 35
 TLCK, 63
 TOH, *see* Tyrosine hydroxylase
 TNF- α , 220
 Toluidine blue, 155
 Topoisomerase I, 263
 TPCK, 63
 Transgenic mice, 6–8, 122, 123, 183, 187
 Transglutaminase, 72
 Triton X-100, 18, 44, 71, 246, 251
 trkB, 197
 trypsin, 116
 TUNEL method, 33, 35–45, 111, 113, 145, 152, 153, 155, 185–189, 194, 197–209, 211, 225–231, 245, 247, 252
 TX, 6
 TX/ICH-2, 262
 Tyrosine hydroxylase (TOH), 71, 74, 75, 77
 Viruses, 2, 3, 117, 218, 230
 Waf1, 87
 WAF1/p 21, 5
 Western blot analyses, 167, 171
 Zoo blot, 265, 266, 268