

---

# Index

## A

- AFM, *see* Atomic force microscopy
- Amide exchange, *see* Solvent accessibility
- Analytical ultracentrifugation, *see*
  - Sedimentation velocity centrifugation
- Anisotropy, *see* Fluorescence
  - polarization/anisotropy;
  - Time-resolved mid-infrared spectroscopy
- Atomic force microscopy (AFM),
  - computer simulation, *see* Force probe simulation
  - leukocyte function-associated antigen-1–intercellular adhesion molecule-1 interactions,
  - adhesion molecule
    - immobilization, 443, 446
  - cantilever,
    - calibration, 444, 447
    - tip functionalization, 443, 447
  - cell immobilization, 444, 445, 447
  - data analysis, 446–448
  - data collection, 445, 447
  - instrumentation, 440, 441, 446
  - materials, 440
  - setup, 444
  - specificity controls, 445
- overview, 439, 440, 498, 499

## B

- Beer's law, 217, 344
- Benzamidine, trypsin complex analysis
  - using computer simulations, 475–479
- Biacore, *see* Surface plasmon resonance

- Biomolecular interaction analysis, *see*
  - Reflectometric interference spectroscopy;
  - Surface plasmon resonance
- Bond strengths, chromatography–protein interactions, 83, 84

## C

- Carbonyl diimidazole, activation of
  - Sepharose 4B, 88, 89, 94–96
- Car–Parrinello molecular dynamics, *see*
  - Density functional theory
- Catalase, density functional theory
  - analysis of formic acid binding,
  - calculation procedure, 543
  - data collection and analysis, 543
  - findings, 544
  - input file building, 541, 542
  - model building, 541
  - overview, 541
- CD, *see* Circular dichroism
- Centrifugation, *see* Sedimentation
  - velocity centrifugation
- c, *Eco*SSB interaction studies with
  - sedimentation velocity centrifugation, 106, 108
- Circular dichroism (CD),
  - calibration,
    - intensity, 347, 348, 358
    - path length, 348, 358, 359
    - wavelength, 347, 348, 357
  - chirality, 343
  - data collection,
    - baseline and zeroing, 350
    - cuvette cleaning, 350, 360
    - linearity checking, 352
    - parameter setting, 351
    - path length selection, 349, 359, 360

- reference beam, 349
  - signal-to-noise ratio optimization, 350, 351
  - wavelength range selection, 350
  - definition, 345
  - light absorption by proteins, 344
  - optical rotary dispersion
    - relationship, 357
  - protein–ligand experiments,
    - induced circular dichroism, 354, 355
    - peptide–peptide titration, 356, 360–362
    - protein–protein interactions, 354
    - solvent interactions, 353, 354
    - titration, 352, 353
  - sample preparation, 347, 357
  - sensitivity, 349
  - signal origin in proteins, 345, 346
  - units, 346, 347
  - vibrational circular dichroism, 357
  - Computer simulations, protein–ligand interactions,
    - algorithms, 471
    - classical potential energy function, 455, 456, 478
    - conformational searching, 456–458
    - density functional theory, *see* Density functional theory
    - dihydrofolate reductase–trimethoprim interaction
      - analysis using Monte Carlo-minimization, 471–475, 479
    - force probe simulation, *see* Force probe simulation
    - free energy estimation,
      - free energy perturbation, 467–469
      - thermodynamic integration, 469
    - implicit solvent models,
      - development, 458, 460
      - electrostatics,
        - generalized Born models, 462, 463
        - Poisson–Boltzmann equation, 460–462
        - screened Coulomb potential
          - implicit solvent model, 463, 464, 478, 479
        - hydrogen bonding, 464, 465
        - hydrophobic interactions, 465–467
      - ligand docking, 469–471
      - protein dynamics and ligand binding, 470, 471
      - solvent effects, 458–460
      - thermodynamics of binding, 452–455
      - trypsin–benzamidine complex
        - analysis, 475–479
  - Confocal optics microscopy, high-throughput screening for G protein-coupled receptor–ligand interactions,
    - binding assay, 378
    - fluctuation fluorescence spectroscopy, 374, 375
    - fluorescence correlation spectroscopy, 376–378
    - fluorescence intensity distribution analysis, 376, 378–381
    - instrumentation, 371, 373–375
    - materials, 370, 371, 380
    - overview, 370
    - photon counting histogram, 376, 378–381
    - sample cells, 375, 376
  - Critical hydrophobicity hydrophobic interaction chromatography, *see* Hydrophobic interaction chromatography
- D**
- Dead time, stopped-flow rapid mixing, 324, 325, 332, 333, 340
  - Debye rotational relaxation time, equations, 305, 306
  - Density functional theory (DFT), algorithms, 521, 528, 544, 545

- applications,
    - heme protein ligand binding, 520, 521
    - human immunodeficiency virus protease, 520
    - ion channel permeation, 520
    - methane monooxygenase binding of oxygen, 519
  - basic equations, 521, 522
  - basis sets, 525
  - Car–Parrinello molecular dynamics, 518, 520
  - catalase binding to formic acid,
    - calculation procedure, 543
    - data collection and analysis, 543
    - findings, 544
    - input file building, 541, 542
    - model building, 541
    - overview, 541
  - first principles molecular dynamics, 518, 526–528, 545
  - generalized gradient approximation, 523, 524
  - hardware, 528
  - Kohn–Sham equations, 524, 525
  - limitations, 518, 519
  - local density approximation, 522, 523
  - myoglobin binding of oxygen,
    - ab initio* molecular dynamics simulation of bound oxygen dynamics,
      - calculation procedure, 537
      - data collection and analysis, 537, 538, 547
      - findings, 540
      - input file building, 537, 547
      - model building, 536
    - Car–Parrinello molecular dynamics calculations, 532, 533, 546
    - data collection and analysis,
      - binding energy, 534, 547
      - bonding analysis, 534, 535
      - energy and temperature evolution, 533, 547
      - spin density, 534, 536, 547
      - structure changes, 534, 535
    - input file building, 530, 532, 546
    - model building, 529, 530, 545
    - overview, 528, 529
    - overview, 517–519
  - DFT, *see* Density functional theory
  - DHFR, *see* Dihydrofolate reductase
  - Dihydrofolate reductase (DHFR),
    - trimethoprim interaction analysis using Monte Carlo-minimization, 471–475, 479
  - Dimethyl sulfoxide (DMSO),
    - ligand solubility enhancement, 199
    - surface plasmon resonance calibration, 38, 39
  - Dissociation constant ( $K_d$ ),
    - fluorescence correlation spectroscopy, 421
    - fluorescence polarization/anisotropy, measurement error, 312
      - uncertainty modeling, 310–312, 319
  - Gibbs free energy relationship, 301, 302
    - protein/ligand concentration equation, 302
  - reflectometric interference spectroscopy determinations, 58, 59
  - steady-state spectroscopy, 217, 218
  - DMSO, *see* Dimethyl sulfoxide
  - DNA repair,
    - pathways, 387
    - protein–DNA interactions in DNA damage recognition, *see* Single-molecule fluorescence spectroscopy and imaging,
- E**
- Eco*SSB, c interaction studies with sedimentation velocity centrifugation, 106, 108

**F**

- FCS, *see* Fluorescence correlation spectroscopy
- FEP, *see* Free energy perturbation
- Fibrinogen, critical hydrophobicity  
hydrophobic interaction  
chromatography, 93, 94
- First principles molecular dynamics,  
*see* Density functional theory
- First-order reaction,  
equations, 327  
followed by second-order reaction, 330  
pseudo first-order reactions, 328, 329
- Flash photolysis, *see* Time-resolved  
crystallography; Time-resolved  
Fourier transform infrared  
difference spectroscopy;  
Ultraviolet/visible absorption  
spectroscopy
- Fluorescence correlation spectroscopy  
(FCS),  
applications, 416, 417  
autocorrelation function, 419  
bound ligand equations, 421–423  
confocal optics microscopy, high-  
throughput screening for G  
protein-coupled receptor–  
ligand interactions, 376–378  
cross correlation spectroscopy, 377  
haptan–immunoglobulin G binding  
studies,  
binding reaction measurement,  
421–425  
calibration,  
excitation volume  
determination, 428–430, 435  
protein standard evaluation,  
430, 431  
data collection and analysis, 431–436  
fluorescein-labeled lysozyme  
preparation, 428, 435  
instrumentation, 425–427, 434, 435  
linearity checking, 431  
materials, 425, 434  
sample preparation, 431  
historical perspective, 376, 416  
instrumentation, 417  
stoichiometry of binding  
determination, 416  
theory, 417, 419–421  
time resolution, 417
- Fluorescence intensity distribution  
analysis, *see* Confocal optics  
microscopy
- Fluorescence microscopy, *see* Confocal  
optics microscopy; Single-  
molecule fluorescence  
spectroscopy and imaging
- Fluorescence polarization/anisotropy,  
additivity, 306, 307, 320  
error sources,  
anisotropy uncertainties,  
bound ligand, 316, 317, 321  
free ligand, 315  
dissociation constant  
measurement, 312  
fluorescence enhancement factor  
uncertainty, 317, 318  
multiple uncertainty modeling,  
318–320  
overview, 308, 310  
precision, 314  
systematic deviations, 312–314  
uncertainty modeling in  
dissociation constant  
determination, 310–312, 319  
high-throughput screening, 369, 370  
practical considerations, 307, 308, 321  
protein–ligand complex  
concentration equation, 302  
sensitivity, 357  
single-molecule fluorescence studies,  
390, 392, 393  
theory, 303–306, 320

- Fluorescence resonance energy transfer,  
*see* Single-molecule  
fluorescence spectroscopy and  
imaging
- Flushing volume, stopped-flow rapid  
mixing, 325, 334, 335, 340
- Force probe simulation,  
algorithms, 497, 506  
caveats, 498, 500, 509–511  
force comparison with energy, 499, 511  
force fields for protein dynamics,  
495, 497, 498  
force profile and smoothing, 500,  
509, 510  
hierarchical substrates, 494  
ligand-unbinding force probe  
simulation, 506–510  
nonequilibrium mechanics of  
enforced dissociation, 503–506  
overview, 493, 494  
pulling potential, 500  
steered molecular dynamics, 502  
torque exertion, 500
- Formic acid, density functional theory  
analysis of catalase binding,  
calculation procedure, 543  
data collection and analysis, 543  
findings, 544  
input file building, 541, 542  
model building, 541  
overview, 541
- Fourier transform infrared spectroscopy  
(FTIR), *see* Time-resolved  
Fourier transform infrared  
difference spectroscopy
- Free energy perturbation (FEP), free  
energy estimation, 467–469
- FTIR, *see* Fourier transform infrared  
spectroscopy
- G**
- Generalized Born models, implicit  
solvent models, 462, 463
- G protein-coupled receptors,  
abundance, 367, 368  
high-throughput screening of ligand,  
confocal optics microscopy,  
binding assay, 378  
fluctuation fluorescence  
spectroscopy, 374, 375  
fluorescence correlation  
spectroscopy, 376–378  
fluorescence intensity  
distribution analysis, 376,  
378–381  
instrumentation, 371, 373–375  
materials, 370, 371, 380  
overview, 370  
photon counting histogram,  
376, 378–381  
sample cells, 375, 376  
fluorescence polarization, 369, 370  
scintillation proximity assay,  
368, 369  
structure, 368
- H**
- Hapten–immunoglobulin G binding  
studies, *see* Fluorescence  
correlation spectroscopy
- Heme proteins, *see* Resonance Raman  
spectroscopy; *specific heme  
proteins*; Time-resolved mid-  
infrared spectroscopy;  
Ultraviolet/visible absorption  
spectroscopy
- Hemoglobin, *see* Resonance Raman  
spectroscopy; Time-resolved  
mid-infrared spectroscopy
- HIC, *see* Hydrophobic interaction  
chromatography
- High-throughput screening (HTS),  
automation and miniaturization, 367  
G protein-coupled receptor–ligand  
interactions,

- confocal optics microscopy,
    - binding assay, 378
    - fluctuation fluorescence spectroscopy, 374, 375
    - fluorescence correlation spectroscopy, 376–378
    - fluorescence intensity
      - distribution analysis, 376, 378–381
    - instrumentation, 371, 373–375
    - materials, 370, 371, 380
    - overview, 370
    - photon counting histogram, 376, 378–381
    - sample cells, 375, 376
    - fluorescence polarization, 369, 370
    - scintillation proximity assay, 368, 369
  - historical perspective, 366, 367
  - HTS, *see* High-throughput screening
  - Hydrogen bonding, implicit solvent models, 464, 465
  - Hydrophobic interaction
    - chromatography (HIC),
      - critical hydrophobicity hydrophobic interaction chromatography,
        - critical hydrophobicity determination, 93
      - fibrinogen example, 93, 94
      - gel libraries containing different immobilized residue concentrations, 92, 93
    - overview, 91, 92
  - hydrophobic gel library synthesis,
    - carbonyl diimidazole activation of Sepharose 4B, 88, 89, 94–96
    - protein adsorption assays,
      - limited sample-load method, 90, 91
      - saturated sample-load method, 89, 90
  - ligands in chromatographic systems, 82
    - materials, 87, 88
    - protein–surface lattice interactions, 82, 83, 85–87
  - Hydrophobic interactions, implicit solvent models, 465–467
- ## I
- ICAM-1, *see* Intercellular adhesion molecule-1
  - Immunoglobulin G–haptent binding studies, *see* Fluorescence correlation spectroscopy
  - Implicit solvent models (ISMs),
    - development, 458, 460
    - electrostatics,
      - generalized Born models, 462, 463
      - Poisson–Boltzmann equation, 460–462
      - screened Coulomb potential
        - implicit solvent model, 463, 464, 478, 479
    - overview of solvent effects, 458–460
  - Induced circular dichroism, *see* Circular dichroism
  - Infrared spectroscopy (IR), *see* Time-resolved Fourier transform infrared difference spectroscopy; Time-resolved mid-infrared spectroscopy
  - Intercellular adhesion molecule-1 (ICAM-1), atomic force microscopy of LFA-1 interactions,
    - adhesion molecule immobilization, 443, 446
    - cantilever,
      - calibration, 444, 447
      - tip functionalization, 443, 447
    - cell immobilization, 444, 445, 447
    - data analysis, 446–448
    - data collection, 445, 447
    - instrumentation, 440, 441, 446

- materials, 440
- setup, 444
- specificity controls, 445
- IR, *see* Infrared spectroscopy
- ISMs, *see* Implicit solvent models
- Isothermal titration calorimetry (ITC),
  - artifact signal, 8
  - data analysis, 9–13
  - equations,
    - dilution factor, 11
    - excess enthalpy, 11
    - heat for injection number, 11
    - macromolecule concentration, 11, 12
    - titrant concentration, 11, 12
  - historical perspective, 1, 2
  - instrumentation, 2, 3
  - planning, 5, 6, 13
  - raw data correction, 7–9
  - ribonuclease ligand binding example, 9
  - simulations in optimization, 4, 5
  - solution preparation and handling, 6, 7
  - thermogram curvature dependence
    - on  $c$  parameter, 4, 5
- ITC, *see* Isothermal titration calorimetry
- K**
- $K_d$ , *see* Dissociation constant
- Kohn–Sham equations, density
  - functional theory, 524, 525
- L**
- Langevin dynamics (LD),
  - conformational searching, 457
- Langmuir binding model,
  - quartz crystal microbalance, 54, 56
  - surface plasmon resonance, 37, 38, 41, 42
- LD, *see* Langevin dynamics
- Lectin–ganglioside interactions, *see* Quartz crystal microbalance
- Leukocyte function-associated antigen-1 (LFA-1), atomic force microscopy of intercellular adhesion molecule-1 interactions,
  - adhesion molecule immobilization, 443, 446
- cantilever,
  - calibration, 444, 447
  - tip functionalization, 443, 447
- cell immobilization, 444, 445, 447
- data analysis, 446–448
- data collection, 445, 447
- instrumentation, 440, 441, 446
- materials, 440
- setup, 444
- specificity controls, 445
- LFA-1, *see* Leukocyte function-associated antigen-1
- Lipid bilayer–ligand interactions, *see* Quartz crystal microbalance
- M**
- Magnetic tweezers, protein–DNA interaction application, 393
- Mass spectrometry, amide exchange experiments for protein–protein interaction analysis,
  - data analysis, 74–76
  - deuteron incorporation into surface amides, 71, 72
  - experimental design, 67, 69
  - mass spectrometry, 70, 71
  - materials, 67
  - off-exchange rate measurements,
    - protein–protein interface, 72, 73
    - protein removal, 73, 74
  - pepsin digestion and peptide identification, 69, 70
  - pH of exchange mixtures, 71, 78
  - weakly interacting proteins, 77
- Maximal velocity ( $V_{\max}$ ), manipulation with enzyme concentration, 324, 339, 340

- MC, *see* Monte Carlo simulation
- MCM, *see* Monte Carlo-minimization
- MD, *see* Molecular dynamics
- Metallogenomics, X-ray absorption spectroscopy, 189, 190
- Molecular dynamics (MD),  
conformational searching, 457  
density functional theory, *see*  
Density functional theory
- Monte Carlo-minimization (MCM),  
conformational searching, 457, 458  
dihydrofolate reductase–  
trimethoprim interaction  
analysis, 471–475, 479
- Monte Carlo simulation (MC),  
conformational searching, 457  
force probe simulation, *see* Force  
probe simulation  
trypsin–benzamidine complex  
analysis, 477
- Myoglobin, *see also* Ultraviolet/visible  
absorption spectroscopy,  
density functional theory analysis of  
oxygen binding,  
*ab initio* molecular dynamics  
simulation of bound oxygen  
dynamics,  
calculation procedure, 537  
data collection and analysis,  
537, 538, 547  
findings, 540  
input file building, 537, 547  
model building, 536  
Car–Parrinello molecular  
dynamics calculations, 532,  
533, 546  
data collection and analysis,  
binding energy, 534, 547  
bonding analysis, 534, 535  
energy and temperature  
evolution, 533, 547  
spin density, 534, 536, 547  
structure changes, 534, 535  
input file building, 530, 532, 546  
model building, 529, 530, 545  
overview, 528, 529  
structural change analysis with time-  
resolved crystallography, 142–144  
time-resolved mid-infrared  
spectroscopy,  
instrumentation, 244, 246, 247, 255  
ligand dynamics studies,  
carbon monoxide escape, 252, 254  
nitric oxide rebinding, 254, 255  
ligand orientation studies,  
polarization anisotropy theory,  
248, 249  
protein preparation, 245
- N**
- Neuroglobin, *see* Ultraviolet/visible  
absorption spectroscopy
- NMR, *see* Nuclear magnetic resonance
- Nuclear magnetic resonance (NMR),  
isotopically labeled proteins and  
ligand-induced conformational  
changes, 207, 209–211  
saturation transfer difference NMR,  
overview, 198  
ligand binding applications, 199  
ligand binding detection, 200,  
201, 211  
ligand-binding orientation  
studies, 202  
ligand-binding site detection,  
201, 202  
signal origins, 197, 198  
water-ligand optimized gradient  
spectroscopy,  
acquisition parameters, 212  
differential line broadening and  
ligand-binding orientation  
studies, 205, 206, 212  
diffusion edited techniques, 207, 212  
ligand binding applications, 199  
overview, 198, 199, 205

$T_{1\rho}$  measurements, 206, 207, 212  
transferred nuclear Overhauser effect, 207, 212

**P**

Photoactive yellow protein (PYP),  
  photocycle analysis with time-resolved crystallography, 144, 145

Photon counting histogram, *see*

  Confocal optics microscopy

Poisson–Boltzmann equation, implicit  
  solvent models, 460–462

Polarization anisotropy, *see*

  Fluorescence polarization/  
  anisotropy; Time-resolved  
  mid-infrared spectroscopy

Protein crystallography, *see* Time-resolved crystallography; X-ray absorption spectroscopy; X-ray crystallography

Protein–protein interface, *see* Solvent accessibility

PYP, *see* Photoactive yellow protein

**Q**

QCM, *see* Quartz crystal microbalance

Quartz crystal microbalance (QCM),  
  annexin A2t–lipid bilayer interaction studies,

    calcium dissociation constant determinations, 58, 59

    data collection, 57, 58

    theory and data analysis, 59–61

  applications, 48

  data analysis, 50–52

  historical perspective, 47, 48

  lipid bilayer immobilization,

    chemisorbed octanethiol

    monolayer preparation, 53, 61

    second phospholipid monolayer formation, 53, 54

    vesicle preparation, 52, 53

  materials, 48, 49

peanut agglutinin–lipid ganglioside interaction studies,

  binding constant determination, 54, 55

  lectin ligand structure, 54

  theory and data analysis, 55–57

Sauerbrey equation, 49, 50, 61

sensitivity, 49, 50

setup for active oscillator mode, 49, 61

**R**

Raman spectroscopy, *see* Resonance Raman spectroscopy

Reflectometric interference spectroscopy (RIFS),

  applications, 23

  instrumentation, 21–23

Resonance Raman spectroscopy,  
  hemoglobin studies,

    sol-gel encapsulated proteins,  
    encapsulation, 294, 298

    nonequilibrium species and  
    reaction intermediate studies, 294–296

    time-resolved spectroscopy, 296, 297

    solution samples, time-resolved spectroscopy, 292, 293

  instrumentation for time-resolved experiments, 291, 292, 297, 298

  materials, 290, 297

  photodissociation of heme–ligand complexes, 289, 290

  protein bands, 289

  protein relaxation overview, 287–289

  pulse-probe technique, 290

  Raman optical activity, 357

RIFS, *see* Reflectometric interference spectroscopy

**S**

Saturation transfer difference NMR, *see* Nuclear magnetic resonance

- Sauerbrey equation, 49, 50, 61
- Scintillation proximity assay (SPA),  
high-throughput screening,  
368, 369
- SCP-ISM, *see* Screened Coulomb  
potential implicit solvent  
model
- Screened Coulomb potential implicit  
solvent model (SCP-ISM),  
overview, 463, 464, 478, 479  
trypsin–benzamidine complex  
analysis, 476
- Second-order reaction,  
equations, 328, 329  
followed by first order reaction,  
330, 331
- Sedimentation velocity centrifugation,  
analytical ultracentrifuge, 102–105  
*EcoSSB*–*c* interaction studies, 106, 108  
historical perspective, 101, 102  
principles, 102  
setup for protein interaction  
experiments, 105, 106  
theory and equations,  
interacting molecule  
sedimentation, 109–112  
single species sedimentation  
velocity, 108
- Simulated annealing,  
conformational searching, 458  
trypsin–benzamidine complex  
analysis, 477
- Single-molecule fluorescence  
spectroscopy and imaging,  
anisotropy, 390, 392, 393
- Cdc42–Wiskott–Aldrich syndrome  
protein interactions,  
conformational fluctuation  
analysis, 399–401  
controls, 395, 397  
data collection, 397, 398  
overview, 386, 387, 393–395  
fluorescence resonance energy  
transfer, 389, 390
- instrumentation, 388–390  
magnetic tweezers applications, 393  
photon-stamping detection, 390  
prospects, 408  
protein–DNA interactions in DNA  
damage recognition,  
conformational fluctuation  
analysis, 405, 406, 408  
controls, 403  
data collection, 403, 405  
overview, 386, 387  
xeroderma pigmentosum group-A  
protein interactions with  
damaged DNA, 402, 403  
spectral and intensity fluctuation  
spectroscopy, 389
- Singular value decomposition (SVD),  
time-resolved crystallography  
data analysis,  
noise flattening, 137  
overview, 135–137  
relaxation times, 138  
time-independent difference electron  
density maps, 139, 140, 146, 147
- SOD, *see* Superoxide dismutase
- Sol-gel, *see* Resonance Raman  
spectroscopy
- Solvent accessibility,  
amide exchange experiments,  
data analysis, 74–76  
deuteron incorporation into  
surface amides, 71, 72  
experimental design, 67, 69  
mass spectrometry, 70, 71  
materials, 67  
off-exchange rate measurements,  
protein–protein interface, 72, 73  
protein removal, 73, 74  
pepsin digestion and peptide  
identification, 69, 70  
pH of exchange mixtures, 71, 78  
weakly interacting proteins, 77  
amide hydrogen/deuterium exchange  
rate components, 66, 67

- Solvent models, *see* Implicit solvent models  
SPA, *see* Scintillation proximity assay  
SPR, *see* Surface plasmon resonance  
Stopped-flow rapid mixing,  
  dead time, 324, 325, 332, 333, 340  
  detection techniques, 324  
  difference spectrum, 336, 337  
  exponential analysis, 325, 327, 338–340  
  flushing volume, 325, 334, 335, 340  
  instrumentation, 325, 326, 340  
  kinetics,  
    consecutive reactions, 329–331  
    displacement reactions, 331, 332  
    first-order reaction,  
      equations, 327  
      followed by second-order  
      reaction, 330  
    pseudo first-order reactions,  
      328, 329  
    reverse reaction, 329, 340  
    second-order reaction,  
      equations, 328, 329  
      followed by first order  
      reaction, 330, 331  
  mixing versus relaxation methods, 339  
  multimixing, 335  
  multiple wavelength data collection,  
    335–337, 340  
  principles, 324, 325  
  reaction time considerations, 323, 324  
Superoxide dismutase (SOD), X-ray  
  absorption fine structure, 172–175  
Surface plasmon resonance (SPR),  
  immobilization of ligand,  
    materials, 34, 35  
    overview, 18, 27–29  
    primary amine coupling, 35, 36  
  interaction analysis,  
    detection of small molecule  
    ligand interactions, 29–332  
    kinetic data interpretation, 32, 33,  
    37, 38  
  Langmuir binding model, 37, 38,  
    41, 42  
    overview, 18  
  kinetic data,  
    acquisition, 36, 37  
    interpretation, 32, 33, 37, 38  
    processing, 37  
  regeneration of ligand surface, 18, 19  
  Biacore instrumentation, 20, 21  
  Instrument of Biomolecular  
    Interaction Sensing, 23  
  IASys system, 23  
  LunaScan device, 23, 24  
  FLEX CHIP Kinetic Analysis  
    System, 24  
  sensor surfaces, 40  
  applications, 24–27  
  mass transfer limitations, 40, 41  
  indirect assay format applications, 25  
  direct assay format applications, 25–27  
  warfarin binding to serum proteins,  
    dimethyl sulfoxide calibration, 38, 39  
  human serum albumin  
    immobilization, 38  
  low-molecular-weight ligand  
    interaction analysis, 39, 40  
SVD, *see* Singular value decomposition
- T**
- Thermodynamic integration (TI), free  
  energy estimation, 469  
TI, *see* Thermodynamic integration  
Time-resolved crystallography,  
  applications,  
    myoglobin structural changes,  
      142–144  
    photoactive yellow protein  
      photocycle, 144, 145  
  chemical kinetic model, 118–120  
  data collection, 128–132  
  data processing,  
    chemical kinetic mechanism, 134,  
    135, 140, 141  
  Laue data reduction, 132, 133  
  posterior analysis, 148, 149

- singular value decomposition,
    - noise flattening, 137
    - overview, 135–137
    - relaxation times, 138
    - time-independent difference
      - electron density maps, 139, 140, 146, 147
    - structures of intermediates, 134, 135, 140, 147
    - time-dependent difference
      - electron density maps, 118, 120, 133, 134
  - goals, 116
  - Laue diffraction, 117
  - materials, 121
  - principles, 116, 117
  - prospects, 145, 146
  - pump-probe measurement, 118
  - reaction triggering,
    - diffusion into crystals, 123
    - overview, 117
    - photochemical activation and
      - caged compounds, 123–125
  - sample environment, 127, 128
  - sample preparation, 121–123
  - synchronization of laser and X-ray pulses, 127
  - time resolution, 117, 118
  - trapping techniques, 116
  - X-ray sources, 125, 126, 130
  - Time-resolved Fourier transform
    - infrared difference spectroscopy,
      - applications, 261–263
      - bacteriorhodopsin photocycle, 262
      - global-fit analysis, 275–277
      - instrumentation and setup, 264–266
      - ligand band identification,
        - isotopic labeling and site-directed mutagenesis, 277–279
      - spectral regions, 262, 263
    - protein bands, 267, 268
    - rapid scan mode, 272, 281
    - sample cells, 266, 267, 281
    - step-scan mode, 272–275, 281, 282
    - trigger techniques,
      - caged compounds, 264, 268, 269
      - micro-mixing cells, 269–271
      - photobiological systems, 268
    - wave penetration depth calculation, 267
  - Time-resolved mid-infrared spectroscopy,
    - advantages in protein–ligand studies, 243, 244
    - heme protein preparation,
      - carbon monoxide binding, 245
      - nitric oxide binding, 245
    - hemoglobin carbon monoxide orientation studies, 249–252, 256
    - instrumentation, 244, 246, 247, 255
    - myoglobin ligand dynamics studies,
      - carbon monoxide,
        - escape, 252, 254
        - trapping, 252
      - nitric oxide rebinding, 254, 255
    - myoglobin ligand orientation studies,
      - polarization anisotropy theory, 248, 249
    - pump-probe technique,
      - mid-infrared pump pulses,
        - detection, 248
        - generation, 248, 256
      - spectrometer setup, 246, 247
      - visible pump pulse generation, 247, 248, 255
    - sample cell, 245, 246, 255
  - Trimethoprim, dihydrofolate reductase interaction analysis using Monte Carlo-minimization, 471–475, 479
  - Trypsin, benzamidine complex analysis using computer simulations, 475–479
- ## U
- Ultraviolet/visible absorption spectroscopy,

advantages of ligand binding studies, 216

heme protein studies of ligand binding, cryogenic studies, 228, 229

materials, 223, 237, 238

nanosecond time-resolved spectroscopy, cryogenic flash photolysis, 236, 237

data collection, 228, 238, 239

equations, 227

flash photolysis with spectral resolution, 235

instrumentation, 226

myoglobin mutant ligand binding studies, 232–234

neuroglobin ligand binding studies, 234, 235

protein preparation, cryogenic samples, 225

deoxy samples, 224

met samples, 224

oxygen-ligated heme proteins, 225, 237, 238

steady-state spectroscopy, data collection, 225, 226, 238

heme oxidation and ligation state determination, 229

ligand affinity determination, 231, 232

pH-dependent spectra, 230, 239

light absorption by proteins, 216, 217, 344

optical density, 217

steady-state spectroscopy overview, 217, 218

stopped-flow, *see* Stopped-flow rapid mixing

time-resolved spectroscopy, equilibrium constant, 219

flash photolysis, 218

reaction energetics, 220–223

temperature jump, 219

**V**

$V_{\max}$ , *see* Maximal velocity

**W**

Warfarin, surface plasmon resonance analysis of binding to serum proteins, dimethyl sulfoxide calibration, 38, 39

human serum albumin immobilization, 38

low-molecular-weight ligand interaction analysis, 39, 40

WASP, *see* Wiskott–Aldrich syndrome protein

WaterLOGSY, *see* Nuclear magnetic resonance

Wiskott–Aldrich syndrome protein (WASP), single-molecule fluorescence studies of Cdc42 interactions, conformational fluctuation analysis, 399–401

controls, 395, 397

data collection, 397, 398

instrumentation, 388–390

overview, 386, 387, 393–395

**X**

XAFS spectroscopy, *see* X-ray absorption fine structure spectroscopy

Xeroderma pigmentosum group-A protein (XPA), single-molecule fluorescence studies of interactions with damaged DNA, conformational fluctuation analysis, 405, 406, 408

controls, 403

data collection, 403, 405

overview, 386, 387, 402, 403

XPA, *see* Xeroderma pigmentosum group-A protein

- X-ray absorption fine structure (XAFS) spectroscopy,  
absorption energies and wavelengths for metals of biological interest, 170, 171  
atomic physics notation, 191, 192  
extended X-ray absorption fine structure,  
comparative analysis and model compounds, 181, 182  
ligand fitting, 183, 185, 193  
overview, 169–175  
shell-by-shell curve fitting, 182, 183  
signal extraction, 179, 181  
instrumentation,  
ionization chambers, 178, 179  
monochromator, 177, 178  
slits, 178  
user exchange, 176  
X-ray fluorescence detector, 178  
metallogenomics, 189, 190  
metalloprotein study advantages and information, 167, 168, 172  
plane-wave approximation, 170, 192  
principles, 168–172, 175  
prospects for biological applications, 191  
sample preparation, 175, 176, 192, 193  
superoxide dismutase oxidation state, 172–175  
three-dimensional studies using protein crystals, 185–187, 189, 193  
X-ray absorption near edge structure,  
definition, 169  
interpretation, 181  
X-ray crystallography, *see also* Time-resolved crystallography,  
cryoprotection of crystals, 160, 161  
ligand definition, 155, 156  
structure determinations,  
materials, 161  
stable ligand complexes, 156, 157  
unstable ligand complexes,  
activity monitoring, 158  
ligand binding in crystals, 158  
occupancy of binding sites, 157, 158  
rate constants, 159, 160  
trapping of intermediates, 160, 161  
triggering, 158, 159