

---

# Index

## A

4-acetamido-4-maleimidylstilbene-2,  
2-disulfonic acid, 73

Actin, 1, 159

affinity of myosin for actin, 2–3

F-actin, 2

G-actin, 2

pelletting actin-ligand complexes, 7–8

Phalloidin-F-actin, 6

pyrene labeled, 5

staining, 166

Actin binding protein, 2

caldesmon, 3

co-sedimentation with actin, 7,  
234–235, 237

fesselin, 3

tropomyosin, 3, 16

Actin ligand

correction for inactive ligand, 8

modified, preparation of, 1, 6

removal of nonfunctional ligand,  
8–9

radioactively labeled, 10

stoichiometry, 3

*See also* Actin binding protein

Adhesion junctions, 159–160

Agarose

beads, 55

for baculovirus titer, 118, 122

glutathione, 86, 90

AMS, *see* 4-acetamido-4-

maleimidylstilbene-2,2-disulfonic  
acid

Anesthesia, 135, 136–137, 148, 164

Antibody

anti-GST, 88

anti-HA, 88

anti-myc, 87

anti-Xpress, 121

blot affinity purification of polyclonal  
antibodies, 78–79

to inhibit MT based motility, 153–154

to colocalize motor proteins with  
specific organelles, 152–153

to kinesin-1 heavy chain, 54

to kinesin-1 light chains, 54

Arabidopsis, 23–24

ARPw/ARP, *see* Automatic model

building program

Asialoorosomuroid, 143, 144, 148

ASOR, *see* Asialoorosomuroid

ATPase assay, 10–11, 26, 32–33

regulation by calcium/calmodulin,  
32–33

Automatic model building program, 201,  
206

Axoneme, 74–75

## B

Bacterial host strains

BL21(DE3), 24, 86, 89, 188, 200,  
201

DH5 $\alpha$ F'IQ, 99

Baculovirus, 118, 121–122

Beads

Protein A/G agarose, 55

BSA, 173–174, 176–177

polystyrene, 173

antibody-linked sepharose, 55, 86, 88

glutathione, 86

streptavidin, 173, 175

Binding of ligand to actin, 7

BSA-beads, 173–174, 176–177

## C

Calmodulin, 24

binding protein, kinesin like, 24, 25,  
28–30

- constructs, 24
    - expression and purification, 27
    - regulation of KCBP interaction, 30
  - CaM, *see* Calmodulin
  - Carbon film, 216–217, *see also* Holey carbon film
  - CCD, *see* Charged coupled device camera
  - CDK5, *see* Cyclin-dependent kinase 5
  - Cell culture
    - lines
      - CHO, 42–43
      - NSC34, 56
      - N27, 56
      - PC12, 56
      - Sf9, 118
      - SH-SY5Y, 56
      - 3T3, 99, 105
      - 293T, 86, 88
    - primary cultures
      - cortical neurons, 56
      - hippocampal, 56
    - transfection with DNA , 39, 46, 87, 88, 100, 105, 233, 234, 235, 236
  - Charged coupled device camera, 40, 145, 155, 174, 179, 218, 220–221, 233, 238
  - Chemical genetics, 232–233
  - Chlamydomonas reinhardtii, 71, 72
  - Chromatography
    - affinity, 109–110
    - gel filtration, 6, 120, 121, 125, 200, 201–202
    - HPLC, 9–10
    - ion exchange, 6
  - Chromophores, 184
  - Co-immunoprecipitation, 88, 90–91
  - Controls, 7–8, 30–31, 33, 43, 57, 76, 94, 113, 139, 152, 156, 236
  - Coomassie staining, 26, 31, 32
  - Co-sedimentation assay
    - actin binding proteins, 7, 237
    - microtubule binding proteins, 26, 30–31
  - Coverslips
    - coating, 2
    - preparation for cell culture, 39
    - plating cultured cells, 45
  - Cross-linking proteins, 71–72, 77, 78
    - with DFDNB, 77–78
    - with DMF, 77–78
    - with DSS, 77–78
    - with EDC, 78
  - Cryo-EM, 213–214, 216, 217, 220–221
    - calculation of difference maps, 226
    - 3D image reconstruction, 221–224
    - docking crystal structures into EM maps , 224–226
    - image analysis, 218
    - preparing specimens, 220
    - rapid freezing apparatus, 218
    - software programs, 218, 224
  - Crystallization, 202–203
  - Crystallography, *see* X-ray crystallography
  - Cyclin-dependent kinase 5, 52, 60
- D**
- 1,5-difluoro-2,4-dinitrobenzene, 73
  - DNA
    - construction of bait vector, 105–106
    - gel extraction, 99, 104
    - ligation, 106
    - oligonucleotide primers, 103–104
    - plasmid purification, 99, 104, 106
    - preparation for transfection, 88
  - DFDNB, *see* 1,5-difluoro-2,4-dinitrobenzene
  - DYNC1I, *see* Dynein intermediate chain
  - DYNC1LI, *see* Dynein light intermediate chain
  - Dynein
    - flagellar, 71–72
    - cross-link between primary amines, 73, 77–78
    - cytoplasmic, 85
    - derivatization with AMS, 73, 75–76
    - heavy chain, 79, 85

- intermediate chain, 85, *see also* IC-2C
- light chain, 85–86
- light intermediate chain, 85
- preparation from *Chlamydomonas axonemes*, 74–75
- zero-length cross linking with EDC, 73, 78
- DYNLL, *see* Dynein light chain, *See also* LC8
- DYNLRB, *see* Dynein light chain; Roadblock
- DYNLT, *see* Dynein light chain; Tctex1
  
- E**
- Ectoplasmic specialization, 159–161
- EDC, *see* 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide
- Electron microscopy
  - immunocytochemical staining, 137
  - of frozen hydrated specimens, *See* cryo-EM
  - sample embedding and sectioning, 135–137
- EM, *see* electron microscopy
- Endosome, 143–144
  - isolation of fluorescent endosomes from cultured cells, 148–149
  - isolation of fluorescent endosomes from liver, 147–148
- Equilibrium binding assays, actin
  - controls, 7–9
  - association constant, 3, 13
  - effect of temperature, 3
  - fluorescence, 12
  - sedimentation, 6–7
    - in the absence of actin, 7
  - radioactive ligand, 10
- 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide, 73
  
- F**
- Fast axonal transport, 51
- FAT, *see* Fast axonal transport
  
- F<sub>1</sub>-ATPase, 171, 172
  - preparation and storage, 175
  - rotation assay, 176–177
- Fluorescence, 43–45
  - actin binding assay, 12
  - effect of temperature on, 3
  - probes, 3
    - for actin binding assay, 12
  - quantification, 43–44
- Fluorescence resonance energy transfer, 184–185
  - computing the distance, 192–193
  - donor-acceptor pair, 189–190
  - equations, 186–188
  - measuring efficiency, 191–192
  - spFRET, 184
  - transient, 186
- FRET, *see* Fluorescence resonance energy transfer
  
- G**
- Gel electrophoresis, polyacrylamide, *see* SDS-PAGE
- Gelsolin, 161, 163, 166
- GFP, *see* Green fluorescent protein
- Glycogen synthase kinase 3, 52, 61, 62, 64, 66
  - in Alzheimer's disease, 53
  - regulation of kinesin-1, 52
- GMP-CPP, 39–40, 155, 195
- Green fluorescent protein, 43, 44, 45, 98, 103
- Growth media
  - LB, 99
  - DMEM, 99
  - YPD, 100
- GSK3, *see* Glycogen synthase kinase 3
- GST pull down assay, 86, 88, 90
  
- H**
- Hair cells, 117–118, 119
  - In situ* binding assay, 127–128
- HKL2000, 201, 204–205

- His6 tag, 25, 29–30, 208, 236, *see also*  
Protein expression
- Holey carbon film, 216, 218, *see also*  
Carbon film
- I**
- IC-2C, expression of myc-tagged protein,  
88–89, *see also* Dynein  
intermediate chain
- Image analysis, 177–178, 218  
3D image reconstruction, 221–224  
software, 39, 44, 145, 174, 218, 224
- Image reconstruction, 3D  
averaging data sets and 3D  
reconstruction, 224  
boxing MT images and correcting for  
tilt and shift, 222–224  
checking data resolution, 224  
selecting and digitizing, 221–222  
sharpening the higher-resolution data,  
224
- Immunocytochemical staining, 135–136,  
137–138
- Immunoprecipitation, 62–64
- In situ* binding assay, 127–128
- In vitro* motility, 154, 149, 151–152, 238  
factors that contribute to reliable  
motility, 154  
inhibitors, 153–154  
parameters  
MT binding, 151–152  
number of moving vesicles, 152  
polarity of MT movement, 152  
run length, 152  
velocity of organelle movement, 152  
rotation, 173–174, 176, 176–177
- J**
- JNK, 52, 53, 61
- K**
- Kar3, 200
- KCBP, *see* Calmodulin binding protein,  
kinesin-like
- KHC, *see* Kinesin heavy chain
- KIF5, *see* Kinesin-1
- Kinesin-1, 52  
antibody to, 54  
metabolic labeling, 57–59  
phosphorylation *in vitro*, 55–56  
regulation, 52–53
- Kinesin-1 heavy chain, 52, 59
- Kinesin-1 light chain, 59  
antibody to, 54
- Kinesin-like calmodulin binding protein.  
*See* Calmodulin binding protein,  
kinesin-like
- Kinesin-related proteins, 97  
ATP-binding site concentration  
determination, 41  
Kar3, 200  
KIFC1, 98  
KIFC5A, 98  
KCBP, 24  
MCAK, 38  
Ncd, 188
- Kinesin superfamily, 37, 199
- KLC, *see* Kinesin light chain
- L**
- LC8, 85, *see also* DYNLL
- LRET, *see* Luminescence resonance  
energy transfer
- Low-dose imaging, 221
- Luminescence resonance energy transfer,  
185–186
- Lysate  
preparation from cultured cells,  
57–58, 89  
preparation from MDCK cells, 236  
preparation from rodent brain, 65–66  
preparation from rodent testis, 102,  
109
- M**
- MCAK. *See* Mitotic centromere-  
associated kinesin
- Metabolic labeling, 57–59

- Microinjection, 233, 235–236
- Microscopy, 40, 99, 100, 105, 133–135
- cryo-EM, 213–214, 216, 217, 220–221
  - electron, 137–138
  - fluorescence, 145
  - transilluminated, 139
  - video, 174, 177, 178
- Microtubule
- binding, 151–152
  - decoration with kinesin, 217, 219
  - depolymerization assay, *in vitro*, 38, 41
  - depolymerization assay, *in vivo*, 42–45
  - destabilizing kinesins, 37
  - end concentration determination, 40
  - fluorescently labeled, preparation of, 144, 147–148
  - GMP-CPP labeled, preparation of, 39–40
  - polarity-marked, preparation of, 147
  - polarity, movement of, 152
  - preparation of, 30, 189–190, 219
  - sedimentation assay, 30–31
  - turbidity assay, 38, 41. *See also* Microtubules, depolymerization assay *in vitro*
- Mitotic centromere-associated kinesin, 38, 42
- Model, binding
- general, 13–14
  - cooperative, 16–17
  - noncooperative, 13
  - software, 18
- Motor inhibitors, 153–154, 232, 235–236
- Motor protein, 23, 37, 133–134, 143–144, 171–172, 183–184, 213
- Mounting media, 39
- Myo1c, *see* Myosin, Myosin 1c
- Myosin
- myosin Vb, 231–232
  - myosin 1c, 117, 119, 120, 121–123
  - subfragment 1 (S1)
    - ATPase activity assay, 10–11
    - model for binding to actin-tropomyosin, 16–17
    - preparation of, 6
    - unconventional, 117, 231–232
- N**
- Ncd, 188
- labeling, 190–191
- Nucleotide analogs, 30, 233
- O**
- Optimum additive concentration, 8
- P**
- Paclitaxel, 26, 144, 188–189
- PCR, *see* polymerase chain reaction
- Perfusion
- chamber, 146–147, 166, 175–176
  - liver, 148
  - testis, 135, 136–137
- Phalloidin, 3
- Phosphatase inhibitor, 54
- Phosphorylation, kinesin, 51–53, 55–56
- Plaque assay, 118, 122
- Plasmid
- pACT2, 100
  - pCMV-HA, 86
  - pCMV-Myc, 86
  - pCMV-Myc-FL-2C, 86
  - pCMV-Myc-FL-2CΔRobl, 86
  - pEGFp-C1, 45
  - pEGFP-N2, 98
  - pET, 208
  - pGBKT7, 100
  - pGEX-4T-1, 86
  - pGEX-4T-1pRobl-1, 86
  - Poly-L-lysine, 38, 54

- Polymerase chain reaction, 98, 104, 112, 121
- Protease inhibitor cocktail, 34, 54, 55, 102, 109, 110, 144, 148
- Protein
- aggregation, 120, 125
  - concentration determination, 17, 127
  - detection. *See* Coomassie staining
  - expression, 24, 25, 27–28, 86, 89, 118, 122, 188, 200, 201–202, 216, 234
  - labeled as probes, 6
  - precipitation, 114
  - purification, 24, 25, 27–30, 62–64, 89–90, 119–120, 123–125, 172–173, 174–175, 236. *See also* His6 tag
- Protein assay, Bradford, 127
- Protein-protein interactions, 72, 85, 107, 108, 109, 121, 127–128
- R**
- Receptor, 143
- sorting from ligand, 149–150
- Redox, 71–72
- Reverse-transcriptase-polymerase chain reaction, 103
- for construction of GFP-motor fusions, 103–104
- Roadblock, expression and purification, 89–91, *see also* Dynein light chain; DYNLRB
- Rotary molecular motor, 171–172
- RT-PCR, *see* Reverse-transcriptase-polymerase chain reaction
- S**
- S1, *see* Myosin subfragment 1
- SDS-PAGE, 65, 87, 91–92, 102–103, 110–111
- 4X SDS sample buffer, 120
  - 5X sample buffer, 73
  - to monitor actin binding, 9, 237
  - to monitor microtubule binding, 26, 31–32
- Sedimentation assay, *see* Co-sedimentation assay
- Seminiferous tubules, 135, 136–137, 139, 160, 164–165
- Sertoli cell, 159–160
- Sensitizing mutation, 232, 235
- Site directed mutagenesis, 38
- Spermatid, 134, 165
- Spermatogenesis, 134, 136
- Streptavidin beads, 173, 175
- Sucrose gradient, 160–161, 163–164, 165
- T**
- TCA, *see* Trichloroacetic acid
- Tctex1, *see* Dynein light chain; DYNLT
- Thioredoxin, 71, 72
- Transfection, 88, 105, 234, 235, 236
- reagent, 87, 100, 233
- Transformation
- bacterial, 104
  - yeast, 106–107
- Trichloroacetic acid, 73, 102, 114
- Tubulin, 43, 45, 216
- staining, 43
- W**
- Western blot, 87, 92–93, 103, 111–112
- X**
- X-ray crystallography
- crystallization, 202–203
  - autoindexing and integration, 204–205
  - automated model building, 206
  - collecting defraction data, 203–204
  - crystallographic refinement, 206–207
  - data collection, 203–204

- data setup, 204
- data scaling, 205
- final model evaluation, 207–208
- phasing and electron density
  - calculation, 205–206

**Y**

- Yeast 2-hybrid assay, 100–101, 105–109
- Yeast strains, 100, 101
  - mating, 101, 107–108
  - mating efficiency calculation, 113