

INDEX

A

- Activation maps..... 134, 135, 137, 139, 294–295,
390, 504, 529, 609, 684, 688, 740, 744, 831
- Active noise cancellation (ANC)..... 56, 539, 543, 545
- Active tasks..... 134, 136, 494, 603, 604
- Alzheimer’s disease (AD) 264, 330, 396,
617, 642–645, 658, 662, 664, 673, 757
- Amnesic syndrome 682, 691
- Amyotrophic lateral sclerosis (ALS)..... 663, 666, 668
- ANALYZE 152, 154
- Anatomical connectivity 473, 474, 791, 795–797
- Anterior temporal lobe 332, 396, 430
resection (ATLR) 681, 683, 688–692, 695–698
- Anxiety disorders 616, 634–642
- Apparent diffusion coefficient 789, 791
- Artefact correction 154–156, 703, 721
- Artefacts 154, 156–159, 183, 189, 209,
210, 226, 258, 542, 701, 702, 706, 707, 712, 715,
721, 724, 792, 813, 829–831
- Arterial spin labeling (ASL) 43, 45,
116–117, 303, 304, 478, 615–617, 719, 720
- Ascending sensory pathways 355, 356
- Attention
nonselective 355, 356
preparatory 366, 367, 369, 370
reflexive 354
selective 355–357, 360, 362,
363, 366, 370, 375, 558–560
spatial 312, 355, 358–366,
369, 371–375, 516
spatial selective 358, 359, 366, 369
visual 305, 354, 369, 559, 661, 665
voluntary 354, 375
voluntary visual 357
- Attentional control mechanisms
top-down control 362, 366
- Attention control network 362, 369
- Auditory system 328, 356–566
- Average artefact subtraction (AAS) 703–707
- ## B
- Bayesian inference 238, 241, 242, 244
- Behaviourally relevant coding 565
- Between-group comparison 138, 140
- Biomarkers 314, 315, 643, 659,
660, 666, 669, 670, 673, 674
- Biophysical models 205, 208, 238, 245, 247
- Block design 95–97, 135–138, 140, 141,
144–146, 184, 186, 386, 443, 604, 684, 693–695
- Blood oxygen level dependent
(BOLD) 27, 69, 121–124, 142,
156, 184, 185, 198, 246, 247, 273, 274, 292, 293,
419, 499, 517, 543, 547, 575, 598, 609, 615, 662,
670, 672, 699, 743, 754, 776, 797
effect 22, 43, 110, 814
initial dip 26, 27, 123, 125, 294, 295, 600
response 549, 554, 563
- Bipolar disorder (BD) 617, 631–634
- Brain activation 25, 74, 76, 95, 116,
120, 124, 128, 134–138, 300, 301, 311, 313, 315,
336, 342, 360, 370, 398, 417, 418, 420, 444, 448,
459, 462, 471, 473, 475, 476, 494, 515, 538, 581,
588, 603, 605, 606, 609, 610, 624, 634, 660–663,
667–669, 671, 675, 748, 772, 774
- Brain atlases 213–214
deformation atlases 266, 268
density-based 266–267
disease-specific 264, 266, 269
genetic atlases 269
label-based 267
- Montreal Neurological Institute
(MNI) 153, 270, 274,
Talairach & Tournoux (T&T) 153, 160
- Brain-behavior relationships 285, 286, 295,
298, 304, 309, 316, 675
- Brain plasticity 574, 576, 579, 588,
699, 772, 774, 777
- Brain systems 115, 250, 277, 287, 313,
323, 333, 354, 362, 800
- Button response unit (BRU) 55, 57.
See also Button response box
- Button response box 36
- ## C
- Cardiac monitoring 58–61
- Cerebral blood flow (CBF) 25, 26, 111,
116, 117, 123, 246–248, 302, 303, 399, 428, 478,
599, 616, 617, 625, 635, 713, 720, 754

Cerebral blood volume (CBV)	25, 26, 111
Cerebrovascular reactivity	600
Classical inference	240–242
Clinical endpoints	753
Cluster-wise inference	220–222, 227, 228, 231, 234
CNS vasculitides	591
Cochlear partition	555
Cognitive conjunctions	685
Cognitive deficits	286, 287, 581, 623
Cognitive subtraction	296, 297, 685
design	684
Comparison task	135
Compensatory hyperactivation	661, 663–667
Compensatory responses	495, 663, 665, 771
Computerized tomography (CT)	39, 286, 787
Conceptual combination	332
Conjunction analysis	137, 139, 472–473, 500
Connectivity	165, 240, 252, 254, 255, 259, 277, 306, 370, 372–374, 386, 445, 473–474, 514, 582–584, 661, 663, 686, 747, 791, 793, 795–799
effective	238, 249, 251, 254, 255, 306, 307, 386, 417, 474, 824
functional	115, 249–251, 305, 306, 315, 316, 370, 374, 375, 386, 412, 417, 430, 448, 473, 474, 495, 581–584, 663, 670, 755, 757, 758, 804, 805
Contrast-to-noise ratio (CNR)	96, 97, 102, 112, 117, 120, 125, 437
Cortical structure	381, 382, 397, 465, 475
cortical columns	124–125
layers	124, 125, 256, 794
Cortical thickness mapping	269
Cytoarchitecture	786, 794, 795
D	
Default mode network	430, 670, 718, 719
Deformation models	166–173
Demyelination	120, 121, 792
Deoxyhaemoglobin	25, 26, 246, 247, 754
Descending modulation	465, 475, 811, 812
Diaschisis	287
Diffeomorphism	167, 171
Diffusion anisotropy	790, 791, 793
Digital imaging and communication in medicine (DICOM)	151–154
Drug development	673, 751–753, 756, 762
patient stratification	752, 755–758, 762
pharmacodynamics	753, 758–762
target validation	752, 755–756, 762
3D shape perceptions	530–531
Dynamic causal modelling (DCM)	237–259, 306, 370–372, 374, 375, 377, 417, 445, 798
Dynamic models	244–245, 249
E	
Echo-planar imaging (EPI)	20–22, 27, 28, 78–83, 85, 87–94, 96, 99–100, 102, 103, 113–115, 117–118, 121, 123, 126–128, 155, 209, 411, 424–428, 431, 433–441, 445, 446, 504, 550, 702, 705, 706, 713, 719, 724, 739, 754, 815–817, 828
Echo-time (TE)	23–24, 27, 28, 71–74, 78, 80, 83, 87, 90, 94, 96, 97, 100, 101, 103, 104, 111, 117, 118, 124, 423, 425–428, 432, 434–440, 528, 739, 740, 744, 814, 815, 817, 818, 821, 826
EEG-fMRI	62, 669, 700, 702, 705, 706, 708–713, 715–723
continuous	705, 707, 714
Effective transverse relaxation time (T_2^*)	22–28, 38, 42–44, 74, 76, 80, 94, 103, 112, 114, 118, 120, 122, 123, 426, 428, 435, 436, 599, 600
Electrical stimulation	239, 461, 463, 496, 737–739, 747, 819, 820
Electrocortical stimulation (ECS)	686, 688
Electrodermal activity (EDA)	417
Electroencephalography (EEG)	62, 63, 255, 257–259, 277, 287, 291, 293, 375, 466, 481, 601, 691, 699–703, 705–708, 712–724, 762, 798, 801
Electromagnetic noise sources	34
Electro-oculograms (EOG)	358
Eloquent cortex	681, 737, 738
Emotion	
discrete (primary)	414,
measurement	413, 415, 418
processing	412, 423, 442, 445, 446
secondary	414, 421
Emotional activation	412, 413, 415, 416, 443
Epileptogenic network	699
Episodic memory	387–395, 624, 668, 695
encoding	388–390
retrieval	388, 390–391
Event-related fMRI	95–98, 145, 146, 246, 248, 298, 363, 366, 382, 383, 385, 386, 389, 391, 398, 459, 476, 497, 500, 663, 693
Event-related potentials (ERP)	238, 255, 258, 259, 291, 292, 309, 313, 357–360, 444, 693, 799, 801
Experimental design	75, 95–98, 104, 105, 133–147, 159, 200, 238, 250, 278, 294, 296–299, 304, 316, 375, 386, 476, 559, 598, 602–605, 684, 685, 694, 761, 762
block	134, 136, 298, 382, 392, 516, 684, 693

event-related.....	97, 134, 136–138, 141, 142, 144, 146, 298, 382, 384, 392, 475, 478, 516, 604, 660, 684, 694
participant-response related.....	135–137
Experimental medicine.....	752, 762, 763
Explanatory variables (EV).....	187, 188, 190–192, 196–202, 204, 205, 209–211, 218, 219, 241, 248–250, 826
Eye tracking.....	57, 61–62
F	
Factorial design.....	417, 685
False discovery rate (FDR).....	223, 224, 232, 480
Family-wise error (FWE).....	223–228, 231
Fast Fourier transform (FFT).....	76, 82, 83
Field gradients.....	9, 23, 25, 28, 40, 44, 46–48, 69, 70, 76, 423, 424, 427, 428, 432–435, 469, 762
Field homogeneity.....	25, 44, 45, 86, 88, 90, 122, 817
Field inhomogeneity.....	42, 87, 112, 121, 154
Field of view (FOV).....	84, 469
Field strength.....	5, 7–11, 23, 35, 37, 41–44, 49, 71, 94–95, 98–101, 103, 105, 112–114, 116, 118, 124, 126, 128, 423, 427, 428, 431–432, 434, 435, 438, 448, 477, 542, 701, 704, 724, 738, 815
Fixed-effects model.....	214, 215
Flip angle.....	43, 74, 103, 104, 128, 437
Focal epilepsy.....	684–686, 699, 700, 703, 712–713, 715–717, 721, 723
Fractional anisotropy (FA).....	757, 790–792, 799–801, 804, 827
Frequency representations.....	558–562
Frontotemporal dementia (FTD).....	669
F-statistics.....	196
Functional integration.....	238–240, 249–259, 285, 304–308
Functional localization.....	270
Functional magnetic resonance adaptation (fMR-A).....	295
Functional mapping.....	116, 125, 240, 690, 745
Functional neuronavigation.....	738
Functional performance.....	121
Functional segregation.....	240, 254, 793
Functional specialization.....	285, 286, 304–306, 500, 514
Functional variation.....	799, 802
G	
Gadolinium.....	74
Galvanic skin response (GSR).....	57, 61
Generalised epilepsy.....	715, 718, 719, 723
Generalized autocalibrating partially parallel acquisitions (GRAPPA).....	50, 84–87, 426
General linear model (GLM).....	95, 141, 143, 144, 180, 186–204, 206, 208–214, 216, 218–220, 226, 227, 232, 238, 240, 241, 243–245, 248, 252, 259, 473, 518, 599, 604, 707, 722, 723, 826, 830, 831
Generative model.....	158, 165, 175
Genetic determinants.....	659
Geodesic approaches.....	266
Gliomas.....	747
Gradient coils.....	37, 47, 48, 88, 89, 291, 538, 542, 545
Gradient-echo (GE).....	10–15, 19–21, 73, 79, 112, 119, 425, 426, 434, 437, 440, 441, 741, 754, 814, 815, 818, 828
Gradient recalled echo (GRE).....	71, 73, 77–80, 99, 100, 103
Gray matter (GM).....	74, 113, 114, 120, 124, 424, 481, 583, 812, 815–817, 820, 821, 823–825, 829
Group analysis.....	180, 181, 207, 215, 216, 218, 231, 506, 757
H	
Haemodynamic response.....	25, 28, 142, 145, 146, 156, 238, 245, 248, 693, 699, 712, 715, 717, 722, 754, 761
Haemodynamic response function (HRF).....	27, 142, 145, 146, 184–186, 203–207, 244–246, 248, 302, 303, 443, 446, 466, 468, 471, 599, 600, 602, 694, 703, 713–715, 719, 722
basis set.....	203–207, 245, 715
Haemoglobin.....	25
Head motion.....	38, 57, 61, 92–93, 158, 209, 211, 295, 428–430, 478, 660, 702, 703, 706, 712, 714
Hierarchical observation model.....	243
High-level motion regions.....	528
Huntington disease (HD).....	663, 665, 666, 668
I	
Image matrix.....	101, 103, 427
Image registration.....	151, 156, 159–163, 166, 167, 172, 266
Image transformation.....	156–159, 162, 167, 270, 787
Independent component analysis (ICA).....	63, 94, 209, 212, 233, 250, 251, 425, 430, 442, 705–707, 830, 831
Inference.....	139, 175, 206, 207, 213, 215–217, 219–234, 238, 240–244, 249–252, 254, 259, 263–278, 286–289, 297, 693, 707
Initial dip.....	26, 27, 123, 125, 294, 295, 600

Interictal activity.....	712, 713, 723
Interictal epileptiform discharges (IED)	703, 712–718, 721–723
Intracarotid amyltal test (IAT).....	681, 682, 685–689, 691, 695, 698, 699
Isolated spinal cord injury.....	591
K	
k-space.....	14, 15, 183, 740, 816
L	
Language lateralization	739, 803,
Language mapping paradigms.....	333–341
naming tasks	335
orthographic decision tasks.....	334
phonetic decision tasks	334
phonological decision tasks.....	334
semantic decision tasks	334
sensory discrimination tasks	334
word generation tasks	334, 335
Larmor frequency.....	4–11, 18, 19, 23, 70, 71
Long-term memory.....	288, 380, 382, 387, 389
Lower motor neuron (LMN)	663
Low-level motion regions.....	525–528
M	
Magnetic field gradients	40, 44, 46–48, 69, 70, 423, 424, 762
Magnetic resonance imaging (MRI)	
diffusion tensor (DT)	474, 583, 585, 592
magnetization transfer (MT).....	583, 585
Magnetic susceptibility.....	42, 110, 112, 116, 118–122, 469, 701
Major depressive disorder.....	624, 626, 631, 633, 634
Malformations of cortical development	
(MCD)	686, 717, 721
Matched-trial analysis	138
Mean diffusivity (MD).....	790–793
MEG-MRI	699
Memory encoding	692–694, 696, 697
Metabolic rate of oxygen consumption	
(CMRO ₂)	25, 26, 302
Migraine.....	591–592
Mild cogitive impairment (MCI).....	269, 658, 659, 662–666, 668, 669, 671
Mirror-neuron system (MNS).....	503–506, 585
Mixed-effects model.....	214–217
Mood disorders	624–634
Motion artefacts	156, 158, 159, 813, 829
Motor deficits.....	769–771, 773–775, 777, 778
Motor evoked potentials (MEP)	63, 477
Motor homunculus.....	741, 742
Motor imagery	502, 665, 776, 777
Motor impairment.....	589, 591, 598
Motor skill learning.....	502–503
Multiple linear regression	143, 772
Multiple receive coils.....	83
Multiple sclerosis (MS)	
benign.....	581
CIS suggestive of.....	577–580, 583
primary progressive (PP)	578, 583
relapsing-remitting (RR)	576, 577, 579, 583
secondary progressive (SP)	578
structural damage.....	577, 585
Multi-subject statistics.....	213–219
Multivoxel pattern analysis (MVPA).....	515, 518
Myeloarchitecture.....	794
N	
Navigation microscope	744, 745
<i>n</i> -back test	581
Negative bold response	125, 294, 717
Neuroanatomy 135, 137, 326, 356, 381, 412, 458, 635, 640,	
785, 786, 791, 815, 817, 820, 821, 823, 825	
Neurodegenerative diseases	657–675
Neuronal activity	62, 63, 110, 115–117, 122, 125, 179, 245, 247, 249, 251, 252, 254, 372, 466, 530, 578, 599, 616, 699, 700, 715, 721, 723, 754, 758, 761, 798, 812–814, 817–823, 826–828
Noceptive processing	458, 461, 466, 468, 471, 481
Nociceptors.....	459, 468
Nonfluent aphasia.....	286
Normal-appearing brain tissue (NABT)	583
O	
Obsessive-compulsive disorder	
(OCD).....	617, 634–638, 641
Orthography.....	325, 330
Oxidative metabolism.....	123
P	
Paced Auditory Serial Addition	
Test (PASAT).....	579, 580
Paced Visual Serial Addition	
Test (PVSAT).....	579, 580
Pain	
assessment	470–472
chronic.....	458, 464, 468, 469, 472–474, 476, 481–482
empathy	476–477
modulation	464, 465, 474–476, 478
pathways	825
sharp pricking.....	459
slow burning	459
thresholds	470
Parallel imaging techniques	49, 50, 78, 100
Parametric manipulation	135, 530–531, 617

Parkinson's disease (PD).....	662, 671
Paroxysmal activity.....	699–700, 707–724
Passive tasks.....	494, 603–604, 822
Penetration panel.....	36, 37
Perceptually relevant coding.....	562–565
Performance confounds.....	603–604
Perfusion-based fMRI.....	116, 127
Peripheral nerve stimulation (PNS).....	48, 118
Permutation testing.....	228, 229, 231, 234
Phased-array coils.....	49, 50, 52
Pharmacological MRI (phMRI).....	671, 672, 752–763
Pharmacological studies.....	313–314
Phase encoding.....	16, 77, 79, 84–86, 114, 117, 118, 154, 438, 469, 519
Phase encoding gradient.....	16, 438
Phoneme perception.....	324–328
Phonological representations.....	329–330
Phonology.....	324–325, 329, 330
Physiological monitoring.....	57–58, 442
Positron emission tomography (PET).....	160, 226, 270, 274, 289, 290, 310, 333, 358, 381, 384, 385, 391, 397–399, 412, 430, 458, 461, 462, 464, 466, 470, 475, 476, 479, 480, 493, 519, 527, 616, 625, 635, 642, 670, 674, 699, 713, 738, 749, 752, 756, 758, 762
Posterior probability maps (PPM).....	241–244, 583, 585–587
Posttraumatic stress disorder (PTSD).....	617, 638–642
Predictive biomarkers.....	669–670
Pre-surgical assessment.....	681, 682, 713, 715
Principal component analysis (PCA).....	63, 205, 250, 705–707
Principal diffusion direction (PDD).....	791, 796
Projection systems.....	40
Proprioceptive stimulation.....	826, 827
Proton magnetic resonance spectroscopy (¹ H-MRS).....	745, 749
Psychiatric disorders.....	615–650, 667, 673, 755
<i>P</i> -values.....	192, 220, 221, 223, 224, 227, 228, 231, 232, 234, 240, 241, 586
Q	
Quantitative relaxometry.....	795
Quenching.....	40
R	
Radiofrequency (RF).....	5–10, 16, 18–20, 22, 34–38, 40, 42, 43, 48–52, 55–57, 65, 69–72, 76–78, 88, 91, 92, 100–102, 104, 105, 111, 112, 117, 120, 125–129, 294, 295, 432, 437, 439, 538, 541, 550, 582, 701, 702, 705, 744
coils.....	49, 50, 56, 100–112, 120, 125–129, 294, 295, 702
pulse.....	6–10, 18–20, 22, 43, 69, 72, 76, 88, 91–93, 117, 126, 432, 538, 541, 701
Random field theory (RFT).....	218, 221, 224–228, 240–242
Random noise.....	163, 209, 813
Real time fMRI (rt-fMRI).....	481, 482
Receiver bandwidth (RBW).....	101, 104–105, 122, 126, 127, 434, 435
Regional borders.....	794, 795
Registration algorithms.....	157, 160, 266
Regression.....	134, 142, 143, 187–189, 191–195, 197–205, 207, 212, 214–216, 219, 241, 245, 251, 252, 255, 419, 772, 787
Regressor(s).....	134–137, 141, 143–145, 187, 188, 198, 210–212, 216–219, 241, 244–246, 429, 470, 473, 474
Rehabilitation.....	598, 769–778
Repetition time (TR).....	62, 71, 93, 94, 96, 97, 99, 101, 103–105, 117, 119, 122, 143–145, 147, 184, 429, 433, 435, 437, 441, 705, 739, 740, 744
Respiratory monitoring.....	60–61
Resting state.....	124, 135, 137, 325, 342, 425, 430, 635, 642, 670, 700, 707, 722, 761
Resting state network (RSN).....	424, 425, 430, 446
Restorative therapy.....	770–772, 777
Retinotopic organization.....	514, 519–525, 529–531
Retrograde transsynaptic degeneration.....	287
Reverse inference.....	289
S	
Sample size.....	140, 270, 276, 478, 633
Scanner synchronization.....	57
Scan plane.....	90, 101
Schizophrenia.....	267, 268, 278, 330, 429, 617, 620–624, 634, 666, 672, 755–757, 760, 801
Semantic decision task.....	334, 339, 340, 683
Semantic memory.....	309–311, 330–332, 339, 340, 342, 380, 387, 389, 395–401, 623, 661
category specificity.....	396, 397
modality specificity.....	396
taxonomic categories.....	395
Semantic processing.....	310, 325, 330–332, 334, 338–340, 342, 397, 693
Semantics.....	325, 330
Sensitivity encoding (SENSE).....	50, 84–87, 118, 127, 816
Sensorimotor paradigms.....	495
force.....	495
hemispheric dominance.....	495
movement complexity.....	495
movement rate.....	494
Sensorimotor system.....	477, 493–506
Sentence processing.....	332

Sequences	
conventional	77
pulse	57, 60, 61, 69–105
single shot	20, 78, 79
Shape sensitive regions	528–530
Shielding	33–36, 48, 55, 63
Signal enhancement by extravascular water	
protons (SEEP)	818–821, 823, 831
Signal loss	23, 42, 52, 83, 87, 90–91, 111, 117, 118, 121, 154, 419, 423, 425–427, 431–439, 445, 478, 540, 692, 724
Signal-to-noise ratio (SNR)	42, 49, 50, 52, 75, 78, 81–83, 85, 87, 91, 92, 97, 100, 101, 103–105, 110, 112, 113, 116–118, 120–125, 128, 295, 301, 302, 304, 316, 431, 432, 434, 435, 438, 439, 469, 477, 478, 519, 542, 545–548, 550, 557, 601, 602, 724
Single-channel coils	49, 50
Slice thickness	20, 90, 105, 122, 128, 433, 469, 741, 744
Smoothing	53, 152, 173–175, 226, 231, 233, 234, 432, 439, 442, 788, 789, 828
Sound presentation system	539–541
Spatial normalisation	159–173
Spatial resolution	3, 4, 6, 13, 15, 16, 18–20, 61, 62, 87, 100–103, 105, 124–127, 142, 270, 276, 286, 287, 294–295, 309–311, 313, 316, 444, 466, 469, 479, 481, 514, 517, 518, 555, 557, 616, 792, 820, 827
Specific absorption rate (SAR)	50, 126
Speech articulation	325, 335, 338, 339
Spin	3, 4, 10, 11, 18, 23, 25, 43, 45, 70, 76, 93, 104, 117, 121, 123, 126, 127
Spinal cord injury (SCI)	469, 591, 769, 775–777, 822
Spinal fMRI	469, 811–818, 820–824, 826, 828–832
Spin echo (SE)	71, 72, 79, 121, 123, 814, 818, 820–822, 826, 828, 831
Spiral imaging	78, 80–83, 90–92, 100
Statistical parametric mapping (SPM)	167, 240–241, 243, 244, 270, 315, 527, 582, 719, 787
Statistical techniques	
multivariate	306, 473
univariate	307
Statistical thresholding	698, 830
Stereotaxy	
frame-based	738
frameless	312, 738
Stimulus presentation hardware	55
Stroke	302, 303, 305, 577, 597–603, 605–611, 643, 769–774, 776, 778, 789, 802
Stroop effect	325
Structural equation modelling (SEM)	251, 252, 254, 255, 504, 798
Structural MRI	121, 399, 584, 626, 662, 674, 698, 703, 755–757, 762, 786–795, 805
Structural variation	799
Summary statistics approach	214, 216, 217
Surrogate markers	314, 673, 753, 762
Susceptibility artefacts	692, 724
Susceptibility factors	659, 667
Syntax	325, 326, 332, 333, 340
T	
T_1	42, 43, 70–72, 74, 92, 93, 103, 104, 111–113, 117, 159, 165, 270, 276, 496, 504, 551, 579, 583, 587, 588, 609, 703, 788, 789, 792, 794, 828
T_2	22–23, 42, 70, 72–74, 76, 80, 94, 95, 100, 103, 111, 112, 114, 120, 122, 123, 155, 504, 583, 591, 745, 788
T_2^*	22–28, 38, 42–44, 74, 76, 80, 94, 103, 112, 114, 118, 120, 122, 123, 426, 428, 435, 436, 599, 600
Tactile stimulation	578, 739, 826, 830, 831
Task complexity	497, 498, 581, 604–605, 775
Task frequency	147, 604
Task monitoring	605
Temporal autocorrelation	189–191, 229
Temporal lobe epilepsy (TLE)	681, 682, 686–690, 695–698, 714, 716–718, 721
Tensor-based morphometry (TBM)	269
Tissue classification algorithms	788
Tissue segmentation	164, 165
Tonotopy	555–557
Tract-based spatial statistics	789
Tractography seeds	797
Transcranial magnetic stimulation (TMS)	63–66, 311–312, 317, 374, 445, 477, 493, 498, 499, 601, 607–609, 771, 772, 775, 778, 799, 804
Transverse relaxation	11, 23, 27, 42
Transverse relaxation time (T_2)	22–23, 425
Traumatic brain injury	666, 769
T-statistics	191–193, 195–197, 210, 211, 219, 220, 226, 227, 230, 231, 233, 601
Tumor location	739, 740
Type I error	299, 300, 698
Type II error	96, 97, 299–301, 698
U	
Upper motor neuron (UMN)	663
V	
Verbal fluency task	683, 684, 689
Verbal memory	682, 683, 691, 692, 695–697, 801
Verbal working memory	135, 137, 329

Visual analog scale (VAS)..... 460, 470	White matter.....23, 74, 113, 114, 124,
Visual system..... 309, 339, 358, 382,	270, 287, 328, 440, 442, 474, 481, 538, 573, 574,
513–531, 575–577, 720, 794	583, 584, 591–593, 609, 690, 745, 757, 774, 778,
Visual tasks	787–792, 794, 799, 800, 803–805, 817
discrimination tasks..... 339, 516	White matter disorders (WMD)..... 574, 591
passive viewing 136, 305, 340, 400, 516	Working memory (WM) 135, 137, 288,
Voxel-based morphometry (VBM).....228, 481,	289, 294, 296, 307, 308, 314, 316, 329, 331, 333,
786–789, 791, 792, 799, 802, 803	335, 337–340, 342, 368, 379–387, 472, 473, 579,
Voxel-wise inference220–223, 227	581, 623, 663, 669, 671, 673, 754, 800
W	Working memory network 307
Wada test..... 336, 739, 743, 748	Written word recognition 328
Warping..... 53, 90, 100, 105,	Z
160, 165, 167, 174, 265, 268, 270, 273, 275	Z-statistics..... 196–197, 212, 213, 220, 223, 227, 232
Wernicke-Lichtheim model of language 323	