

INDEX

A

- Amplification
 gene 121, 256
 global DNA 142
 linker-mediated 143, 146–148, 151, 153–158
 locus-specific PCR 26–28
 non-specific primer 10
 PCR 3–6, 13, 24–28, 30,
 64, 69, 76, 80–81, 85, 121, 125, 127, 132–134, 144,
 146–148, 151, 153–156, 164, 217, 226
 selective 64, 68–70, 72
 sequence 28
 strand-specific 9
- Amplified Fragment Length Polymorphism
 (AFLP) 63–73
- Analysis
 functional 187, 221
 functional enrichment 198–199
 metaanalysis 140, 142, 167, 185–206
 transcriptional 187, 188
- Antibody
 anti-5 MeC 42
 chromophore-conjugated secondary 42
 antibody cross-reactivity 143
- Approach
 approximate matching 83
 functional genomics 223
 k-clustering 194
 linker-mediated PCR (LM-PCR) 143
 locally-weighted regression (LOESS)
 normalization 164, 165, 172, 173, 175
 nested PCR 10
 rotated LOESS 165, 173, 174
 semi-quantitative gel 156
 statistical 187
- Arabidopsis thaliana* 76, 82, 85, 93,
 95, 100, 140, 162, 165, 167, 170, 171, 177, 183,
 185–188, 198, 258, 263

B

- Bioinformatics 141, 230, 234
- Bisulfite sequencing
 bisulfite conversion control 3, 4
 bisulfite primer design 4

- Cytosine Methylation Analysis Tool
 for Everyone (CyMATE) 2, 13–21

C

- cDNA libraries 223–225, 229–231, 234
- Chromatin
 ChIPR data analysis 162–169, 178, 182, 183
 chromatin immunoprecipitation
 (ChIP) 42, 139–184, 209–220
 chromatin immunoprecipitation with DNA
 microarray (ChIP-chip) 139–206
- Cleavage 8, 34–36, 50,
 60, 109, 111, 241
- Clustering
 hierarchical 192–195, 197
 k-means 192–197, 202
- Combined bisulfite restriction analysis
 (COBRA) 23–31, 50
- Conversion
 bisulfite 2–6, 8, 18, 24, 25, 27–31, 42
 full conversion of DNA 5
 reproducible 4, 8
- Cross-annotation 167
- Cytosine-extension assay
 [³H]dCTP 34, 35, 37, 38, 240, 241
 single nucleotide extension reaction 35–37
- Cytosines
 methylated 9, 14
 non-methylated/unmethylated 1, 2, 9, 17

D

- Damage
 DNA 238, 239
 oxidative 237
- Denaturation 4, 8, 18, 25,
 26, 28, 29, 51, 53, 54, 59, 81, 111, 120, 137,
 159, 238, 239
- DNA
 converted 1, 4, 6, 9, 10
 denaturation 8, 26, 29, 137, 238–239
 depurination 8, 26, 27, 30, 59
 fragmentation 2, 8, 238, 241
 loss 2, 159
 stability 2

DNA (*Continued*)

genomic 1–4, 6, 8, 9, 13,
14, 21, 24, 27, 29, 34–37, 50, 51, 54, 57, 58, 64, 68,
69, 87, 143, 240, 241
single-stranded 8, 25, 239
unconverted 4, 9

DNA methylation
5-methylcytosine (5mC) 1, 13, 26, 63
symmetric/asymmetric 13

Dye bias 163, 165, 173

E

Effect(s)

epigenetic 253
phenotypic 256
pleiotropic 255
transgenerational 238

Endogene 248

Enzyme(s)

chromatin modifying 209, 210
Klenow fragment 238
methylation sensitive 38
restriction 3, 21, 24–26,
28–30, 34–38, 50, 52–54, 64, 67–69, 73, 224

Expression Data

AtGenExpress 188, 190, 194, 199,
202, 205
Gene Ontology (GO) 186, 187, 198–204

F

Frequency

of chromosomal rearrangements 33
of homologous recombination 238, 244
global sequence-independent recombination... 246–247
locus-specific endogenous recombination 247–248
mutation 50, 51, 57
recombination 244–248
sequence-specific/sequence-unspecific
recombination 244, 245, 247–248
spontaneous recombination 244
strand break 238
stress-induced recombination 50

Functional genomics 223

G

Gel electrophoresis

agarose 6, 26, 29, 35, 53,
54, 67, 90, 99, 111, 117, 134, 151, 212, 240
polyacrylamide 64, 70, 88–92,
97, 104, 120, 125–126

Gene(s)

cluster 190, 193, 195–197, 202, 206
coexpressed 186, 192
coregulated 186

endogenous 119, 247, 255
of interest 188, 190–191,
199, 205, 210, 217, 220, 221, 232, 256, 258
H3K27me3-postivie 188, 190, 191,
193, 202–203
host 255
joint 192
orthologous 204
protein-coding 87
pseudogenes 167, 178–180
putative paralogous 204
reporter 243–251, 262
resistance (R) 57, 58, 60, 244, 246–248, 260
single 185, 187–192, 202
stress-regulated 109
target 119, 185–187, 190,
191, 194, 202, 205, 210, 218
virulence (vir) 254, 258, 266

Gene disruption 255

Gene expression
epigenetic 139
GUS (uidA) 248–250, 262, 267
luciferase 247, 249–250

Gene inactivation 256

Gene Ontology (GO) 186, 187, 198–204

Genome instability
DNA strand breaks 237–242
double-strand breaks 239, 243
single-strand breaks 238

Genome stability 238, 243–251

Genomic sequence 14, 64

Genotoxicity 238

H

Histone modification 41, 139, 140,
142, 143, 162, 166, 185, 209–220, 256

Homologous recombination

intermolecular 245–247
intramolecular 246
sequence-independent 246–247
sequence-specific 244, 247–248

Hybridization

blot 50, 87–89, 99, 100, 102
microarray 139–184
probe 24, 25, 30,
31, 51, 52, 60, 92
RNA 87, 88, 92
whole genome tiling array 144, 185

Hypersensitive response (HR) 75, 76, 246

I

Immunohistochemistry 41
Immunoprecipitation 42, 139–184, 209–220
In situ analysis 41–47

Interactions
 chromatin–protein 209
 histone/DNA 142
 protein–DNA 139–184, 210
 protein–protein 139

K

Klenow fragment polymerase 238–241

L

Ligation 6, 10, 64, 67–69,
 73, 77–80, 85, 124, 127, 129–132, 134, 136, 143,
 223, 224, 228–229, 234

Locus

DNA 24, 49–61
 endogenous 248
 FLC 219
 gene 52, 248
 polymorphic 50
 transgene 248

M

Methylation

asymmetric DNA 13
 cytosine 1, 14, 24,
 25, 28, 29, 33, 34, 36, 41, 50, 61, 63–73, 255
 DNA 1–11, 14, 23, 24, 27,
 33, 34, 36, 38, 41–47, 66, 75, 256
 global genome 33–38,
 locus-specific 23–31
 non-symmetrical CpHpH 28
 pattern-specific 14, 50, 52, 71
 symmetric DNA 13, 18

Microarray

data normalization 140
 Gene Ontology functional enrichment
 analysis 198–199
 hierarchical clustering 192–195, 197
 k-means clustering 192, 194–197, 202
 metaanalysis 142, 185, 186, 188
 quality evaluation 162
 target annotation 163, 167
 tiling array 80–85

Mismatch 17, 18, 83, 92, 238

Mutation(s)

paramutations 23
 point 50, 52, 256
 qualitative phenotypic 256
 quantitative phenotypic 256

N

Nicotiana benthamiana 100, 222, 225, 231,
 232, 234

Northern blot 87–105, 136

Nucleotide(s)

CpG dinucleotides 27, 30, 33, 50
 [³H]dCTP 25, 34, 37, 38
 degenerated 9
 deoxyribonucleotides 126
 methylated (A^mCGC) cytosine 25
 oligonucleotides 64, 76,
 77, 79, 84, 88, 92–95, 102, 112, 126–127, 143, 144,
 161, 173, 237–242
 radioactively labeled 238, 239
 ribonucleotides 126
 unincorporated 38, 81, 242
 unmethylated (ACGC)
 cytosine 25

P

Pathogen 76, 244, 247

Pathway(s)

DNA repair 237
 genetic 139
 homologous/non-homologous
 DNA repair 237
 RNA silencing 123

Plant epigenome 34

Plant transformation

Agrobacterium tumefaciens 223, 224,
 226, 229–235, 253, 254, 256–258, 261
 floral dip 263–265
 insertion effect 255
 knock-out (KO) lines 256
 overexpression (OE) lines 256
 position effect 255
 somaclonal variation 255, 256

T-DNA tagging 256

Plant viruses

Cabbage Leaf Curl Virus
 (CaLCuV) 93, 102
 tobacco rattle virus (TRV) 222–224,
 226, 228, 231, 234

Plasmids

Agrobacterium 258
 autonomously-replicating 258
 cDNA and digested 229
 recombinant 6
 Ti 254
 TRV-cDNA 226

Polycomb proteins 202, 210

Polymerase chain reaction (PCR) 1–11, 13,

14, 18, 21, 24–31, 35, 37, 42, 53, 55, 56, 60, 64,
 67, 69–73, 76, 77, 80, 81, 83, 85, 109–121, 124,
 125, 127, 132–135, 142–148, 151–153, 155–158,
 164, 210–212, 214, 217–219, 223–230, 233,
 248, 267

Preamplification 69, 72

Primer binding sites 4, 68

- Primer(s)
 labeled.....64, 71, 77
 miRNA-specific forward 110, 111
 nonlabeled 72
 stem-loop RT110–113, 115
 universal reverse.....110–113, 118
- Promoter
 35S.....244, 246, 248, 256
 transgene 255
- Q**
- Quantitative reverse transcription (qRT)-PCR
 stem-loop reverse..... 110
 SYBR Green I assay 116
 Universal probe library (UPL)
 probe assay 116
- R**
- Random oligonucleotide primed synthesis
 (ROPS)..... 237–242
- Regulation
 epigenetic..... 41
 transcriptional..... 41
- Reporter gene-based reporter constructs
 Firefly luciferase (LUC) 244
 β -glucuronidase (*uidA*/GUS)..... 244
- Residue(s)
 cytosine.....4, 7, 8, 19, 20,
 24–26, 28, 29, 31, 38, 41, 61, 63
 deoxyribose 241
 methylated/unmethylated cytosine 24, 25
- Restriction digestion.....24, 28, 30,
 31, 34, 38, 50, 51, 59, 134, 228
- Restriction endonuclease (enzymes)
 isoschizomers..... 36
 methylation-sensitive restriction
 enzymes 34
- Restriction fragment length polymorphism
 (RFLP)42, 49–61, 247
- Reverse transcription-polymerase chain reaction
 (RT-PCR) 110, 116
- RNA hybridization..... 87
- RNA silencing
 small RNAs88, 123, 124
 cloning..... 124
- R statistical programming language 141
- S**
- Sequence heterogeneity 7
- Sequence(s)
 border 254
 coding..... 255
 complementary 109
- DNA..... 24, 25, 27, 33, 49, 50,
 52, 60, 73, 135, 247, 254
 fully methylated (^mC^mCGG) 71
 gene 52, 119, 230, 256
 Haemagglutinin (HA) tag..... 248
 non-methylated CCGG 71
 overlapping homologous..... 246
 restriction site 68
 RNA/miRNA.....113, 116, 123–137
 symmetrical CG and CNG 63
- Sequencing1–11, 13–22, 67, 83, 84, 86, 90,
 105, 127, 135, 139, 225, 226, 229, 230, 233, 248
- Sister chromatids.....244–246, 248
- Small interfering RNA (siRNA)
trans-acting small interfering RNA
 (tasiRNA) 123, 136
 heterochromatic siRNA (hc-siRNA).....88, 105, 123
 microRNA (miRNA)75, 88, 105,
 109, 110, 123
 natural cis-antisense transcripts-associated
 siRNA (nat-siRNA) 123
 virus-derived siRNAs (viRNAs)..... 123
- Specific amplicon 6, 117
- Stress
 abiotic75, 188, 210, 244
 biotic..... 244
- T**
- Tail(s)
 homopolymeric..... 226
 N-terminal..... 209, 210
 poly(A/T) 223, 226
 positive..... 172
- Target annotation 163
- Tiling array..... 75–86, 144, 160, 166, 173
- Tissue(s)
 animal 42, 88
 generative..... 253
 plant..... 44, 110, 114, 120,
 124, 125, 128, 129, 210, 214, 244, 249, 251, 261,
 262, 266, 267
 reproductive 214
- Transcription
 gene 23
 reverse 77–80, 110, 111,
 113, 125, 127, 132–134
- Transcriptional regulation..... 41
- Transcription factor 109, 162, 222, 223
- Transformation
Agrobacterium-mediated.....255, 259–265
 biolistic 253
 explant 266
 floral dip 263–265
 plant..... 221

Transgene244, 247,
 248, 255, 261, 267
 Transgene silencing 253
 Transgenesis 253–268
 Transposons, retrotransposons 256

Trithorax proteins 210, 214

V

Virus-induced gene silencing (VIGS) 221–235