

INDEX

A

- Adaptor
 454 adaptor A..... 117
 swinging bucket rotor 131
 tagging, *in vitro* transposition (*see* NGS library preparation, *in vitro* transposition)
- Alignment
 bisulfite-converted reads
 premethylated adapters 234
 unmethylated adapters 237
- BLAST (*see* Basic local alignment search tool)
- DGE
 reads 47
 score 45
- Amplicon
 cpn60 (*see* Chaperonin-60)
 G-C content 165
 gel electrophoresis, multiplex 275
 pyrosequencing, tag-encoded (*see* Tag-encoded FLX-amplicon pyrosequencing)
- Amplification
 cpn60 primers 147, 157
 library preparation (*see* Amplification-free library preparation)
 multiple-displacement amplification (MDA) 204
 multiple target 270, 274
 PCR
 bisulfite treated DNA 229, 235
 library, premethylated adapter 228, 233
 thermal cycler conditions 165
 UV light 164
 single tube emulsions 153
 target-enrichment, NGS (*see* Target-enrichment)
- Amplification bias
 DNA sections 258
 removal 200
 WGA 30–31
- Amplification-free library preparation
 annealing sites 260
 custom adapters 258
 equipments 261
 ligated fragments 257–258

- materials 260
methods
 end-repair and A-tailing 262–263
 fragmentation 261–262
 ligation 263–264
 qPCR quantification 264–265
 size selection 264
 timing 265
- NGS 257
- no-PCR method 258, 259
- PCR 258
- quantification, materials 260–261
- TaqMan-based quantitative PCR assay 259

B

- Bacteria
 banding patterns 160
 contamination 140
 E.coli 64
 sRNA discovery, HITS (*see* Bacterial sRNA discovery, high-throughput sequencing)
 sRNA identification 64
- Bacterial genome
 average size 281
 helicos single-molecule sequencing
 (*see* Helicos single molecule sequencing, bacterial genome)
 resequencing 3, 4
- Bacterial species
 detergent sensitive 32
 diversity 160
 endosymbiotic 26
- Bacterial sRNA discovery, high-throughput sequencing
 diverse processes 63
 experimental and computational approaches 64
 materials
 general 64–65
 3' linkers, addition 65–66
 PCR 67
 reverse transcription 66–67
 total RNA preparation 65
 tRNA and rRNA, depletion 74

- Bacterial sRNA discovery, high-throughput sequencing
(Continued)
- methods
- cloning 68
 - gels, direct cloning 69
 - 3' linker 1 addition 72
 - 3' linker 2 addition 73
 - linkered-RNA depletion, tRNAs
 - and 5S rRNA 72
 - protocols 69–70
 - representative gels 67
 - reverse transcription, sRNA-enriched
 - pool 73
 - sample preparation, sequencing 74–75
 - sRNA-Seq method 67, 68
 - total RNA preparation 70–71
 - transcript enrichment 71
 - regulatory RNAs 63
- Barcode
- incorporation, universal primer 268, 271
 - secondary PCR, primer sequences 132
 - 16S rRNA regions 110
 - V6 primers designing 117
- Barcoding. *See* 96-plex molecular barcoding, illumina genome analyzer
- Basic local alignment search tool (BLAST).
See also Metagenomic analysis, intestinal microbiomes
- amino-acid sequences 189
 - tBLASTx and BLASTn 190
- Bioinformatics
- BLAST and HMM 179–180
 - gene expression profiling
 - active microbial population, taxonomy and function 201–202
 - mRNA 202
 - 454-pyrosequencing 179, 201
 - score parameters 180
 - sequence data 180
 - tool
 - analysis 187
 - MEGAN program 190
 - RCCBatchBlast software 187
- C**
- cDNA. *See* Complementary DNA
- Chaperonin-60 (*cpn60*)
- AMPure reactions 156
 - clone library 144
 - cultured organisms, identification 143–144
 - materials
 - amplicon generation 146–148
 - data analysis 148
 - pyrosequencing reaction
 - setup 148
- methods
- amplicon generation 149–152
 - in-silico* separation, pyrosequencing data 154
 - pyrosequencing reaction setup 152–154
 - microbial communities 143
 - MIDs 155
 - PCR workstations 155–156
 - profile generation, microbial 146
 - pyrosequencing 144–145
 - type I 144
- Chaperonin-60 universal target (*cpn60* UT)
- operational taxonomic units (OTUs) 145
 - pyrosequencing 146
 - sequence 144
- Cloning
- direct, sRNAs, *V. cholerae* 69, 76
 - functional gene 114
 - microRNA 82–83, 86–87
 - 80–200 nt sRNAs 68
 - phosphorylated vector 238
 - pyrosequencing 144
 - QIAprep 96 Turbo Miniprep Kit, sequencing 78
 - reduced efficiency 144
 - sRNA-Seq 64
 - V. cholerae* sRNAs 76
- Community DNA
- amplicon generation, pyrosequencing 150
 - sequencing 195
- Community mRNA 195
- Complementary DNA (cDNA)
- clone libraries 195
 - DNA sequencing technologies 51
 - ligation/PCR amplification 53
 - ligation reactions 73
 - limitation 52
 - linkered 73, 74
 - measurement, fluorescence 201
 - poly-A tailing 41–42
 - preparation 39
 - pyrosequencing 200
 - RNAs transcription 186
 - synthesis 40
 - transcriptome characterization 38
- Contigs assembly
- rapid BLAST analysis 188
 - single SeqMan file 188
- Coverage
- bacterial genomes 4
 - high-sequence 38
 - sequencing 4, 5
 - uneven and even 258
- Culture-independent
- genomic-based methods 108
 - tools, microbial community richness 144
- Cytosine methylation 224

D

- Deep sequencing, HITS. *See* High-throughput insertion tracking by deep sequencing
- Denaturing density gradient electrophoresis (DGGE)
 anaerobic bacteria populations, wound 159
 community diversity 160
 G-C clamp 160
 principle 161
- De novo* assembly 258
- Depletion
 oligonucleotides 66
 ribosomal RNA (*see* Ribosomal RNA depletion)
 tRNA and rRNA 66, 74
- Diagnostics 30, 160
- Digital gene expression (DGE)
 data summary reports 45
 kit 39, 48
 reads 48
 yeast 45
- Direct cloning 64, 68, 69
- Direct RNA sequencing (DRS). *See also* Transcriptome profiling
 gene expression analyses and polyadenylation site mapping 55–56
 single molecule 57
 small RNA and transcriptome profiling 56–57
- Diversity
 bacterial 129, 160
 community, DGGE 160
 culture-independent tools 144
 operational taxonomic units (OTU) 146
- DNA methylation. *See* DNA methylation profiling
- DNA methylation profiling
 base calling 225
 cytosines 223
 maintenance methyltransferases 223–224
 methylated and unmethylated cytosines 224
 patterning, transcriptional state 224
 premethylated adapter, library generation
 adenylation 226–227, 231
 bisulfite treatment 227, 232–233
 converted reads, alignment 234
 DNA sample preparation 226, 230
 end repair 226, 230–231
 ligation 227, 231–232
 PCR amplification 228, 233
 qualitative and quantitative controls 228, 233–234
 protocols 224–225
 thymines 226
 unmethylated adapters, library generation
 adenylation 229, 236
 DpnI digestion 229, 235–236
 illumina adapters and ligation 229, 236–237
 ligation 228, 234–235
 PCR amplification 229, 235

DNA sample preparation

- helicos single-molecule sequencing
 materials 226
 methods 230
- library generation, adapters
 pre-methylated 226, 230
 unmethylated 234–235
- PCR step omission 258
- single-molecule sequencing 4
- DRS. *See* Direct RNA sequencing

E**Ecosystem**

- Bacteria–Archaea* interactions 108
 complexity and diversity 159
 metagenomic pyrosequencing 174
- Emulsion-based clonal amplification (emPCR)
 addition and annealing, DNA fragments 133
 amplification 134
 bead recovery 134–135
 Coulter Counter, bead counting 137
- DNA
 capture beads, washing 133
 library bead enrichment 135–136
 emulsification 133–134
 fragment removal and pooled PCR products
 quantification 132–133
 live amplification mix, preparation 133
 sequencing, primer annealing 137

Enrichment

- bPCR-compatible adaptors 251–252
 DNA library bead 135–136
 emPCR-compatible adaptors 248–249
 mRNA
 RNA preparation 204
 techniques 200
 sRNA 75, 76
 standard ligation, no-PCR method 258
 target (*see* Target-enrichment)
 transcripts, 80–200 nt long 71

Escherichia coli

- DNA polymerase 230
 K12 MG1655, mutation table 17
 sRNAs 64
- Evolution 3
- Expression analysis
 microarray-based gene 93
 yeast 38

F**Fragmentation**

- amplification-free library preparation,
 methods 261–262
- divalent cation-catalyzed hydrolysis 59
- tabulation 5

G

G-C contents

- PCR products, 16S rRNA sequence 160
- urea, gel solution 165

Gene expression

- analyses and polyadenylation site mapping 55–56
- digital (*see* Digital gene expression (DGE))
- profiling (*see* Gene expression profiling)
- smsDGE 38, 46

Gene expression profiling

- bacterial communities 195
- bioinformatics
 - active microbial population, taxonomy and function 201–202
 - metatranscriptomic fingerprint 203
 - mRNA 201–202
 - mRNA-derived cDNA, bioinformatic pipeline 202–203
 - 454-pyrosequencing 201
 - RNase enzymes 204
 - sampling 204
 - sequences removal 202

- high-throughput sequencing technologies 195–196
- mRNA enrichment 197, 200

pyrosequencing

- materials 197–198
- methods 201

RNA extraction

- seawater 196–197, 199–200
- soil 196, 198–199

Genetic change 3

Genetic mapping 3

H

Helicos® Genetic Analysis System

- materials
 - cDNA poly-A tailing and 3' dideoxy blocking 39
 - cDNA preparation 39
- methods
 - cDNA poly-A tailing 41–42
 - cDNA synthesis 40
 - description 39–40
 - 3' dideoxy blocking 43
 - DNase treatment, RNA 40
 - final clean-up 43–44
 - HeliScope sequencer data analysis 45–48
 - poly-A tail length assessment 42–43
 - RNA and primer digestion 40
 - sample clean-up 40–41
 - sample concentration and sequencing assessment 44–45
- smsDGE 38
- transcriptome characterization 38

Helicos single molecule sequencing, bacterial genome

- flat coverage and sequencing accuracy 4

HeliScope™ Genetic Analysis System 3–4

- materials
 - 3' blocking reaction 7
 - DNA, isolation and ultrasonic shearing 4
 - 3' ends calculation 6
 - polyA tailing reaction 6
 - short tail correction 7
 - SPRI size selection 4–5
 - success determination, tailing reaction 6

methods

- bacterial DNA 7
- 3' blocking reaction 13
- data analysis 14
- DNA, isolation and ultrasonic shearing 7–9
- 3' ends calculation 10–11
- mutation analysis report 16–21
- pipeline resequencing 14–15
- polyA tailing reaction 11–12
- quantification and sequencing 13–14
- short tail correction 12–13
- SNVs 7
- SPRI size selection 9–10
- success, tailing reaction 12
- summary report resequencing 16
- variant detection 4

HeliScope sequencer data analysis

- data-summary reports 45–47
- transcript count files 47–48
- UNIX system 45

High-throughput insertion tracking by deep

sequencing (HITS)

- "A" base to the 3' ends addition 215
- adapter ligation 215
- affinity capture, biotinylated DNA 216–217
- DNA ends repair 214–215
- genome transposon mutant bank 210
- genomic DNA
 - fragment 214
 - isolation 214
 - preparation 212
- H. influenzae* infection 211–212
- Illumina sequencing data analysis 217–218
- mariner transposons 212
- materials 210–211
- microarrays 210
- mutant libraries exposure 214
- mutant libraries validation
 - genetic footprinting 218, 219
 - xylose metabolism 220

- 'negative selection' 209

- procedure 212–214

- transposon-chromosomal junctions
 - enrichment 216

- High-throughput pyrosequencing and QPCR
- amplicon library preparation 117–118
 - applications
 - MEC anodes, H₂ scavengers 113–115
 - microbiota and relationship, obesity 112–113
 - sludge pre-treatment 113
 - automated preparation
 - QPCRs 116, 125–126
 - serial dilutions 123–125
 - automation 120
 - Bacteria–Archaea* interactions 108
 - clone libraries 108
 - data analysis
 - alignments 119
 - classification 118–119
 - comparison 119
 - “mothur” 118
 - equipments 115
 - liquid handler, uses 124–125
 - MEC anodes, H₂ scavengers
 - anode-respiring bacteria (ARB) 113
 - bromoethanesulfonate (BES) 113
 - CH₄ formation 113–114
 - homo-acetogens 114
 - microbial ecology 107
 - microbiota and relationship, obesity
 - human intestines 112
 - methanogens 112
 - Prevotella* 112
 - V6 primers 112
 - phylogenotypes 108
 - pre- and post-pyrosequencing 115
 - primer bar coding 108
 - principles
 - 454 pyrosequencing 109–110
 - QPCR 110–112, 120–123
 - sample collection and DNA extraction 115–117
 - Sanger sequencing-based method 108
 - sludge pre-treatment 113
 - 16S rRNA-gene tags 117
- High-throughput sequencing
- genome-wide measurements, cytosine methylation 224
 - metatranscriptomics 195–196
 - transposon–chromosome junctions 220
 - Human intestine 108, 112–113
- Hybridization
- no-PCR adapters 259
 - RNA-sequencing methods 97
 - “transposon-site hybridization” 210
- I
- Illumina
- adapters, ligation
 - premethylated 227, 231–232
 - unmethylated 229, 236–237
 - flow cell cluster generation 213
 - illumina/solexa-compatible library production
 - GAI^T-compatible adaptors and primers 245
 - materials 244–245
 - tagmentation reaction 250–251
 - paired-end sequencing, library preparation (*see* Amplification-free library preparation)
 - sequencing data analysis 217–218
 - Illumina Genome Analyzer
 - IITM sequencing system 211, 214
 - 96-plex molecular barcoding (*see* 96-plex molecular barcoding, illumina genome analyzer)
 - simultaneous sequencing, amplified template strands 257
 - Immobilization
 - amplified DNA 133
 - amplified template strands 257
 - size selection 4–5, 9–10
 - Indexing
 - enrichment PCR, 96-plex molecular barcoding 293–294, 296
 - HPLC-purified adapters 281
 - optimizations 280
 - primers 281, 293
 - Intergenic regions (IGRs) 64
 - Isolates
 - bacterial strains 3
 - cphn60 UT* 144

L

Library construction

 - Sanger method 32
 - shotgun clone 174
 - transposon mutant 210

Library generation, DNA methylation profiles

 - premethylated adapters 225–228
 - unmethylated adapters 225, 228–229

Library preparation. *See also* NGS library preparation,

 - in vitro* transposition
 - amplification-free (*see* Amplification-free library preparation)
 - 96-plex molecular barcoding 281
 - Roche/454-compatible
 - emPCR-compatible adaptors 248–249
 - tagmentation reaction 246–248

Ligation

 - amplification-free library preparation, methods 263–264
 - bisulfite adapters 228, 234–235
 - emPCR/sequencing primer sequences 155
 - MID tags 155
 - 96-plex molecular barcoding 288–289, 291–292
 - pre-methylated illumina adapters 227, 231–232
 - unmethylated illumina adapters 229, 236–237

M

- Massively parallel sequencing
 pyrosequencing (*see* Pyrosequencing)
 transposon detection 210
- Massively parallel sequencing by synthesis (MPSS)
 microRNA field 64
 Solexa (Illumina)/SOLiD (ABI) 68
 sRNA-Seq method 64, 67, 68
- Metagenome Analyzer (MEGAN)
 BLAST
 analysis 190–192
 format 191
 multiple metagenomes 191
 software 187
 uninfected control chicken 191
 v3.8 190–191
- Metagenomic analysis, intestinal microbiomes
 amplifications methods 187
 bioinformatics analysis tools 187
 BLAST
 amino acid sequences 189
 comparison, metagenomes 187
 Linux command 189
 nucleotide query sequence 189
 tBLASTx and BLASTn 190
- Contig assembly
 minimum match percentage 188
 sequence reads 188
- MEGAN
 BLAST format 191
 multiple metagenomes 191
 uninfected control chicken 191
 v3.8 190–191
- noncultivable microorganisms 185
- RSS-infected and uninfected control chicken
 comparative analysis 187
 nucleic acid 186
 sequence reads 192
- Metagenomics
 aquatic and soil derived environmental
 samples 174–175
- bioinformatics
 BLAST and HMM 179–180
 454-pyrosequencing 179
 score parameters 180
 sequence data 180
- community profile 181
- culture 173
- DNA-based 195
- DNA extraction
 filter-isolated water samples 175
 sea water 177–178
 soil 175–177
- Global Ocean Survey (GOS) 174
- high-throughput sequence analysis 173–174
- hypothesis test 181
- microbial cells sampling 175
- PERMANOVA tests 182
- pyrosequencing
 genetic “fingerprints”, generation 174
 materials 176
 methods 178–179
- Sterivex cartridges 180–181
- treatment conditions 182
- univariate tests, diversity indices 182
- Metatranscriptome
 analysis, MG-RAST pipeline 202–203
 annotation 203
- Metatranscriptomics. *See* Gene expression profiling
- Microarray
 gene expression analysis 93
 metatranscriptomic studies 195
 whole-genome 210
- Microbial community
 anaerobic digester 113
 composition determination
 cpn60 UT amplicons 144
 species diversity 144
 culturability 159
- DGGE and NGS 160
- G-C clamp 160
- gradient gel 160
- microbiota 112
- prescreening, sequencing assessment
 band purification 163, 168
 casting plates 165–166
 denaturing 162–163
 DNA extraction 160–161, 164
 electrophoresis, PCR products 167
 gel solution, preparation 165
 PCR amplification,
 target gene 161–162, 164–165
 pouring, gel 166–167
- pyrosequencing tags 113
- vaginal, pooling data 146
- Microbial ecology
 chaperonin-60 database (*cpnDB*) 144
 description 107–108
 full-scale anaerobic digester 113
 pyrosequencing 109
- Microbiomes, intestinal. *See* Metagenomic analysis, intestinal microbiomes
- Microorganism
 enteric disease 186
 metabolic and catabolic activities 173
 unculturable 25
- MicroRNA
 gene regulation, signaling pathways 81
 sequence reads, sense oriented (5'-3') 91
- MPSS. *See* Massively parallel sequencing by synthesis
- Multiple displacement amplification (MDA) 204

Multiplexing	
IDs (<i>see</i> Multiplexing identifiers)	
Illumina	280
MID-tagged samples	157
96-plex molecular barcoding (<i>see</i> 96-plex molecular barcoding, illumina genome analyzer)	
Multiplexing identifiers (MID)	
bar codes	118
<i>in silico</i> separation, pyrosequencing data	154
ligation process	155
parallel sequencing	145
N	
National Center for Biotechnology Information (NCBI) database	186, 188, 189
Nextera™ technology	
enzyme mix	243
generated libraries	254
Read 1 and Read 2 primers	254
sequencing	252
Next-generation sequencing (NGS)	
<i>ACTN3</i> gene	280–281
barcode method	281
DGGE	162
illumina genome analyzer (<i>see</i> Illumina genome analyzer)	
library preparation (<i>see</i> NGS library preparation, <i>in vitro</i> transposition)	
454/Roche sequencing	279–280
single sequencing lane yield	280
16S rRNA gene	160
target-enrichment, amplification (<i>see</i> Target-enrichment)	
NGS. <i>See</i> Next-generation sequencing	
NGS library preparation, <i>in vitro</i> transposition	
fragmenting and tagging, DNA	242, 245
“hypothesis-free” studies	241
Illumina/Solexa-compatible library production	
bPCR-compatible adaptors	
and enrichment	251–253
GAII-compatible adaptors and primers	245
materials	244–245
tagmentation reaction	250–251
Roche/454-compatible library production	
emPCR-compatible adaptors	
and enrichment	248–249
FLX titanium-compatible adaptors	
and primers	244
limited-cycle PCR	247
standard FLX-compatible adaptors	
and primers	243–244
tagmentation reaction	246–248
transposomes, free ends	246
Non-culturable organisms	129
Nucleotide	
bases	110
dideoxy	43
MID (<i>see</i> Multiplexing identifiers)	
QIAquick® Nucleotide	91
sequencing	254
P	
PCR. <i>See</i> Polymerase chain reaction	
Phenotype	3, 268
Phi29 DNA polymerase	26
Phylotypes	
bacterial community	112–113
cellulose fermentation	113
human gut	108
Platform	
adaptors, ligation	242
FLX-Titanium	243
Illumina	254
96-Plex molecular barcoding, illumina genome analyzer	
end-repair, A-tailing and ligation	291–292
error-correcting tags and PCR primers	282–286
experimental design	
ligation	288–289
locus-/genome-specific qPCR primers	289
materials	
equipment	287–288
library preparation	281
normalization	287
quantification	287
size selection step	287
normalization and pooling	294
PCR	293–294
qPCR, library quantification	295–296
sample fragmentation	289–290
size-selection step	294–295
SPRI-bead clean-up	292–293
timing	296–297
Polyadenylation site mapping	
and gene expression analyses, DRS	55–56
natural poly-A tails	53
Polymerase chain reaction (PCR).	
<i>See also</i> Amplification	
adaptors and primers	245
bacterial sRNAs, material	67
cross-contamination reduction	140
emPCR (<i>see</i> Emulsion-based clonal amplification)	
first and second reaction (I and II)	74
genetic footprinting	212, 219
indexing enrichment, 96-plex molecular barcoding	293–294
limited-cycle	
four-primer reaction	249

Polymerase chain reaction (PCR) (<i>Continued</i>)	
Illumina/Solexa bPCR-compatible adaptors	
addition.....	250
Roche/454 GS FLX-compatible adaptors	
addition.....	247
multiple bands	140
primers and error-correcting barcode tags	282–286
secondary	
FLX amplicon sequencing.....	132
primer sequences.....	132
tailed primers.....	258
wild-type <i>vs.</i> mutant sequences	258
Pyrosequencing	
amplicon (<i>see</i> Tag-encoded FLX-amplicon pyrosequencing)	
anaerobic bacteria populations, wound	159–160
bacterial tag-encoded FLX amplicon pyrosequencing	
(bTEFAP)	130
bTEFAP FLX	131
metagenomics	
genetic “fingerprints”, generation	174
materials	176
methods	178–179
454 Pyrosequencing	
bar codes, nucleotides	118
errors, holopolymers	117, 180
FLX, sample preparation	274–276
output, GS-flx platform.....	179, 201
principles	
“flowgram”	110
GS-FLX model	109
reads/tags	110
work flow	109
replicated sequences.....	180
sample preparation.....	274–276
SFF.....	154
Q	
Quantitative real-time PCR (QPCR)	
96-plex molecular barcoding.....	295–296
quantification, amplification-free library	
preparation.....	264–265
R	
Reference genome	
mapping.....	234
reads generation.....	14
trimmed sequencing reads	217
Resequencing	
pipeline	
analysis parameters	15
raw sequence input file	14
SNVs	14
summary report	16
Reverse transcriptase (RT)	
second-strand cDNA.....	52
SuperScript™ III.....	67, 83, 197
Reverse transcription	
false positive results, 43-bp amplicon.....	90
and PCR.....	87–89
sRNA-enriched pool	73
template switching.....	52
RiboMinus™ method	
bacterial probes	96
RNA	
analysis.....	100
ethanol precipitation	98–99
materials, concentration	95
modified, module protocol.....	99–100
preparation.....	94–95
Ribosomal RNA (rRNA)	
depletion	66
linkered 5S.....	72, 77
Ribosomal RNA depletion	
beads preparation	97
hybridization step	97
locked nucleic acid (LNA™)	96
microarray-based gene expression analysis.....	93–94
poly(A), tracts	94
RiboMinus™ (<i>see</i> RiboMinus™ method)	
RNA isolation methods	94
RNA-Seq libraries, construction	100
rRNA removal methods.....	97–98
seq libraries, construction	100
total RNA preparation	96
transcriptome	93
RNA seq. <i>See</i> RNA sequencing	
RNA sequencing (RNA seq)	
kit	53
quantitation, Helicos genetic analysis system	
materials	39
methods	39–45
transcriptome characterization	38
single molecule direct	57
whole transcriptome analyses application	55
rRNA. <i>See</i> Ribosomal RNA	
S	
Sanger sequencing	
shotgun clone library construction	174
small RNAs identification	82
16S rRNA-gene clone libraries	108
Sequencing. <i>See also</i> Next-generation sequencing	
cloning kit	67
DNA methylation profiles, determination	
(<i>see</i> DNA methylation profiling)	
FLX primer	83, 89–90

genome, 454 GS FLX	
bias.....	31
DNA quantities	26
pyrosequencing.....	30–31
redundancy	30
GS FLX	
beads preparation.....	138
deposition, beads to PTP.....	138–139
pico titer plate device preparation.....	137–138
pre-wash run.....	137
sequencing run.....	139–140
Illumina GAII-compatible	250
Illumina/Solexa-compatible	249
methods	
illumina.....	91
Sanger.....	82, 91
paired-end	252
paired-end illumina, amplification-free library preparation (<i>see</i> Amplification-free library preparation)	
primer annealing.....	137
Roche/454-compatible	246, 247
and sample concentration assessment	44–45
Sanger.....	130
single molecule (<i>see</i> Single molecule sequencing)	
smsDGE (<i>see</i> Single molecule sequencing digital gene expression)	
SOLiD paired-end	68
ultra-high-throughput	38
Sequencing-by-synthesis	
beads, pyrosequencing enzymes	110
DNA.....	7
MPSS (<i>see</i> Massively parallel sequencing by synthesis)	
RNA polyadenylation	55
Shearing	
initial DNA quantity	290
large DNAs	242
Shotgun clone library	174
Single molecule sequencing	
digital gene expression (smsDGE)	
(<i>see</i> Single molecule sequencing digital gene expression (smsDGE))	
DRS technology, development	53
Helicos, bacterial genome (<i>see</i> Helicos single molecule sequencing, bacterial genome)	
raw base error rate.....	58
transcriptome profiling	
cDNA limitation	52
DNA/cDNA	51
DRS.....	3
hybridization-based microarray strategies.....	52
materials	53, 55
methods	55–58
proofreading mechanisms, lacking	52
Single molecule sequencing digital gene expression (smsDGE)	
summary output table	45–46
transcript quantitation, Helicos genetic analysis system	38
Single nucleotide polymorphisms (SNPs)	
detection	258
genotypic analysis	268
SNPsniffer	15, 16
Single nucleotide variants (SNVs).....	7, 14
Size selection	
amplification-free library preparation	264
bead based	7
SPRI.....	4–5, 9–10
Small RNA (sRNA)	
bacterial, discovery (<i>see</i> Bacterial sRNA discovery, high-throughput sequencing)	
gene expression	63
novel functionality	64
regulatory circuits	63
seq cloning protocol	67
and transcriptome profiling, DRS	56–57
smsDGE. <i>See</i> Single molecule sequencing digital gene expression	
SOLiD.....	68, 100
Solid phase reversible immobilization (SPRI)....	4–5, 9–10
sRNA. <i>See</i> Small RNA	
sRNA-Seq	
cloning protocol.....	67, 68
flowchart.....	68
reads.....	75
16S rRNA gene	
bar-coded primers, gene tag pyrosequencing	117
600 bp region, amplification	131
DGGE and NGS	160
gene-based pyrosequencing	114
hypervariable V6 region.....	112
PCR products	160
“reads”	110
sequence, DGGE	161

T

Tag-encoded FLX-amplicon pyrosequencing (TEFAP)	
bacterial diversity	129
bTEFAP	130
materials	
bTEFAP FLX pyrosequencing	131
DNA extraction	130–131
PCR	131
methods	
DNA extraction	131
emPCR (<i>see</i> Emulsion-based clonal amplification)	
GS FLX sequencing	137–140
partial ribosomal DNA amplification	131–132
microbiome evaluation.....	130

Target-enrichment	
ligation.....	270
materials	
genomic DNA isolation and restriction enzyme digestion	268–269
PCR amplification, gel electrophoresis, and gel-purification	269–270
phosphorylation.....	269
methods	
amplification, universal primers	274
barcodes	271
454 FLX pyrosequencing.....	274–276
hairpin selector design	271–272
hairpin selector II, phosphorylation.....	273
ligation reaction and digestion.....	273–274
multiple target amplification.....	270
restriction enzyme digestion	272
NGS.....	267–268
principles	268
TEFAP. <i>See</i> Tag-encoded FLX-amplicon pyrosequencing	
Template	
amplicon generation	150
5' biotinylated.....	213
genomic DNA	219
ligated.....	260
PCR.....	248, 251
quantification.....	120
single-stranded	216, 217
switching	52
Transcription	
genome-wide	51
reverse (<i>see</i> Reverse transcription)	
suppression, aberrant methylation	224
Transcriptome	
characterization	38
count files	47–48
sequence coverage	38
<i>Vibrio cholerae</i>	64
Transcriptome profiling	
cDNA limitation	52
DNA/cDNA sequencing technologies	51
DRS	
description	53
sample preparation.....	53, 54
hybridization-based microarray strategies.....	52
materials	
equipment.....	55
reagents.....	53
methods	
data analysis	57–58
flow cell hybridization	57
gene expression analyses and polyadenylation site mapping	55–56
single molecule DRS	57
and small RNA, DRS	56–57
proofreading mechanisms, lacking	52
Transcripts	
count files	47–48
ultra-high-throughput sequencing method.....	38
Transposon mutagenesis.....	212
tRNA/rRNA-depletion.....	74
U	
Uncultivable microorganism.....	185, 186
Unculturable	
bacterium, WGA (<i>see</i> Whole genome amplification)	
species	26
V	
Variants	
detection	7
population-specific	281
sequence	16
SNVs (<i>see</i> Single nucleotide variants)	
Virus encoding miRNA, identification	
materials	
miRNA cloning	82–83
RNA extraction	82
sequence data analysis	83–84
TBE-Urea PAGE	83
methods	
454 FLX sequencing and data analysis	89–90
illumina sequencing	91
miRNA cloning	86–87
reverse transcription and PCR	87–89
RNA extraction	84
small RNA enrichment	84–86
noncoding RNA	81
PAGE purification gels	85
small RNA species	82
W	
WGA. <i>See</i> Whole genome amplification	
Whole genome amplification (WGA)	
endosymbiotic bacterial species	26
materials	
and cell lysis	27
microbial cells micromanipulation	27
purity check	27
MDA outline	26
metagenomics	26
methods	
bacterial cells collection, micromanipulation	28–29
genome sequencing, 454 GS FLX	30–31
sample purity check	30
steps	30
molecular tools	25