

INDEX

A

- A. agilis* 3
- Ab initio* 181, 183–184, 268–271, 285
- MO methods 268–271, 285
- Absorber 165, 169–171
- Absorption coefficient 166, 169
- Acetylene 18, 22, 89, 116–117, 124, 199, 279–280
- Acid labile sulfur 5
- Acid treatment, MoFe protein 242
- Adenosine diphosphate (ADP) 5, 13, 19, 37, 74, 109, 122, 159–160, 178, 181, 183, 187
- Adenosine triphosphate (ATP) 5, 11–13, 19–20, 31–32, 37–38, 69–76, 105–107, 109–110, 122–124, 130–131, 134, 138–139, 149–150, 177–179, 181, 183, 187, 197–199, 239
- Advanced Photon Source Laboratory (APSL) 185
- Aerobic 5, 53, 58, 82, 134
- Affinity purification 136–137
- Affinity-tags 94
- Agar 82, 84–85, 88
- Aggregation 182, 185–187
- Air-free techniques 253
- Air-sensitive materials 253
- Åkta purifier FPLC system 137
- AlF₄⁻ 71, 149, 154
- Alkyl cyanides 114–115
- Alkynes 18, 22, 198–199, 277, 279
- All-ferrous 12, 32, 149, 225, 250
- Allyl alcohol 117, 198, 305–306
- Alternative nitrogenases 10
- Aluminum seal 179
- Amicon 95, 133, 138, 140, 158, 181
- Amino acid 16, 18–20, 22, 50, 59, 68, 74–76, 87, 197, 202, 250
- Ammonia 4, 9–10, 31, 49, 81, 97–98, 107–114, 119–120, 123–124, 177, 200, 239, 251, 274, 282, 293
- assays 110
- Ammonium hydroxide 108
- Ampicillin 83, 132, 135
- Anaerobic 5, 49, 94, 96, 98–99, 101, 102, 105, 121, 130–138, 141–142, 151, 158–159, 161, 179, 181–182, 185–186, 198, 223, 241, 243, 245
- protein purification 94
- Anf* genes 56
- Anisotropic 211
- Antibiotic resistance 59, 86–88, 90
- Antiferromagnetic 222, 270, 272, 273, 277, 285, 296
- coupling 277, 296
- Antiparallel spins 272, 277
- Arabinose 61–62
- Argon 99, 101, 105, 107, 117, 120–121, 124, 162, 181, 185, 194–195, 202, 253, 257–258
- Aromatic 83, 89
- Assays of nitrogenase reaction products
- assay initiation/termination, method 106
- extent of coupling between electrons/amount of MgATP hydrolyzed 106
- product analysis 106
- materials 107
- buffer used 107
- quantification of gaseous products, detection methods 107
- methods
- carbon–carbon bonds, catalyzed reactions 116–118
- carbon–nitrogen bonds, catalyzed reactions 113–116
- carbon–oxygen and carbon–sulfur bonds, catalyzed reactions 119–120
- hydrogen, catalyzed reactions 120–121
- nitrogen–nitrogen bonds, catalyzed reactions 107–112
- nitrogen–oxygen bonds, catalyzed reactions 112–113
- other assay components 121–123
- steady-state assays, requirements
- addition of desired substrate 106
- anaerobic environment 105
- choice of buffer system 106
- consistent source of MgATP 105
- suitable source of reductant 105–106
- Assembly 31–44, 54, 56, 59, 132, 134–135, 141
- See also* Assembly of nitrogenase MoFe protein
- Assembly of nitrogenase MoFe protein
- assembly model 34
- biosynthesis of MoFe protein, *nif* genes in 33
- “ex situ” assembly 34–38
- Fe protein in FeMoco assembly process, role 36–38
- NifB, sequence analysis 35
- NifEN, role in maturation of FeMoco “core,” 35–36
- NifUS protein complex 34
- XAS/EXAFS study of NifEN^{FeMoco}, 36
- incorporation of FeMoco into MoFe protein 38–40

- Assembly of nitrogenase MoFe protein (*continued*)
conformational rearrangement of protein,
SAXS analysis..... 40
docking of NifEN on MoFe protein..... 38–39
migration of FeMoco into insertion funnel,
outcomes..... 39–40
role of carrier proteins..... 38
“in situ” assembly..... 40–43
Fe protein and NifZ in P-cluster assembly
formation..... 41–43
maturation of P-cluster by *nifH* MoFe
protein..... 42–43
XAS/EXAFS-based structural models of
P-cluster..... 41
properties and its associated clusters..... 32–33
FeMoco, isolation/protein bound forms of... 33
P-cluster, oxidation states..... 32–33
stepwise assembly..... 43–44
biphasic pattern of P-cluster maturation... 43–44
ATP and ATP-regenerating system..... 5
ATPase..... 72–73, 131,
148
ATP hydrolysis..... 11–12, 19, 37–38, 70, 72, 74,
122–124, 131, 149, 239
Autoclave..... 82, 132
Auxotrophic..... 86
A. vinelandii, model for nitrogen fixation..... 53–58
accessory genes involved in nitrogen
fixation..... 56–58
cydAB I genes..... 58
FeII protein..... 57
NifA2 and VnfA2..... 58
RhdA protein..... 58
rnf proteins, types..... 57
genes involved in nitrogen fixation..... 53–56
cydAB I in respiratory protection, role..... 53
Fe-only nitrogenase, genes/gene coding
regions..... 56
gene regions with sigma 54 promoters,
identification..... 56
Mo-dependent nitrogenase, genes/gene coding
regions..... 54–55
nitrogen-fixing gene regions..... 54
promoter analysis of *nif*, *vnf*, and *anf* gene
regions..... 56
V-dependent nitrogenase, genes/gene coding
regions..... 54–56
use in nitrogen fixation, reasons..... 53
Axial splitting..... 211
Azotobacter chroococcum..... 3
Azotobacter vinelandii..... 13, 31, 50, 70, 82, 94, 114,
148, 155, 224
competency..... 84–85
assessment by fluorescence color intensity of
culture..... 84, 90n2
genetic transformation of *A. vinelandii*..... 84–85
OP strains and its derivatives..... 84–85
culturing..... 83–84
genetic transformation..... 85
selection from transformation culture
blue and white screening..... 88
direct antibiotic selection..... 83, 86–87
rescue and congression transformation
strategies..... 87–88
traditional genetics..... 89
See also A. vinelandii, model for nitrogen fixation
- B**
Backscatterer..... 169–171
Bacterial growth..... 83
Bacteriochlorophyll..... 52, 67–69, 72, 74
Bacteriochlorophyllide (Bchl_d)..... 68
Basis set saturation..... 271
β-D-galactosidase..... 88
BchB..... 68–71, 75
BchL..... 68–70, 72, 74–76
BchN..... 68, 69–71, 74–76
B-diketimate ligand..... 253
Beamline..... 180–181, 183, 185
Bejerinck, M.W..... 3
Bioinorganic chemistry..... 166, 192, 207, 249, 287
Biological nitrogen fixation..... 3–4
See also Genomic analysis of nitrogen fixation;
Molecular biology and genetic engineering in
nitrogen fixation
Biophysical analysis, DPOR..... 73, 129
Biosynthesis..... 32–33, 35, 38, 43, 51–52, 56, 59–61,
67–69, 72, 74, 76, 81–82, 87, 173, 240, 252,
304
Biphasic..... 42–43
Blue-white selection..... 90
B3LYP, *see* Hybrid exchange functionals
BLYP functional..... 278, 308
Bohr magneton..... 192, 208
Born–Oppenheimer theory..... 208
Bortels..... 4
BP86, *see* Generalized gradient approximation (GGA)
Bradford..... 132, 137, 140
Broken symmetry (BS)..... 269–270, 272–273, 287,
293–309, 295
calculation..... 269–270, 272–273
See also Modeling of MoFe nitrogenase system
with BS-DFT
states..... 296–297
BS-DFT method..... 295–296
exchange-correlation functionals
OPBE and OLYP..... 296
OPTX..... 296
hyperfine properties, evaluation..... 296
spin crossover, issue..... 296
Bulen, W.A..... 5
Bulk magnetic moment..... 256
Bulky spectator ligands..... 252
Burk, D..... 4
Burris, H..... 4
- C**
Calcium carbide..... 124
Capillary batch/microbatch method..... 151
Carbon
disulfide..... 119–120
monoxide (CO)..... 22, 107, 119–120, 150,
201–202
-nitrogen bonds..... 113–116
-oxygen bonds..... 119–120
-sulfur bonds..... 119–120
Carbonyl sulfide..... 119
Carnahan, J.E..... 4–5
Car-Parrinello molecular dynamics..... 307
Carrier proteins..... 12–14, 36, 38, 116, 120

- Catalysis.....12, 16–18, 20, 37, 69–75, 87,
 116, 131, 134, 138–139, 148–150, 178–179,
 240, 252
- Cavity.....33, 193
- CD, *see* Circular dichroism (CD)
- Cell disruption.....136
- Cell-free extracts.....5, 139
- Central ligand.....272, 274, 288, 305–307
- Chaperone.....38, 294
- Chimeric.....75
- ChlN.....68–76, 130–131, 133–135, 137, 138–142
- Chloramine.....120
- Chloramphenicol.....132, 135
- Chlorophyll.....52, 67–69, 72, 75, 76
 biosynthesis.....68, 72
- Chlorophyllide (Chlide).....68
- Chlorophyllide oxidoreductase (COR).....68, 74–76
- Chromosome.....53–54, 86, 90
- Circular dichroism (CD).....70, 207–218
- Citrate.....106, 109, 116, 122, 132, 134–135, 152,
 197, 241, 242, 245–246, 279
- Citric acid.....242, 245–246
 -phosphate treatment.....242
- Cleavage.....121, 131, 137, 139, 141–142, 229,
 282, 307
- Clostridium pasteurianum*.....3, 19, 82, 148, 155
- Cluster.....10–17, 20–21, 31–36, 38–44, 56–59, 61–62,
 68–76, 93–94, 129, 134–137, 141, 143,
 148–150, 152, 162–163, 165, 173, 177,
 178–179, 181, 191, 196–198, 207, 212–215,
 222–226, 228–229, 239–241, 247, 250–253,
 269, 272–276, 278, 280, 282–286, 294–296,
 299–305, 308, 309
- Cofactor.....11–12, 14–22, 35–36, 39, 50–52, 56,
 59–60, 62, 69, 71, 76, 82, 94, 134, 138–140,
 148, 178, 196–201, 212–213, 222, 224, 230,
 239–248, 250–251, 274, 276, 283, 294–295,
 300–304, 305–306, 308–309
See also Iron-molybdenum cofactor (FeMoco)
- Collaborative Computational Project No. 4 (CCP4)
 program.....162
- Competency, *see* *Azotobacter vinelandii*, competency
- Competitive inhibitor.....22
- Complexes.....10–11, 13–14, 19–20, 23, 32–35,
 38–39, 44, 50–51, 56–57, 59, 68, 70–74, 81,
 108, 113, 119, 122–124, 130–131, 133–134,
 139–143, 147–149, 154–155, 159, 174,
 177–178, 198, 202, 212, 222, 224, 229,
 239–240, 268–269, 271, 279, 284
- Component proteins.....5–6, 10, 93, 106–107,
 147–148, 150, 158, 195–196
- Computational model.....268, 271, 273–278, 280,
 282–284
- Congression.....87–88, 88, 90
- Continuum.....167–168, 274
See also Polarizable continuum model (PCM)
- Cooperativity.....13
- Coordination number.....170, 174
- Core electrons.....166, 168, 172
- Correlation functional.....296
- COSMO solvation model.....300
- Coulomb.....267–268
- Covalency factor.....298
- Coy Laboratory.....133, 151, 179
- Creatine
 kinase.....5
 phosphate.....5, 105–110, 122–123, 131, 133, 138
- Cryoprotection.....157, 161–162
- CRY SOL.....180–183, 187
- Crystal
 growth.....150, 158, 161–162
 harvesting.....151, 157, 161
 loop.....157, 161
 monochromator.....171
 structure.....6, 10–11, 14, 147–148, 150, 166,
 178–179, 187, 251, 255, 274–275, 294
- Crystallography.....14, 20, 147–163, 166, 173,
 178–179, 183, 251, 255
See also X-ray crystallography
- Cuvette.....121, 133, 216, 257
- Cyanide.....76, 106, 113–115, 119, 279
- Cyclopropene.....118
- CydAB I*.....53
- CydR.....57–58
- Cysteine desulfurase.....34, 55
- ## D
- Dark operative protochlorophyllide oxidoreductase
 (DPOR).....68–76, 129–131, 133–143
- ATPase activity
 ATP hydrolysis *versus* Pchlide reduction.....72
 Chlide formation.....72
- BchL/ChlL analogous to nitrogenase
 catalysis.....69–70
 ATP hydrolysis by ChlL/BchL.....70
 cysteinyl ligands in [4Fe–4S] cluster
 formation.....69
 DPOR subcomplex formation, EPR/CD
 study.....70–71
- catalytic redox cycle of DPOR.....72–74
 ATPase activity of ChlL₂.....73
 electron transfer processes.....74
 Pchlide binding.....73
 ternary complex formation.....74
- enzyme catalysis of chlorophyll biosynthesis
 genes involved.....69
 POR/DPOR.....69
 substrate recognition/reduction by.....70–72
See also Methods for nitrogenase-like DPOR
- Databank.....151–152
- Data collection.....150–151, 161, 174, 180–183,
 185–187
- Data processing.....150, 161–162, 181, 183–185
- DEAE sepharose.....95, 97, 102
- Dehydrogenase.....119, 139
- Deloriah Jacobs (DJ), *see* OP strains
- Density functional correlation (DFC).....269
- Density functional exchange (DFX).....268
- Density functional theory (DFT).....267–287, 293–309
 ab initio MO methods, advantages.....268–269
 for electronic structure calculations, parameters
 size and adequacy of computational model...271
 size and quality of basis sets (GTO/STO)...270
 electrostatic interactions in a chemical system...267
 ab initio MO methods *vs.* DFT.....268–269
 DFX functionals.....268
 hybrid exchange functionals, tuning of
 metal–ligand bonding.....268
- Hohenberg–Kohn theorem/Kohn–Sham equations,
 basis.....267
 iron centers with unpaired electrons, treatment

- Density functional theory (DFT) (*continued*)
broken symmetry approximation 269–270
modeling of FeMoco, *see* DFT modeling of
electronic/geometric structures of FeMoco
for weak interactions 269
Deprotonation 33, 276–277, 302
Derepression 84
Derivative EPR spectrums 193
DFC, *see* Density functional correlation (DFC)
DFT, *see* Density functional theory (DFT)
DFT modeling of electronic/geometric structures of
FeMoco
broken symmetry calculations 272–273
computational model 273–278
coordination chemical computational
models 277–278
FeMo-co structural features 275–277
spectroscopic calibration of DFT 271–272
DFX, *see* Density functional exchange (DFX)
Diamagnetic 12, 17, 32, 41, 192, 197–198,
213–214, 223, 225–226, 255, 277, 281, 308
Diazene 19, 22, 23, 200, 279
Diazotrophs 10, 49–53, 56–60, 62, 81–82, 84, 293
Diazotrophy 49–50
Diffraction 150–151, 159, 162, 174
See also X-ray diffraction
Dihydrogen 106, 120
Dimer 32, 43, 177, 259
Dimeric units 11, 14, 21, 43, 70–73, 76
Dimethylaminobenzaldehyde 107, 111
Dimethylformamide (DMF) 88, 241–245, 247
Dimethyl sulfoxide (DMSO) 82, 133, 142, 241
Dinitrogen 9–10, 22–23, 31, 52, 107–110, 148,
177, 199–200, 202, 239, 279
fixation methods
biological nitrogen fixation with
diazotrophs 10
Haber–Bosch process 9
Dinitrogenase 5, 10
Disorder parameter 169–170
Distillation 109, 111, 123, 242–243, 246
Disulfide 119–120
Dithionite 5, 12, 15, 17, 32, 36, 41–42, 69–70,
72–73, 106–109, 113–114, 121–122,
130–133, 135, 138–139, 141, 148, 157,
159–160, 162, 179, 186, 195–196, 202,
213–214, 216
DMF, *see* Dimethylformamide (DMF)
Doppler effect 230, 300
Double-reciprocal recombination 85–86
DPOR, *see* Dark operative protochlorophyllide
oxidoreductase (DPOR)
DPOR complex formation 133, 139–141
See also Gel permeation chromatography
Dynamic switch protein 134
- E**
Edge jump 167
Edge region 167–168
Edman degradation 137
Electric dipole 167–168, 208
Electrochemical study 277
Electron
balance 106
donor 5, 69, 72–73, 121, 131
transfer 11–13, 15–16, 20, 38, 57, 68,
70–71, 73–75, 131, 148–149, 178, 198, 229,
276, 280–281, 283
Electronic information 222
See also Mössbauer spectroscopy
Electronic relaxation 225, 233
Electronic states 228, 284, 295–296, 298, 300
Electronic structure 165, 167–168, 174, 240, 249,
268, 270–272, 274, 284, 288, 295–296, 298,
300
Electron nuclear double resonance (ENDOR) 17–18,
133, 137, 148, 162, 181, 198–199, 244, 246,
251, 272–273, 276–277, 280–283, 295, 302,
304, 308–309
Electron paramagnetic resonance (EPR) 70, 129,
191–203
silent 12, 17, 70, 197–198, 212, 218, 223, 277,
280–281
spectra of nitrogenase proteins 196–198
[4Fe–4S] cluster 196–197
M- and P-clusters 197–198
spectroscopy, *see* EPR spectroscopy
tube 194–195, 202
Electron spin resonance (ESR) 192
See also Electron paramagnetic resonance (EPR)
Elemental analyses 257
Energy calibration 172
Enzymatic systems with homology to nitrogenase
COR, *see* Chlorophyllide oxidoreductase (COR)
DPOR, *see* Dark operative protochlorophyllide
oxidoreductase (DPOR)
NifH/NifD, metabolism of methanogens 75–76
synthesis of chlorophylls and
bacteriochlorophylls 68
comparison of DPOR, COR, and
nitrogenase 68
enzyme systems and reduction steps 68
Enzyme 4–6, 10, 12, 23, 31, 35, 52–53, 56–57,
68–70, 72, 74–76, 81–82, 85, 87, 93, 106,
110–111, 120, 131, 147–150, 202, 222–223,
229–230, 239, 249, 251, 294–295
EPR, *see* Electron paramagnetic resonance (EPR)
EPR spectroscopy
detection of redox states of paramagnetic
metalloclusters 191
EPR spectrum formation 192
affected by hyperfine coupling 193
isotropic/axial/rhombic derivative EPR
spectrums 193
X-band EPR spectrometer 193–194
materials 194–195
freezing samples in EPR tubes 194–195
quartz EPR tubes 194
methods
EPR spectra of nitrogenase
proteins 196–198
preparing EPR samples of nitrogenase 195–196
trapping substrates 198–202
Zeeman interaction 192
Escherichia coli 58, 82, 123, 129, 222
ESR, *see* Electron spin resonance (ESR)
Ethanesulfonic acid 109
Ethanol 112–113, 117, 122, 132, 136,
142
Ethylene 22, 113, 116–118, 124, 212, 216, 277
Ethylene glycol 212, 216, 277

- EXAFS, *see* Extended x-ray absorption fine structure (EXAFS)
- Exchange-correlation functional 296
- Exchange-coupling 222
- Exchange functionals, *see* Density functional exchange (DFX)
- Exchange interaction 284
- Excitation 172, 271
- Excited state 209–210, 215, 226–228, 230–233, 271–273, 300
- Ex situ* assembly 33–38
- Extended x-ray absorption fine structure (EXAFS) 35–36, 41, 165–174, 251
- Extracted FeMo-cofactor 17, 94, 240–241, 246–247, 279, 284
- Extraction 94, 116, 240–247, 258
- F**
- FEFF 173
- FeMo-cluster 39
- FeMo cofactor (FeMoco) 11–12, 14–22, 55, 59–60, 178, 196–201, 212–213, 224, 294–295, 301–304, 306, 308–309
- covalent ligands of 294
- deficient 33, 36, 38, 41, 43, 240
- extraction 94, 240–241, 246–247
- isolation 240–242, 246–247
- acid treatment of purified MoFe protein with NMF/DMF 242
- aid to nitrogenase research 240
- FeMoco extraction protocol 240
- modifications of 241
- strategy development, challenges 241–242
- precursor 35–36
- Fe–N₂ complexes 252
- Fe protein 5, 10–14, 17, 19–21, 31–32, 35–38, 41–42, 44, 54–55, 68, 93–100, 102, 107, 113, 177–179, 181, 184–187, 195–201, 212, 250
- binding to nucleotides 13–14
- binding to MgATP 14
- determination of dissociation constants, techniques 13
- crystal structure 11
- cycle 20–21
- [4Fe–4S] cluster, redox properties 12–13
- all-ferrous state 12
- 1+ oxidation state 12
- 2+ oxidation state 12
- protein conformational changes on binding to nucleotides 14
- SAXS/X-ray crystallography, study 14
- purification of 95–96, 99–100
- Fe protein^{complete} 37
- Fe protein^{Mo/homocitrate} 37
- Ferredoxin 12–13, 55, 57, 69, 73, 131, 139, 174
- Ferric chloride 119
- Ferromagnetic species 192
- Fe–S
- cluster 10, 55, 57, 61–62, 70–72, 76, 148, 222, 250, 252–253, 269, 272–273, 278, 282–286, 294, 296, 300, 302–303, 309
- complexes 252
- proteins 222, 225, 231
- [Fe₄S₄] cluster 31–32, 41–43, 93
- FeSII protein 57
- Flavodoxin 13, 55, 106, 197
- Fluorescence 90, 116, 123, 172
- Fluorophore 123
- FMO, *see* Frontier molecular orbitals (FMO)
- Formic acid 119
- Fourier transform 169–171
- Franck–Condon theory 208
- Free-living nitrogen-fixing soil-bacteria 3
- A. agilis* 3
- Azotobacter chroococcum* 3
- Clostridium pasteurianum* 3
- Freeze-trapped MoFe protein 22
- Frontier molecular orbitals (FMO) 270
- Frozen pellets 102
- Funnel 39–40
- Fusion protein 129–131, 137, 139–142
- G**
- Gas chromatography 107, 113–118, 120
- Gate-keeping 279
- Gauss 36, 192
- Gaussian-type orbital (GTO) 270
- GDP 13
- Gel filtration 179, 181, 185, 216
- Gel permeation chromatography 129, 137, 143n12
- Generalized gradient approximation (GGA) 268, 296
- Genetic manipulation 53, 59, 86, 88
- Genetic stability 90
- Genetic transformation of *A. vinelandii*
- OP strains, use of 84–85
- preparation of competent *A. vinelandii* cells 84–85
- siderophore production, culture medium used 84
- Genome scanning 50–52, 56
- Genome sequencing 51, 53, 84, 89
- Genomic analysis of nitrogen fixation
- identification of nitrogen-fixing species
- genome scanning 50
- in silico predictions 50
- model, *see A. vinelandii*, model for nitrogen fixation
- modifying genomes to study nitrogen fixation
- examples 59–60
- purification of proteins using polyhistidine tags 60
- remote genomic promoters, control of protein expression 60–62
- N₂ fixation in the post-genomic era 49–53
- in diazotrophs, challenges 49–50
- genomics and identification of new diazotrophs 50–53
- Genomic modification 58–62
- examples 59–60
- double recombination method 59
- metallocluster assembly and transfer by respiratory protection proteins 59
- NifB protein expression 59–60
- nifH* promoter for NifEN protein expression 59
- purification of proteins using polyhistidine tags 60
- remote genomic promoters, control of protein expression 60–62
- control of genomics of arabinose catabolism 62
- control of regulatory elements of sucrose metabolism 61

- Genomic modification (*continued*)
remote loci for incorporating genes into the
A. vinelandii genome 61
- Geometric structure 270–278
See also DFT modeling of electronic/geometric
structures of FeMoco
- Geometry optimizations 270, 274, 278, 288, 297
- G-factor 207, 211–212, 218
- GGA, *see* Generalized gradient approximation (GGA)
- Glassing agent 151, 161–162
- GlnK 56
- Glove box 94, 179, 181, 183, 185–186, 194,
253–259, 261
- Glucose-6-phosphate dehydrogenase 139
- Glutathione-S-transferase (GST) protein 129–131,
136–137, 139–142
- Glycerol 12, 89, 135, 153–154, 157, 161–162, 179,
185–186, 197, 216
- Glycolate 273–274, 278, 288, 302
- GNXAS 173
- GroEL 38
- Ground state 209–210, 213, 217, 225–226,
230–232, 268, 270, 273, 278, 296
- GTO, *see* Gaussian-type orbital (GTO)
- GTP 13
- ## H
- Haber–Bosch process 9
- Hamilton syringe 180–182
- Hamilton, W.D. 17, 191, 196–197
- Hanging drop vapor diffusion 151, 160
- Hartree–Fock approximation 268
- Hartree–Fock exchange (HFX) 268
- HCl 101, 112–114, 116, 119, 151, 156, 240–246
- He 107, 116, 193, 210, 216–218, 300
- Hellriegel, H. 3
- Heterologous 59, 82, 129–130, 134
- Heterometal 10, 16, 50, 282, 284
- Heterotetramer 11, 14, 32, 68, 70–71, 93, 178
- Hexane slurry 198
- HFX, *see* Hartree–Fock exchange (HFX)
- Hi-CO 201
- High resolution structure 16
- High spin 39–40
- α -195His 18–19, 23, 201
- α -442His 16
- His triad 211, 215, 225, 231–233, 255, 272,
296–297, 309
- ^1H NMR spectroscopy 256–257
- Hohenberg–Kohn theorem 267
- Homocitrate 11, 14, 16,
32–33, 35, 37–39, 55, 70, 94, 148, 178, 213,
239, 276–280, 287, 294, 301–302, 304
- Homodimer 10–11, 31, 68, 93, 148, 177
- Homolytic 121
- Hybrid exchange functionals 268
- Hydrazine 19, 22–23, 107, 110–112, 122,
200–202, 279
- Hydrazoic acid 111–112
- Hydrocarbon 113, 115–117
- Hydrogen bonding 250, 301
- Hydrogenic radial distribution 270
- Hydrolysis 11–14, 19–21, 37–38, 70, 72, 74–75,
106, 114–116, 122–124, 131, 134, 149,
177–178, 187, 239, 294
- Hydrophobic 73, 142
- Hyperfine coupling 193, 273, 297–299
- Hyperthermal environments 53
- ## I
- IMAC, *see* Immobilized metal affinity chromatography
(IMAC)
- IMAC sepharose 96
- Imidazole 96, 101, 273–274, 277, 279, 302
- Immobilized metal affinity chromatography
(IMAC) 94
- Incubation 17, 35, 42, 44, 70, 84–85, 89, 99,
107, 121, 137, 141, 143, 187
- Indigo disulfonate (IDS) 12, 32, 35–36, 41
- Indirect selection 87–88
- Indophenol 108–110, 113–115, 120
- Insertase 37
- In situ* assembly 33–34, 40–43, 134, 159
- Integer spin state 211–213, 218, 226
- Intermediate 4, 17–18, 22–23, 33, 42–43, 60,
72–73, 114–115, 149–150, 165, 174,
198–201, 223, 229, 252, 277, 279–284, 296,
300, 306–308
- Interstitial 17, 33, 173, 273, 276–278, 282, 288,
294, 297, 302–305
- Intramolecular 283, 308
- In vitro* 12, 15, 42, 69, 72, 94, 131, 134
- Ion-exchange chromatography 109
- Ionic 111, 114, 272, 287, 298
- Ionization chamber 171
- Ionization threshold energy 169
- Iron (Fe)
complexes 252
See also Fe–N₂ complexes; Fe–S; Unsaturated
complexes of iron(II)
- nitrogenase 105
- NO 299–300
- protein 5
- sulfur cluster 10, 55, 57, 61–62, 70–72, 76,
148, 222, 250, 252–253, 269, 272–273, 278,
282–287, 294, 296, 300, 302–303, 309
- Iron-molybdenum cofactor (FeMoco) 251
air sensitive, *see* Air-free techniques
biosynthesis of
M cluster (“FeMoco”) of molybdenum
nitrogenases 251
molybdenum incorporation into model
system 252
N₂ binding 252
DFT modeling 271–278
See also DFT modeling of electronic/geometric
structures of FeMoco
structural features 275–277
charge state and redox forms 276
composition 276
oxidation states 276
spin states 277
structure 275
See also FeMo cofactor (FeMoco)
- Iron-sulfur (Fe–S) cluster 10, 55, 57, 61–62, 70–72,
76, 148, 222, 250, 252–253, 269, 272–273,
278, 282–287, 294, 296, 300, 302–303, 309
- IscS* 61–62
- IscU* 60–61
- Isocyanide 115–116

- Isoelectronic interstitial atoms 288
 Isolation 60, 88–89, 93, 150, 239–248
 Isomer shift 225, 231, 276–277, 299–300, 303
 Isotopic analysis 112
 Isotopomers 276
 Isotropic 193, 208, 210–211, 232, 297
- J**
- J. Young NMR tubes 256
- K**
- K-edge 35–37, 41, 166–168, 173–174, 272
 Kinetics 13, 21, 70, 72, 107, 139, 222–223, 229–230, 280–282
 Kjeldahl assay 4
Klebsiella pneumoniae 5, 38, 49, 82, 148, 155
 $K_2[L^{Me}Fe]_2N_2$ 259–260
 Kohn-Sham equations 267
 Kramers 197, 211–212, 223, 233
 Kramer's doublets 211
 K^3 -weighted 172
- L**
- LacZ* gene 88
 Lawrence Berkeley National Laboratory (LBNL) 185
 L127 Δ Fe protein 179, 181, 184–187
 LeComte, J.R. 5, 177
 L-edge 166, 174
 Legumes 3
 $\Delta 127Leu$ 19
 $L^{126}GDVCGGF^{134}$ 69
 Lid loop 39–40
 Ligand 12, 15–16, 32–33, 35–36, 39, 69, 75, 148, 168–169, 172, 174, 231–233, 249–250, 252–253, 268–270, 272, 274, 276–278, 280, 282–283, 288, 294, 296–297, 299–302, 305–309
 Light atom X 16–17, 33, 149, 251, 294
 Liquid-liquid diffusion 151
 Liquid nitrogen 98, 124, 133, 138, 151, 161, 181, 186, 194–195, 198
 Lithium chloride 124
 $[L^{Me}Fe]_2Cl_2 \cdot 2LiCl$ 258
 $[L^{Me}Fe]_2N_2$ 258–259
 $[L^{Me}Fe]_2S$ 260
 Lo-CO 201–202
 Luria-Bertani 132
 Lysozyme 180, 182
- M**
- Macroscopic electrostatics with atomic detail (MEAD) 301
 Magnesium adenosine triphosphate (MgATP) 10–11, 13–14, 17, 105
 Magnet 216–218, 226
 Magnetic circular dichroism (MCD) 12, 207–218
 Magnetic field 36, 192, 208–212, 216–218, 223–224, 230, 232
 Magnetic hyperfine interactions 225, 232–233
 Magnetization curve 210–213, 215, 218
 Manton-Gaulin homogenizer 98
 MarParse 181, 183, 187
 Maturation 11–12, 35–38, 41–44, 94, 151
 MCD, *see* Magnetic circular dichroism (MCD)
 MCD spectroscopy
 basic concepts 207–210
 bioinorganic research 207
 CD spectroscopy 208
 MCD coupled with EPR spectroscopy 207
 MCD dispersion, types of interactions (A/B/C) 208–209
 nondegenerate/degenerate transitions, energy diagram 210
 “rigid Shift” 208
 Zeeman interaction, effects 209
 magnetization curves 210–212
 isotropic $S=1/2$ spin system, equations 210–211
 Kramer's doublets and rhombicity 211–212
 Kramer's doublets (half-integer spin states) 211–212
 non-Kramer's and rhombicity 212
 “saturation,” 211
 $S>1/2$ spin system, equations 211
 materials
 sample 215–216
 sample cuvette 216
 methods 216–217
 Nif proteins, examples of 212–215
 M-cluster 16, 197–198
 MEAD, *see* Macroscopic electrostatics with atomic detail (MEAD)
 M-edge 166
 Mercaptoethanol 108, 115–116
 Mercuric perchlorate 124
 Metal active sites 165
 Metal cluster 10–12, 32, 35, 44, 94, 148, 150, 162–163, 191, 196–197, 212
 Metallocluster 11, 14–16, 31, 59, 61, 81, 191
 proteins 165, 174, 193, 211–212
 Metalloenzyme 10, 81, 239, 249
 Methanocaldococcus jannaschii 76
 Methanogens 75–76
 Methods for nitrogenase-like DPOR
 constructs for recombinant DPOR production 129–131
 DPOR activity assay 131
 materials
 activity tests 133
 DPOR complex formation 133
 protein production 132
 protein purification 132–133
 methods
 DPOR complex formation 139–141
 protein production 135
 protein purification 135–138
 standard DPOR activity assay 138–139
 ternary DPOR complex formation 131, 134
 Methylamine 113, 115–116, 124
 Methyl-coenzyme M reductase 76
 Methyl diazene 19, 22–23, 200
 Methylene blue 12, 119
 Methylthiolate 302
 Methyl viologen 101
 Metrical information 168
 Meyerhof, O. 4

- MgADP-AlF₄⁻ 70–71, 73–74, 134, 139, 141, 143
MgATP, *see* Magnesium adenosine triphosphate
(MgATP)
Mg ATP hydrolysis 20–21, 37, 110
Michaelis-Menten kinetics 72, 139
Microanalysis 256
Microbatch 151
Microdistillation 109, 115, 119, 123
 of ammonia 109
 Conway dish method 123n1–124n1
 glass-rod technique 123n1
Microrespirometer 4
Microscope 159–160
Microwave frequency 192, 195–196, 199–201
Microwave power 195–196, 199–201
Midpoint reduction potential 12
Miller assay 88
Mixed spin system 197
M^N (resting state of
 FeMoco) .. 17, 197–198, 296, 298, 303–304
Mod1 56
Model complexes 149, 168, 173, 249
Modeling (functional/structural) of nitrogenase,
 techniques
 bulky spectator ligands, synthetic study 252–253
 β-diketiminato ligand 253
 iron(III) formation 251n3
 iron–sulfur cluster (4Fe–4S)
 spectroscopic study and reactivity of Fe^{II} 4S₄
 species 250
 synthesis with open coordination sites for better
 binding ability 252
materials
 air-sensitive techniques 253–254
 monitoring reactions using synthetic complexes,
 see UV–visible spectroscopy
 purification and characterization
 techniques 255–256
 specific starting materials 257
 spectroscopic descriptions, abbreviations
 used 257
M cluster
 iron-only nitrogenases (Fe₈) 251
 molybdenum-dependent nitrogenases
 (MoFe₇) 251
 vanadium-dependent nitrogenases (VFe₇) 251
methods
 K₂[L^{Me}Fe]₂N₂ 259–260
 [L^{Me}Fe]₂Cl₂·2LiCl 258
 [L^{Me}Fe]₂N₂ 258–259
 [L^{Me}Fe]₂S 260
P cluster (8Fe–7S)
 of molybdenum nitrogenases 250
 in synthetic molecules, benefits 251
synthetic complexes
 ligand, definition 250
 “model complexes”/“synthetic
 analogues” 249
 model study, disadvantage 249
 protein modulation of metal
 reactivity 249–250
 unsaturated iron complexes 252
Modeling of MoFe nitrogenase system with BS-DFT
 MoFe nitrogenase reaction 293
 FeMoco, active site of 294
 MoFe₇S₉ cluster 294
 Mössbauer and ENDOR spectroscopic data,
 analysis 295
 resting state 294
 X-ray structure, data analysis 295
reaction pathway 306–309
 the ligand-bound state 305–306
 the resting state 302–305
theoretical methodology
 BS-DFT 295–296
 hyperfine coupling parameters for X
 and ⁵⁹Fe 297–299
 Mössbauer parameters 299–301
 solvent and environmental effects 301–302
 spin coupling/polarization and BS
 states 296–297
 structural models 302
Modeling of potential energy surface of nitrogen fixation
 nitrogenase function, theoretical/computational
 insights 282–284
 site-directed mutagenesis studies 278–282
 Thorneley–Lowe kinetic model 279–282
Mo-dependent nitrogenase
 mechanism
 Fe protein cycle 20–21
 Fe protein–MoFe protein complex
 formation 19–20
 MoFe–protein cycle 21–23
 nitrogen fixation 9–10
 dinitrogen fixation, methods 9–10
 two component proteins
 crystal structures 11
 Fe protein 11–14
 MoFe protein 14–19
Modulation amplitude 195–196, 199–201
MoFe protein 5, 10–23, 14–19, 31–44, 93–99,
 101–102, 117, 177–178, 195–201, 213–215,
 222–226, 228–229, 239–240, 242–243,
 245–247, 276–281, 299, 304
 crystal structure 11
 FeMo cofactor (M-cluster), active site of
 nitrogenase 16–19
 extraction from MoFe protein 17
 α-195^{His} in nitrogenase catalysis, role 18–19
 identification of central atom X, ENDOR
 studies 17
 oxidation/reduction 17
 as substrate binding site 18
 substrates for nitrogenase 18
 X-ray structure 16
P-clusters 15–16
 oxidation of MoFe protein, effects 15–16
 X-ray structures 15
purification of 95, 98–99, 102n4
See also Assembly of nitrogenase MoFe protein
MoFe₇S₉ cluster 294
Molecular biology and genetic engineering in nitrogen
 fixation
 materials 82–83
 antibiotics used in direct selection with
 A. vinelandii 83
 methods
 A. vinelandii competency 84–85
 culturing *A. vinelandii* 83–84
 selection 85–89
 transformation 85

- nitrogenase synthesis
 model systems (diazotrophs), study 82
 nif genes required, complexity 81–82
 Molecular-orbital 268, 270
 Molecular replacement methods 151
 Molybdenum 4–5, 10, 31, 37, 50, 54–56, 62, 71, 93,
 105, 148, 173, 177, 239, 250–252, 293–294,
 307
 Molybdenum–iron (MoFe) protein 5
 Mo-nitrogenase 107, 110–120, 124
 Monodentate 279
 Monomeric 69
 Monoxygenase 165, 222–223, 230, 296,
 300
 MoO₄²⁻ 35, 37, 82, 95, 152–153, 157
 Mortenson 5
 Mössbauer 12, 15, 17, 148, 174, 221–233, 255,
 271–272, 276–277, 295, 299–300, 302–303,
 309
 parameters 299–301
 isomer shifts 299–300
 quadrupole splittings 300–301
 spectrometers 226
 spectroscopy, *see* Mössbauer spectroscopy
 Mössbauer spectroscopy
 applications to nitrogenase MoFe
 protein 223–226
 Fe centers, types 223
 M and P clusters, X-ray crystallographic
 studies 223
 M center, EPR/Mössbauer/X-ray
 crystallographic study 224–225
 Mössbauer spectra of MoFe protein from
 A. vinelandii 224
 P clusters, high-field Mössbauer/X-ray
 crystallographic study 225–226
 spectral components 223
 development of biological applications,
 stages 221–222
 in conjunction with rapid-mix rapid-freeze
 technique 222–223
 energy scale 230
 Doppler effect 230
 hyperfine interactions 230
 hyperfine interactions and Mössbauer spectral type
 isomer shift 231
 magnetic hyperfine interaction and magnetic
 spectrum 232–233
 quadrupolar interaction 231–232
 materials
 basic Mössbauer spectrometer setup 226
 radiation source 226–227
 sample preparation 228
 methods
 electronic properties/number of Fe atoms,
 determination 228
 electronic states of Fe ions, information
 extraction 228
 functional role of specific residue,
 investigation 230
 identification of substrate/inhibitor binding
 site 229
 kinetic/spectroscopic characterization of reaction
 intermediates 229
 organization of Fe atoms in multiple Fe centered
 proteins 229
 redox potential of Fe centers,
 determination 229
 nuclear resonance technique 221
 M^{Ox} 17, 197, 303
 Multiple scattering paths 173
 Mutant *vinelandii* (MV), *see* OP strains
 Myo-inositol oxygenase 223
- ## N
- NafY 38
 Na₂S₂O₄ 95–96, 101, 102, 195, 247
 Nesting 213
 N₂-fixing genomes, analysis
 bioinformatic analysis 52–53
 in silico pathway identification 52
 genome scanning using NifD as query 51–52
 biosynthesis of nitrogenase proteins,
 pathway 51–52
 NifD homologs sequences from *A. vinelandii*/
 P. stutzeri genomes 51
 paralogous genome sequences 51
 genome scanning using NifH as query 50–51
 BLAST hits 50–51
 phylogenetic analysis in diazotrophs 50–51
 sequence tag/barcode, identification of nitrogen
 fixers 50
 NifH 75–76
 Nickel 76
 NifA 54–56, 58
 NifB 33–36, 38–44, 54–56, 59–60, 81, 94, 240
 Δ*nifB* MoFe protein 36, 38–44, 94, 240
 NifD 14, 32, 35, 51–52, 55, 57–58, 68, 75–76
 NiFe hydrogenase 229
 NifEN 33–39, 41, 44, 54, 59–60
 NifENFeMoco 36, 38
 Nif genes 10, 54, 56, 62, 81, 84
 NifH 11, 33, 35, 41–43, 50, 52, 54–55, 57–59, 68,
 75–76, 81, 94, 177, 212
 Δ*nifH* MoFe protein 41–43, 94
 NifL 55–56, 58, 75–76
 NifM 54–56, 81
 Nif proteins, characterization by MCD
 spectroscopy 212–215
 half-integer states 212–213
 EPR spectrum of FeMoco 213
 MCD spectrum of FeMoco 213
 nesting of magnetization curves 213
 integer states 213–215
 magnetization curves of the P-cluster of thionite
 oxidized state 215
 MCD spectrum of the P-cluster of dithionite
 reduced state 214
 MCD spectrum of the P-cluster of thionite
 oxidized state 214
 P-cluster, oxidation states 213
 S = 1/2 states 212
 NifS 33–34, 55–56, 61–62, 81
 NifU 33–34, 40, 54–56, 60–62, 81
 NifV 33, 54–56, 81
 NifX 38, 55, 304
 NifY 38, 55
 NifZ 33, 41, 43–44, 55
 Ninhydrin 114
 Nitrido ligand 306
 Nitrite 112–113, 122

- Nitrogenase . . . 3–6, 9–24, 31–44, 50–59, 61–62, 67–76,
81–84, 87–89, 93–102, 105–124, 129–143,
147–152, 156, 158–162, 166, 173–174,
177–179, 184, 191, 193–196, 198–202,
212–215, 223–226, 239–247, 249–261,
267–287, 293–309
- Nitrogenase-catalyzed reactions
involving carbon–carbon bonds 116–118
acetylene 116–117
allene 118
butynes 117
cyclopropene 118
ethylene 117–118
propyne and propargyl alcohol 117
involving carbon–nitrogen bonds 113–116
alkyl and alkenyl cyanides 114–115
cyanamide 115
cyanide 113–114
methyl isocyanide 115–116
involving carbon–oxygen and carbon–sulfur
bonds 119–120
carbon dioxide 119
carbon disulphide 119
carbonyl sulphide 119
cyanate 120
thiocyanate 119–120
involving hydrogen 120–121
HD formation 120–121
proton reduction 120
involving nitrogen–nitrogen bonds 107–112
azide and hydrazoic acid 111–112
dinitrogen 107–110
hydrazine 110–111
involving nitrogen–oxygen bonds 112–113
nitrite 112–113
nitrous oxide 112
- Nitrogenase-like enzyme, *see* Dark operative
protochlorophyllide oxidoreductase (DPOR)
- Nitrogenase mechanism
Fe protein cycle 20–21
MgATP hydrolysis and electron transfer 20
Fe protein–MoFe protein complex
formation 19–20
complexes identified in the associated state,
analysis 19–20
MoFe–protein cycle 21–23
characterization of freeze-trapped MoFe
protein 22–23
Lowe–Thorneley model 21
substrate binding to MoFe, inhibition
patterns 22
variants of MoFe protein and EPR
parameters 23
- Nitrogenase research, history
biological nitrogen fixation, discovery (1888) 3–4
free-living nitrogen-fixing soil-bacteria 3
isolation of bacteria from root nodules 3
Kjeldahl assay 4
in legumes and influence on its growth 3
identification of binary nature 5
investigations on a molecular level since 1990s 6
crystal structures, reports 6
Thorneley–Lowe model 6
major advances before 1960 4
nitrogen-fixing cell-free enzyme preparation
(1960) 4–5
- ATP and ATP-regenerating system 5
from *A. vinelandii* (aerobic organism) 5
from *C. pasteurianum* (Carnahan) 5
from *Klebsiella pneumoniae* (anaerobic
organism) 5
- Nitrogenase structure/function relationships by DFT
DFT modeling of electronic/geometric structures
of FeMoco
broken symmetry calculations 272–273
computational model 273–278
spectroscopic calibration of DFT 271–272
modeling of potential energy surface of nitrogen
fixation
nitrogenase function, theoretical/computational
insights 282–284
site-directed mutagenesis studies 278–280
- Nitrogen fixation 3–6, 9–24, 31–44, 49–62, 67–76,
81–90, 116, 149, 177, 278–284
- Nitrous oxide 112
N-methylformamide (NMF) 240–247, 276, 279
NMF, *see* *N*-methylformamide (NMF)
- NMR spectroscopy 147, 207, 256, 258–260
- Nodules 3, 120
- NRVS, *see* Nuclear resonance vibrational spectroscopy
(NRVS)
- Nuclearity 41, 222, 229
- Nuclear resonance vibrational spectroscopy (NRVS) 17,
251
- Nucleophilicity 283–284
- Nucleotide 10, 13–14, 20, 70, 74, 123, 134,
140–141, 149–150, 156, 160, 177–179, 181,
183, 185, 187
binding 13–14, 74, 149–150, 177–178
- O**
- O-nitrophenyl galactoside 88
- Open coordination sites 252
- O-phthalaldehyde 108, 112, 115–116
- OP strains 84
- OPTX exchange functional 294
- Orbital angular momentum 192, 217
- Orthologous system 51
- Oxidation 12–13, 15–17, 20–21, 32–33, 41, 108,
114, 122, 148, 153, 166, 168, 173, 196–198,
207, 213, 216, 225–226, 228–229, 231–232,
250, 272, 274, 276–277, 281, 287, 295–296,
298–299, 302, 308
state 12–13, 15–17, 20–21, 32–33,
41, 153, 166, 168, 173, 196–198, 207, 213,
225, 228–229, 232, 272, 274, 276–277, 281,
295–296, 298–299, 302–303, 308
- Oxidative phosphorylation 53
- Oxidoreductase 53, 68–74, 129–143
- Oxygen 16, 53, 56–58, 62, 94, 101, 112–113,
119–120, 134–135, 150, 158, 162, 165, 170,
179–180, 194–195, 202, 218, 222–223, 253
exposure 94
- P**
- p1+ 15, 197
p2+ 15–16, 42–44, 197, 215
p3+ 15–16, 197
- Parallel mode 32, 197
- Paralogous gene sequences 51–52

- Paramagnetic 12,
17, 32, 41, 70, 129, 191–203, 210, 212–213,
215, 218, 226, 255–257, 282, 285, 308
- Path length 117, 166, 208, 216
- PBE functional 278, 306–307, 309
- P-cluster 11, 14–17, 20–21, 32–35, 40–44,
70–71, 76, 93, 148, 152, 163, 178, 196–198,
213–215, 239–240, 247
- PCM, *see* Polarizable continuum model (PCM)
- PDB 11, 15–16, 152–156, 187
- Periodic plane-wave DFT methods 306
- Perpendicular mode EPR 197
- pH 16, 82, 95–97, 99, 106–110, 114, 116, 120–121,
124, 132, 150–156, 159–160, 179–181, 198,
202, 241–245, 247
- Phase shift 169–170
- Phenotypes 86
- Phosphate 5, 19–20, 34, 72, 82, 105–110, 122–123,
131, 133–134, 138–139, 241–242, 245
- Phosphokinase 105–107, 122–123, 131, 133,
138–139, 142, 198
- Phosphomolybdate 122
- Photoabsorber 167–168, 172–174
- Photoelectron 167–169, 172–173
wave vector space 169, 172
- Photomultiplier 216
- Phylogenetic analysis 51, 75
- P-loop 69–70, 76
- P-loop γ^8 GKGGIGK¹⁵ 69
- PMSF 100
- p^N 33, 197–198, 213
- Point mutation 85–87
- Polarizable continuum model (PCM) 274
- Polyhistidine tag 60
- Potassium phosphate 108
- Precipitating agents 151
- Precursor 36–39, 41–44, 55, 59
- Pre-edge 167–168, 172
- Prismatic iron 308
- Propargyl alcohol 22–23, 117, 198–199, 278
- Propene 115, 117–118
- Protease 55, 102, 131–132, 137, 139–142
- Protein
concentration 107, 150, 158, 181, 186, 195
conformation 14, 38–40, 42–44, 57, 60, 62,
69–70, 74, 134, 149, 177–179
expression 60–62, 82, 84
interaction 38, 60, 71, 73–75, 131, 134, 150, 174
ligands 148, 276
preparation 134, 150–157
- Protochlorophyllide (Pchl_{id}) 68, 129–143
- Protocols for cofactor isolation of nitrogenase
materials
alternative citrate–phosphate–pyrrolidinone
extraction method 242–243
standard HCl–NaOH–NMF extraction
method 242
- methods
alternative citrate–phosphate–pyrrolidinone
extraction method 245–246
distillation of NMF and DMF 243
standard HCl–NaOH–NMF extraction
method 243–245
- nitrogenase catalysis, electron flow for
FeMoco, role 240
- Proton 16, 18, 22–23, 118, 120, 149, 198–199, 276,
278–282, 294, 302, 309
- Purification 5–6, 60, 93–102, 109,
124, 130–133, 135–138, 141–143, 150, 181,
185–186, 255–256
- Purification of nitrogenase proteins
anaerobic techniques 94
extended purification procedures, effects 94
IMAC 94
materials
cell growth and crude extract preparation 95
purification of His-tagged nitrogenase
protein 96
purification of non-tagged Fe protein 95–96
purification of non-tagged MoFe protein 95
metal clusters/its orientation
activity of nitrogenase 93–94
methods
cell growth and crude extract preparation 97–98
non-tagged nitrogenase proteins, purification
strategy 97
purification of His-tagged nitrogenase
protein 96–97, 100–101
purification of non-tagged Fe protein 99–100
purification of non-tagged MoFe
protein 98–99
Schlenk system 96
WAEC protocol 94
- Pyrrolidinone-based extraction 242
- Pyruvate formate-lyase 229
- Q**
Q-sepharose 102n7
Quadrupolar interaction 231–232
Quadrupole doublet 232
Quadrupole splitting 225, 232, 299–301
Quantum mechanical tunneling 308
Quantum phenomena 268
Quartz 133, 194, 216, 255, 257
- R**
Random phase approximation (RPA) 268
Rapid-mix rapid-freeze quench (RFQ)
technique 222–223, 229
RCSB, *see* Research Collaboratory for Structural
Bioinformatics (RCSB)
Reaction intermediates 150, 223, 229
Reaction pathway 10–11, 42, 50–53, 60–61, 81, 111,
279, 283, 302–309
Reaction stoichiometry 10
Recoilless nuclear γ -emission 221
Recombinant DPOR production, constructs
for 129–131
Reconstituted MoFe protein 33, 43
Redox
cycle 72–73, 75, 131
potential 229, 295, 301–304, 309
state 12–13, 22, 56, 73, 150, 173, 191, 198, 229,
302
Reductase 5, 10, 20, 36, 38, 50, 55, 59, 76, 165,
222–223, 230, 300
Reduction intermediates 114
Rees, D.C. 6, 148–150, 174, 294
REFMAC 162

- Resazurin 141
Research Collaboratory for Structural Bioinformatics (RCSB) 151
Residue 15, 18–19, 38, 71, 123, 230, 278–281
Resistance cassettes 59, 86–87
Resonance delocalization 296
Resting-state 148, 150
RfnI genes 56
RFQ technique, *see* Rapid-mix rapid-freeze quench (RFQ) technique
RhdA protein 58
Rhizobium 50
Rhombic 17, 193, 196–198, 202, 207, 211–212, 218
Rhombicity 211
“Rhombo” program 212
Ribonucleotide reductase 165, 222–223, 230, 300
“Rigid Shift” 208
Ring 68, 72, 74, 216
Rnf proteins, types 57
RPA, *see* Random phase approximation (RPA)
RPBE functional 278, 296, 306
R-space 169, 173
Rubber septum 194
- S**
- S-adenosyl-l-methionine 35
Salt concentration 150
Sample concentration 186, 208, 216
SAXS, *see* Small angle X-ray scattering (SAXS)
SAXS spectroscopy 177–187
 catalytic mechanism by nitrogenase 178
 gated and unidirectional electron transfer 178
 induction of conformational changes 177–178
 MgATP binding and hydrolysis coupled to Fe protein 178
 materials
 beamline preparation 180
 data collection 180
 data processing, analysis, and 3D shape reconstruction 181
 initial calibration 180
 initial sample preparation 179
 nucleotide addition and data collection 181
 sample preparation at the synchrotron center 179
 methods
 beamline preparation 182
 data collection 182–183
 data processing, analysis, and 3D shape reconstruction 183–185
 initial calibration 182
 initial sample preparation 181
 nucleotide addition and data collection 183
 sample preparation at the synchrotron center 181
 MgATP-bound Fe protein state, study 179
 molybdenum nitrogenase 177
 vs. XAS, applications 178–179
Scaffold 35, 55, 253
Scatterer 169–171, 174
Scattering curve 182–184, 186–187
Schlenk system 96, 101n2
Schrödinger equation 268
Scr-promoter 85
ScrR 61
ScrX 61
Second sphere coordination shells 309
Serial dilutions 86, 88
Siderophore 56, 58, 84
Single scattering paths 173
Site directed mutagenesis 18, 70, 202, 223, 230, 279, 285
Sitting drop vapor diffusion 151, 158–159
Slater-type orbital (STO) 270
Small angle x-ray scattering (SAXS) 14, 40, 42, 177–187
Sodium
 azide 106
 cyanide 106
Specific activity 42, 96–97, 138
Spectroscopic calibration 271–272
Spin
 collinear 297
 coupling 228, 272, 295–297, 305
 dependence 231
 equilibrium 197
 –orbit coupling 211
 polarization 283, 295–297
 projection techniques 296
 state 12, 33, 166, 196–201, 211–215, 218, 226, 232, 270, 272–273, 277–278, 281, 286, 295–297, 302
Stanford Synchrotron Radiation Laboratory (SSRL) 180, 187
Steady-state assays 105
Stepwise assembly 34, 43
Stereospecificity 68, 74, 116
Steric 39, 250, 274–276, 278, 285
STO, *see* Slater-type orbital (STO)
Stoichiometry 10, 33, 72, 113, 121, 130–131, 134, 293
Streptomyces thermoautotrophicus 50
Structure refinement 162
Substrate 10, 12, 17–19, 22–23, 32, 40, 68, 70–75, 106–107, 110–113, 117–122, 131, 138–140, 149–150, 198, 200, 229, 240, 252, 276, 278–279, 284, 295–296, 308–309
Subunit 10, 12–16, 31–38, 42–43, 55, 68–70, 72–76, 93–94, 129, 148, 222, 230, 239, 298
Sucrose 61
Sulfur 5, 10, 32, 34, 53, 55, 58, 61, 71, 109, 116, 119, 134, 147–148, 170, 173, 231, 250, 252–253, 257, 260, 269, 299–300, 302, 307–308
Superconducting magnet system 226
Switch/lock 39–40
Symbiont 50
Synchrotron 171, 174, 179–181, 187
Synthetic analogues 249
- T**
- Techniques for functional/structural modeling of nitrogenase
 bulky spectator ligands, synthetic study 252–253
 β-diketiminato ligand 253
 iron(III) formation 261n3
 iron–sulfur cluster (4Fe–4S)
 spectroscopic study and reactivity of Fe^{II}₄S₄ species 250

- synthesis with open coordination sites for better binding ability 252
- materials**
- air-sensitive techniques 253–254
 - monitoring reactions using synthetic complexes, *see* UV–visible spectroscopy
 - purification and characterization
 - techniques 255–256
 - specific starting materials 257
 - spectroscopic descriptions, abbreviations used 257
- M cluster**
- iron-only nitrogenases (Fe₈) 251
 - molybdenum-dependent nitrogenases (MoFe₇) 251
 - vanadium-dependent nitrogenases (VFe₇) 251
- methods**
- K₂[L^{Me}Fe]₂N₂ 259–260
 - [L^{Me}Fe]₂Cl₂·2LiCl 258
 - [L^{Me}Fe]₂N₂ 258–259
 - [L^{Me}Fe]₂S 260
- P cluster (8Fe–7S)**
- of molybdenum nitrogenases 250
 - in synthetic molecules, benefits 251
- synthetic complexes**
- ligand, definition 250
 - “model complexes”/“synthetic analogues” 249
 - model study, disadvantage 249
 - protein modulation of metal reactivity .. 249–250
 - unsaturated iron complexes 252
- Temperature controller 159–160, 182
- Tetrahydrofuran 247, 254, 257–258, 260
- Tetramer 239
- Thionine oxidation study 225
- Thiophenolate 279
- Thorneley–Lowe model 6, 21, 280–282, 284
- Three-neck vacuum flask 242–243, 245
- Titanium(III) citrate 106, 122
- TonB-type siderophore receptors 56
- Transformation 82, 84–88, 250, 293
- See also* Genetic transformation of *A. vinelandii*
- Transition**
- energy 208, 231
 - metal 165–166, 268–269, 295, 298
 - state analog 149
- Transposon 86
- Trapping substrate** 198–202
- alkynes 198–199
 - carbon monoxide (CO) 201–202
 - diazenes 200
 - dinitrogen 199
 - hydrazine 200–201
 - protons 198–199
- Trichloroacetate 106, 109
- Truncation 271, 274
- Turnover 22–23, 32, 40, 139, 150, 198–201, 277
- U**
- Ultracentrifugation 132, 136
- Unpaired electron 192–193, 232, 269, 296
- Unsaturated complexes of iron(II)
- K₂[L^{Me}Fe]₂N₂ 252
 - [L^{Me}Fe]₂N₂ 252
- [L^{Me}Fe]₂S 252
- UV–visible spectroscopy 256–257
- V**
- Vacuum distillation 242–243
- Vacuum pump 194, 254, 258
- Vanadium 50, 56, 94, 105, 251
- Van der Waals interactions 269, 301
- Vectors 82, 130–131, 136, 169–170, 172, 211, 296, 298, 304
- Velocity transducer 226
- VFe protein 94, 107, 251
- Vnf* genes 54–56
- V-nitrogenase 107, 111, 113–115, 117, 124
- VTVHMD 41
- W**
- WAEC, *see* Weak anion exchange chromatography (WAEC)
- Water 74, 100, 109, 112–113, 116, 121, 124, 132–133, 136, 142, 162, 182, 186, 250, 254, 308
- Weak anion exchange chromatography (WAEC) 94
- Wheaton 179, 185
- Wigner–Eckart theorem 296
- Wilfarth, H. 3
- X**
- XANES, *see* X-ray absorption near edge (XANES)
- X-band EPR spectrometer 193–194
- X-gal 85, 88
- X-ray absorption near edge (XANES) 166–168, 172
- X-ray absorption spectroscopy (XAS) ... 35–37, 41, 148, 165–174, 207, 271–272, 276
- absorbing atom and XAS edges
 - atomic energy level diagram 166
 - advantages/limitations 174–175
 - edge or XANES region 167–168
 - edge/pre-edge transitions 167–166
 - electronic structure information 167
 - Fe K-edge of ferrous *vs.* ferric FeS₄ model
 - complexes 168
 - multiple scattering and DFT based approaches 168
- EXAFS region 168–171
- characterization of intermediates in enzymatic reactions 165
 - dependence on coordination number 170
 - fitting EXAFS data, goal 171
 - FTs and EXAFS for Fe–O, Fe–S, and Fe–Fe interactions 170–171
 - FTs and EXAFS for Fe–O interaction ... 169–170
 - Mn₄Ca cluster in photosystem II 165–166
 - photo-electron scattering, approximation ... 169
 - structural characterization of FeMoco 166
- materials**
- experimental setup 171–172
 - X-ray sources 171
- methods**
- applications to nitrogenase and new directions 173–174
 - scattering paths, evaluation 173
- XANES/EXAFS regions, characterization .. 166–167

- X-ray crystallography . . . 14, 20, 40, 147–163, 178–179, 183, 223–224, 226, 251, 255
- aid to future discoveries 150
 - catalytic mechanism of nitrogenase 149
 - determination of structures of FeP–MoFeP complexes 149–150
 - materials
 - crystal harvesting and cryoprotection 157
 - crystallization 151–157
 - protein preparation 151
 - methods
 - crystal harvesting and cryoprotection 161
 - data processing, software programs used 161–162
 - formation of in situ nitrogenase complex crystals 159–160
 - hanging drop vapor diffusion 160
 - protein preparation for crystal plates 158
 - sitting vapor diffusion crystallography 158–159
 - nitrogenase crystallography 150–151
 - crystal harvesting and cryoprotection 151
 - determination of protein structure, steps 150
 - high-resolution nitrogenase structures, crystal symmetry/dimensions 156
 - nitrogenase structures/crystallization conditions in RSCD databank 152–155
 - protein isolation/purification 150
 - protein solubility for crystal formation, importance 150–151
 - setting up crystallization, methods 151
 - nitrogenase enzyme, components 148
 - isolated from *A. vinelandii*, study of crystal structures 148–149
 - structure of nitrogenase metal centers, study 148
 - X-ray diffraction 151, 161, 207, 213
 - X-ray emission lines 173
 - X-ray sources 171, 174
- Z**
- Zeeman interaction 192, 208, 211
 - Zero-field splitting 207, 211, 213, 233
 - Zero rhombicity 211